MILITARY SPECIFICATION SHEET

HOSE ASSEMBLY, RUBBER, LIGHTWEIGHT, MEDIUM PRESSURE, FIELD ATTACHABLE END FITTINGS, FLARE TO FLARE


This specification is approved for use by all Departments and Agencies of the Department of Defense

The complete requirements for procuring the hose assembly described herein shall consist of this document and the latest issue of specification MIL-H-83796.


3861

FSC 4720

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T09:41Z
Check the source to verify that this is the current version before use.



FOR DROP HEIGHT A AND B, SEE APPLICABLE FITTING SPECIFICATION SHEET. THE HOSE LENGTH TO PRODUCE A DESIRED ASSEMBLY LENGTH IS DETERMINED BY MEASURING DISTANCE FROM SOCKET GROOVE TO POINT SHOWN IN SKETCHES.



ANGLE BETWEEN ELBOW FITTINGS WHEN PROJECTED ON A PLANE PERPENDICULAR TO THE HOSE AXIS, SHALL BE SPECIFIED. SIGHTING ALONG THE AXIS OF THE HOSE, THE ANGLE SPECIFIED WILL BE THE ANGLE THAT THE FURTHEST FITTING SHOULD BE ROTATED COUNTERCLOCKWISE. ANGLE WILL BE SPECIFIED IN 5° INCREMENTS. TOLERANCE ON ANGULAR ALIGNMENT ± 5° ON HOSE LENGTHS UP TO 36 INCHES AND ± 10° ON HOSE LENGTHS OVER 36 INCHES.

LENGTH L TO BE MEASURED BETWEEN CENTERS OF NIPPLE ENDS ALONG A STRAIGHT LINE PARALLEL TO HOSE.
LENGTH WITH HOSE LAID OUT HORIZONTALLY AND STRAIGHT.
HOSE ASSEMBLY TO BE SPECIFIED IN INCHES AND IN THE FOLLOWING LENGTH INCREMENTS ONLY:
- UNDER 12 INCHES NOT LESS THAN 1/8 INCH (TOLERANCE ± 1/8 INCH)
- 12 TO 18 INCHES, NOT LESS THAN 1/4 INCH (TOLERANCE ± 1/8 INCH)
- OVER 18 INCHES, NOT LESS THAN 1/2-INCH (TOLERANCE FOR LENGTHS FROM 18 TO 36 INCHES, ± 1/4 INCH; TOLERANCES FOR LENGTHS FROM 36 TO 50 INCHES, ± 1/2 INCH; FOR LENGTHS OVER 50 INCHES ± 1 PERCENT)

THE PART NO. SHALL BE FORMULATED TO REFLECT THE HOSE ASSEMBLY TUBE OD, LENGTH, STYLE AND ANGLE BETWEEN ELBOWS (AS APPLICABLE).

EXAMPLES OF PART NO.







M 83796/1 H 18 0 F 06

- 06 — HOSE ASSEMBLY FLARE TO FLARE, FOR 1/2-INCH TUBE OD 18 INCHES LONG, 30 DEG. BETWEEN ELBOWS.
- 06 — ANGLE BETWEEN ELBOWS IN DEGREES. 30° – 5° = 06.
- F — STYLE OF FITTING (SEE SHEET 3).
- 0 — LENGTH IN EIGHTHS (1/8 OF AN INCH).
- 18 — LENGTH IN INCHES. FOR LENGTHS UNDER 10 INCHES USE 09, 08, 07, etc.

DASH NO	3	4	5	6	8	10	12	-16	-20	24	-32
TUBING OD REF	3/16	1/4	5/16	3/8	1/2	5/8	3/4	1	1 1/4	1 1/2	2
SIZE CODE	B	E	F	G	H	J	K	M	N	P	R

- H — SPECIFICATION SHEET NUMBER
- M 83796/1 — DESIGNATES A MIL SPECIFICATION ITEM

Source: https://assist.dla.mil -- Downloaded: 202610-23T09:41Z
Check the source to verify that this is the current version before use.

HOSE ASSEMBLY	FITTING ENDS MIL-F-83798		HOSE CUT OFF FACTOR (HCOF) INCHES VS HOSE DASH SIZE NO										
CONFIGURATION PTG NO 1 PTG NO 2	1	2	-3	-4	-5	-6	-8	-10	-12	-16	-20	-24	-32
STYLE A – STRAIGHT TO STRAIGHT 	M83798/1	M83798/1	1.48	1.48	1.52	1.68	1.94	2.10	2.22	2.68	3.08	3.40	4.08
STYLE B – SAME AS STYLE A BUT WITH FIRESLEEVE													
STYLE C – STRAIGHT TO 45° 	M83798/1	M83798/2	1.68	1.81	1.90	2.06	2.28	2.49	2.83	3.37	3.85	4.23	4.94
STYLE D – SAME AS STYLE C BUT WITH FIRESLEEVE													
STYLE E – STRAIGHT TO 90° 	M83798/1	M83798/3	1.51	1.68	1.74	1.91	2.12	2.32	2.70	3.27	3.77	4.17	4.90
STYLE F – SAME AS STYLE E BUT WITH FIRESLEEVE													
STYLE G – 45° TO 45° 	M83798/2	M83798/2	1.88	2.14	2.28	2.44	2.62	2.88	3.44	4.06	4.62	5.06	5.80
STYLE H – SAME AS STYLE G BUT WITH FIRESLEEVE													
STYLE J – 45° TO 90° 	M83798/2	M83798/3	1.73	2.01	2.12	2.29	2.46	2.71	3.31	3.96	4.54	5.00	5.76
STYLE K – SAME AS STYLE J BUT WITH FIRESLEEVE													
STYLE L – 90° TO 90° 	M83798/3	M83798/3	1.56	1.88	1.96	2.14	2.30	2.54	3.18	3.86	4.46	4.94	5.72
STYLE M – SAME AS STYLE L BUT WITH FIRESLEEVE													

NOTES

1. FITTINGS SHALL MATE WITH MS33514, MS33656, OR MS33786 END FITTINGS, AS APPLICABLE.
2. FOR DESIGN AND SIZE OF FITTINGS, SEE CORRESPONDING DASH NUMBER ON APPLICABLE SPECIFICATION SHEET.
3. IDENTIFICATION: SEE PROCUREMENT SPECIFICATION.
4. DIMENSIONS IN INCHES.
5. REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATION FOR BIDS.

EXAMPLE OF HOSE CUT OFF FACTOR: FOR A 1" TUBE OD 18 1/2 ASSEMBLY LENGTH, STYLE D THE BULK HOSE LENGTH= 18.50 MINUS THE HCOF=18.50 2.69=15.81 BULK HOSE LENGTH NEEDED IS 15 11 INCHES

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T09:41Z
Check the source to verify that this is the current version before use.

CUSTODIANS
AIR FORCE - 82
ARMY - AV

REVIEW ACTIVITIES
ARMY - AT, ME

USER ACTIVITIES
AIR FORCE - 11

PREPARING ACTIVITY
AIR FORCE - 82

PROJECT NO. 4720-0363

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T09:41Z
Check the source to verify that this is the current version before use.