INCH POUND

MIL-I-7444D
AMENDMENT 2
26 May 1989
SUPERSEDING
AMENDMENT 1
20 January 1986

MILITARY SPECIFICATION

INSULATION SLEEVING, ELECTRICAL, FLEXIBLE

This amendment forms a part of MIL-I-7444D, dated 2 April 1984, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

* 1.3 Delete and substitute:

"B 7444- X - X- XXXX X

- Color code: W = white; C = clear; B = black; Y = yellow
- Size: 1 or 2 characteristics = AWG; 4 characters = inch
- Class: 1 = 1; 2 = 2
- Type: I = 1; III = 3
- Military specification number
- Bulk Material Identifier

Examples: B7444-3-1-14Y; B7444-1-2-1R50C"

* Beneficial comments: Delete and substitute:

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: ASD/ENES, Wright-Patterson AFB, OH 45433-6503 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A

FSC 5970

DISTRIBUTION STATMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T08:30Z
Check the source to verify that this is the current version before use.

TABLE I: Delete and substitute:

"TABLE I. Inside diameters and wall thickness of tubings.

Size No. AWG	Inside diameter (inches)			Wall thickness (inches)		
	Nominal	Minimum	Maximum	Minimum	Maximum	Nominal
24	0.022	0.020	0.027	0.010	0.014	0.012
22	0.027	0.025	0.032	0.010	0.014	0.012
20	0.034	0.032	0.039	0.013	0.019	0.016
19	0.038	0.036	0.044	0.013	0.019	0.016
18	0.042	0.040	0.049	0.013	0.019	0.016
17	0.047	0.045	0.054	0.013	0.019	0.016
16	0.053	0.051	0.061	0.013	0.019	0.016
15	0.059	0.057	0.067	0.013	0.019	0.016
14	0.066	0.064	0.072	0.013	0.019	0.016
13	0.076	0.072	0.080	0.013	0.019	0.016
12	0.085	0.081	0.089	0.013	0.019	0.016
11	0.095	0.091	0.101	0.013	0.019	0.016
10	0.106	0.102	0.112	0.013	0.019	0.016
9	0.118	0.114	0.124	0.017	0.023	0.020
8	0.133	0.129	0.141	0.017	0.023	0.020
7	0.148	0.144	0.158	0.017	0.023	0.020
6	0.166	0.162	0.178	0.017	0.023	0.020
5	0.186	0.182	0.198	0.017	0.023	0.020
4	0.208	0.204	0.224	0.017	0.023	0.020
3	0.234	0.229	0.249	0.017	0.023	0.020
2	0.263	0.258	0.275	0.017	0.023	0.020
1	0.294	0.289	0.311	0.017	0.023	0.020
0	0.330	0.325	0.347	0.017	0.023	0.020
1/ R313		0.313	0.334	0.022	0.028	0.025
R375		0.375	0.399	0.022	0.028	0.025
R438		0.438	0.462	0.022	0.028	0.025
R500		0.500	0.524	0.022	0.028	0.025
R562		0.562	0.592	0.025	0.035	0.030
R625		0.625	0.655	0.025	0.035	0.030
R750		0.750	0.786	0.030	0.040	0.035
R875		0.875	0.911	0.030	0.040	0.035
1R00		1.000	1.036	0.030	0.040	0.035
1R25		1.250	1.290	0.035	0.045	0.040
1R50		1.500	1.550	0.039	0.051	0.045
1R75		1.750	1.812	0.047	0.063	0.055
2R00		2.000	2.070	0.050	0.070	0.060
2R25		2.250	2.330	0.055	0.075	0.065
2R50		2.500	2.590	0.060	0.080	0.070

1/ R used in the inch designation represents decimal point. "

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T08:30Z
Check the source to verify that this is the current version before use.

* 4.1: Delete and substitute:

"4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements (examinations and tests) as specified herein. Except as otherwise specified in the contract order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements."

* Add:

"4.1.1 Responsibility for compliance. All items shall meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling inspections, as part of manufacturing operations, is an acceptance practice to ascertain conformance to requirements, however, this does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to accept defective material."

PAGE 15

* Add:

"6.4 Subject term (key word) listing

Tensile strength
Flame resistance
Brittle point
Fungus resistance
Dielectric strength"

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T08:30Z
Check the source to verify that this is the current version before use.

NOTE: The margins of this amendment are marked with asterisks to indicate where changes (additions, modifications, corrections, deletions) from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodians:
Army - ER
Navy - AS
Air Force - 11

Review activities:
Navy - SH
Air Force - 80, 85, 99

Preparing activity:
Air Force - 11

Project No. 5970-1055

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T08:30Z
Check the source to verify that this is the current version before use.