NOT MEASUREMENT SENSITIVE

MIL-I-7566C(USAF)
AMENDMENT 3
15 JULY 1993
SUPERSEDING
AMENDMENT 2
23 MAY 1986

MILITARY SPECIFICATION

INDICATOR SYSTEM, FUEL FLOWMETER,
GENERAL SPECIFICATION FOR

This amendment forms a part of MIL-I-7566C(USAF), dated 8 November 1974, and is approved for use by the Department of the Air Force and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Delete: "2.1" and add: "2.1 Government documents."

Add: "2.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation (see 6.2)."

* Under SPECIFICATIONS, Federal, delete "QQ-Z-325", "QQ-P-416", "PPP-B-636"; add: "PPP-B-601 Boxes, Wood Cleated" and "PPP-B-1672 Boxes, shipping, Reusable With Cushioning".

Under SPECIFICATIONS, Military, delete "MIL-D-1000", "MIL-E-5272" and "MIL-G-5572".

Add boxed paragraph to bottom center of page.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Oklahoma City Air Logistics Center/TICLA, Tinker AFB, OK 73145-3037 by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document letter.

DISTRIBUTION STATEMENTS A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-17T08:36Z
Check the source to verify that this is the current version before use.

* Under STANDARDS, Federal, add: "FED-STD-101 Test Procedures For Packaging Materials"

* Under Standards, Military, delete "MIL-STD-143" and "MIL-STD-794" entirely. Add: "MIL-STD-810 Environmental Test Methods" "MIL-STD-970 Standards and Specification, Order Of Preference For The Selection Of" and "MIL-STD-2073-1 DOD Material Procedures For Development And Application Of Packaging Requirements".

  Delete the "source statement" and add: "Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Document Order Desk, 700 Robbins Ave, Building #4, Section D, Philadelphia, PA 19111-5094.)"

* Add: 2.1.2 Other Government documents, drawings, and publications. The following other Governments documents, drawings, and publications form a part of this document to the extent specified herein. Unless otherwise specified, the issues are those cited in the solicitation."

Air Force Drawing 8988994

* 2.2 Non-Government publications. The following document (s) form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DoD adopted are those listed in the issue of the DODISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS are the issues of the documents cited in the solicitation (see 6.2).

American Society For Testing and Materials (ASTM)
ASTM D910 Gasolines, Aviation

(Application for copies should be address to: ASTM, 1916 Race St, Philadelphia, PA 19103.)

(Non-Government standards and other publications are normally available from the organizations that prepare or distribute the documents. These documents also may be available in or through libraries or other informational services.)

2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein (except for related associated detail specifications, specification sheets, or MS standards), the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T08:36Z
Check the source to verify that this is the current version before use.

* 3.3.7.1 Line 6 delete "MIL-STD-143" and add: "MIL-STD-970".

PAGE 6

* 3.4.8.2 Lines 2 and 3 delete "MIL-G-5572" and add "ASTM D90".

PAGE 7

* 3.4.9.5 Lines 5 and 6 delete "MIL-L-25142" and add: "AF8988994".

PAGE 8

* 3.5 Line 6 delete "MIL-D-1000" and add "MIL-STD-100".

PAGE 9

Delete "3.8.3" entirely and add: "3.8.3 Steel parts. Steel parts shall be coated with ion vapor deposited aluminum, where practicable, in accordance with MIL-C-83488, type I or II as applicable and of a class that is adequate to achieve the degree of protection required. Other protective coatings, in lieu of MIL-C-83488, may be used if demonstrated to be satisfactory and approved by the preparing activity. Cadmium plating must be avoided when satisfactory alternative processes can be used."

* Delete "4.1" entirely and add: "4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responisble for the performance of all inspection requirements (examinations and tests) as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspection set forth in this specification where such inspections are deemed necessary to ensure supplies and services conform to prescribed requirements."

* Add: "4.1.1 Responsibility for compliance. All items shall meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling inspection, as part of manufacturing operations, is an acceptable practice to ascertain conformance to requirements, however, this does not authorize submission of know defective material, either indicated or actual, nor does it commit the Governments to accept defective material.

PAGE 18

* 4.5.2.2.1 Line 3 delete "MIL-E-5272" and add: "MIL-STD-810".

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T08:36Z
Check the source to verify that this is the current version before use.

* Delete "4.5.2.2.3" entirely and add: "4.5.2.2.3 Temperature-altitude. The temperature-altitude test is for nonhermetically sealed instrument only. The indicator shall be subjected to an absolute pressure equivalent to an altitude of 65,000 feet for a continuous period of 4 hours at a temperature of -54±2°C. While at this pressure and temperature, the indicator shall be tested for scale errors as specified in 4.5.1.4. There shall be no damage or deterioration to the indicator as a result of this test. This test can be performed concurrently with the Low Temperature Exposure test)see 4.5.2.2.4)."

PAGE 19

* 4.5.2.2.4 Delete "Procedure II "in the title and at the beginning of the paragraph add: "The indicator shall be subjected to a Low Temperature test in accordance with MIL-STD-810, method 502, procedure II. "Also, on line 4th of this para, delete "4.5.2.1.3" and add "the detailed specification".

* 4.5.2.2.5 Delete "Procedure II" in the title and at the beginning of the para add: "The indicator shall be subjected to a High Temperature test in accordance with MIL-STD-810, method 501, procedure II. "Also, on line 4th of this para delete "4.5.2.1.4" and add "4.5.1.4".

* 4.5.2.2.6 Delete "Procedure I" in the title and at the beginning of the para add: "The indicator shall be subjected to a Fungus test in accordance with MIL-STD-810, method 507", procedure I".

* 4.5.2.2.7 Delete "Procedure I" in the title at the beginning of the para add: "The indicator shall be subjected to a Fungus test in accordance with MIL-STD-810, method 508".

* 4.5.2.2.8 Delete "Spray", "Procedure I"; and add: "fog" in the title at the beginning of the para add: "The indicator shall be subjected to a Salt Fog test in accordance with MIL-STD-810, method 509".

PAGE 20

* 4.5.2.2.12 Line 3 delete "MIL-F-5572" and add: "ASTM D910".

PAGE 21

* Delete "section 5" entirely and add: "5. PACKAGING"

5.1 Preservation. Preservation shall be level "A" or "C", as specified. (see 6.2)

5.1.1 Preservation-packaging. Unless otherwise specified by the contracting activity, item shall be packaged in quantity unit pack (QUP) of one each. Each item will be provided a preservation method IC-1 In Accordance With (IAW) MIL-P-116.

Source: https://assist.dla.mil -- Downloaded: 202610-17T08:36Z
Check the source to verify that this is the current version before use.

5.1.2 Cleaning. Item shall be cleaned IAW MIL-P-116 C-1 process.

5.1.3 Drying. Immediately after cleaning, the item shall be dried following any one or combination of the drying procedures listed in MIL-P-116. The drying procedures employed shall not be injurious to the item.

5.1.4 Level A. Item shall be preserved IAW MIL-P-116 and MIL-STD-2073-1 to provide a method IC-1.

5.1.5 Level C. Item shall be individually preserved in a manner that will afford adequate protection against corrosion,deterioration,and physical damage during shipment from the supply source to the first receiving activity as specified in MIL-P-116 and MIL-STD-2073-1.

5.2 Packing. Packing shall be level "A", "B", or "C", as specified (see 6.2).

5.2.1 Container-cushioning. Intermediate container requirements shall conform to PPP-B-1672, weather-resistant unless otherwise specified by the contracting activity. Intermediate containers shall be large enough to allow for application of sufficient cushioning material, between the unit container and intermediate container. Cushioning material shall be of sufficient density and thickness to insure shock transmission does not exceed peak values in G's established for the item.

5.2.2 Level A. Fiberboard containers do not meet Level "A" container criteria.

5.2.3 Level B. Item will be preserved as specified in 5.1 and shall be packed in exterior containers conforming to PPP-B-1672, weather-resistant, unless otherwise specified by the contracting activity. Exterior container shall be uniform shape, size and miniumu tare and cube, consistent with the protection required. Closure shall be IAW appropriate PPP-B-1672 procedure, as specified by contractor, Special Packaging Instructions (SPI) or contracting activity.

5.2.4 Level C. Item will be packed in such a manner that will afford adequate protection against physical damage during direct domestic shipment from the supply source to the first receiving activity. These packs shall conform to MIL-STD-2073-1.

5.3 Marking. Unit, intermediate, and exterior containers shall be marked IAW special markings required by the contractor, SPI and MIL-STD-129.

5.4 Inspection and Test. Test of methods of preservation shall be accomplished IAW section 4 of MIL-P-116 to insure compliance with section 5 of this specification. Packaging tests shall be conducted IAW rough handling as specified in FED-STD-101."

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T08:36Z
Check the source to verify that this is the current version before use.

* Under 6. NOTES add: "(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)"

* Delete "6.2" entirely and add: "6.2 Acquisition requirements. Acquisition documents must specify the following:

a. Title, number, and date of the specification.

b. Issue of Department of Defense Indes of Specification and Standards (DODISS) to be cited in the solicitation, and if required, the specific issue of individual documents referenced (see 2.1).

c. Preservation and packing as required."

* 6.3 Line 12 delete "MMEO" and add: "TICLA".

Add new paragraph 6.7:

"6.7 Reclaimed materials. The use of the reclaimed materials shall be encouraged to the maximum extent possible."

The margins of this amendment are marked with as asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodians:
Air Force - 99

Preparing activity:
Air Force - 71

Project number:
6620-F506

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T08:36Z
Check the source to verify that this is the current version before use.