INCH-POUND

MIL-DTL-24552/2B(SH)
8 June 2001
SUPERSEDING
MIL-T-24552/2A(SH)
3 November 1986

DETAIL SPECIFICATION SHEET

TERMINALS AND SEALS, PLUGS AND SWITCH, CASUALTY POWER, RECEPTACLE TYPE, UPPER AND LOWER RISER, 200-AMPERE, 450-VOLT, ALTERNATING CURRENT, THREE-PHASE, SYMBOL NO. 1047

This specification is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the terminals described herein shall consist of this specification and MIL-DTL-24552.




FIGURE 1. Terminal (see note 4).

AMSC N/A FSC 5940

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:32Z
Check the source to verify that this is the current version before use.




FIGURE 2. Terminal connector (3 places).




FIGURE 3. Nylon stuffing tube assembly (see note 6).

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:32Z
Check the source to verify that this is the current version before use.

NOTES:
1. Dimensions are in inches.
2. Tolerances, unless otherwise specified, are plus or minus 0.01 for two place decimals and plus or minus 0.005 for three-place decimals.
3. Mating plug: Military Part No. M24552/4-001 (not furnished).
4. Military Part No. M24552/2-001.
5. Stuffing tube, straight, nylon: see ASTM F 1836
6. Packing assembly to be furnished by shipbuilder: see ASTM F 1836M.
7. Actual shape of mounting face may vary, provided that all required dimensions are in compliance with the specification.

REQUIREMENTS:
1. The closed entry hole shall not allow an object greater than 0.31-inch diameter to enter and make contact with receptacle pin.
2. Qualification: Required.
3. First article: Not required.

Preparing activity:
Navy - SH
(Project 5940-1366)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:32Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4,5,6, and 7 and send to preparing activity.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER MIL-DTL-24552/2B	2. DOCUMENT DATE *(YYYYMMDD)* 20010608

3. DOCUMENT TITLE: TERMINALS AND SEALS, PLUGS AND SWITCH, CASUALTY POWER,RECEPTACLE TYPE, UPPER AND LOWER RISER, 200-AMPERE, 450-VOLT,ALTERNATING CURRENT, THREE-PHASE, SYMBOL NO. 1047

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME *(Last, First, Middle Initial)*	b. ORGANIZATION	
c. ADDRESS *(Include Zip Code)*	d. TELEPHONE *(Include Area Code)* (1) Commercial (2) DSN *(if applicable)*	7. DATE SUBMITTED *(YYYYMMDD)*

8. PREPARING ACTIVITY

a. NAME Ruth Butler	b. TELEPHONE *(Include Area Code)* (1) Commercial (202) 781-3726 (2) DSN 326-3726
c. ADDRESS *(Include Zip Code)* Commander, Naval Sea Systems Command ATTN: SEA 05Q, 1333 Isaac Hull Ave, SE, Washington Navy Yard, Washington, D.C. 20376	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Standardization Program Office (DLSC-LM) 8725 John J. Kingman Road, Suite 2533, Fort Belvoir, VA 22060-6221 Telephone (703) 767-6888 DSN 427-6888

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T22:32Z
Check the source to verify that this is the current version before use.