MILITARY STANDARD

TRUCKLOADING OF HAZARDOUS MATERIALS

MIL-STD-1320-100
(NAVY)


BOMB, GENERAL PURPOSE MK 82 & MODS (500LB)
AIR FORCE UNIT LOAD
TPO 1325-294-4152 THROUGH REV AA

8 JANUARY 1974

SUPERSEDING
WR 51/100
15 MAY 1972

UNIT LOAD DATA

WEIGHT	3021 LBS
DIMENSIONS	61 3 4 L x 37 4 W x 31 1 2 H
CUBE	37 4 CU FT
DOT HAZARD CLASSIFICATION	EXPLOSIVE A
AIR FORCE DWG NO	TPO 1325 294 4152 THROUGH REV A A



INDEX

ITEM	PAGE
GENERAL NOTES	
FT 40 FT TRAILER	2 & 3
LTL 40 FT TRAILER	4 & 5

NOTES:

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING CONTAINER LOADING AND CARLOADING MILITARY STANDARDS REFER TO INDEX TO STANDARDS MIL-HDBK 236 (NAVY)

FSC 8140

AUTHORIZED AND RELEASED FOR HIGHWAY SHIPMENTS ONLY

M S Lacy NWHL 16/1/73
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

J E Kelly 1/24/73
SIGNATURE AIR SYSCOM BY DIRECTION DATE

ORIGINATOR Maurice J. Hardesty Jr. 1/31/73
SIGNATURE

NAVAL WEAPONS HANDLING LABORATORY
N A D EARLE NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:43Z
Check the source to verify that this is the current version before use.

GENERAL NOTES

1. THIS DOCUMENT GIVES DETAILED INSTRUCTIONS IN TRUCKLOADING THE AIR FORCE UNIT LOAD OF 500 LB GENERAL PURPOSE BOMBS MK 82 AND MODS
2. BOMBS SHALL BE PALLETIZED IN ACCORDANCE WITH AIR FORCE DRAWING NUMBER TPO 1325 294-4152 THROUGH REV AA NO OTHER UNIT LOADS ARE AUTHORIZED FOR SHIPMENT PER THIS DOCUMENT
3. PROCEDURES AND PRACTICES DESCRIBED HEREIN ARE INTENDED FOR 40 FT VAN TRAILERS WITH TANDEM AXLES LOCATED IN THE "WESTERN POSITION" DO NOT USE TRAILERS WITH METAL FLOORS
4. SLEEPER ITEM 3 MAY BE POSITIONED IN THE TRAILER PRIOR TO LOADING
5. THE MAXIMUM GROSS WEIGHT OF THE TRACTOR-TRAILER AND THE ALLOWABLE AXLE WEIGHTS ARE THE RESPONSIBILITY OF THE CARRIER THE CARRIER WILL ADVISE THE SHIPPER OF THESE LIMITATIONS AND THE SHIPPER SHALL LOAD THE TRAILER IN SUCH A MANNER THAT THE TRACTOR-TRAILER WILL NOT EXCEED THESE LIMITATIONS
6. AFTER BLOCKING AND BRACING HAS BEEN INSPECTED ATTACH SHIPPING DOCUMENTS TO INSIDE OF TRAILER IN AN ACCESSIBLE AREA CLOSE AND SEAL TRAILER DOORS AND ATTACH "EXPLOSIVES A" PLACARD TO BOTH SIDES FRONT AND BACK OF TRAILER
7. APPLICABLE MATERIAL SPECIFICATIONS

   DUNNAGE LUMBER MIL-L-75*


   NAILS - FF-N-105 TYPE II STYLE 10 COMMON BRIGHT
8. FOR GENERAL TRUCKLOADING PROCEDURES REFER TO THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY)

FTL 40 FT TRAILER (VAN)

1. QUANTITY AND THICKNESS OF PIECE 4 MAY VARY THE REAR SOLID FILL SHALL BEAR AGAINST THE UNIT LOAD AND THE TRAILER DOORS WHEN THE DOORS ARE CLOSED

WARNING

DO NOT LOAD TRACTOR TRAILERS BEFORE DETERMINING THE EMPTY WEIGHT OF THE DRIVE AXLES DO NOT LOAD TRACTOR-TRAILERS IF THE DRIVE AXLES EMPTY WEIGHT IS IN EXCESS OF 11 500 LB FAILURE TO COMPLY WITH THIS REQUIREMENT MAY RESULT IN OVERLOADED DRIVE AXLES




SECTION A-A

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:43Z
Check the source to verify that this is the current version before use.

TRUCKLOAD DATA


NUMBER OF UNIT LOAD 14

WEIGHT 4 669 LBS



WARNING

SEE FTL WARNING



DETAIL B

FRONT BULKHEAD

1 REQUIRED

*TW TRAILER WIDTH

4	FLOOR	3 1/2 TW*	4 REQD	LAMINATE	3 PER FOOT	10d
3	DECKING	2 x 4 x RANDOM LENGTH	156 FT	SEE FIELD NOTE		
2	SUPPORT	2 x 4 TW		1	1 PER JOINT	12d
1	FWD CROSSMEMBER	2 x 6 x 8	1	LAMINATE	3 PER FOOT	10d
PIECE NO	DESCRIPTION	SIZE	NO PC REQD	NAIL TO	NUMBER	SIZE
					NAILS	

LIST OF MATERIALS AND NAILING DATA

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:43Z
Check the source to verify that this is the current version before use.

LTL 40 FT TRAILER (VAN)

1 WHEN REQUIRED TO SHIP LESS THAN TRUCKLOAD ARRANGE THE UNIT LOADS IN A SINGLE ROW PATTERN AND USE THE BLOCKING AND BRACING METHODS SPECIFIED ON THESE PAGES

NOTE

TO PREVENT AXLE OVERLOAD THE FOLLOWING REQUIREMENT MUST BE FOLLOWED

A WHEN REQUIRED TO SHIP 10 TO 13 UNIT LOADS USE THE FORWARD SPACER ASSEMBLY DETAIL C INSTALLED AS SHOWN ON PAGE 5


B WHEN REQUIRED TO SHIP LESS THAN TEN UNIT LOADS SUBSTITUTE THE FORWARD SPACER ASSEMBLY DETAIL D FOR DETAIL C

2 WHEN REQUIRED TO SHIP 13 UNIT LOADS USE REAR BLOCKING ASSEMBLY DETAIL G AT THE REAR OF THE LOAD LENGTH OF 2 x 6 STRUTS SHALL BE SUFFICIENT TO CAUSE THE REAR BLOCKING ASSEMBLY TO BEAR AGAINST THE REAR UNIT LOAD AND THE TRAILER DOORS WHEN THE DOORS ARE CLOSED

3 WHEN REQUIRED TO SHIP 12 OR LESS UNIT LOADS USE REAR BLOCKING ASSEMBLY DETAIL E


4 THE LTL ON PAGE 5 IS FOR 10 UNIT LOADS AND UTILIZES THE FORWARD SPACER ASSEMBLY DETAIL C WHEN REQUIRED TO SHIP LESS THAN THE 10 UNIT LOADS SHOWN SUBSTITUTE THE FORWARD SPACER ASSEMBLY DETAIL D FOR DETAIL C

5 ACTUAL SHIPPING REQUIREMENTS DETERMINE THE NUMBER OF UNIT LOADS TO BE SHIPPED THE LOAD PATTERN AND DUNNAGING SHALL BE IN ACCORDANCE WITH THE APPROPRIATE PARTS OF THIS MIL-STD AND THE GENERAL DOCUMENT, MIL STD-1320 (NAVY)




DETAIL C

FORWARD SPACER ASSEMBLY
(FOR 10 TO 13 UNIT LOADS)
1 REQUIRED



DETAIL D


FORWARD SPACER ASSEMBLY
(FOR 1 TO 9 UNIT LOADS)
1 REQUIRED




DETAIL E

REAR BLOCKING
1 REQUIRED
FOR 1 TO 12 UNIT LOADS


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:43Z
Check the source to verify that this is the current version before use.



SECTION F-F



*TW - TRAILER WIDTH



LEG 2 x 4 DOUBLED NAIL 1ST PIECE TO CROSSMEMBER W/12d NAILS NAIL 2ND PIECE TO 1ST W/12d NAILS

DETAIL G

REAR BLOCKING
1 REQUIRED
FOR 13 UNIT LOADS

PIECE NO	DESCRIPTION	SIZE	NO. OF PIECES REQ'D	NAIL TO	NUMBER	SIZE
					NAILS	
8	SLEEPER	2 x 4 x RANDOM LENGTHS	109 FT	SEE FIELD NOTE		
7	BACKUP CLEAT	2 x 6 x 36	9	SEE DETAIL E		
6	UPPER CROSSMEMBER	2 x 6 x 48	1	SEE DETAIL E		
5	LOWER CROSSMEMBER	2 x 6 x 48	1	SEE DETAIL E		
4	SUPPORT	2 x 4 x 16 1/2	2	1 & 2	2/JOINT	12d
3	STRUT	2 x 8 x 13 1/4	8	SEE 1 & 2	—	—
2	FWD CROSSMEMBER	2 x 8 TO SUIT	1	3	4/JOINT	16d
1	AFT CROSSMEMBER	2 x 8 x TW*-1	1	3	4/JOINT	16d

LIST OF MATERIALS & NAILING DATA

LTL 40 FT TRAILER (VAN)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:43Z
Check the source to verify that this is the current version before use.

REVIEW ACTIVITY
NAVY - OS, AS

PREPARING ACTIVITY
NAVY - OS
(PROJECT NO. B140-N228

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:43Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No 22-R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay or will otherwise enhance use of the document DoD contractors government activities or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government Fold on lines on reverse side, staple in corner, and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity

DOCUMENT IDENTIFIER AND TITLE
MIL-STD-1320-100 (NAVY)

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?
☐ YES ☐ NO *(If "Yes", in what way?)*

4 REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:43Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer
Naval Weapons Handling Laboratory
Naval Ammunition Depot Earle (NWHL/R Harris)
Nad Earle, New Jersey 07722

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:43Z
Check the source to verify that this is the current version before use.