MILITARY STANDARD

MIL-STD-1320-188
(NAVY)


TRUCKLOADING


4 JANUARY 1978

HARPOON MISSILE AGM-84A
(WITH WINGS AND FINS)
IN SHIPPING AND STORAGE CONTAINER MK 607 MOD 0

CONTAINER DATA

DIMENSIONS	168 L X 38 W X 32 5/8 H
STACKING HEIGHT	2B 1, 2
TARE WT (APPROX)	857 LBS
GROSS WT (APPROX)	3175 LBS
CUBE	120 5 CU FT
DOT HAZARD CLASSIFICATION	EXPLOSIVE A





NOTES

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236

INDEX

ITEM	PAGE
GENERAL NOTES	2
FTL 40 FT TRAILER	2 & 3
LTL 40 FT TRAILER	4 & 5

FSC 8140

AUTHORIZED AND RELEASED FOR HIGHWAY SHIPMENTS ONLY

M. S. Gray USN 12/13/77
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

J. E. Kelly 12/13/77
SIGNATURE NAVSEA/COMNAVSURFLANT DATE

ORIGINATOR [signature] 12/13/77
DATE

NAVAL WEAPONS HANDLING CENTER
EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2025-10-23 13:46Z
Check the source to verify that this is the current version before use.

GENERAL NOTES

1 THIS DOCUMENT GIVES DETAILED INSTRUCTIONS FOR TRUCKLOADING THE HARPOON MISSILE AGM-84A (WITH WINGS AND FINS) IN CONTAINER, SHIPPING AND STORAGE, MK 607 MOD 0

2 THE PROCEDURES AND PRACTICES DESCRIBED HEREIN ARE INTENDED FOR 40 FT FLATBED TRAILERS WITH THE TRAILERS TANDEM AXLES LOCATED IN THE "WESTERN POSITION" (AT THE EXTREME REAR OF THE TRAILER) DO NOT USE TRAILERS WITH METAL FLOORS

3 EACH STACK OF CONTAINERS IS SECURED TOGETHER WITH TWO 1 1/4 X .035 CROSS STRAPS THESE STRAPS PASS THROUGH THE FORK POCKETS OF THE TOP CONTAINERS AND RETURN THROUGH THE FORK POCKETS OF THE CONTAINERS IMMEDIATELY BELOW THE TOP CONTAINERS TENSION STRAPS AND SEAL WITH TWO 1 1/4 SEAL DOUBLE CRIMPED OR ONE 1 1/4 SEAL DOUBLE NOTCHED

4 ONLY CHAINS AND LOAD BINDERS SHALL BE USED FOR TIE-DOWNS (STEEL STRAPS ARE NOT AUTHORIZED)

5 ALL STACKS OF CONTAINERS SHALL HAVE A MINIMUM OF TWO TIE-DOWNS AND STACKS CONSISTING OF THREE OR MORE CONTAINERS SHALL HAVE FOUR TIE-DOWNS

6 CHAINS, FITTINGS AND LOADBINDERS SHALL MEET THE REQUIREMENTS OF THE BASIC TRUCKLOADING DOCUMENT, MIL-STD-1320 (NAVY)

7 PRIOR TO LOADING THE TRAILER AND DURING THE PRELOADING INSPECTION REQUIRED BY NAVWEPS OF 2165 AND REPORTED ON DD FORM 626, THE CHAINS, FITTINGS, AND LOAD BINDERS SHALL BE INSPECTED FOR STRETCH GOUGING BENT LINKS WEAR AND ANY OTHER NOTICEABLE DEFECTS THE INSPECTOR SHALL CONFIRM THAT THE CHAINS AND LOAD BINDERS HAVE BEEN INSPECTED AND SHALL SO NOTE IN ITEM NO. 22 OF DD FORM 626 ANY DEFICIENCY SHALL BE CAUSE FOR REJECTION OF A CHAIN OR LOAD BINDER

8 THE MAXIMUM GROSS WEIGHT OF THE TRACTOR-TRAILER AND THE ALLOWABLE AXLE WEIGHTS ARE THE RESPONSIBILITY OF THE CARRIER THE CARRIER WILL ADVISE THE SHIPPER OF THESE LIMITATIONS AND THE SHIPPER SHALL LOAD THE TRAILER IN SUCH A MANNER THAT THE TRACTOR-TRAILER WILL NOT EXCEED THESE LIMITATIONS


9 AFTER BLOCKING AND BRACING HAS BEEN INSPECTED, ATTACH SHIPPING DOCUMENTS TO AN ACCESSIBLE AREA AND ATTACH "EXPLOSIVES A" PLACARD TO BOTH SIDES FRONT AND BACK OF TRAILER

10 APPLICABLE MATERIAL SPECIFICATIONS DUNNAGE LUMBER, MM-L-751, NAILS, FF-N-105, TYPE II STYLE 10 COMMON BRIGHT STEEL, STRAPPING, QQ-S-781, TYPE I, HEAVY DUTY, FINISH A, B, OR C

11 FOR GENERAL TRUCKLOADING PROCEDURES REFER TO THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY)

FTL 40 FT TRAILER (FLATBED)

2 X 6 DOUBLED NAIL 1ST PIECE TO TRAILER FLOOR W/8-16d NAILS NAIL 2ND PIECE TO 1ST IN LIKE MANNER




2 X 6 DOUBLED NAIL 1ST PIECE TO TRAILER FLOOR W/ 1-16d NAIL EVERY 8 INCHES NAIL 2ND PIECE TO 1ST IN LIKE MANNER

DETAIL A


END BLOCKING
(4 REQUIRED)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:46Z
Check the source to verify that this is the current version before use.



DETAIL B

SEPARATOR ASSEMBLY
(4 REQUIRED)



PIECE NO	DESCRIPTION	SIZE	NO OF PIECES REQ'D	NAIL TO	NUMBER OF NAILS	SIZE
9	SEAL	FOR 1 1/4 STRAP	8	-	-	-
8	CROSS STRAP	1 1/4 X .035 X 17 FT	4	-	-	
7	CHAIN & LOAD BINDER	5/16 OR 3/8	8	-	-	-
6	CENTER CROSS MEMBER	2 X 6 X 78	2	SEE FIELD NOTE		
5	SLEEPER	2 X 4 X 24	16	SEE FIELD NOTE		
4	CROSS PIECE	1 X 6 X 14	8	3	4 PER JOINT	10d CLND
3	UPRIGHT	2 X 6 X 40	4	SEE 4	-	-
2	BACKUP CLEAT	2 X 6 X 40	16	SEE DETAIL A		
1	CROSS MEMBER	2 X 6 X 39	8	SEE DETAIL A		

LIST OF MATERIALS & NAILING DATA

TRUCKLOAD DATA

NUMBER OF CONTAINERS	8
NUMBER OF MISSILES	16
WEIGHT (APPROX.)	25,400 LBS

Source: https://assist.dla.mil-TRANSMITTED: 2023-10-23T23:46Z
Check the source to verify that this is the current version before use.

LTL 40 FT TRAILER (FLATBED)






1 WHEN REQUIRED TO SHIP LESS-THAN-TRUCKLOAD, SELECT THE CORRECT LOAD PATTERN FOR THE NUMBER OF CONTAINERS TO BE SHIPPED FROM TABLE I

2 SEVEN CONTAINERS CREATES A STACK UNEVEN IN HEIGHT AND SHOULD NOT BE SHIPPED BECAUSE OF TIE-DOWN PROBLEMS

3 POSITION CONTAINERS ON TRAILER AS SHOWN IN TABLE BLOCK AND TIE-DOWN LADING USING THE PRINCIPLES SHOWN ON PAGES 3 AND 5 AND THE GENERAL DOCUMENT, MIL-STD-1320 (NAVY)


4 THE LTL PLAN SHOWN ON PAGE 5 IS THE CORRECT LESS-THAN-TRUCKLOAD FOR THE QUANTITY OF CONTAINERS SHOWN THIS DOES NOT LIMIT LTL SHIPMENTS TO THIS QUANTITY, SINCE LTL SHIPMENTS MAY CONSIST OF A LESSER NUMBER OF CONTAINERS

TABLE I

NO OF CONTAINERS	LOAD PATTERN* → FWD	NO OF CONTAINERS	LOAD PATTERN* → FWD
6		3	
5		2	
4		1	

*NUMBER IN RECTANGLE INDICATES NUMBER OF CONTAINERS IN A LAYER ARROWS INDICATE NOSE END OF CONTAINER

2 X 6 DOUBLED NAIL 1ST PIECE TO TRAILER FLOOR W/8-16d NAILS NAIL 2ND PIECE TO 1ST IN LIKE MANNER




2 X 6 DOUBLED NAIL 1ST PIECE TO TRAILER FLOOR W/1-16d NAIL EVERY 8 INCHES NAIL 2ND PIECE TO 1ST IN LIKE MANNER

DETAIL C

END BLOCKING (4 REQUIRED)

Source: https://assist.dla.mil - Downloaded: 2026-10-24 23:48:02
Check the source to verify that this is the current version before use.



PIECE NO	DESCRIPTION	SIZE	NO OF PIECES REQ D	NAIL TO	NUMBER	SIZE
					NAILS	
9	SEAL	1/4	4	-	-	-
8	CROSS STRAP	1/4 X .035 X 17 FT	2	-	-	-
7	CHAIN & LOAD BINDER	5/16 OR 3/8	6	-	-	-
6	CENTER CROSS MEMBER	2 X 6 X 78	2	SEE FIELD NOTE		
5	SLEEPER	2 X 4 X 24	16	SEE FIELD NOTE		
4	CROSS PIECE	2 X 6 X 14	6	3	4 PER JOINT	10d (CLNO
3	UPRIGHT	2 X 6 X 40	4	SEE 4	-	-
2	BACKUP CLEAT	2 X 6 X 40	16	SEE DETAIL C		
1	CROSS MEMBER	2 X 6 X 39	8	SEE DETAIL C		

LIST OF MATERIALS & NAILING DATA

FTL 40 FT TRAILER (FLATBED)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:46Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer (Code 803)
Naval Weapons Station Earle
Colts Neck, N.J. 07722

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:46Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No 22-R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government Fold on lines on reverse side, staple in corner, and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MIL-STD-188 (NAVY)

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4 REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO

DATE

DD, FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

S/N 0102-014-1802

☆ U.S. GOVERNMENT PRINTING OFFICE: 1972-0-424-866/3402 1

Source: https://assist.dla.mil - Downloaded: 2025-10-26T23:40:27Z
Check the source to verify that this is the current version before use.