MILITARY STANDARD

TRUCKLOADING


HARPOON CANISTER
LOADED WITH GUIDED MISSILE RGM-84A-3
IN SHIPPING AND STORAGE CONTAINER MK 631 MOD 0

MIL-STD-1320-189 B
(NAVY)
9 JUNE 1980

SUPERSEDING
MIL-STD-1320-189 A
29 MARCH 1979

CONTAINER DATA

DIMENSIONS.....217 L X 46.5 W X 47 H
STACKING HEIGHT.....44
TARE WT (APPROX.).....1250 LBS.
GROSS WEIGHT (APPROX.).....3200 LBS.
CUBE.....274.5 CU. FT.
DOT HAZARD CLASSIFICATION
LOADED - EXPLOSIVES A
EMPTY - INERT



ITEM INDEX

	PAGE
GENERAL NOTES	2
FTL 40 FT TRAILER	2 & 3
LTL 40 FT TRAILER	4 & 5

NOTES:
1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236.

FSC 8140

AUTHORIZED AND RELEASED FOR HIGHWAY SHIPMENTS ONLY

SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

SIGNATURE COMMANDER, MSC, BY DIRECTION OF COMMANDER, MSEASYSCOM DATE

THIS DOCUMENT MAY BE USED FOR TRUCKLOADING EMPTY CONTAINERS.

ORIGINATOR DATE

NAVAL WEAPONS HANDLING CENTER
WINSLOW, EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T21:44:07Z
Check the source to verify that this is the current version before use.

GENERAL NOTES


1. THIS DOCUMENT GIVES DETAILED INSTRUCTIONS FOR TRUCKLOADING THE HARPOON CANISTER LOADED WITH GUIDED MISSILE RGM-84A-3 IN SHIPPING AND STORAGE CONTAINER MK 631 MOD 0.
2. THE PROCEDURES AND PRACTICES DESCRIBED HEREIN ARE INTENDED FOR 40 FT FLATBED TRAILERS WITH THE TRAILER TANDEM AXLES LOCATED IN THE "WESTERN" POSITION (AT THE EXTREME REAR OF THE TRAILER). DO NOT USE TRAILERS WITH NON-NAILABLE FLOORS.
3. CHAINS AND STEEL STRAPPING MAY BE USED INTERCHANGEABLY ON A ONE TO ONE BASIS FOR THE END TIE DOWNS ON THE CONTAINERS.

CAUTION

DO NOT USE CHAIN FOR THE CENTER TIE DOWN,
ONLY 2 X .050 STEEL STRAPPING SHALL BE USED.

4. ONE LAYER HIGH STACKS OF CONTAINERS SHALL HAVE A MINIMUM OF TWO TIE DOWNS. TWO LAYER HIGH STACKS SHALL HAVE THREE TIE DOWNS.
5. STEEL STRAPPING USED AS TIE DOWNS SHALL BE 2 X .050 AND SHALL CONFORM TO AND BE APPLIED AS SPECIFIED IN THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320 AND AS SHOWN IN THIS DOCUMENT.
6. CHAINS, FITTINGS AND LOAD BINDERS SHALL MEET THE REQUIREMENTS OF THE BASIC TRUCKLOADING DOCUMENT, MIL-STD-1320.
7. PROTECTOR BOARDS (PIECE NO. 9) SHALL BE USED UNDER THE TIE DOWNS. WHEN USING STEEL STRAPPING, THE STRAPS SHALL BE STAPLED TO THE PROTECTOR BOARD USING 2 INCH STRAPPING STAPLES. WHEN USING CHAIN, IT SHALL BE SECURED TO THE PROTECTOR BOARD BY DRIVING A 20d NAIL THROUGH THE CHAIN LINK AND CLINCHING THE NAIL OVER THE CHAIN. FIVE STAPLES/NAILS SHALL BE USED FOR EACH TIE DOWN.
8. PRIOR TO LOADING THE TRAILER AND DURING PRELOADING INSPECTION REQUIRED BY NAVWEPS OP 2165 AND REPORTED ON DD FORM 626, THE CHAINS, FITTINGS AND LOAD BINDERS SHALL BE INSPECTED FOR STRETCH; GOUGING, BENT LINKS, WEAR AND ANY OTHER NOTICEABLE DEFECTS. THE INSPECTOR SHALL CONFIRM THAT THE CHAINS AND LOAD BINDERS HAVE BEEN INSPECTED AND SHALL SO NOTE IN ITEM NO. 22 OF DD FORM 626. ANY DEFICIENCY SHALL BE CAUSE FOR REJECTION OF A CHAIN OR LOAD BINDER.
9. THE MAXIMUM GROSS WEIGHT OF THE TRACTOR-TRAILER AND THE ALLOWABLE AXLE WEIGHTS ARE THE RESPONSIBILITY OF THE CARRIER. THE CARRIER WILL ADVISE THE SHIPPER OF THESE LIMITATIONS AND THE SHIPPER SHALL LOAD THE TRAILER IN SUCH A MANNER THAT THE TRACTOR-TRAILER WILL NOT EXCEED THESE LIMITATIONS.
10. AFTER BLOCKING AND BRACING HAS BEEN INSPECTED, ATTACH SHIPPING DOCUMENTS TO AN ACCESSIBLE AREA AND ATTACH "EXPLOSIVES A" PLACARD TO BOTH SIDES, FRONT AND BACK OF TRAILER. (LOADED CONTAINERS ONLY).
11. UNLESS OTHERWISE SPECIFIED, ALL MATERIAL SHALL BE AS SPECIFIED IN THE GENERAL TRUCKLOADING DOCUMENT, MIL-STD-1320.
12. FOR GENERAL TRUCKLOADING PROCEDURES REFER TO THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320.


FTL 40 FT TRAILER (FLATBED)



DETAIL A

PREPOSITIONED FLOOR BLOCKING


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:46Z
Check the source to verify that this is the current version before use.



NOTE


DIRECTION OF ARROW INDICATES FORWARD END OF CONTAINER

DETAIL B
SEPARATOR ASSEMBLY
(2 REQUIRED)



TRUCKLOAD DATA

NUMBER OF CONTAINERS..... 8
WEIGHT (APPROX.)..... 25,600 LBS.



SECTION C-C

PIECE NO.	DESCRIPTION	SIZE	NO. OF PIECES REQ'D	NAIL TO	NUMBER	SIZE NAILS
13	TIE DOWN STRAPPING (END)	2 X .050 X 28 FT	4	-	-	-
12	SEAL	FOR 2" STRAP	48	-	-	-
11	TIE DOWN STRAPPING (CENTER)	2 X .050 X 24 FT	2	-	-	-
10	PAD(STRAPPING)	2 X .050 X 24	12	-	-	-
9	PROTECTOR BOARD	2 X 6 X 92 1/2	8	DOUBLED & LAMINATED	2 PER FT	12d
8	END BACKUP CLEAT	2 X 6 X 24	12	SEE DETAIL D, PAGE 4		
7	END CROSSMEMBER	2 X 6 X 90	2	SEE DETAIL D, PAGE 4		
6	CENTER CROSSMEMBER	2 X 6 X 96	2	SEE FIELD NOTE		
5	CROSS PIECE	2 X 4 X 120	2	4	3 PER JOINT	10d
4	UPRIGHT	2 X 6 X 86	6	SEE 5	-	-
3	PREPOSITIONED CROSSMEMBER	2 X 6 X 38	12	SEE DETAIL A		
2	PREPOSITIONED BACKUP CLEAT	2 X 6 X 24	16	SEE DETAIL A		
1	PREPOSITIONED CROSSMEMBER	2 X 6 X 38	4	SEE DETAIL A		







LIST OF MATERIALS & NAILING DATA

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:46Z
Check the source to verify that this is the current version before use.

LTL 40 FT TRAILER (FLATBED)


1. WHEN REQUIRED TO SHIP LESS-THAN-TRUCKLOAD, SELECT THE CORRECT LOAD PATTERN FOR THE NUMBER OF CONTAINERS TO BE SHIPPED FROM TABLE I.
2. SEVEN CONTAINERS CREATES A STACK UNEVEN IN HEIGHT AND SHOULD NOT BE SHIPPED BECAUSE OF WEIGHT DISTRIBUTION AND TIE-DOWN PROBLEMS.
3. POSITION CONTAINERS ON TRAILER AS SHOWN IN TABLE. BLOCK AND TIE-DOWN LADING USING THE PRINCIPLES SHOWN ON PAGES 3 AND 5 AND THE GENERAL DOCUMENT, MIL-STD-1320.
4. THE LTL PLAN SHOWN ON PAGE 5 IS THE CORRECT LESS-THAN-TRUCKLOAD FOR THE QUANTITY OF CONTAINERS SHOWN. THIS DOES NOT LIMIT LTL SHIPMENTS TO THIS QUANTITY, SINCE LTL SHIPMENTS MAY CONSIST OF A LESSER NUMBER OF CONTAINERS.

TABLE I

NO. OF CONTAINERS	LOAD PATTERN* FWD →	NO. OF CONTAINERS	LOAD PATTERN* FWD →
6		3	
5		2	
4		1	

*NUMBER IN RECTANGLE INDICATES NUMBER OF CONTAINERS IN A LAYER. ARROWS INDICATE NOSE END OF CONTAINER

2 X 6 DOUBLED. NAIL 1ST PIECE TO TRAILER FLOOR W/4d NAILS. NAIL 2ND PIECE TO 1ST IN LIKE MANNER.




2 X 6 DOUBLED, NAIL 1ST PIECE TO TRAILER FLOOR W/1-16d NAIL EVERY 8 INCHES. NAIL 2ND PIECE TO 1ST IN LIKE MANNER.

DETAIL (D)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:46Z
Check the source to verify that this is the current version before use.

NOTE

DIRECTION OF ARROW INDICATES FORWARD END OF CONTAINER



PIECE NO.	DESCRIPTION	SIZE	NO. OF PIECES REQ'D	NAIL TO	NUMBER NAILS	SIZE
14	TIE DOWN STRAPPING (CENTER)	2 X .050 X 24 FT	1	-	-	-
13	TIE DOWN STRAPPING (END)	2 X .050 X 28 FT	2	-	-	-
12	TIE DOWN STRAPPING (END)	2 X .050 X 24 FT	2	-	-	-
11	SEAL	FOR 2" STRAP	40	-	-	-
10	PAD (STRAPPING)	2 X .050 X 24	10	-	-	-
9	PROTECTOR BOARD	2 X 6 X 92 1/2	8	DOUBLE LAMINATE	2 PER FOOT	12d
8	END BACKUP CLEAT	2 X 6 X 24	12	SEE DETAIL D		
7	END CROSSMEMBER	2 X 6 X 90	2	SEE DETAIL D		
6	CENTER CROSSMEMBER	2 X 6 X 96	2	SEE FIELD NOTE		
5	CROSS PIECE	2 X 6 X 120	2	4	3 PER JOINT	10d
4	UPRIGHT	2 X 6 X AS REQ'D	6	SEE 5	-	-
3	CROSSMEMBER	2 X 6 X 30	12	SEE DETAIL A		
2	BACKUP CLEAT	2 X 6 X 24	16	SEE DETAIL A		
1	CROSSMEMBER	2 X 6 X 39	4	SEE DETAIL A		

LIST OF MATERIALS & NAILING DATA

FTL 40 FT TRAILER (FLATBED)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:46Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

DOD 316

Naval Weapons Station Earle (803)
Colts Neck, N.J. 07722

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:46Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. *DoD contractors, government activities, or manufacturers/ vendors* who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

Mil-Std-1325-86 (NAVY)

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1802

☆U.S. GOVERNMENT PRINTING OFFICE: 1976—603-766/5961

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:46Z
Check the source to verify that this is the current version before use.