MILITARY STANDARD

MIL-STD-1320-196A

(NAVY)

TRUCKLOADING


ENCAPSULATED HARPOON MISSILE RGM-84A-3 IN SHIPPING AND STORAGE CONTAINER MK 670 MOD 0


9 JUNE 1980

SUPERSEDING
MIL-STD-1320-196
25 JANUARY 1979

CONTAINER DATA

DIMENSIONS	271 7/8 L X 44 W X 39 1/4 H
STACKING HEIGHT	36 1/4
TARE WT	1437 LBS
GROSS WT (APPROX.)	3667 LBS
CUBE	269.6 CU FT
DOT HAZARD CLASSIFICATION	EXPLOSIVE A





NOTES

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING CONTAINERLOADING AND CARLOADING MILITARY STANDARDS REFER TO INDEX TO STANDARDS, MIL-HDBK-236

INDEX

ITEM	PAGE
GENERAL NOTES	2
FTL 40 FT TRAILER	2 & 3
LTL 40 FT TRAILER	4

FSC 8140

AUTHORIZED AND RELEASED FOR HIGHWAY SHIPMENTS ONLY

SIGNATURE TECHNICAL VERIFICATION AGENT (TVA) — DATE

THIS DOCUMENT MAY BE USED FOR TRUCKLOADING EMPTY CONTAINERS.

ORIGINATOR — DATE

NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:47Z
Check the source to verify that this is the current version before use.

GENERAL NOTES

1 THIS DOCUMENT GIVES DETAILED INSTRUCTIONS FOR TRUCKLOADING THE ENCAPSULATED HARPOON MISSILE RGM-84A-2 IN SHIPPING AND STORAGE CONTAINER MK 630 MOD 0

2 THE PROCEDURES AND PRACTICES DESCRIBED HEREIN ARE INTENDED FOR 40 FT FLATBED TRAILERS WITH THE TRAILERS TANDEM AXLES LOCATED IN THE "WESTERN POSITION" (AT THE EXTREME REAR OF THE TRAILER) DO NOT USE TRAILERS WITH NON-NAILABLE FLOORS

3 CHAINS AND STEEL STRAPPING MAY BE USED INTERCHANGEABLY ON A ONE TO ONE BASIS FOR THE END TIE DOWNS ON THE CONTAINERS

CAUTION

DO NOT USE CHAIN FOR THE CENTER
TIE DOWN, ONLY 2 X 050 STEEL
STRAPPING SHALL BE USED

4 ONE LAYER HIGH STACKS OF CONTAINERS SHALL HAVE A MINIMUM OF TWO TIE DOWNS TWO LAYER HIGH STACKS SHALL HAVE THREE TIE DOWNS

5 STEEL STRAPPING USED AS TIE DOWNS SHALL BE 2 X 050 AND SHALL CONFORM TO AND BE APPLIED AS SPECIFIED IN THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320 AND AS SPECIFIED IN THIS DOCUMENT

6 CHAINS, FITTINGS AND LOADBINDERS SHALL MEET THE REQUIREMENTS OF THE BASIC TRUCKLOADING DOCUMENT MIL-STD-1320

7 PROTECTOR BOARDS (PIECE NO 9) SHALL BE USED UNDER THE TIE DOWNS WHEN USING STEEL STRAPPING, THE STRAP SHALL BE STAPLED TO THE PROTECTOR BOARD USING 2 INCH STRAPPING STAPLES WHEN USING CHAIN, IT SHALL BE SECURED TO THE PROTECTOR BOARD BY DRIVING A 20d NAIL THROUGH THE CHAIN LINK AND CLINCHING THE NAIL OVER THE CHAIN FIVE STAPLES/NAILS SHALL BE USED FOR EACH TIE DOWN

8 PRIOR TO LOADING THE TRAILER AND DURING THE PRELOADING INSPECTION REQUIRED BY NAVWEPS OP 2165 AND REPORTED ON DD FORM 626, THE CHAINS, FITTINGS AND LOADBINDERS SHALL BE INSPECTED FOR STRETCH, GOUGING, BENT LINKS, WEAR AND ANY OTHER NOTICEABLE DEFECTS THE INSPECTOR SHALL CONFIRM THAT THE CHAINS AND LOADBINDERS HAVE BEEN INSPECTED AND SHALL SO NOTE IN ITEM NO 22 OF DD FORM 626 ANY DEFICIENCY SHALL BE CAUSE FOR REJECTION OF A CHAIN OR LOAD BINDER


9 THE MAXIMUM GROSS WEIGHT OF THE TRACTOR-TRAILER AND THE ALLOWABLE AXLE WEIGHTS ARE THE RESPONSIBILITY OF THE CARRIER THE CARRIER WILL ADVISE THE SHIPPER OF THESE LIMITATIONS AND THE SHIPPER SHALL LOAD THE TRAILER IN SUCH A MANNER THAT THE TRACTOR-TRAILER WILL NOT EXCEED THESE LIMITATIONS

10 AFTER BLOCKING AND BRACING HAS BEEN INSPECTED ATTACH SHIPPING DOCUMENTS TO AN ACCESSIBLE AREA AND ATTACH "EXPLOSIVES A" PLACARD TO BOTH SIDES, FRONT AND BACK OF TRAILER (LOADED CONTAINERS ONLY)


11 UNLESS OTHERWISE SPECIFIED, ALL MATERIAL SHALL BE AS SPECIFIED IN THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320

12 FOR GENERAL TRUCKLOADING PROCEDURES REFER TO THE GENERAL TRUCKLOADING DOCUMENT, MIL-STD-1320

FTL 40 FT TRAILER (FLATBED)




Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:47Z
Check the source to verify that this is the current version before use.



DETAIL B


SEPARATOR ASSEMBLY
(2 REQUIRED)



TRUCKLOAD DATA

NUMBER OF CONTAINERS .. 4

WEIGHT (APPROX) 14, 668 LBS



SECTION C-C


PIECE NO	DESCRIPTION	SIZE	NO PIECES REQ'D	NAIL TO	NAILS NUMBER	NAILS SIZE
10	UPRIGHT	2 X 6 X 70	3	SEE 9	-	-
9	CROSS PIECE	2 X 4 X 96	2	10	3/JOINT	16d CLND
8	TIE DOWN STRAPPING (CENTER)	2 X .050 X 21 FT	1	-	-	-
7	TIE DOWN STRAPPING (END)	2 X .050 X 24 FT	2	-	-	-
6	SEAL	FOR 2 " STRAPPING	24	-	-	-
5	PAD (STRAPPING)	2 X .050 X 24	6	-	-	-
4	PROTECTOR BOARD	2 X 6 X 89	4	DOUBLED & LAMINATED	2/FOOT	12d
3	END BACKUP CLEAT	2 X 6 X 36	16	SEE FIELD NOTE		
2	END CROSSMEMBER	2 X 6 X 90	4	SEE FIELD NOTE		
1	PREPOSITIONED SLEEPER	2 X 6 X 37	8	SEE FIELD NOTE		

LIST OF MATERIALS & NAILING DATA

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:47Z
Check the source to verify that this is the current version before use.

FTL LESS THAN 40FT TRAILER (FLATBED)

1 THIS ITEM MAY BE SHIPPED ON SHORTER FLATBED TRAILERS AND MAY ALSO BE SHIPPED ON DOUBLES WHEN STATE LAW PERMITS EACH TRAILER MAY BE LOADED WITH 4 CONTAINERS WHEN FLATBED TRAILER IS LESS THAN 28 FT LONG THE FLOOR BLOCKING MUST BE PREPOSITIONED AS PER DETAIL D



DETAIL (D)

PREPOSITIONED FLOOR BLOCKING

LTL TRAILERS (FLATBED)

1 THREE CONTAINERS CREATES A STACK UNEVEN IN HEIGHT AND SHOULD NOT BE SHIPPED BECAUSE OF WEIGHT DISTRIBUTION AND TIE DOWN PROBLEMS

2 ONE OR TWO CONTAINERS MAY BE SHIPPED AND SHOULD BE BLOCKED AND TIED DOWN USING THE PRINCIPLES SHOWN IN THIS DOCUMENT AND THE GENERAL DOCUMENT, MIL-STD-1320 (NAVY)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:47Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No 22-R253

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document DoD contractors, government activities or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government Fold on lines on reverse side, staple in corner, and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity

DOCUMENT IDENTIFIER AND TITLE

MIL-STD-1320-196A (NAVY)

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4 REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO

DATE

DD FORM 1426 REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED S/N 0102

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:47Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DoD-316

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer
Naval Weapons Station Earle
NWHC (R. Harris)
Colts Neck, NJ 07722

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:47Z
Check the source to verify that this is the current version before use.