MILITARY STANDARD

MIL-STD-1320-22[illegible]
(NAVY)

TRUCK LOADING

9 APRIL 1986

HARPOON THICKWALL CANISTER
LOADED WITH GUIDED MISSILE RGM-84A-5
IN SHIPPING AND STORAGE CONTAINER MX894 MOD 0


CONTAINER DATA

CANISTERS PER CONTAINER	1
DIMENSIONS	21[illegible] L X 41 Y X 42.5 H
GROSS WT	5760 LBS Δ
TARE WT	1280 LBS
CUBE	219.2 CU FT

Δ DO NOT USE FOR SHIPPING WT

DD HAZARD CLASSIFICATION

WITH MISSILE IN CANISTER	EXPLOSIVES A
WITH EMPTY CANISTER	INERT
EMPTY CONTAINER	INERT



AMSC NO N/A

NOTES

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

2 FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING CONTAINER LOADING AND CARLOADING MILITARY STANDARDS REFER TO INDEX TO STANDARDS MIL-HDBK 236 (NAVY)

INDEX

ITEM	PAGE
GENERAL NOTES	2
FTL TRAILER	2 & 3
LTL TRAILER	4

DISTRIBUTION STATEMENT A

Approved for public release distribution is unlimited

FSC 8140

AUTHORIZED AND RELEASED
FOR HIGHWAY SHIPMENT ONLY

W.S. Gray NWHC 4/8/86
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

[illegible] 4/9/86
SIGNATURE SEASYSCOM BY DIRECTION DATE

ORIGINATOR J. Bender 3/9/86
DATE


NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:48Z
Check the source to verify that this is the current version before use.

GENERAL NOTES

1. THIS DOCUMENT GIVES DETAILED INSTRUCTIONS FOR TRUCKLOADING THE HARPOON THICKWALL CANISTER LOADED WITH GUIDED MISSILE RGM-84A-5 IN SHIPPING AND STORAGE CONTAINER MK 69? MOD 0. FOR GENERAL TRUCK LOADING PROCEDURES REFER TO THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY)
2. THE PROCEDURES DESCRIBED HEREIN ARE INTENDED FOR 40 FT AND LONGER FLATBED TRAILERS WITH THE TRAILERS TANDEM AXLES LOCATED IN THE WESTERN POSITION (AT THE EXTREME REAR OF THE TRAILER). DO NOT USE TRAILERS WITH METAL FLOORS
3. CHAINS AND STEEL STRAPPING MAY BE USED INTERCHANGEABLY ON A ONE TO ONE BASIS FOR TIE DOWNS
4. STEEL STRAPPING USED AS TIE DOWNS SHALL BE 2 X 050 AND SHALL CONFORM TO AND BE APPLIED AS SPECIFIED IN THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY)
5. CHAINS FITTINGS AND LOAD BINDERS SHALL CONFORM TO AND BE APPLIED AS SPECIFIED IN THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY) EXCEPT THAT THE CHAIN/GRAB HOOKS SHALL BE ATTACHED TO THE STAKE POCKETS (NOT AROUND THE RUB RAIL)
6. PROTECTOR BOARDS (DOUBLED 2 X 6 S) SHALL BE USED UNDER THE TIE DOWNS. WHEN USING STEEL STRAPPING THE STRAPS SHALL BE STAPLED TO THE PROTECTOR BOARD USING 2 INCH STRAPPING STAPLES. WHEN USING CHAIN THE CHAINS SHALL BE SECURED TO THE PROTECTOR BOARD BY DRIVING A 10 d NAIL THROUGH THE CHAIN LINK AND CLINCHING THE NAIL OVER THE CHAIN. FIVE STAPLES/NAILS SHALL BE USED FOR EACH TIE DOWN
7. PRIOR TO LOADING THE TRAILER AND DURING PRELOADING INSPECTION REQUIRED BY NAVSEA OP 2165 AND REPORTED ON DD FORM 626 THE CHAINS FITTINGS AND LOAD BINDERS SHALL BE INSPECTED FOR STRETCH GOUGING BENT LINKS WEAR AND ANY OTHER NOTICABLE DEFECTS. THE INSPECTOR SHALL CONFIRM THAT THE CHAINS FITTINGS AND LOAD BINDERS HAVE BEEN INSPECTED AND SHALL SO NOTE IN ITEM NO 22 OF DD FORM 626. ANY DEFICIENCY SHALL BE CAUSE FOR REJECTION OF A CHAIN OR LOAD BINDER
8. UNLESS OTHERWISE SPECIFIED DUNNAGE LUMBER STEEL STRAPPING STRAP SEALS AND NAILS SHALL BE AS SPECIFIED IN THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY)
9. THE MAXIMUM GROSS WEIGHT OF THE TRACTOR-TRAILER AND THE ALLOWABLE AXLE WEIGHTS ARE THE RESPONSIBILITY OF THE CARRIER. THE CARRIER WILL ADVISE THE SHIPPER OF THESE LIMITATIONS AND THE SHIPPER SHALL LOAD THE TRAILER IN SUCH A MANNER THAT THE TRACTOR-TRAILER WILL NOT EXCEED THESE LIMITATIONS
10. AFTER THE BLOCKING BRACING AND TIE DOWNS HAVE BEEN INSPECTED THE CONTAINERS SHALL BE COMPLETELY COVERED WITH FIRE RESISTANT WATERPROOF TARPAULINS
11. AFTER THE TARPAULINS ARE IN PLACE ATTACH "EXPLOSIVES A" PLACARDS TO BOTH SIDES FRONT AND BACK OF THE TRAILER (WITH MISSILE ON Y) AND ATTACH THE SHIPPING DOCUMENTS TO AN ACCESSABLE AREA ON THE BACK DECK OF THE TRAILER

FTL 40 FT AND LONGER TRAILER (FLATBED)



TRAILER LENGTH	DIMENSION A
40 FT	206 INCHES
42 FT	218 INCHES
44 FT	230 INCHES
45 FT	236 INCHES

(1) 2 X 6 DOUBLED NAIL 1ST PIECE TO TRAILER FLOOR W/5-16d NAILS NAIL 2ND PIECE TO 1ST IN LIKE MANNER

(2) 2 X 6 DOUBLED NAIL 1ST PIECE TO TRAILER FLOOR W/6-16d NAILS NAIL 2ND PIECE TO 1ST IN LIKE MANNER

DETAIL (A)

PREPOSITIONED FLOOR BLOCKING FOR 40 FT OR LONGER TRAILER


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:48Z
Check the source to verify that this is the current version before use.

NOTE

TARPAULINS OVER CONTAINERS OMITTED FOR CLARITY

NOTE

DIRECTION OF ARROW INDICATES FORWARD END OF CONTAINER



TRUCKLOAD DATA

NUMBER OF CONTAINERS 4

WEIGHT 23040 LBS Δ

Δ DO NOT USE FOR SHIPPING WEIGHT

Q'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
6	4	CHAIN AND LOAD BINDER	SEE NOTE 5	5 16 OR 3/8
12	3	PROTECTOR BOARD	SEE NOTE 5	2 X 6 X 78
32	2	PREPOSITIONED BACKUP CLEAT	SEE NOTE 8	2 X 6 X 36
16	1	PREPOSITIONED CROSSTIMBER	SEE NOTE 8	2 X 6 X 33 2

LIST OF MATERIALS

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:48Z
Check the source to verify that this is the current version before use.

LTL 40 FT AND LONGER TRAILER (FLATBED)

1 WHEN REQUIRED TO SHIP LESS-THAN-TRUCKLOAD SELECT THE CORRECT LOAD PATTERN FOR THE NUMBER OF CONTAINERS TO BE SHIPPED FROM TABLE I



2 POSITION CONTAINERS ON TRAILER AS SHOWN IN TABLE I BLOCK AND TIE DOWN USING THE PRINCIPLES SHOWN ON PAGES 3 AND 4 AND THE GENERAL DOCUMENT MIL-STD-1320 (NAVY)

3 THE LTL PLAN SHOWN ON PAGE 4 IS THE LESS-THAN-TRUCKLOAD FOR THE QUANTITY OF CONTAINERS SHOWN THIS DOES NOT LIMIT SHIPMENTS TO THIS QUANTITY SINCE LTL SHIPMENTS MAY CONSIST OF A LESSER NUMBER OF CONTAINERS

4 WHEN SHIPPING 1 OR 3 CONTAINERS CENTER THE PREPOSITIONED BLOCKING FOR THE SINGLE CONTAINER ON THE CENTER LINE OF THE TRAILER

TABLE I

LOAD PATTERN*

NO OF CONTAINERS	LOAD PATTERN*	NO OF CONTAINERS	LOAD PATTERN*
3		1	
2			


* LOAD PATTERN SHOWS FLOOR PLAN FOR TRAILER ARROWS INDICATE FORWARD END OF CONTAINER

NOTE

TARPAULINS OVER CONTAINER OMITTED FOR CLARITY

NOTE

DIRECTION OF ARROW INDICATES FORWARD END OF CONTAINER



WARNING

POSITIONING CONTAINER ON CENTER LINE OF TRAILER REQUIRES A MINIMUM 10 000 LB CAPACITY FORK TRUCK WITH MINIMUM 72 INCH FORK LENGTH OR A SUITABLE CRANE

LIST OF MATERIALS

REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
5	5	CHAIN AND LOAD BINDER	SEE NOTE 5 PAGE 2	5/16 OR 3/8
4	4	PROTECTOR BOARD	SEE NOTE 6 PAGE 2	2 X 6 X 34
6	3	PROTECTOR BOARD	SEE NOTE 6 PAGE 2	2 X 6 X 78
24	2	PREPOSITIONED BACKUP CLEAT	SEE NOTE 8 PAGE 2	2 X 6 X 36
12	1	PREPOSITIONED CROSSMEMBER	SEE NOTE 8 PAGE 2	2 X 6 X33 1/2

REVIEW ACTIVITY
NAVY-OS

PREPARING ACTIVITY
NAVY-OS
(PROJECT NO 8140-N699)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23123:48Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS. In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE. This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

Commanding Officer
Naval Weapons Station Earle
Naval Weapons Handling Center (303)
Colts Neck, NJ 07722

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:48Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1 DOCUMENT NUMBER	2 DOCUMENT TITLE
MIL-STD-1320-226	

3a NAME OF SUBMITTING ORGANIZATION	4 TYPE OF ORGANIZATION (Mark one)
	☐ VENDOR
b ADDRESS (Street, City, State, ZIP Code)	☐ USER
	☐ MANUFACTURER
	☐ OTHER (Specify) _____

5 PROBLEM AREAS

a Paragraph Number and Wording

b Recommended Wording

c Reason/Rationale for Recommendation

6 REMARKS

7a NAME OF SUBMITTER (Last, First, MI) – Optional	b WORK TELEPHONE NUMBER (Include Area Code) – Optional
c MAILING ADDRESS (Street, City, State, ZIP Code) – Optional	8 DATE OF SUBMISSION (YYMMDD)

DD FORM 1426 82 MAR

PREVIOUS EDITION IS OBSOLETE

(FOLD ON THIS LINE)

(DETACH THIS FORM, CUT ALONG THIS LINE)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:48Z
Check the source to verify that this is the current version before use.