MILITARY STANDARD


MIL-STD-1320-251A
(NAVY)
30 MARCH 1982

SUPERSEDING
MIL STD-1320-251
11 JANUARY 1980

TRUCKLOADING

GUIDED MISSILE, AGM-84 E AND ATM-84-E (SLAM) IN CONTAINER MK 724 MODS 0 & 1

GUIDED MISSILE, AGM-84-F AND ATM-84F-1C (BLOCK ID) IN CONTAINER CNU-495/E



CONTAINER DATA


DIMENSIONS -- - - - L=196 W=37.58 H=30.2

NO OF ITEMS/CONTAINER -- 2

CONTAINER	GROSS WT (LBS) △	TARE WT (LBS) △
MK 724 MOD 0	3 831	1 107
MK 724 MOD 1	3 924	1 197
CNU-495/E 1 MISSILE 2 MISSILES	 2 651 4 070	1 232

△ DO NOT USE FOR SHIPPING WEIGHT

FOR HAZARD CLASSIFICATIONS SEE NAVSEA OP 2165



INDEX

ITEM	PAGE
GENERAL NOTES	2
FTL TRAILER	2 & 3
LTL TRAILER	4

AMSC NO N/A

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE
DISTRIBUTION IS UNLIMITED

REV LTR	REVISION DESCRIPTION	DATE	TDA	SYSCOM
A	REVISED DOCUMENT TITLE AND GENERAL NOTES INCREASED NUMBER OF TIEDOWNS PER STACK FROM 3 TO 4	3/30/82		APPROVAL

NOTES
1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING CONTAINERLOADING AND CARLOADING MILITARY STANDARDS REFER TO INDEX TO STANDARDS MIL-HDBK-236 (NAVY)

FSC 8140

AUTHORIZED AND RELEASED FOR HIGHWAY SHIPMENT ONLY

SIGNATURE — TDA, APNSTA & WILE — DATE 1/31/90

SIGNATURE — SYSCOM BY DIRECTION — DATE 4/3/90

ORIGINATOR — DATE

APNSTA & WILE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.

GENERAL NOTES

1. THIS DOCUMENT GIVES DETAILED INSTRUCTIONS FOR TRUCKLOADING THE AGM-84-E AND THE ATM-84-E (SLAM) GUIDED MISSILE IN THE SHIPPING AND STORAGE CONTAINER MX 724 MODS 0 AND 1 AND THE AGM-84-F (BLOCK ID) GUIDED MISSILE IN THE SHIPPING AND STORAGE CONTAINER CNU-495/E
2. THE PROCEDURES DESCRIBED HEREIN ARE INTENDED FOR 40 FT OR LONGER FLATBED TRAILERS DO NOT USE TRAILERS WITH ALL METAL FLOORS
3. CHAINS AND STEEL STRAPPING MAY BE USED INTERCHANGEABLY ON A ONE TO-ONE BASIS FOR TIEDOWNS
4. STEEL STRAPPING USED AS TIEDOWNS SHALL BE 2 X 050 AND SHALL CONFORM TO AND BE APPLIED AS SPECIFIED IN THE GENERAL TRUCKLOADING DOCUMENT MIL STD-1320 (NAVY)
5. CHAINS FITTINGS AND LOAD BINDERS SHALL CONFORM TO AND BE APPLIED AS SPECIFIED IN THE GENERAL TRUCKLOADING DOCUMENT MIL-STD-1320 (NAVY) EXCEPT THAT THE CHAIN/GRAB HOOKS SHALL BE ATTACHED TO THE STAKE POCKETS (NOT AROUND THE RUB RAIL)
6. PROTECTOR BOARDS (DOUBLED 2 X 6 S) SHALL BE USED UNDER THE TIEDOWNS WHEN USING STEEL STRAPPING THE STRAPS SHALL BE SECURED TO THE PROTECTOR BOARD USING 2-INCH STRAPPING STAPLES WHEN USING CHAIN THE CHAINS SHALL BE SECURED TO THE PROTECTOR BOARD BY DRIVING A 10d NAIL THROUGH THE CHAIN LINK AND CLINCHING THE NAIL OVER THE CHAIN FIVE STAPLES/NAILS SHALL BE USED FOR EACH TIEDOWN
7. THE MAXIMUM NUMBER OF CONTAINERS THAT CAN BE LOADED ONTO A TRAILER IS

   40 THRU 48 FT TRAILERS - 8 CONTAINERS


8. PRIOR TO LOADING THE TRAILER AND DURING PRELOADING INSPECTION REQUIRED BY NAVSEA OP 2165 AND REPORTED ON DD FORM 626 THE CHAINS FITTINGS AND LOAD BINDERS SHALL BE INSPECTED FOR STRETCH GOUGING BENT LINKS WEAR AND ANY OTHER NOTICEABLE DEFECTS THE INSPECTOR SHALL CONFIRM THAT THE CHAINS FITTINGS AND LOAD BINDERS HAVE BEEN INSPECTED AND SHALL SO NOTE IN ITEM NO 22 OF DD FORM 626 ANY DEFICIENCY SHALL BE CAUSE FOR REJECTION OF A CHAIN OR LOAD BINDER
9. UNLESS OTHERWISE SPECIFIED DUNNAGE LUMBER STEEL STRAPPING STRAP SEALS AND NAILS SHALL BE AS SPECIFIED IN THE GENERAL TRUCKLOADING DOCUMENT MIL STD-1320 (NAVY)
10. THE MAXIMUM GROSS WEIGHT OF THE TRACTOR TRAILER AND THE ALLOWABLE AXLE WEIGHTS ARE THE RESPONSIBILITY OF THE CARRIER THE CARRIER WILL ADVISE THE SHIPPER OF THESE LIMITATIONS AND THE SHIPPER SHALL LOAD THE TRAILER IN SUCH A MANNER THAT THE TRACTOR TRAILER WILL NOT EXCEED THESE LIMITATIONS
11. AFTER THE BLOCKING BRACING AND TIEDOWNS HAVE BEEN INSPECTED THE CONTAINERS SHALL BE COMPLETELY COVERED WITH FIRE RESISTANT WATERPROOF TARPAULINS THE TARPAULINS MAY BE UNDER THE TIEDOWNS AND THE PROTECTOR BOARDS
12. AFTER THE TARPAULINS ARE IN PLACE ATTACH THE PROPER EXPLOSIVES PLACARDS TO BOTH SIDES FRONT AND BACK OF THE TRAILER AND ATTACH THE SHIPPING DOCUMENTS TO AN ACCESSIBLE AREA ON THE BACK DECK OF THE TRAILER
13. FOR GENERAL TRUCKLOADING PROCEDURES REFER TO THE GENERAL TRUCKLOADING DOCUMENT MIL STD 1320 (NAVY)


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.

ATL 20' FLAT 18 FT TRAILER (LOADED)


NOTE

TARPAULINS OVER CONTAINERS OMITTED FOR CLARITY





DETAIL B



DETAIL A

REQ	ITEM	DESCRIPTION	MAT'L/CTG	DIMENSIONS
8	8	CHAIN & LOADBINDER	STEEL	
2	7	STRAP SEAL	DETAIL B	1 1/4 SIZE
2	6	STEEL STRAP	DETAIL B	1 1/4 X .035 X 20 FT
2	5	PROTECTOR BOARD (INNER)	DETAIL B	2 X 6 X 75
16	4	PROTECTOR BOARD	WOOD	2 X 6 X 75
2	3	CROSS MEMBER	DETAIL A	2 X 6 X 90
10	2	BACKUP CLEAT	DETAIL A	2 X 6 X 30
16	1	SLEEPER	WOOD	2 X 4 X 24

LIST OF MATERIALS

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.


LTL 40 FT AND LONGER TRAILERS (FLATBED)


1 WHEN REQUIRED TO SHIP LESS-THAN-TRUCKLOAD SELECT THE CORRECT LOAD PATTERN FOR THE NUMBER OF CONTAINERS TO BE SHIPPED FROM TABLE I

2 POSITION CONTAINERS ON THE TRAILER AS SHOWN IN TABLE I BLOCK AND TIEDOWN USING THE PRINCIPLES SHOWN ON PAGES 3 AND 4 AND THE GENERAL DOCUMENT MIL-STD-1320 (NAVY)

3 WHEN SHIPPING FEWER THAN 6 CONTAINERS MINIMIZE THE LOAD HEIGHT BY SHIPPING CONTAINERS ONE HIGH

TABLE






FOR 3, 5 OR 6 CONTAINERS

DETAIL C

BLOCKING FOR VARIOUS LTL COMBINATIONS



FOR 1 OR 2 HIGH CONTAINERS

NOTE FOR (2) AND (4) CONTAINERS USE SAME END BLOCKING AS SHOWN ON PTL FOR (8) CONTAINERS

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No 22-R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government Fold on lines on reverse side, staple in corner, and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity

DOCUMENT IDENTIFIER AND TITLE
MIL-STD-1320-251A · GM AGM-84-E in Container Mk 724 Mods 0,1

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?
☐ YES ☐ NO *(If "Yes", in what way?)*

4 REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO

DATE

DD FORM 1426 REPLACES EDITION OF 1 JAN 72 WHICH IS OBSOLETE S/N 0102-013-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer
Naval Weapons Station Earle
Attn: Code 502
Colts Neck, New Jersey 07722-5000

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.