
MILITARY STANDARD

MIL-STD-1320-254
(NAVY)
1 MAY 1991

TRUCKLOADING
UNIT LOADS
GUIDED MISSILE, AGM-65 (MAVERICK)
IN SHIPPING AND STORAGE CONTAINER, CNU-447/E




UNIT LOAD DATA

UNIT LOAD DOCUMENTS.....MIL-STD-1323-359
DIMENSIONS.....L 108.87 X W 28.18 X 59.12
GROSS WEIGHT.....2,244 LBS
CUBE.....104 CU FT
DO NOT USE FOR SHIPPING WEIGHT

CONTAINER, SHIPPING AND STORAGE, CNU-447/E
DRAWING 18894-879475
CONTAINER DIMENSIONS
LENGTH.....108.87
WIDTH.....28.18
HEIGHT (OVERALL).....29.56
(STACKING).....29.00

HAZARD CLASSIFICATION			
DODIC/NALC	ITEM NAME	DOT	CG
PB69	MISSILE	CLASS A	CLASS TBD



INDEX

ITEM	PAGE
GENERAL NOTES.....	2
FTL TRAILER.....	3
LTL TRAILER.....	4 & 5

AMSC NO. - N/A

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE: DISTRIBUTION IS UNLIMITED.

NOTES:
1. UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING, *CONTAINERLOADING AND CARLOADING MILITARY* STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

REV LTR	REVISION DESCRIPTION	DATE	TDA	SYSCOM
			APPROVAL	

FSC 8140

AUTHORIZED AND RELEASED FOR HIGHWAY SHIPMENT ONLY.

SIGNATURE TDA, WPNSTA EARLE DATE 5-1-91

SIGNATURE AIRSYSCOM BY DIRECTION DATE 5/1/91

ORIGINATOR DATE 4/3/91

WPNSTA EARLE, NEW JERSEY


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.

GENERAL NOTES

1. THIS DOCUMENT GIVES DETAILED INSTRUCTIONS FOR TRUCKLOADING UNIT LOADS FOR UNDERWAY REPLENISHMENT OF AGM-65 GUIDED MISSILES IN CONTAINER CNU-447/E WHEN THE CONTAINERS ARE UNITIZED IN ACCORDANCE WITH MIL-STD-1323-359 (NAVY).
2. THE PROCEDURES DESCRIBED HEREIN ARE INTENDED FOR 44 FT THROUGH 48 FT FLATBED TRAILERS. DO NOT USE TRAILERS WITH METAL FLOORS.
3. CHAINS AND STEEL STRAPPING MAY BE USED INTERCHANGEABLY ON A ONE TO ONE BASIS FOR TIE DOWNS.
4. STEEL STRAPPING USED AS TIE DOWNS SHALL BE 2 X .050 AND SHALL CONFORM TO AND BE APPLIED AS SPECIFIED IN THE GENERAL TRUCKLOADING DOCUMENT, MIL-STD-1320 (NAVY).
5. CHAINS, FITTINGS AND LOAD BINDERS SHALL CONFORM TO AND BE APPLIED AS SPECIFIED IN THE GENERAL TRUCKLOADING DOCUMENT, MIL-STD-1320 (NAVY) EXCEPT THAT THE CHAIN/GRAB HOOKS SHALL BE ATTACHED TO THE STAKE POCKETS (NOT AROUND THE RUB RAIL).
6. PROTECTOR BOARDS (DOUBLED 2 X 6'S) SHALL BE USED UNDER THE TIE DOWNS. WHEN USING STEEL STRAPPING, THE STRAPS SHALL BE STAPLED TO THE PROTECTOR BOARD USING 2 INCH STRAPPING STAPLES. WHEN USING CHAIN, THE CHAINS SHALL BE SECURED TO THE PROTECTOR BOARD BY DRIVING A 10 d NAIL THROUGH THE CHAIN LINK AND CLINCHING THE NAIL OVER THE CHAIN. FIVE STAPLES/NAILS SHALL BE USED FOR EACH TIE DOWN.
7. PRIOR TO LOADING THE TRAILER AND DURING PRELOADING INSPECTION, REQUIRED BY NAVSEA OP 2165 AND REPORTED ON DD FORM 626, THE CHAINS, FITTINGS AND LOAD BINDERS SHALL BE INSPECTED FOR STRETCH, GOUGING, BENT LINKS, WEAR AND ANY OTHER NOTICEABLE DEFECTS. THE INSPECTOR SHALL CONFIRM THAT THE CHAINS, FITTINGS AND LOAD BINDERS HAVE BEEN INSPECTED AND SHALL SO NOTE IN ITEM NO. 22 OF DD FORM 626. ANY DEFICIENCY SHALL BE CAUSE FOR REJECTION OF A CHAIN OR LOAD BINDER.
8. UNLESS OTHERWISE SPECIFIED DUNNAGE LUMBER, STEEL STRAPPING, STRAP SEALS AND NAILS SHALL BE AS SPECIFIED IN THE GENERAL TRUCKLOADING DOCUMENT, MIL-STD-1320 (NAVY).
9. THE MAXIMUM GROSS WEIGHT OF THE TRACTOR-TRAILER AND THE ALLOWABLE AXLE WEIGHTS ARE THE RESPONSIBILITY OF THE CARRIER. THE CARRIER WILL ADVISE THE SHIPPER OF THESE LIMITATIONS AND THE SHIPPER SHALL LOAD THE TRAILER IN SUCH A MANNER THAT THE TRACTOR-TRAILER WILL NOT EXCEED THESE LIMITATIONS.
10. AFTER THE BLOCKING, BRACING AND TIE DOWNS HAVE BEEN INSPECTED, THE CONTAINERS SHALL BE COMPLETELY COVERED WITH FIRE RESISTANT WATERPROOF TARPAULINS. THE TARPAULINS MAY BE UNDER THE TIE DOWNS.
11. AFTER THE TARPAULINS ARE IN PLACE, ATTACH "EXPLOSIVES A" PLACARDS TO BOTH SIDES, FRONT AND BACK OF THE TRAILER AND ATTACH THE SHIPPING DOCUMENTS TO AN ACCESSABLE AREA ON THE BACK DECK OF THE TRAILER.
12. FOR GENERAL TRUCKLOADING PROCEDURES REFER TO THE GENERAL TRUCKLOADING DOCUMENT, MIL-STD-1320 (NAVY).

FTL 44 FT THROUGH 48 FT TRAILER (FLATBED)

PREPOSITIONED BLOCKING



TRAILER LENGTH	DIMENSION "A"
44 FT	46
45 FT	52
48 FT	71


DETAIL A


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.

FTL 44 FT THROUGH 48 FT TRAILER (FLATBED)
(45 FT TRAILER SHOWN)

NOTE

TARPAULINS OVER CONTAINERS OMITTED FOR CLARITY.






DETAIL B

ROTATED 60°CW
FOR CLARITY (3 pl).

1 2 x 10 DOUBLED

NOTE:
POSITION 1ST PIECE BETWEEN CENTER OF CONTAINER UNTIL IT BUTTS AGAINST LIP ON CONTAINER BASE.
NAIL 1ST PIECE TO TRAILER FLOOR W/6-16d NAILS.
NAIL 2ND PIECE TO 1ST IN LIKE MANNER (9 PL).



DETAIL C

USED 3 PL FWD END
AND 3 PL AFT END

2 2 x 6 DOUBLED

NOTE: POSITION 1ST PIECE BETWEEN CENTER OF CONTAINER UNTIL IT BUTTS AGAINST LIP ON CONTAINER BASE.
NAIL 1ST PIECE TO TRAILER FLOOR W/6-16d NAILS.
NAIL 2ND PIECE TO 1ST IN LIKE MANNER.

3 2 x 6 DOUBLED
NAIL 1ST PIECE TO TRAILER FLOOR W/6-16d NAILS. NAIL 2ND TO 1ST IN LIKE MANNER.

TRUCK LOAD DATA
40 THROUGH 48 FT TRAILER
NUMBER OF CONTAINERS..... 24
FTL WEIGHT..... 26,928
DO NOT USE FOR SHIPPING WEIGHT

REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
8	5	CHAIN AND LOAD BINDER		5/16 OR 3/8
16	4	PROTECTOR BOARD		2 X 6 X 85
24	3	BACKUP CLEAT		2 X 6 X 36
12	2	CROSSMEMBER		2 X 6 X 22
18	1	CROSSMEMBER		2 X 10 X 22


LIST OF MATERIALS

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.

LTL 44 FT THROUGH 48 FT TRAILER (FLATBED)

1. WHEN REQUIRED TO SHIP LESS-THAN-TRUCKLOAD, SELECT THE CORRECT LOAD PATTERN FOR THE NUMBER OF CONTAINERS TO BE SHIPPED, FROM TABLE I.
2. POSITION CONTAINERS ON THE TRAILER AS SHOWN IN TABLE I, BLOCK AND TIEDOWN USING THE PRINCIPLES SHOWN ON PAGES 3 AND 5 AND THE GENERAL DOCUMENT, MIL-STD-1320 (NAVY).
3. THE NUMBER NEXT TO EACH STACK REPRESENTS A UNIT LOAD OF TWO CONTAINERS.
4. THE LTL PLAN ON PAGE 5 SHOWS THE METHODS OF BLOCKING AND BRACING FOR VARIOUS LOAD COMBINATIONS.

TABLE I
LOAD PATTERN





Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.


DETAIL D


BLOCKING AND BRACING

VARIATIONS FOR LTL









4	12	PROTECTOR BOARD		2 X 6 X 60
4	11	PROTECTOR BOARD		2 X 6 X 30
6	10	CROSSMEMBER		2 X 6 X 60
6	9	CROSSMEMBER		2 X 6 X 30
1	8	CLEAT BACKUP		2 X 6 X 40
1	7	CLEAT BACKUP		2 X 6 X 78
8	6	SLEEPER		2 X 4 X 24
REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS

LIST OF MATERIALS FOR (LTL)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
MIL-STD-1320-254 - Truckload f/ Guided Missile AGN-65 in CNU-447/E

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.