# MILITARY STANDARD

MIL-STD-1320-264
(NAVY)
23 SEPTEMBER 1991

## ROCKLOADING

## VLS CANISTERS MKS 13, 14 & 15 AND ALL MODS

## AND MIXED LOADS "EMPTY AND W/O PHST"


### CANISTER DATA

| | | |
|---|---|---|
| DIMENSIONS | MK14 | L 280 X W 40 X H 41 |
| | MK13 | L 242 X W 39 X H 39 |
| | MK15 | L 242 X W 39 X H 39 |
| GROSS WT (TARE) | MK14 | 2038 LBS △ |
| | MK13 | 1487 LBS △ |
| | MK15 | 1763 LBS △ |
| CUBE | MK14 | 259.2 CU FT |
| | MK13 | 213.1 CU FT |
| | MK15 | 213.1 CU FT |

△ DO NOT USE FOR SHIPPING WEIGHT

DOT HAZARD CLASSIFICATION EMPTY CANISTER

DWG NO MK13 5598535-9
DWG NO MK14 5599965-9
DWG NO MK15 3982216-9



MK14 SHOWN IN VIEW

AMSC NO N/A

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE
DISTRIBUTION IS UNLIMITED

NOTES

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS REFER TO INDEX TO STANDARDS MIL-HDBK-236 (NAVY)

| REV LTR | REVISION DESCRIPTION | DATE | TDA | SYSCOM APPROVAL |
|---|---|---|---|---|

FSC 8140

AUTHORIZED AND RELEASED
FOR HIGHWAY SHIPMENT ONLY.

SIGNATURE TDA — WPNSTA EARLE — DATE 9/23/91

SIGNATURE NAVSEASYSCOM BY DIRECTION — DATE 9/23/91

ORIGINATOR — DATE 9/24/91

WPNSTA EARLE, NEW JERSEY



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.

## GENERAL NOTES

1. THIS DOCUMENT GIVES DETAILED INSTRUCTIONS FOR TRUCKLOADING MK 13 14 OR 15 VLS CANISTERS "EMPTY AND W/O PHST"
2. THE PROCEDURES DESCRIBED HEREIN ARE INTENDED FOR 40 THRU 48 FT FLATBED TRAILERS DO NOT USE TRAILERS WITH METAL FLOORS
3. CHAINS AND STEEL STRAPPING MAY BE USED INTERCHANGEABLY ON A ONE TO-ONE BASIS FOR TIEDOWNS
4. STEEL STRAPPING USED AS TIEDOWNS SHALL BE 2 X .050 AND SHALL CONFORM TO AND BE APPLIED AS SPECIFIED IN THE GENERAL DOCUMENT MIL-STD-1320 (NAVY)
5. CHAINS FITTINGS AND LOAD BINDER SHALL CONFORM TO AND BE APPLIED AS SPECIFIED IN THE GENERAL TRUCKLOADING DOCUMENT MIL STD 1320 (NAVY) EXCEPT THAT THE CHAIN/GRAB HOOKS SHALL BE ATTACHED TO THE STAKE POCKETS (NOT AROUND THE RUB RAIL)
6. PROTECTOR BOARDS DOUBLED 2 X 6s SHALL BE USED UNDER THE TIE DOWNS WHEN USING STEEL STRAPPING THE STRAPS SHALL BE STAPLED TO THE PROTECTOR BOARDS USING 2 STRAPPING STAPLES WHEN USING CHAIN THE CHAINS SHALL BE SECURED TO THE PROTECTOR BOARD BY DRIVING A 10d NAIL THROUGH THE CHAIN LINK AND CLINCHING THE NAIL OVER THE CHAIN FIVE STAPLES/NAILS SHALL BE USED FOR EACH TIEDOWN
7. PRIOR TO LOADING THE TRAILER AND DURING PRELOADING INSPECTION REQUIRED BY NAVSEA OP 2165 AND REPORTED ON DD FORM 626, THE CHAINS FITTINGS AND LOADBINDERS SHALL BE INSPECTED FOR STRETCH GOUGING BENT LINKS WEAR AND AND ANY OTHER NOTICEABLE DEFECTS THE INSPECTORS SHALL CONFIRM THAT THE CHAINS FITTINGS AND LOADBINDERS HAVE BEEN INSPECTED AND SHALL SO NOTE IN ITEM 22 OF DD FORM 626 ANY DEFICIENCY SHALL BE CAUSE FOR REJECTION OF A LOADBINDER
8. UNLESS OTHERWISE SPECIFIED DUNNAGE LUMBER STEEL STRAPPING STRAP SEALS AND NAILS SHALL BE AS SPECIFIED IN THE GENERAL DOCUMENT MIL STD-1320 (NAVY)
9. THE MAX GROSS WEIGHT OF THE TRACTOR TRAILER AND THE ALLOWABLE AXLE WEIGHTS ARE THE RESPONSIBILITY OF THE CARRIER THE CARRIER WILL ADVISE THE SHIPPER OF THESE LIMITATIONS AND THE SHIPPER SHALL LOAD THE TRAILER IN SUCH A MANNER THAT THE TRACTOR TRAILER WILL NOT EXCEED THESE LIMITATIONS
10. AFTER THE BLOCKING BRACING AND TIEDOWNS HAVE BEEN INSPECTED THE CONTAINERS SHALL BE COMPLETELY COVERED WITH FIRE RESISTANT WATERPROOF TARPAULINS


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.

# FLT 48 FT TRAILER (FLATBED) MKS 13, 14, & 15

## (MK 14 SHOWN IN VIEW)

NOTE


THE FTL SHOWN IN THIS LAYOUT IS (4) MK14 VLS CANISTERS. THE LOADING OF MK13 OR MK15 CANISTERS OR ANY MIXED COMBINATIONS MAY ALSO BE USED BY APPLYING THE SAME BLOCKING AND BRACING TECHNIQUES SHOWN HERE AND THE GENERAL TRUCKLOADING DOCUMENT MIL STD 1320 (NAVY)




| REQD | ITEM | DESCRIPTION | MAT'L/DWG | DIMENSIONS |
|---|---|---|---|---|
| 2 | 8 | CHAIN & LOADBINDER | | 3/8 OR 5/16 |
| 2 | 7 | SEAL | STEEL | 1 1/4 |
| 2 | 6 | STRAPPING | STEEL | 1 1/4 X .035 X 14 FT |
| 2 | 5 | PROTECTOR BOARD | DETAIL B | 2 X 6 X 74 |
| 2 | 4 | SEPARATOR BOARD | DETAIL B | 2 X 6 X 24 |
| 24 | 3 | SLEEPER PREPOS | DETAIL A | 2 X 4 X 36 |
| 8 | 2 | CROSSMEMBER | | 2 X 6 X 81 |
| 24 | 1 | SLEEPER | | 2 X 4 X 96 |



Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.




## DETAIL A


**PRE-POSITION BLOCKING**

(DIMS SHOWN ARE FOR A FTL OF MK14s ON A 48 FT TRAILER SEE CHART FOR MK13 & MK15 DIMS

(3) 2 X 4 TRIPLED NAIL 1ST PC TO TRAILER FLOOR W/6-16d NAILS NAIL 2ND PC TO 1ST & 3RD TO 2ND IN LIKE MANNER 8PL

MK13 OR MK15 ON 48FT TRAILER

| | 45FT | 44FT | 40FT |
|---|---|---|---|
| DIM A | 66 | 48 | 30 | 18 |
| B | 279 | 261 | 243 | 23 |
| C | 296 | 279 | 260 | 248 |
| D | 509 | 492 | 473 | 461 |
| X | 60 | 42 | 24 | 12 |





## DETAIL B

PROTECTOR BOARD 5BY 4 REQ'D/FTL

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.

# LTL BLOCKING AND BRACING TECHNIQUES

NOTE: A FULL TRUCKLOAD CONSISTS OF 8 CANISTERS (4) UNITIZED LOADS
TO SHIP LESS THAN A FULL LOAD USE THE USE THE PRINCIPLES
SHOWN FOR 1 & 2 CANISTERS TO MAKE UP THE DESIRED LOAD







Source: https://assist.dla.mil -- Downloaded: 2020-10-23T23:49Z
Check the source to verify that this is the current version before use.

MIL-STD 1320 264 (NAVY

## UNITIZING PROCEDURE

SUGGESTED UNITIZING WITH A FORKLIFT TRUCK AND THE MK3 HORIZONTAL STRONGBACK LIFT BEAM CAREFULLY LIFT ONE CANISTER UP OFF THE FLOOR AND PLACE A 2 X 6 OR LARGER PC OF WOOD UNDER THE CANISTER AT EACH END AS SHOWN IN VIEW REST CANISTER ON TOP OF THE WOOD LIFT 2ND CANISTER AND PLACE ON TOP OF THE 1ST THREAD 1 1/4 STRAPPING UNDER AND OVER THE CANISTERS AT EACH END AS SHOWN TENSION AND DOUBLE NOTCH THE SEALS




## DEUNITIZING PROCEDURE

a CUT AND REMOVE STRAPPING

b REMOVE TOP CANISTER




Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer
Naval Weapons Station Earle
Attn: Code 502
Colts Neck, New Jersey 07722-5000

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.

# STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22 R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers, vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-STD-1320-264 - VLS Canisters Mk 13, Mk 14 and Mk 15 All Mods

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes" in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO

DATE

DD FORM 1426

REPLACES EDITION OF 1 JAN 88 WHICH MAY BE USED

5/N 0102-0 4-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:49Z
Check the source to verify that this is the current version before use.