MILITARY STANDARD

MIL-STD-1322-107
(NAVY)
9 OCTOBER 1991


UNIT LOAD
FOR DOMESTIC AND OVERSEAS SHIPMENT
RANGE AND AIRFRAME SEPARATION PROGRAMMER (PASP) MK 9 MOD 0 AND PAYLOAD CABLE ASSEMBLY 2541442, IN CONTAINER MK 389 MOD 0

UNIT LOAD DATA


NUMBER OF ASSEMBLIES PER CONTAINER	1
NUMBER OF CONTAINERS PER UNIT LOAD	13
GROSS WEIGHT OF ONE CONTAINER (APPROX)	74 LBS
WEIGHT OF WOOD FRAME AND PATTEN (APPROX)	90 LBS
WEIGHT OF STRAPPING (APPROX)	8 LBS
WEIGHT OF PALLET (APPROX)	90 LBS
GROSS WEIGHT OF ONE UNIT LOAD (APPROX)	760 LBS
CUBE	61.9 CU FT

HAZARD CLASSIFICATION

DOT INERT
IMO INERT



SHIPPING (PACKING) CONDITION
10001-2541493



AMSC NO N/A

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE
DISTRIBUTION IS UNLIMITED

NOTES
1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING CONTAINERLOADING AND CARLOADING MILITARY STANDARDS REFER TO INDEX TO STANDARDS MIL-HDBK 236 (NAVY)

REV LTR	REVISION DESCRIPTION	DATE	TDA APPROVAL	SYSCOM

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR DEPOT HANDLING AND STORAGE, AND FOR SHIPMENT BY COMMON CARRIER.

SIGNATURE [illegible] DATE 11/9/91

SIGNATURE [illegible] DATE 10/10/91

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1322 (NAVY).

ORIGINATOR David W Hoopes DATE 9 Oct 91

WPNSTA EARLE NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:54Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE

1. NAIL SPACER ITEM 3 ON THE CENTER OF THE PALLET DECK ITEM 1 AS SHOWN IN DETAIL A
2. PREPOSITION STRAPPING ITEMS 2 AND 7, UNDER PALLET AS SHOWN IN DETAIL A
3. POSITION THE CONTAINERS STACKED 3 HIGH ON THE PALLET DECK (5 WAYS SHOWN)
4. POSITION GIRTHWISE STRAPPING ITEM 4 AROUND THE PREFABRICATED TOP ASSEMBLY (SEE DETAIL D). TENSION AND DOUBLE NOTCH THE SEALS
5. PLACE THE TOP FRAME ASSEMBLY OVER THE CONTAINERS AS SHOWN IN DETAIL C
6. POSITION STRAPPING ITEMS 2 AND 7 AROUND THE UNIT LOAD, TENSION AND SEAL AS SHOWN IN DETAIL C
7. SECURE STRAPPING WITH STAPLES ITEM 6 AS SHOWN IN DETAIL C

DEPALLETIZING PROCEDURE


1. REMOVE STAPLES
2. CUT AND REMOVE STRAPPING
3. REMOVE TOP FRAME
4. REMOVE CONTAINERS
5. REMOVE BATTEN FROM PALLET DECK

NOTES


1. UNLESS OTHERWISE SPECIFIED, ALL MATERIALS SHALL BE IN ACCORDANCE WITH THE BASIC DOCUMENT MIL-STD-1322 (NAVY)
2. DO NOT USE TYPE I STRAPPING WITH POWER MACHINES

REQ	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
4	12	CENTER SPACER	WOOD	1 X 4 X 52 1/2
6	11	SPACER CLEAT	WOOD	1 X 4 X 14 1/2
5	10	TOP BATTEN	WOOD	1 X 8 X 40 1/4
2	9	SIDE BATTEN	WOOD	1 X 4 X 52 1/2
2	8	END BATTEN	WOOD	1 X 4 X 40 1/4
2	7	STRAPPING LATERAL	STEEL	3/4 X .035 X 16 FT
	6	STAPLES	STEEL	3/[illegible] SIZE
5	5	STRAP SEAL	STEEL	3/4 SIZE
2	4	STRAPPING GIRTHWISE	STEEL	3/4 X .035 X 17 FT
1	3	DECK	WOOD	2 X 6 X 48
2	2	STRAPPING LONGITUDINAL	STEEL	3/4 (.035 X 1[illegible]
1	1	PALLET	MIL-P 15011	40 X 48 X 5 1/2


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:54Z
Check the source to verify that this is the current version before use.



DETAIL A




DETAIL B




DETAIL C

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:54Z
Check the source to verify that this is the current version before use.



DETAIL D



VIEW E

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:54Z
Check the source to verify that this is the current version before use.

POSTAGE AND FEES PAID

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer
Naval Weapons Station Earle
Attn: Code 502
Colts Neck, New Jersey 07722-5000

POLO

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:54Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval No. 22-R355

INSTRUCTIONS. The purpose of this form is to solicit beneficial comments which will help us achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance its use. The document should be carefully reviewed by government, industry, and other prospective users of the product(s) created to satisfy the requirements of this document. Fold along the dotted lines on reverse side, staple in the corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-STD-1322-10/ - Range Safety Airframe (RASP) and Cable in MK 589 Container

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATION FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO (If "Yes", in what way?)

4. REMARKS

SUBMITTED BY (Printed or typed name and address - Optional)

TELEPHONE NO.

DATE

DD FORM 1426 REPLACES PREVIOUS EDITION WHICH MAY BE USED. * U.S. GPO: 1988-0-548-180

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:54Z
Check the source to verify that this is the current version before use.