MILITARY STANDARD

MIL-STD-1323-52
(NAVY)

APRIL

UNIT LOAD
FOR DOMESTIC AND OVERSEAS SHIPMENT 5"-54 PROJECTILES WITH WATERPROOF PROTECTING CAPS, MK 4 MOD 0 OR MK 10 MOD 1

UNIT LOAD DATA

DODIC/NALC - SEE TABLE I	
PROJECTILES PER PALLETIZED UNIT LOAD	30
WEIGHT OF PALLET	90 LBS
WEIGHT OF ONE (1) PALLET ADAPTER (TOP)	79 LBS
WEIGHT OF ONE (1) PALLET ADAPTER (BOTTOM)	118 LBS
WEIGHT OF STRAPPING	6 LBS
WEIGHT OF ONE (1) PROJECTILE (APPROX)	70-72 LBS
WEIGHT OF PALLETIZED UNIT LOAD (APPROX)	2393 TO 2453 LBS △
CUBE	36-38.9 CU FT

△ DO NOT USE FOR SHIPPING PURPOSES

DO NOT STACK MORE THAN
3 UNIT LOADS HIGH IN STORAGE

NOTE THIS UNIT LOAD IS AN ALTERNATE PALLETIZING METHOD, AND MAY ONLY BE USED WHEN MK 11 ADAPTERS ARE NOT AVAILABLE. WHEN THE MK 11 ADAPTERS ARE AVAILABLE USE MIL-STD-1323-6 FOR 5"-54 PROJECTILES WITH METAL ROTATING BANDS AND MIL-STD-1323-271 FOR 5"-54 PROJECTILES WITH PLASTIC ROTATING BANDS

TABLE I

DODIC/ NALC NO	FSC 1320 NIIN	PROJECTILE TYPE	HAZARD CLASS	
			DOT	CG
D290	01-003-3153	TP	B	II C
D290	00-162-5209	TP	B	II C
D291	01-003-3152	TP	B	II C
D291	00-162-5210	TP	B	II C
D295	(1)	HE-CVT	A	VII
D311	00-684-8147	CHAFF	B	II C
D312	(1)	CHAFF	B	II C
D313	(1)	SMK WP	A	II D
D314	(1)	SMK WP	A	II D
D316	00-039-3344	VT	A	VII
D317	00-039-3345	VT	A	VII
D319	00-009-0356	AAC	A	V
D319	00-540-9256	AAC	A	V
D319	00-560-2087	AAC	A	VII
D319	00-824-5857	AAC	A	V
D319	00-933-3320	AAC	A	V
D320	00-108-8506	HC	A	V
D320	00-560-2089	HC	A	VII
D320	00-933-3321	HC	A	V
D322	(1)	COM	A	V
D325	00-220-9969	HE-CVT-(RAP)	A	IV
D327	01-005-3960	IR	A	VII
D327	00-139-5936	IR	A	VII
D327	00-435-8192	IR	A	VII
D328	00-203-8876	ILLUM	B	II C
D330	LL-AM7-0078	HE-PD	A	V
D330	01-007-0821	HE-PD	A	VII
D330	00-030-9020	HE-PD	A	V
D330	00-030-9024	HE-PD	A	VII
D330	00-032-1376	HE-PD	A	V
D330	00-103-4928	HE-PD	A	V
D330	00-119-2084	HE-PD	A	V
D330	00-183-5997	HE-PD	A	VII
D330	00-832-8891	HE-PD	A	V
D330	00-930-2455	HE-PD	A	VII
D331	(1)	VT	A	VII
D332	01-023-9667	VT	A	VII
D332	00-123-7812	VT	A	VII
D332	00-173-2721	VT	A	VII
D332	00-518-3949	VT	A	VII
D333	(1)	VT-NON FRAG	B	II C
D334	01-013-3173	VT-NON FRAG	B	II C
D334	00-039-3322	VT-NON FRAG	B	II C
D334	00-123-7827	VT-NON FRAG	B	II C
D334	00-510-3961	VT-NON FRAG	B	II C
D334	00-518-3951	VT-NON FRAG	B	II C
D334	00-773-6940	VT-NON FRAG	B	II C
D334	00-773-6912	VT-NON FRAG	B	II C
D337	LL-AM7-0072	IR-NON FRAG	B	II C
D338	01-023-9666	HE-MT/PD	A	VII
D339	01-023-9665	HC	A	VII
D340	01-028-4943	HE-MT/PD	A	VII
D341	01-028-4942	BL-P	N/A	N/A
D342	01-043-1604	HE-IR	A	VII
D342	01-043-1605	HE-IR	A	VII
D343	01-044-0955	HE-PD/D	A	VII
D349	01-011-9126	BL-P	N/A	N/A
D349	00-039-3338	BL-P	N/A	N/A
D349	00-340-2046	BL-P	N/A	N/A
D349	00-480-3389	BL-P	N/A	N/A
D349	00-488-0975	BL-P	N/A	N/A
D350	00-105-6646	HE-CVT	A	VII
D353	01-034-3387	ILLUM	B	II C
D353	00-070-3423	ILLUM	B	II C
D353	00-128-1086	ILLUM	B	II C
D353	00-731-4498	ILLUM	B	II C
NONE	00-039-3320	VT-NON FRAG	B	II C
NONE	00-039-3337	VT	A	VII
NONE	00-540-9257	VT-NON FRAG	B	II C
NONE	00-540-9258	VT-NON FRAG	B	II C

NOTES

1 UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

2 FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY)

FSC 8140

THIS UNIT LOAD IS AUTHORIZED
AND RELEASED FOR [illegible]
[illegible] FOR SHIPMENT BY COMMON CARRIER

L. S. Gray 4/14/82
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

J. E. Kelly 4/14/82
SIGNATURE NAVSEASYSCOM BY DIRECTION DATE

REQUIREMENTS FOR CONSTRUCTION
OF THIS UNIT LOAD SHALL CONSIST
OF THIS DOCUMENT AND THE LATEST
ISSUE OF MIL-STD-1323.

ORIGINATOR 4/1/82
DATE

NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

PALLETIZING PROCEDURE

(a) THREAD STRAPPING, ITEM 2, THROUGH SLOTS IN PALLET DECK, ITEM 1, AS SHOWN [illegible]

(b) POSITION THE BOTTOM ADAPTER, ITEM 5, ON THE PALLET DECK

(c) PLACE THE PROJECTILES IN THE BOTTOM ADAPTER THEN PLACE TOP ADAPTER, OVER [illegible] CAPS

(d) POSITION STRAPPING, ITEM 2, OVER EDGE PROTECTORS, ITEM 5, AS SHOWN, AROUND THE [illegible] LOAD. TENSION AND DOUBLE NOTCH SEAL, ITEM 4

(e) POSITION STRAPPING, ITEM 3, UNDER THE PALLET DECK, AROUND THE EDGE PROTECTORS AND THE UNIT LOAD. TENSION AND DOUBLE NOTCH SEAL

MARKING. IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY CONTRACT OR ORDER, THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-1322

DIMENSION A	
MK 4 CAP	MK 10 CAP
34 1/4	35



SEE DETAIL A



DETAIL A



5"/54 PROJECTILE WITH
PLASTIC ROTATING BAND
& MK 10 CAP
DWG. 2839112



5"/54 PROJECTILE WITH
METAL ROTATING [illegible]
& MK 4 CAP
DWG [illegible]

DEPALLETIZING PROCEDURE

(a) CUT AND REMOVE STRAPPING

(b) REMOVE EDGE PROTECTORS

(c) REMOVE TOP ADAPTER

(d) REMOVE PROJECTILES.

CONSTRUCTION DETAILS


7
ITEM 8
W PALLET
OR 3 COMMON
NAILS PER JOINT
6
11
NAIL TO ITEM 7
W/3 - 4' PALLET
OR 30d COMMON
NAILS PER JOINT
48
1/8 DIA
(30 REQ'D)
5
12 1/
20
27 1/2
35
40
B
B
5 1/4
12 3/4
20 1/4
27 3/4
35 1/4
42 3/4
9
11
NAIL TO ITEMS 6, 7, & 8
W/1-4 PALLET NAIL
OR 30d COMMON NAIL
EVERY 5 INCHES
8
10
11
NAIL TO ITEMS 6, 7, & 8
W/1-4' PALLET NAIL
OR 30d COMMON NAIL
EVERY 5 INCHES
8 1/4
15 3/4
23 1/4
30 3/4
38 1/4
48 REF

SECTION B - B

[illegible] SPACER [illegible]

CONSTRUCTION DETAILS

CAUTION

DO NOT NAIL OR CLINCH [illegible] INTO DRILLED
HOLES, [illegible] BELOW SURFA[illegible]


5 1/2 DIA
(30 REQ'D)
48
5
C
C
7 1/2
10
2 1/2
3
40
5 1/4
12 3/4
20 1/4
27 3/4
35 1/4
42 3/4
15
11
NAIL TO ITEM 16 W/ [illegible] 4
PALLET NAILS OR [illegible] COMMON
NAILS PER JOINT
16
11
NAIL TO ITEM 17 [illegible] 4
PALLET NAILS OR 30d COMMON
NAILS PER JOINT
17


NAIL TO ITEMS 15, 16 & 17,
W/1-2" PALLET NAIL EVERY
5 INCHES
19
12
18
13
NAIL BETWEEN DRILLED HOLES TO
ITEM 20 W/1 - [illegible] COMMON NAIL
CLINCHED
4 1/2 DIA
(30 REQ'D)
8 1/4
15 3/4
23 1/4
30 3/4
38 1/4
48 REF
20
14
NAIL ITEMS 18 & 20 TO ITEMS 15,
16 & 17 W/1 - [illegible] PALLET NAIL
EVERY 5 INCHES

SECTION C-C

BOTTOM SPACER ASSEMBLY

NOTES

1. WHEN MIL-P-15011 PALLET IS NOT AVAILABLE, WOOD PALLET NN-P-71, TYPE V, SIZE 2, GROUP II, III OR IV MAY BE USED
2. COLD ROLLED, HEAT TREATED .031 STRAPPING MAY BE USED
3. UNLESS OTHERWISE SPECIFIED ALL MATERIAL SHALL BE IN ACCORDANCE WITH MIL-STD-1322
4. USE NOMINAL 2 X 5 RIPPED TO 2 X 4 1/4

REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
1	20	LOWER BOTTOM SPACER PLATE	PLYWOOD	3/4 X 48 X 40
1	19	UPPER BOTTOM SPACER PLATE	PLYWOOD	1/2 X 48 X 40
1	18	BOTTOM DECK PLATE	PLYWOOD	1/2 X 48 X 40
5	17	RIB	DRESSED WOOD SEE NOTE 3	2 X 6 X 37
2	16	END BOARD	DRESSED WOOD SEE NOTE 3	2 X 6 X 45
2	15	SIDE BOARD	DRESSED WOOD SEE NOTE 3	2 X 6 X 40
AS REQ'D	14	NAIL, STEEL, PALLET	FF-N-105 TY II, ST 18	4'
AS REQ'D	13	NAIL, STEEL, COMMON	FF-N-105 TY II, ST 10	6d
AS REQ'D	12	NAIL, STEEL, PALLET	FF-N-105 TY II, ST 18	2'
AS REQ'D	11	NAIL, STEEL, PALLET OR COMMON	FF-N-105 TY II, ST 18 OR 10	4 OR 30d
1	10	TOP DECK PLATE	PLYWOOD	1/2 X 46 X 40
1	9	TOP SPACER PLATE	PLYWOOD	1/2 X 48 X 40
5	8	RIBS	SEE NOTE 4	2 X 4 1/4 X 37
2	7	END BOARD	SEE NOTE 4	2 X 4 1/4 X 45
2	6	SIDE BOARD	SEE NOTE 4	2 X 4 1/4 X 40
16	5	STEEL EDGE PROTECTOR	SEE NOTE 3	
5	4	SEAL	SEE NOTE 3	3/4
3	3	STRAPPING, STEEL	QQ-S-781 SEE NOTES 2 & 3	3/4 X .035 X 13 FT
2	2	STRAPPING, STEEL	QQ-S-781 SEE NOTES 2 & 3	3/4 X .035 X 14 FT 6
1	1	PALLET, WOOD	MIL-P-15011, STY 1 CL. 1, SEE NOTE 1	40 X 48 X 5 1/2

LIST OF MATERIALS

REVIEW ACTIVITY
NAVY - OS

PREPARING ACTIVITY
NAVY - OS
(PROJECT NO 8140-N 548

U.S. GOVERNMENT PRINTING OFFICE 1982-505-022/3978

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS This form is provided to solicit beneficial comments which may improve this document and enhance its use DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government Fold on lines on reverse side, staple in corner, and send to preparing activity Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed

NOTE This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements

DOCUMENT IDENTIFIER (Number) AND TITLE

MIL-STD-1322-5

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1 ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDED WORDING CHANGE

C REASON FOR RECOMMENDED CHANGE(S)

2 REMARKS

SUBMITTED BY (Printed or typed name and address - Optional)

TELEPHONE NO

DATE

DD FORM 1426 [illegible]

0102-LF-001-4260

FOLD

DEPARTMENT OF THE NAVY

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

Commanding Officer
Naval Weapons Station Earle
Attn NWHC (Code 803-SRP)
Colts Neck, N J. 07722

FOLD