MILITARY STANDARD

UNIT LOAD FOR UNDERWAY REPLENISHMENT CHARGE, PROPELLING, 5-INCH/54 IN PALLET ADAPTER, MK 16 MOD 0

MIL-STD-1323-5 (NAVY)


8 JUNE 1987

SUPERSEDING WR-54/5C

24 APRIL 1973

UNIT LOAD DATA

	MK 12 MOD 0	MK 12 MOD 1
NUMBER OF CARTRIDGES PER TANK..... 1		
NUMBER OF TANKS PER UNIT LOAD..... 39		
NUMBER OF CARTRIDGES PER UNIT LOAD..... 39		
WEIGHT OF ADAPTER..... 54 LBS		
WEIGHT OF STEEL STRAPPING..... 7 LBS		
WEIGHT OF PALLET.....	110 LBS	72 LBS
DIMENSION A.....	43-7/8 IN	43 IN
CUBE.....	44.3 CU FT	43.9 CU FT



5"54 CARTRIDGE TANK
MK 14 - 389112
MK 14 MOD 1, 10001-2127876
MK 21 MOD 1, 1366407

TANK	GROSS WT OF ONE TANK (LOADED)	△ GROSS WEIGHT OF UNIT LOAD WITH MK 12 MOD 0 PALLET	MK 12 MOD 1 PALLET
MK 14	39.1 LBS	1,696 LBS	1,658 LBS
MK 14 MOD 1	41. 5 LBS	1,790 LBS	1,752 LBS
MK 21 MOD 0	42.0 LBS	1,809 LBS	1,771 LBS
REDUCED, MK 14	32.0 LBS	1,419 LBS	1,381 LBS

CAUTION

FRONT AND REAR FRAMES MUST BE CORRECTLY POSITIONED TO ENSURE A PROPERLY PALLETIZED LOAD. WHEN IDENTIFICATION MARKING IS NOT LEGIBLE, FRONT AND REAR FRAMES MAY BE IDENTIFIED BY COMPARING THEIR CROSS SECTIONS, ON PAGE 3.

△ DO NOT USE FOR SHIPPING PURPOSES

DO NOT STACK MORE THAN 4 UNIT LOADS HIGH IN STORAGE


HAZARD CLASSIFICATION

DOT..... CLASS B

CG..... CLASS II-B

DODIC/NALC

D297	D309
D304	D310
D305	D324
D306	D326



AMSC NO. - N/A

NOTES:

1. UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS MIL-HDBK-236 (NAVY).

DISTRIBUTION STATEMENT A

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR SHIPPING, HANDLING, STORAGE AND TRANSFER-AT-SEA. IT MAY ALSO BE USED FOR DOMESTIC SHIPMENT IN COMPLIANCE WITH DOT REGULATIONS.

W.S. Gray NWHC 6/5/87
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

J.E. Kelly 6/8/87
SIGNATURE SEASYCOM BY DIRECTION DATE

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1323 (NAVY)

ORIGINATOR S.R. Petrosia 6/8/87 DATE

NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2020-10-23T23:50Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE

(A) THREAD THE LONGITUDINAL STRAPPING, ITEM 5, BETWEEN DECK WIRES OF PALLET, ITEM 1, AS SHOWN IN DETAIL A.

(B) USING MK 12 MOD 1 PALLET, THREAD THE LATERAL STRAP, ITEM 7, UNDER DECK WIRES AND THROUGH THE CENTER VERTICAL SUPPORT OF PALLET. USING MK 12 MOD 0 PALLET, THREAD THE LATERAL STRAP, ITEM 7, BETWEEN DECK WIRES AND DECK SUPPORT AS SHOWN IN DETAIL D.

(C) POSITION THE FRONT FRAME, ITEM 2, AND REAR FRAME, ITEM 3, ALONG THE LENGTHWISE DIMENSION OF THE PALLET. SEE DETAILS B AND C FOR PROPER IDENTIFICATION OF FRONT AND REAR FRAMES. POSITION THE FIRST TANK WITH THE COVER END IN THE RIGHT END OF THE FRONT FRAME AND ALTERNATE END POSITIONS OF THE NEXT FIVE TANKS IN THE FIRST ROW, AS SHOWN.

(D) POSITION THE SECOND ROW OF TANKS, WITH THE COVER END OF THE FIRST TANK IN THE RIGHT END CORNER OF THE FRONT FRAME, ALTERNATING END POSITIONS OF THE SUCCEEDING SIX TANKS.

(E) POSITION THE LOWER GIRTHWISE STRAPPING, ITEM 6, AND APPLY LIGHT TENSION.

(F) POSITION THE NEXT TWO ROWS OF TANKS, WITH COVER ENDS OF THE FIRST TANK IN EACH ROW AT THE RIGHT END OF THE FRONT FRAME, ALTERNATING END POSITIONS OR SUCCEEDING TANKS, AS SHOWN.

(G) COMPLETE TENSIONING OF THE LOWER GIRTHWISE STRAP AND DOUBLE NOTCH SEAL, ITEM 8.

(H) POSITION THE UPPER GIRTHWISE STRAPPING AND APPLY LIGHT TENSION.

(I) REPEAT PROCEDURE (F) FOR THE NEXT TWO ROWS, AS SHOWN.

(J) COMPLETE TENSIONING OF THE UPPER GIRTHWISE STRAP AND DOUBLE NOTCH SEAL.

(K) POSITION THE TOP FRAME, ITEM 4.

(L) THREAD THE LONGITUDINAL STRAPPING THROUGH THE LOOPS IN THE FRONT AND REAR FRAMES AND OVER THE TOP FRAME, TENSION AND DOUBLE NOTCH SEAL.

(M) POSITION THE LATERAL STRAP AROUND THE UNIT LOAD, TENSION AND DOUBLE NOTCH SEAL.

MARKING: IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY CONTRACT OR ORDER, THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-1323.

DEPALLETIZING PROCEDURES

(A) CUT AND REMOVE THE LATERAL AND LONGITUDINAL STRAPPING.

(B) REMOVE THE TOP FRAME.


(C) REMOVE THREE ROWS OF TANKS.

(D) CUT AND REMOVE THE UPPER GIRTHWISE STRAP.

(E) REMOVE TWO ROWS OF TANKS.


(F) CUT AND REMOVE THE LOWER GIRTHWISE STRAP.

(G) REMOVE THE REMAINING TANKS AND THE FRONT AND REAR FRAMES.



MK 12 MOD 0 PALLET
THREAD STRAPPING
BETWEEN THE 1ST AND
2ND WIRE, IN THE
SECOND SPACE.

DETAIL A



MK 12 MOD 1 PALLET
THREAD STRAPPING
BETWEEN THE 2ND AND
3RD WIRE, IN THE
SECOND SPACE.

NOTE:

1. UNLESS OTHERWISE SPECIFIED, ALL MATERIAL SHALL BE IN ACCORDANCE WITH MIL-STD-1323.
2. DO NOT USE TYPE 1 STRAPPING WITH POWER MACHINES.


LIST OF MATERIALS

REQ.	ITEM	DESCRIPTION	MAT'L	DIMENSIONS
1	1	PALLET, MK 12 MOD 0	10001 - 2086479	35 X 45-1/2 X 5-1/8
		MK 12 MOD 1	10001 - 2645217	35 X 45-1/2 X 4-3/4
1	2	FRONT FRAME, PALLET ADAPTER, MK 14 MOD 0	10001 - 1372829 STEEL - LD 296489	
1	3	REAR FRAME, PALLET ADAPTER, MK 16 MOD 0	10001 - 1372830 STEEL - LD 296489	
1	4	TOP FRAME, PALLET ADAPTER, MK 16 MOD 0	10001 - 1372831 STEEL - LD 296489	
2	5	STRAPPING, LONGITUDINAL	SEE NOTES 1 & 2	3/4 X .035 X 15 FT 6
2	6	STRAPPING, GIRTHWISE	SEE NOTES 1 & 2	3/4 X .035 X 15 FT
1	7	STRAPPING, LATERAL	SEE NOTES 1 & 2	3/4 X .035 X 13 FT 6
5	8	SEAL	SEE NOTE 1	3/4

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:50Z
Check the source to verify that this is the current version before use.


PALLETIZING DETAILS

CROSS SECTION OF FRONT FRAME




DETAIL B

CROSS SECTION OF REAR FRAME




DETAIL C



SEE DETAIL A

NOTE

SEE DETAIL B AND C FOR PROPER IDENTIFICATION OF THE FRONT AND REAR FRAMES BEFORE POSITIONING THE TANKS.



DETAIL D

REVIEW ACTIVITY:
NAVY-OS

PREPARING ACTIVITY:
NAVY-OS
(PROJECT NO. 8140-N757)

Source: https://assist.dla.mil -- Downloaded: 2026-02-23T23:50Z
Check the source to verify that this is the current version before use.