MILITARY STANDARD

MIL-STD-1323-6 (NAVY)

16 MARCH 19,,

SUPERSEDING WP 54/68

6 AUGUST 1974

UNIT LOAD FOR UNDERWAY REPLENISHMENT PROJECTILE, 5"/54, WITH METAL ROTATING BAND IN PALLET ADAPTER MK 11 & MODS

UNIT LOAD DATA

SECTIONALIZED UNITS PER PALLET 4
PROJECTILES PER SECTIONALIZED UNIT 12
PROJECTILES PER PALLETIZED UNIT LOAD 48
WEIGHT OF PALLET (APPROX) . . . . . 94 LBS
WEIGHT OF ONE (1) PALLET ADAPTER MK 11 MOD 0 (APPROX) . 53 LBS
WEIGHT OF ONE (1) PALLET ADAPTER MK 11 MOD 1 (APPROX) 39 LBS
WEIGHT OF ONE (1) PALLET ADAPTER MK 11 MOD 2 (APPROX) . 40 LBS
WEIGHT OF STRAPPING (APPROX) . . . . . 17 LBS.
WEIGHT OF ONE (1) PROJECTILE . . . SEE TABLE I
WEIGHT OF PALLETIZED LOAD . . . . . SEE TABLE I
CUBE . . . . . SEE TABLE I

DO NOT STACK MORE THAN
5 UNIT LOADS HIGH IN STORAGE

TABLE I

	PROJECTILE WEIGHT (LBS.)	UNIT LOAD HEIGHT	CUBE (CU FT)	UNIT LOAD WEIGHT (LBS) PALLET ADAPTERS MK 11		
				MOD 0	MOD 1	MOD 2
PROJECTILE WITHOUT WATERPROOF PROTECTING CAP	70	31-3/4	35.2	3683 △	3627 △	3631 △
PROJECTILE WITH WATERPROOF PROTECTING CAP	72	33-3/4	37.5	3779 △	3723 △	3727 △
ROCKET ASSISTED PROJECTILE MK 58 MOD 0	65	34	37 9	3443 △	3387 △	3391 △

△ APPROXIMATE WEIGHT DO NOT USE FOR SHIPPING PURPOSES

TABLE II

DODIC/ NALC NO	FSC 1320 NIIN	PROJECTILE TYPE	HAZARD CLASS DOT	HAZARD CLASS CG
D290	01-003-3153	TP	B	II C
D290	00-162-5209	TP	B	II C
D291	01-003-3152	TP	B	II C
D291	00-162-5210	TP	B	II C
D295	(1)	HE-CVT	A	VII
D311	00-684-8147	CHAFF	B	II C
D312	(1)	CHAFF	B	II C
D313	(1)	SMK-WP	A	II D
D314	(1)	SMK-WP	A	II D
D316	00-039-3344	VT	A	VII
D317	00-039-3345	VT	A	VII
D319	00-009-0356	AAC	A	V
D319	00-540-9256	AAC	A	V
D319	00-560-2087	AAC	A	V
D319	00-824-5857	AAC	A	V
D319	00-933-3320	AAC	A	V
D320	00-108-8506	HC	A	V
D320	00-560-2089	HC	A	VII
D320	00-933-3321	HC	A	V
D322	(1)	COM	A	V
D325	00-220-9969	HE-CVT-(RAP)	A	IV
D327	01-005-3960	IR	A	VII
D327	00-139-5926	IR	A	VII
D327	00-435-8192	IR	A	VII
D328	00-203-8876	ILLUM	B	II C
D330	LL-AM7-0078	HE-PD	A	V
D330	01-007-0821	HE-PD	A	VII
D330	00-030-9020	HE-PD	A	V
D330	00-030-9024	HE-PD	A	VII
D330	00-032-1378	HE-PD	A	V
D330	00-103-4928	HE-PD	A	V
D330	00-119-2084	HE-PD	A	V
D330	00-183-5997	HE-PD	A	VII
D330	00-832-8891	HE-PD	A	V
D330	00-930-2455	HE-PD	A	VII
D331	(1)	VT	A	VII
D332	01-023-9667	VT	A	VII
D332	00-123-7812	VT	A	VII
D332	00-173-2721	VT	A	VII
D332	00-516-3949	VT	A	VII
D333	(1)	VT-NON FRAG	B	II C
D334	01-013-3173	VT-NON FRAG	B	II C
D334	00-039-3322	VT-NON FRAG	B	II C
D334	00-123-7827	VT-NON FRAG	B	II C
D334	00-510-3961	VT-NON FRAG	B	II C
D334	00-518-3951	VT-NON FRAG	B	II C
D334	00-773-6940	VT-NON FRAG	B	II C
D334	00-773-6942	VT-NON FRAG	B	II C
D337	LL-AM7-0022	IR-NON FRAG	B	II C
D338	01-023-9666	HE-MT/PD	A	VII
D339	01-023-9665	HC	A	VII
D349	01-011-9126	BL-P	N/A	N/A
D349	00-039-3338	BL-P	N/A	N/A
D349	00-340-2046	BL-P	N/A	N/A
D349	00-480-3389	BL-P	N/A	N/A
D349	00-486-0975	BL-P	N/A	N/A
D350	00-105-6646	HE-CVT	A	VII
D353	01-034-3387	ILLUM	B	II C
D353	00-070-3423	ILLUM	B	II C
D353	00-128-1086	ILLUM	B	II C
D353	00-731-4498	ILLUM	B	II C
NONE	00-039-3320	VT-NON FRAG	B	II C
NONE	00-039-3337	VT	A	VII
NONE	00-540-9257	VT-NON FRAG	B	II C
NONE	00-540-9258	VT-NON FRAG	B	II C

NOTES

1 UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

2 FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY)

(1) DODIC/NALC NO COVERS TWO OR MORE NIIN'S WHICH HAVE THE SAME HAZARD CLASSIFICATION

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR SHIPPING, HANDLING, STORAGE, AND TRANSFER-AT-SEA IT MAY ALSO BE USED FOR DOMESTIC SHIPMENT IN COMPLIANCE WITH DOT REGULATIONS

M C Swan NWHC 3/16/79
TECHNICAL DIRECTION AGENT (TDA) DATE


J E Kelly 3/19/79
BY DIRECTION DATE

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1323 (NAVY)


ORIGINATOR S R Petrone 3/16/79
DATE

NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:56Z
Check the source to verify that this is the current version before use.




SECTION B-B




DETAIL B





DETAIL A



SECTION C-C

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:56Z
Check the source to verify that this is the current version before use.

PALLETIZING PROCEDURE

(a) [illegible] LONGITUDINAL STRAP, ITEM 5, THROUGH DECK WIRES OF PALLET, ITEM 1, AS SHOWN IN DETAIL A

(b) [illegible] INTERMEDIARY STRAP, ITEM 4, THROUGH BOTTOM SPACER, ITEM 2 AS SHOWN IN DETAIL B

(c) [illegible] BOTTOM SPACER, ITEM 2 ON PALLET DECK AND LOAD WITH 12 PROJECTILES

(d) POSITION TOP SPACER, ITEM 3, ON PROJECTILES WITH APPROPRIATE RINGS UP

(e) THREAD INTERMEDIARY STRAP THROUGH TOP SPACER SEE SECTION C, TENSION AND SECURE WITH DOUBLE NOTCHED SEAL, ITEM 7.

(f) REPEAT STEPS (b), (c), (d), AND (e) FOR THE OTHER THREE SECTIONAL UNITS

(g) THREAD LONGITUDINAL STRAP THROUGH TOP SPACERS, SEE SECTION D, TENSION AND DOUBLE NOTCH SEAL

(h) POSITION LATERAL STRAP, ITEM 6, UNDER PALLET DECK WIRES AND AROUND THE UNIT LOAD, TENSION AND DOUBLE NOTCH SEAL

MARKING THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-1323 (NAVY)




TABLE III

SPACER△	DRAWING NO		
	MOD C	MOD 1	MOD 2
TOP	98144[illegible]	1372735	264567[illegible]
BOTTOM	98144[illegible]	134195[illegible]	26456/[illegible]

△ USE TOP & BOTTOM SPACERS WITH THE SAME MOD DESIGNATION

NOTE 031 COLD ROLLED, HEAT TREATED MAY BE SUBSTITUTED

DO NOT USE TYPE I STRAPPING WITH POWER MACHINES

REQ.	ITEM	DESCRIPTION	MAT'L.	MAT'L. SPEC.	DIMENSIONS
12	7	SEAL	STEEL	QQ-S-781 TY D, CL H, FIN A OR B	1 1/4
2	6	STRAPPING LATERAL SEE NOTES	STEEL HEAVY DUTY	QQ-S-781 TY I OR IV FIN B	1 1/4 X .035 X 12 FT. 6
2	5	STRAPPING LONGITUDINAL SEE NOTES	STEEL HEAVY DUTY	QQ-S-781 TY I OR IV FIN B	1 1/4 X .035 X 14 FT
8	4	STRAPPING INTERMEDIARY SEE NOTES	STEEL HEAVY DUTY	QQ-S-781 TY I OR IV FIN B	1 1/4 X .035 X 7 FT 6 IN
4	3	PALLET ADPT MK 11 TOP SPACER	STEEL	SEE TABLE III	20 X 24
4	2	PALLET ADPT MK 11 BOTTOM SPACER	STEEL	SEE TABLE III	20 X 24
1	1	PALLET MK 3 MOD 0	STEEL	564200	40 X 48

LIST OF MATERIALS


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:56Z
Check the source to verify that this is the current version before use.

DEPALLETIZING PROCEDURE (SHIPBOARD)

WARNING

DURING THE DEPALLETIZING OPERATION ABOARD SHIP, WHEN THE UPPER SPACER IS REMOVED, THE SHIP ROLL MAY CAUSE THE PROJECTILES TO TOPPLE AND ROLL FREE TO PREVENT THIS OCCURING THE APPROVED SHIPBOARD DEPALLETIZING PROCEDURES MUST BE FOLLOWED

(a) CUT AND REMOVE LONGITUDINAL AND LATERAL STRAPS
(b) CUT INTERMEDIARY STRAPS ON ONE SECTIONAL UNIT
(c) WHEN SHIP IS IN MID-ROLL (ON EVEN KEEL) LIFT ONE TOP SPACER AND REPOSITION IT ONE ROW OUT ON THE SMALLER DIMENSION SIDE TO ASSURE RETENTION OF THE REMAINING PROJECTILES HOLD TOP SPACER IN POSITION WHILE THE UNCOVERED PROJECTILES ARE REMOVED, SEE DETAIL BELOW
(d) REPEAT STEP (c) AND REMOVE EACH UNCOVERED ROW UNTIL ALL PROJECTILES IN THE SECTIONAL UNIT ARE REMOVED
(e) REPEAT STEPS (b), (c), AND (d) FOR THE OTHER THREE SECTIONAL UNITS
(f) REMOVE BOTTOM SPACERS AND STRAPS



SHIPBOARD DEPALLETIZING DETAIL

DEPALLETIZING PROCEDURE (ASHORE)

(a) CUT AND REMOVE LONGITUDINAL AND LATERAL STRAPS
(b) CUT INTERMEDIARY STRAPS
(c) REMOVE TOP SPACERS
(d) REMOVE PROJECTILES
(e) REMOVE BOTTOM SPACERS AND STRAPS

REVIEW ACTIVITY
NAVY - OS

PREPARING ACTIVITY
NAVY - [illegible]
(PROJECT NO. [illegible])

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:56Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-STD-1323-6 (NAVY)

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4 REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:56Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer
Naval Weapons Station Earle
Colts Neck, N.J. 07722

ATTN: Code 803

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:56Z
Check the source to verify that this is the current version before use.