MILITARY STANDARD

MIL-STD-1338-1
(NAVY)

LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS

BOMB, GENERAL PURPOSE MK 81 & MODS (250LB)
FLEET ISSUE UNIT LOAD
(WITH PLASTIC NOSE PLUGS)

UNIT LOAD DATA

UNIT LOAD DRAWING	WR-54/15
WEIGHT	2978 LBS
DIMENSIONS	44 1/2 L x 36 3/8 W x 32 1/8 H
CUBE	30.1 CU FT
DOT HAZARD CLASSIFICATION	EXPLOSIVE A
COAST GUARD CLASS	YA



INDEX

ITEM	PAGE
GENERAL NOTES	4
COFC & CONTAINERSHIP	2 & 3
DETAILS	4

NOTES

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING TRUCKLOADING AND CARLOADING MILITARY STANDARDS, REFER TO THE INDEX TO STANDARDS, MIL-HDBK-236 (NAVY)

FSC 8140

AUTHORIZED FOR CONTAINER-ON-FLAT-CAR (COFC), CONTAINERSHIP AND MOVEMENT ABOARD DEPOT (NON-PUBLIC) ROADS ONLY.

R. S. Gray NWHL 9/14/73
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

J. C. Kelly 7/14/73
SIGNATURE [illegible] BY DIRECTION DATE

APPROVED BY US COAST GUARD

DATE 31 Aug 1973

APPROVED BY BUREAU OF EXPLOSIVES

A. F. Grassmuck
DATE 9/27/73

ORIGINATOR
SIGNATURE 9/14/
NAV [illegible]
[illegible] JERSEY

GENERAL NOTES

1 THIS DOCUMENT GIVES DETAILED INSTRUCTIONS FOR LOADING THE MILVAN CONTAINER WITH FLEET ISSUE UNIT LOADS OF MK 81 GENERAL PURPOSE BOMB THE UNIT LOADS SHALL BE PALLETIZED IN ACCORDANCE WITH WR-54/15

2 THE MILVAN SHALL BE EQUIPPED WITH A MECHANICAL LOAD-BRACING SYSTEM THAT MEETS THE REQUIREMENTS OF THE BUREAU OF EXPLOSIVES PAMPHLET 6C

3 IN ADDITION TO THE BELT RAILS REQUIRED BY PAMPHLET 6C THE MILVAN CONTAINER HAS BELT RAILS AT THE 72 AND 80 INCH HEIGHTS FROM THE CONTAINER FLOOR

CAUTION

WHEN POSITIONING CROSSMEMBERS MAKE A VISUAL CHECK
TO ENSURE THAT THE CROSSMEMBERS ARE LOCKED SECURELY IN PLACE

4 CONTAINERS ARE EQUIPPED WITH 25 CROSSMEMBERS UNUSED CROSSMEMBERS MUST REMAIN WITH THE CONTAINER AND SHALL BE FASTENED INTO BELT RAILS FOR SHIPMENT

5 WHEN THE VOID BETWEEN THE CROSSMEMBER AND THE SEPARATOR GATE IS GREATER THAN ONE INCH USE FILL MATERIAL TO SHIM BETWEEN THE CROSSMEMBER AND GATE AS SHOWN IN DETAIL D PAGE 4

6 SWAY BRACE, DETAIL C IS ASSEMBLED IN PLACE PIECE 1 IS POSITIONED INBOARD OF THE CORNER PALLET POSTS WITH PIECES 2 AGAINST PALLET SKIDS NAIL TO PIECE 1 WITH THREE 10d NAILS PER JOINT CUT PIECE 3 TO FIT BETWEEN PIECES 2 AND NAIL TO PIECE 1 WITH FOUR 10d NAILS

7 HEIGHT OF HOLD DOWN ASSEMBLY DETAIL H MAY BE VARIED TO ACCOMMODATE DIFFERENCES IN UNIT LOAD HEIGHTS BY ADJUSTING PIECE SIZE OR OMITTING PIECES AS REQUIRED STRUCTURAL INTEGRITY OF HOLD DOWN ASSEMBLY SHALL BE MAINTAINED VOID BETWEEN HOLD DOWN CROSSMEMBER AND PIECE NO 12 OF HOLD DOWN ASSEMBLY SHALL NOT EXCEED ONE HALF INCH

8 SHIMS PIECES 4 & 5 MAY BE OF DIFFERENT THICKNESSES AND SHOULD CAUSE THE ASSEMBLY TO FILL THE VOID BETWEEN THE LADING AND THE CROSSMEMBER VOID BETWEEN HOLD DOWN CROSSMEMBER WITH SHIM AND LADING SHALL NOT EXCEED ONE-HALF INCH

9 APPLICABLE MATERIAL SPECIFICATIONS
    DUNNAGE LUMBER - FED SPEC MM-L-751
    NAILS - FED SPEC FF-N-105 TYPE II, STYLE 10 COMMON BRIGHT
    STRAP - FED SPEC QQ-S-781, TYPE I CLASS A

10 AFTER BLOCKING AND BRACING HAS BEEN INSPECTED ATTACH SHIPPING DOCUMENTS INSIDE THE CONTAINER IN AN ACCESSIBLE AREA CLOSE AND SEAL CONTAINER DOORS AND ATTACH APPLICABLE PLACARDS TO THE OUTSIDE OF THE CONTAINER FOR THE APPROPRIATE MODE OF TRANSPORTATION AS PRESCRIBED IN OP 2165 (VOL 1)

COFC AND CONTAINERSHIP ONLY

1 THE CONTAINER LOAD CONSISTS OF 12 UNIT LOADS WHICH MUST BE LOADED AND DUNNAGED IN ACCORDANCE WITH THIS DOCUMENT

WARNING

BECAUSE THE WEIGHT LOADED INTO THIS CONTAINER EXCEEDS 34 000 LBS THE MILVAN CHASSIS CANNOT BE USED TO TRANSPORT THE LOADED CONTAINER ON PUBLIC HIGHWAYS THE LOADED CONTAINER MAY BE TRANSPORTED OVER DEPOT ROADS USING MILVAN CHASSIS EQUIPPED WITH DOUBLE BOGIES OR COMMERCIAL EQUIPMENT OF APPROPRIATE CAPACITY



SECTION A-A

SEPARATOR GATE, DETAIL F
OMITTED FOR CLARITY



SECTION B-B

SEPARATOR GATE, DETAIL G
OMITTED FOR CLARITY



DETAIL C

SWAY BRACE
REQUIRED
ASSEMBLE IN PLACE
SEE GENERAL NOTE 5



CONTAINER LOAD DATA

NUMBER OF UNIT LOADS	12
NUMBER OF CROSSMEMBERS REQUIRED	24
LOAD WEIGHT	35 736 LBS
DUNNAGE WEIGHT	774 LBS
CONTAINER WEIGHT	5 785 LBS
GROSS WEIGHT	42 265 LBS

PIECE NO	DESCRIPTION	SIZE	NO PCS REQD	NAIL TO	NAILS NUMBER	NAILS SIZE
13	RETAINER	2 x 4 x 53 1/2	4	10	5	10d
12	SHIM	1 x 4 x 3 3/4	8	11	2/JOINT	6d
11	HOLD DOWN	4 x 4 x 38	4	SEE 10		
10	TIE PIECE	2 x 4 x 70 1/2	4	11	3/JOINT	10d
9	HORIZONTAL	1 x 6 x 90 1/2	8	SEE 8		
8	VERTICAL	1 x 6 x 63	32	9	3/JOINT CLINCHED	6d
7	HORIZONTAL	1 x 6 x 90 1/2	8	SEE 6		-
6	VERTICAL	1 x 6 x 31	32	7	3 JOINT CLINCHED	6d
5	SHIM	1 x 4 x 90	2	4	8	4d
4	SHIM	2 x 4 x 90	2	SEE 5		-
3	SPACER	2 x 4 TO SUIT	12	1	4	10d
2	STRINGER	2 x 4 x 38	12	1	3/JOINT	10d
1	SUPPORT	2 x 4 x 32	12	SEE 2 & 3		-

LIST OF MATERIALS AND NAILING DATA



DETAIL D

FILL MATERIAL
SEE GENERAL NOTE 5



DETAIL E

2 REQUIRED
HOLD DOWN SHIM
SEE GENERAL NOTE 6



DETAIL F

SEPARATOR GATE
4 REQUIRED



DETAIL G

SEPARATOR GATE
4 REQUIRED



DETAIL H

HOLD DOWN ASSEMBLY
2 REQUIRED

REVIEW ACTIVITY
NAVY OS AS

PREPARING ACTIVITY
NAVY OS
(PROJECT NO 8140-N210)

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL	OMB Approval No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*	TELEPHONE NO.
	DATE

DD FORM 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED S/N 0102-014-1802

FOLD

POSTAGE AND FEES PAID

U.S. MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer,
Naval Weapons Handling Laboratory,
NAD Earle, New Jersey