MILITARY STANDARD

LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS


EXPLOSIVE SECTION MK 1 MOD 0
FOR MINE MK 56 MOD 0
IN CRATE MK 101 MOD 0
FLEET ISSUE UNIT LOAD

MIL-STD-1386-56
(NAVY)

4 DECEMBER 19

UNIT LOAD DATA

UNIT LOAD DATA (MIL-STD)	B 53 161
DIMENSIONS	53.5 IN L X 30 W X 31.5 16 H
CUBE	48.5 CU FT
WEIGHT	SEE 1 BELT
DOT HAZARD CLASSIFICATION	SEE 1 SHEET
COAST GUARD CLASSIFICATION	SEE TABLE I



INDEX

ITEM	PAGE
GENERAL NOTES	2
TOFC/COFC CONTAINERSHIP APPROVAL	2 & 3
DETAILS	4

NOTES

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING, TRUCKLOADING AND CARLOADING MILITARY STANDARDS REFER TO THE INDEX TO STANDARDS MIL-HDBK-235 (NAVY)

FSC 8140

AUTHORIZED FOR TRAILER-ON-FLAT-CAR (TOFC), CONTAINER-ON-FLAT-CAR (COFC), CONTAINERSHIP AND HIGHWAY SHIPMENTS

M S Leary VN4L 11/18/75
SIGNATURE TECHNICAL DIRECTION AGT IF ANY DATE

J C Kelly 11/18/75
BY STANDARDIZATION ACTIVITY DIRECTION DATE

APPROVED BY US COAST GUARD

C E McArthur
DATE 10/31/75

APPROVED BY BUREAU OF EXPLOSIVES

A F Grammick
DATE 9/24/75

ORIGINATOR A F Grammick 11/4/75
SIGNATURE

NAVAL WEAPONS HANDLING LABORATORY
COLTS NECK NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:14Z
Check the source to verify that this is the current version before use.

GENERAL NOTES

1. THIS DOCUMENT GIVES DETAILED INSTRUCTIONS FOR LOADING THE MILVAN CONTAINER WITH FLEET ISSUE UNIT LOADS OF EXPLOSIVE SECTIONS MK 1 MOD 0 FOR MINE MK 56 MOD 0 IN THE MK 101 MOD 0 CRATE. THE UNIT LOADS SHALL BE PALLETIZED IN ACCORDANCE WITH WR-54 161
2. THE MILVAN SHALL BE EQUIPPED WITH A MECHANICAL LOAD-BRACING SYSTEM THAT MEETS THE REQUIREMENTS OF THE BUREAU OF EXPLOSIVES PAMPHLET 6C
3. IN ADDITION TO THE BELT RAILS REQUIRED BY PAMPHLET 6C THE MILVAN CONTAINER HAS BELT RAILS AT THE 72 AND 83 INCH HEIGHTS FROM THE CONTAINER FLOOR
4. CONTAINERS ARE EQUIPPED WITH 25 CROSSMEMBERS. UNUSED CROSSMEMBERS MUST REMAIN WITH THE CONTAINER AND SHALL BE FASTENED INTO THE BELT RAILS FOR SHIPMENT

CAUTION

WHEN POSITIONING CROSSMEMBERS MAKE A VISUAL CHECK TO ENSURE THAT CROSSMEMBERS ARE LOCKED SECURELY IN PLACE

5. WHEN THE LONGITUDINAL SLACK BETWEEN A CROSSMEMBER AND A UNIT LOAD IS GREATER THAN ONE INCH USE FILL MATERIAL TO SHIM BETWEEN UNIT LOAD AND CROSSMEMBER AS SHOWN IN DETAIL D
6. HEIGHT OF HOLD DOWN ASSEMBLY DETAIL C MAY BE VARIED TO ACCOMODATE DIFFERENCES IN UNIT LOAD HEIGHTS BY ADJUSTING PIECE SIZE OR OMITTING PIECES AS REQUIRED. STRUCTURAL INTEGRITY OF HOLD DOWN SHALL BE MAINTAINED. VOID BETWEEN HOLD DOWN CROSSMEMBER AND PIECE NO. 7 OF HOLD DOWN ASSEMBLY SHALL NOT EXCEED ONE HALF INCH
7. SIDE FRAME ASSEMBLY DETAIL B, MAY BE ASSEMBLED IN PLACE, THE LENGTH OF STRUT PIECE 3, SHALL BE SUFFICIENT TO CAUSE THE ASSEMBLY TO FILL THE VOID BETWEEN THE UNIT LOAD AND THE CONTAINER SIDE WALL
8. APPLICABLE MATERIAL SPECIFICATIONS
   DUNNAGE LUMBER - FED SPEC MM-L-751
   NAIL - FED SPEC FF-N-105 TYPE II STYLE 10, COMMON BRIGHT
9. AFTER BLOCKING AND BRACING HAS BEEN INSPECTED, ATTACH SHIPPING DOCUMENTS INSIDE THE CONTAINER IN AN ACCESSIBLE AREA CLOSE AND SEAL CONTAINER DOORS AND ATTACH APPLICABLE PLACARDS TO THE OUTSIDE OF THE CONTAINER FOR THE APPROPRIATE MODE OF TRANSPORTATION AS PRESCRIBED IN OP 2165 (VOL. I)

TOFC/COFC, CONTAINERSHIP AND HIGHWAY

1. THE CONTAINER LOAD CONSISTS OF 8 UNIT LOADS WHICH MUST BE LOADED AND DUNNAGED IN ACCORDANCE WITH THIS DOCUMENT
2. THE CONTAINER MAY BE TRANSPORTED OVER PUBLIC HIGHWAYS ON THE MILVAN CHASSIS USING THE FOLLOWING CONFIGURATIONS
   (a) ONE CONTAINER ON 20-FT MILVAN CHASSIS WITH DOUBLE BOGIES AND PULLED BY A DOUBLE DRIVE AXLE TRAILER
   (b) TWO CONTAINERS (LOADED WITH EMPTY EXPLOSIVE SECTIONS ONLY) ON A 40-FT MILVAN CHASSIS WITH DOUBLE BOGIES LOCATED IN THE REARMOST POSITION AND PULLED BY A DOUBLE DRIVE AXLE TRACTOR
3. CONTAINERS MAY ALSO BE TRANSPORTED OVER PUBLIC HIGHWAY ON SUITABLE COMMERCIAL EQUIPMENT OF APPROPRIATE CAPACITY THAT MEETS THE REQUIREMENTS OF THE CODE OF FEDERAL REGULATIONS
4. THE CONTAINERS MAY BE SHIPPED TOFC/COFC. WHEN SHIPPING TOFC THE FOLLOWING CONFIGURATIONS ARE AUTHORIZED
   (a) ONE CONTAINER ON 20-FT MILVAN CHASSIS EQUIPPED WITH DOUBLE BOGIES
   (b) TWO CONTAINERS (LOADED WITH EMPTY EXPLOSIVE SECTIONS ONLY) ON 40-FT MILVAN CHASSIS EQUIPPED WITH DOUBLE BOGIES

WARNING


CHASSIS CONTAINERS COUPLED INTO A 40-FT TRAILER CONFIGURATION MUST BE PLACED AT THE B-END OF THE CAR. THE REAR END OF THE 40-FT UNIT WILL OVERHANG THE END OF THE CAR IF IT IS PLACED AT THE A-END. 20-FT AND 40-FT UNITS CAN BE LOADED ON THE SAME CAR

5. WHEN SHIPPING EMPTY EXPLOSIVE SECTIONS, THE HOLDDOWN CROSSMEMBERS AND THE HOLDDOWN ASSEMBLY, DETAIL C ARE NOT REQUIRED

TABLE I

EXPLOSIVE SECTION MK 1 MOD 0 (WR-54/161)	UNIT LOAD WEIGHT (APPROX.)	DUNNAGE WEIGHT (APPROX.)	CONTAINER WEIGHT (APPROX.)	LOAD WEIGHT (APPROX.)	CONTAINER GROSS WEIGHT (APPROX.)	HAZARD CLASSIFICATION		NUMBER OF CROSSMEMBERS REQUIRED
						DOT	COAST GUARD	
LOADED	2418 LBS	395 LBS	5785 LBS	19,344 LBS	25,129 LBS	A	X-A	24
EMPTY	978 LBS	733 LBS	5785 LBS	7,824 LBS	13,609 LBS	INERT		20

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:14Z
Check the source to verify that this is the current version before use.




SECTION A-A

CONTAINER LOAD DATA

NUMBER OF UNIT LOADS 8


WEIGHTS SEE TABLE I



PIECE NO	DESCRIPTION	SIZE	NO PCS REQD	NAIL TO	NUMBER NAILS	SIZE
8	RETAINER	2 x 4 x 6	16	7	2	10d
7	SHIM	1 x 4 x 18	8	5	3	10d
6	SUPPORT	2 x 4 x 44	8	SEE 4 & 5	-	-
5	RISER	2 x 4 x 18	8	6	3 PER JOINT	10d
4	BEARING PIECE	2 x 4 x 52 1/2	8	6 5	3 2 PER JOINT	10d 10d
3	STRUT	2 x 4 x TO SUIT	48	TOE NAIL TO 1	2 PER JOINT	10d
2	SIDE FRAME HORIZONTAL	2 x 4 x 53 5/8	48	SEE 1	-	-
1	SIDE FRAME VERTICAL	2 x 4 x 68	32	2	3 PER JOINT	10d


LIST OF MATERIALS AND NAILING DATA

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:14Z
Check the source to verify that this is the current version before use.




DETAIL B

FILLER ASSEMBLY
8 REQUIRED



DETAIL C

HOLDDOWN ASSEMBLY
4 REQUIRED
SEE GENERAL NOTE 6



DETAIL D

REVIEW ACTIVITY:
NAVY - OS

PREPARING ACTIVITY
NAVY - OS
(PROJECT NO 8140-N-098)

Source: https://assist.dla.mil -- Downloaded: 2026-10-24100:142
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No 22-R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity

DOCUMENT IDENTIFIER AND TITLE: MIL-STD-1386-56 (Navy)

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4 REMARKS

SUBMITTED BY (Printed or typed name and address - Optional)

TELEPHONE NO

DATE

DD FORM 1426 1 JAN 7

PREVIOUS EDITION OF 1 JAN 58 WHICH MAY BE USED

S/N 0102-014-1302

☆ U S GOVERNMENT PRINTING OFFICE 1979—714-033/3083 2 1

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:14Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

U.S. MAIL

OFFICIAL BUSINESS
ENALTY FOR PRIVATE USE $300

Commanding Officer
Naval Weapons Station Earle (803)
Naval Weapons Handling Laboratory
Colts Neck, New Jersey 07722

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:14Z
Check the source to verify that this is the current version before use.