MILITARY STANDARD


MIL-STD 1386-5
(NAV
28 FEBRUAR 5

LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS

ANCHOR, UNDERWATER MINE MK 57 TYPE FOR UNDERWATER MINE MK 57 DOMESTIC UNIT LOAD

UNIT LOAD DATA

UNIT LOAD DRAWING	WR-53/793
DIMENSIONS	48 1/8 L x 45 W x 39 3/4 H
CUBE	49 6 CU FT
WEIGHT	3800 LBS
DOT HAZARD CLASSIFICATION	INERT
COAST GUARD CLASS	NONE



NOTES

1 UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

2 FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING, TRUCKLOADING AND CARLOADING MILITARY STANDARDS REFER TO THE INDEX TO STANDARDS, MIL-HDBK-236 (NAVY)

INDEX

ITEM	PAGE
GENERAL NOTES	2
COFC CONTAINERSHIP AND HIGHWAY	2

FSC 3[illegible]0

AUTHORIZED FOR CONTAINER-ON-FLAT-CAR (COFC), CONTAINERSHIP AND HIGHWAY SHIPMENT

M.S. Lowry NWVL 2/21/75
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

T.E. Kelly 3/21/75
SIGNATURE SEASYSCOM BY DIRECTION DATE

ORIGINATOR S.P. Peter 2/21/75
SIGNATURE

NAVAL WEAPONS HANDLING LABORATORY
NAD EARLE, NEW JERSEY

PAGE 1 [illegible]

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:14Z
Check the source to verify that this is the current version before use.

GENERAL NOTES

1 THIS DOCUMENT GIVES DETAILED INSTRUCTIONS FOR LOADING THE MILVAN CONTAINER WITH UNDERWATER MINE ANCHORS MK 57 TYPE FOR UNDERWATER MINE MK 57 THE MINE ANCHORS SHALL BE PALLETIZED IN ACCORDANCE WITH WR-53/793

2 THE MILVAN SHALL BE EQUIPPED WITH A MECHANICAL LOAD BRACING SYSTEM THAT MEETS THE REQUIREMENTS OF THE BUREAU OF EXPLOSIVES PAMPHLET 6C

3 IN ADDITION TO THE BELT RAILS REQUIRED BY PAMPHLET 6C THE MILVAN CONTAINER HAS BELT RAILS AT THE 72 AND 83 INCH HEIGHTS FROM THE CONTAINER FLOOR

CAUTION

WHEN POSITIONING CROSSMEMBERS MAKE A VISUAL CHEK TO ENSURE THAT THE CROSSMEMBERS ARE LOCKED SECURELY IN PLACE

4 CONTAINERS ARE EQUIPPED WITH 25 CROSSMEMBERS UNUSED CROSSMEMBERS MUST REMAIN WITH THE CONTAINER AND SHALL BE FASTENED INTO BELT RAILS FOR SHIPMENT

5 WHEN THE LONGITUDINAL SLACK BETWEEN A CROSSMEMBER AND THE UNIT LOAD IS GREATER THAN ONE INCH USE FILL MATERIAL TO SHIM BETWEEN CROSSMEMBERS AND THE UNIT LOAD AS SHOWN IN DETAIL G

6 APPLICABLE MATERIAL SPECIFICATIONS

DUNNAGE LUMBER - FED SPEC MM-L-751

NAILS - FED SPEC FF-N-105 TYPE II, STYLE 10 COMMON BRIGHT

7 AFTER BLOCKING AND BRACING HAS BEEN INSPECTED, ATTACH SHIPPING DOCUMENTS INSIDE THE CONTAINER IN AN ACCESSIBLE AREA, CLOSE AND SEAL CONTAINER DOORS

COFC, CONTAINERSHIP AND HIGHWAY


1 THE CONTAINER LOAD CONSISTS OF 10 UNIT LOADS WHICH MUST BE LOADED AND DUNNAGED IN ACCORDANCE WITH THIS DOCUMENT

2 THE LOADED MILVAN CONTAINER MAY BE MOVED OVER PUBLIC HIGHWAYS USING COMMERCIAL EQUIPMENT OF APPROPRIATE CAPACITY THAT MEETS THE REQUIREMENTS IN THE CODE OF FEDERAL REGULATIONS

WARNING

BECAUSE THE WEIGHT LOADED INTO THIS CONTAINER EXCEEDS 34,000 LBS, THE MILVAN CHASSIS CAN NOT BE USED TO TRANSPORT THE LOADED CONTAINER ON PUBLIC HIGHWAYS THE LOADED CONTAINER MAY BE TRANSPORTED OVER DEPOT ROADS USING MILVAN CHASSIS EQUIPPED WITH DOUBLE BOGIES

3 LENGTH OF STRUT, PIECE 7 SHALL BE SUFFICIENT TO CAUSE THE FILLER ASSEMBLY DETAIL E, TO FILL THE VOID BETWEEN THE UNIT LOAD AND THE CONTAINER SIDE WALL



SECTION A-A *


SECTION B-B *


*CONTAINER CROSSMEMBERS NOT SHOWN FOR SAKE OF CLARITY
CROSSMEMBERS ARE INSTALLED AT HEIGHTS INDICATED

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:14Z
Check the source to verify that this is the current version before use.

CONTAINER LOAD DATA

NUMBER OF UNIT LOADS	1
NUMBER OF CROSSMEMBERS REQ'D	24
LOAD WEIGHT (APPROX)	36,000 LBS
DUNNAGE WEIGHT (APPROX)	824 LBS
CONTAINER WEIGHT	5,785 LBS
GROSS WEIGHT (APPROX)	44,609 LBS





DETAIL C

SEPARATOR CASE REQUIRED


(POSITION VERTICALS AGAINST UNIT LOAD)

*CLINCHED

PIECE NO	DESCRIPTION	SIZE	NO PCS REQD	NAIL TO	NAILS NUMBER	NAILS SIZE
10	VERTICAL	1 x 6 - 39 3/4	8	9	3/JOINT	6d*
9	HORIZONTAL	1 x 6 x 48	8	SEE 10	-	-
8	SUPPORT	1 x 6 x TO SUIT	8	6	3/JOINT	8d
7	STRUT	2 x 1 x TO SUIT	16	TOENAIL TO 6	2/JOINT	8d
6	UPRIGHT	2 x 4 x 43 1/4	16	5	3/JOINT	6d
5	LONGITUDINAL	2 x 4 x 48	16	SEE 6	-	-
4	VERTICAL	2 x 6 x 84	16	SEE 3	-	-
3	HORIZONTAL	1 x 6 x 90	8	4	3/JOINT	10d*
2	VERTICAL	2 x 6 x 40	16	SEE 1	-	-
1	HORIZONTAL	1 x 6 x 96	8	2	3/JOINT	10d*

LIST OF MATERIALS AND NAILING DATA


Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:14Z
Check the source to verify that this is the current version before use.



DETAIL D


SEPARATOR GATE
4 REQUIRED

(POSITION VERTICALS AGAINST UNIT LOAD)



DETAIL E


FILLER ASSEMBLY
4 REQUIRED



DETAIL F

SIDE WALL FRAME
4 REQUIRED

SLIDE IN PLACE BETWEEN UNIT LOAD AND CONTAINER SIDE WALL. TOP HORIZONTAL SHALL BE AGAINST WALL.



DETAIL G

FILL MATERIAL
SEE GENERAL NOTE 5

REVIEW ACTIVITY
NAVY - OS

PREPARING ACTIVITY
NAVY - OS
(PROJECT NO 8140 N277)

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:14Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No 22-R255

INSTRUCTIONS This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost Comments and the return of this form will be appreciated Fold on lines on reverse side staple in corner, and send to preparing activity Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements

SPECIFICATION

MIL-STD-1386-58 (Navy)

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3 IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *(If "yes", in what way?)*

4 REMARKS *(Attach any pertinent data which may be of use in improving this specification If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*

DATE

DD FORM 1 JAN 66 1426

REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED

S/N-0102-014-1801 C-26254

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:14Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

OFFICIAL BUSINESS

Commanding Officer
Naval Weapons Station Earle
Naval Weapons Handling Laboratory (803)
Colts Neck, New Jersey 07722

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:14Z
Check the source to verify that this is the current version before use.