MILITARY STANDARD

LOADING OF HAZARDOUS MATERIALS AND ASSOCIATED ITEMS IN MILVAN CONTAINERS


PROJECTILE, 5"/54 IN PALLET ADAPTER MK 11 FLEET ISSUE UNIT LOAD

MIL-STD-1386-9A
(Navy)
14 MARCH 1977

SUPERSEDING
MIL-STD-1320-9 (NAVY)
10 NOVEMBER 1972

UNIT LOAD DATA

UNIT LOAD DRAWING	WR-54/6
WEIGHT (APPROX)	3706 LBS
DIMENSIONS	48 L x 40 W x 33 3/4 H
CUBE	37.5 CU FT
DOT HAZARD CLASSIFICATION	EXPLOSIVES A



INDEX

ITEM	PAGE
GENERAL NOTES	2
COFC, CONTAINERSHIP AND HIGHWAY	3 & 4

NOTES

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
2. FOR CROSS REFERENCE TO ASSOCIATED PALLETIZING, TRUCKLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX MIL-HDBK-236.

FSC 8140

AUTHORIZED FOR CONTAINER-ON-FLAT-CAR (COFC), CONTAINERSHIP AND HIGHWAY SHIPMENT

M.S. Gray NAVSEC 2/25/77
SIGNATURE TRANSPORTATION AGENT (TDA) DATE

A.F. Kelly 3/28/77
SIGNATURE NAVSEA SYSCOM BY DIRECTION DATE

APPROVED BY US COAST GUARD

P.A. Collins
DATE 22 FEB 1977

APPROVED BY BUREAU OF EXPLOSIVES

A.F. Grossmuck
DATE 10/20/75

ORIGINATOR S.R. Petrie EOD2E 2/20/77
SIGNATURE

NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:11Z
Check the source to verify that this is the current version before use.

GENERAL NOTES

1 THIS DOCUMENT GIVES DETAILED INSTRUCTIONS FOR LOADING THE MILVAN CONTAINER WITH FLEET ISSUE UNIT LOADS OF 5 /54 PROJECTILES IN PALLET ADAPTER MK II THE UNIT LOAD SHALL BE IN ACCORDANCE WITH WR-54/2

2 THE MILVAN SHALL BE EQUIPPED WITH A MECHANICAL LOAD-BRACING SYSTEM THAT MEETS THE REQUIREMENTS OF THE BUREAU OF EXPLOSIVES PAMPHLET 6C AND SHIPPED ON FLATCARS THAT MEET THE REQUIREMENTS OF PAMPHLET 6C

3 IN ADDITION TO THE BELT RAILS REQUIRED BY PAMPHLET 6C THE MILVAN CONTAINER HAS BELT RAILS AT THE 72 AND 83 INCH HEIGHTS FROM THE CONTAINER FLOOR

CAUTION

WHEN POSITIONING CROSSMEMBERS MAKE A VISUAL CHECK TO

INSURE THAT CROSSMEMBERS ARE LOCKED SECURELY IN PLACE

4 CONTAINERS ARE EQUIPPED WITH 25 CROSSMEMBERS UNUSED CROSSMEMBERS MUST REMAIN WITH THE CONTAINER AND SHALL BE FASTENED INTO BELT RAILS FOR SHIPMENT

5 THE BOTTOM FILLER ASSEMBLY, DETAIL D, IS PREASSEMBLED AND SLID INTO PLACE THE LENGTH OF THE STRUT, PIECE 3, SHALL BE SUFFICIENT TO CAUSE THE ASSEMBLY TO FILL THE VOID BETWEEN THE UNIT LOADS ONE INCH SLACK IS PERMITTED

6 THE TOP FILLER ASSEMBLY, DETAIL E IS PREASSEMBLED AND SLID INTO PLACE WITH THE LONGITUDINAL, PIECE 5, ON TOP OF THE CROSSMEMBERS AT THE 60 INCH HEIGHT THE STRUT, PIECE 7 , SHALL BE OF SUFFICIENT LENGTH TO CAUSE THE ASSEMBLY TO FILL THE VOID BETWEEN THE UNIT LOADS ONE INCH SLACK IS PERMITTED

7 WHEN THE VOID BETWEEN THE CROSSMEMBERS AND THE SEPARATOR GATE IS GREATER THAN ONE INCH USE FILL MATERIAL TO SHIM BETWEEN CROSSMEMBERS AND GATE AS SHOWN IN DETAIL C

8 APPLICABLE MATERIAL SPECIFICATIONS DUNNAGE LUMBER - FED SPEC MM-L-751, NAILS - FED SPEC FF-N-105 TYPE II, STYLE 10, COMMON BRIGHT

9 AFTER BLOCKING & BRACING HAS BEEN INSPECTED ATTACH SHIPPING DOCUMENTS INSIDE THE CONTAINER IN AN ACCESSIBLE AREA CLOSE AND SEAL CONTAINER DOORS, AND ATTACH APPLICABLE PLACARDS TO THE OUTSIDE OF THE CONTAINER FOR THE APPROPRIATE MODE OF TRANSPORTATION AS PRESCRIBED IN OP 2165 (VOL I)

COFC, CONTAINERSHIP AND HIGHWAY

1 THE CONTAINER LOAD CONSISTS OF 10 UNIT LOADS WHICH MUST BE LOADED AND DUNNAGED IN ACCORDANCE WITH THIS DOCUMENT

2 THE LOADED MILVAN CONTAINER MAY BE MOVED OVER PUBLIC HIGHWAYS USING COMMERCIAL EQUIPMENT OF APPROPRIATE CAPACITY THAT MEETS THE REQUIREMENTS IN THE CODE OF FEDERAL REGULATIONS

WARNING

BECAUSE THE WEIGHT LOADED INTO THIS CONTAINER EXCEEDS


34,000 LBS THE MILVAN CHASSIS CANNOT BE USED TO

TRANSPORT THE LOADED CONTAINER ON PUBLIC HIGHWAYS


THE LOADED CONTAINER MAY BE TRANSPORTED OVER DEPOT

ROADS USING MILVAN CHASSIS EQUIPPED WITH DOUBLE BOGIES

3 WHEN SHIPPING THE LOADED MILVAN CONTAINER COFC, THE FLATCAR SHALL MEET THE REQUIREMENTS OF THE BUREAU OF EXPLOSIVES PAMPHLET 6C




SECTION A-A



SECTION B B

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:11Z
Check the source to verify that this is the current version before use.



CONTAINER LOAD DATA


NUMBER OF UNIT LOADS	10
NUMBER OF CROSSMEMBERS REQ'D	21
LOAD WEIGHT (APPROX)	37,060 LBS
DUNNAGE WEIGHT (APPROX)	989 LBS
CONTAINER WEIGHT (APPROX)	5,700 LBS
GROSS WEIGHT (APPROX)	43,749 LBS

CW" = CONTAINER WIDTH


PIECE NO	DESCRIPTION	SIZE	NO OF PIECES REQ'D	NAIL TO	NUMBER	SIZE
					NAILS	
11	HORIZONTAL	1x6xCW"-1	4	SEE 10	-	-
10	VERTICAL	2x8x39	12	11	2/JOINT	10d CLINCHED
9	HORIZONTAL	1x6xCW"-1	16	SEE 8	-	-
8	VERTICAL	2x6x33 3/4	46	9	2/JOINT	10 d CLINCHED
7	STRUT	2x4 TO SUIT	6	TOE NAIL TO 4	2/JOINT	10d
6	BOT LONGITUDINAL	2x4x51	2	SEE 4	-	-
5	TOP LONGITUDINAL	2x4x60	2	SEE 4	-	-
4	UPRIGHT	2x4x33 3/4	6	5&6	3/JOINT	10d
3	STRUT	2x4 TO SUIT	24	TOE NAIL TO 1	2/JOINT	10d
2	LONGITUDINAL	2x4x51	16	SEE 1	-	-
1	UPRIGHT	2x4x33 3/4	24	2	3/JOINT	10d

LIST OF MATERIALS AND NAILING DATA


Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:11Z
Check the source to verify that this is the current version before use.




DETAIL D
BOTTOM FILLER ASSEMBLY
4 REQUIRED



DETAIL E
TOP FILLER ASSEMBLY
1 REQUIRED



DETAIL G
TOP
SEPARATOR GATE
2 REQ'D



DETAIL F
BOTTOM
SEPARATOR GATE
8 REQ'D

CW* = CONTAINER WIDTH

REVIEW ACTIVITY

NAVY - OS

PREPARING ACTIVITY

NAVY OS

(PROJECT NO N8140-313)

U.S. GOVERNMENT PRINTING OFFICE: 1977-703-120/2715

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:11Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No 22-R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-STD-1386-9A (NAVY)

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4 REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:11Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commanding Officer
Naval Weapons Station Earle
ATTN: Code 803 R. F. Harris
Colts Neck, New Jersey 07722

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:11Z
Check the source to verify that this is the current version before use.