DATA ITEM DESCRIPTION

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. TITLE	2. IDENTIFICATION NUMBER
REAL-TIME OUTFITTING MANAGEMENT INFORMATION SYSTEM (ROMIS) CONFIGURATION INPUT DATA	DI-ILSS-80335A

3 DESCRIPTION / PURPOSE

3.1 The ROMIS configuration input data is used to load ship configuration data into the Weapons Systems File (WSF) or the Ship Configuration Logistics Support Information Systems (SCLSIS). The data is used by the Government for configuration management and development of supply support allowance lists including the Coordinated Shipboard Allowance List (COSAL) and Incremental Stock Number Sequence List (ISNSL).

4. APPROVAL DATE (YYMMDD)	5. OFFICE OF PRIMARY RESPONSIBILITY (OPR)	6a. DTIC APPLICABLE	6b. GIDEP APPLICABLE
920909	SH/SEA 04MS2F		

7. APPLICATION / INTERRELATIONSHIP

7.1 This Data Item Description (DID) contains the format and content preparation instructions for data resulting from the work task described by 5.4.2 of MIL-STD-2186A.

7.2 This DID is applicable to ship acquisition, conversion and modernization programs which have ROMIS invoked in the contract.

(Continued on Page 2)

8. APPROVAL LIMITATION	9a. APPLICABLE FORMS	9b. AMSC NUMBER
		N6783

10. PREPARATION INSTRUCTIONS

10.1 Reference Documents. The applicable issue of the documents cited herein, including their approval dates and dates of any applicable amendments, notices, and revisions, shall be as specified in the contract.

10.2 Format and Content requirements. The ROMIS configuration input data tape shall contain all changes to the ship's configuration that have occurred since the previous input to the WSF or SCLSIS.

10.2.1 ROMIS configuration input data to WSF.

a. Data tape characteristics. Characteristics of the ROMIS configuration input tape shall be as follows:

(1)	Density:	9 Track, 1600 BPI
(2)	Mode:	EBCDIC
(3)	Parity:	Odd
(4)	Block Size	5
(5)	Record Size:	300

(Continued on Page 2)

11. DISTRIBUTION STATEMENT

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:36Z
Check the source to verify that this is the current version before use.

7. APPLICATION/INTERRELATIONSHIP (Continued)

7.3 It is not intended that all configuration input data contained herein should be applied to every program. Portions of this DID are subject to deletion tailoring depending upon the type of configuration input data required for the WSF or the SCLSIS.
7.4 This DID is related to DID DI-MGMT-80337A, ROMIS Management Plan and DI-ILSS-80336A, ROMIS Data Base (RDB) Total Ship Configuration To Date.
7.5 This DID supersedes DI-ILSS-80335.
7.6 Obtain Ship Configuration and Logistic Support Information System (SCLSIS) Technical Specification 9090-700A from NAVSEA 04TD.

---

10. PREPARATION INSTRUCTIONS (Continued)

(6) Labeling: No internal labels; external labels shall appear as follows:

(a) Ship Name	(g) 1600 BPI
(b) UIC	(h) EBCDIC
(c) V30 Update	(i) Internal label: none
(d) Date	
(e) Activity Name	(j) 300 x 1500
(f) Initials	(k) V30.TXT (File Name)

b. Tape layout. The ROMIS data tape for the WSF shall be prepared accordance with the format and content described in the following WSF tape layout in FIGURE 1.

10.2.2 ROMIS configuration input data to SCLSIS.

a. Data tape characteristics. Characteristics of the ROMIS configuration input tape for SCLSIS shall be as follows:

(1)	Density:	9 Track, 1600 BPI
(2)	Mode:	EBCDIC
(3)	Parity:	Odd
(4)	Block Size:	10
(5)	Record Size:	419
(6)	Labeling:	No internal labels; external labels shall appear as follows:

(a) Ship Name	(g) 1600 BPI
(b) UIC	(h) EBCDIC
(c) V09 Update	(i) Internal label: none
(d) Date	
(e) Activity Name	(j) 419 x 4190
(f) Initials	(k) V09.TXT (File Name)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:36Z
Check the source to verify that this is the current version before use.

10. Preparation Instructions (Continued)

b. Tape layout. The ROMIS data tape for the SCLSIS shall be prepared in accordance with the format and content described in FIGURE 2 through FIGURE 4. SCLSIS Record Type 1 is not applicable to this DID.

10.2.3 Magnetic tape. A ROMIS Configuration Input to the WSF or SCLSIS tape containing all changes to the ship's configuration since the previous tape was produced and is used to load the ship configuration into the WSF for ISNSL or COSAL production.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:36Z
Check the source to verify that this is the current version before use.

Block 10.3.1 Preparation Instructions (Continued)

CH POS	DEN	DATA DESCRIPTION	PICTURE
1-6	A002	Unit Identification Code	X(6)
7-11	E133	Access, Transmittal Number	X(5)
12-13	E211	FOMIS Multi-card Code	AA
14-23	D008	RIC, APL or AEL Number-	X(10)
24-25	D029	Application Identification Number Activity Code	AA
26-35	E010A	Service Application Code	X(10)
36-47	E052	Equipment Location	X(12)
48-62	D032/ E093	Equipment or Component Serial Number or Valve Mark or Electrical Symbol	X(15)
63	D034	Type of Number Code	A
64-89	D076	Installation Drawing Number	X(26)
90-93	D079	Installation Drawing Piece Number	X(4)
94-113	L088/ D086	Procurement Source Document Number or Material Requirements Document Number	X(20)
114	D081	Type of Document Code (Use T088 Type Number Code)	A
115-122	L090/ D082	Procurement Source Document Item Number or Material Requirements Document Item Number	X(8)
123-124	D078	Installation Drawing Revision	X(2)
125-128	E012	AEL Column Number	9(4)
129-135	D008D	Equipment Identification Code	X(7)
136-142	E177	Subcategory Code	X(7)
143	D038	Suppliers Code	A
144-149	C008B/D	Equipment Military Essentiality Code (FBM) or Military Essentiality Code (STD)	X(6)
150-159	D009	Parent RIC or APL Number	X(10)
160-161	D029A/ D029	Parent Equipment AINAC	AA
162-179	D083	Equipment, Component Model or ID Number (Use E224)	X(18)
180-181	D037	Data Originator, Validation Code	AA
182-185	D011	Quantity per Application	9(4)
186		Filler	X
187	E207	Statistical Verification Code	A
188-197	T063	Functional Group Code (Use E208)	X(10)
198-201	E127	Work Center Responsible for Compartment	X(4)
202-205	E128	Work Center Responsible for Equipment	X(4)

FIGURE 1. ROMIS WSF configuration input tape layout

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:36Z
Check the source to verify that this is the current version before use.

Block 10. Preparation Instructions (Continued)

CH POS	DEN	DATA DESCRIPTION	PICTURE
206-231		Filler	X(26)
232	C017	Security Classification Code	X
233-264	T059	Logistics Support Document Serial (Technical Manual Number)	X(32)
265-267	T059A	Type of Logistics Support Document	A(3)
268-282	T059	Logistics Support Document Serial (Maintenance Index Page)	X(15)
283-294	T063	Hierarchical Structure Code (For AILSIN E129)	X(12)
295	E033	Action Code (Use Y207)	A
296	C003Y	Service Importance Code, Mission Criticality Code	X
297-300		Filler	X(4)

FIGURE 1. ROMIS WSF configuration input tape layout - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:36Z
Check the source to verify that this is the current version before use.

Block 10. Preparation Instructions (Continued)

CH POS	DEN	DATA DESCRIPTION
1-6	A002	Unit Identification Code
7-11	E221	Record Identification Number RIN
12-16		Filler
17	T062	Record Type
18	E033	Action Code
19-30	T063	Hierarchical Structure Code
31-41	D008	RIC, APL or AEL Number
42-67	E224	Equipment, Component Model or ID Number
68-82	D032	Equipment Serial Number
83-97	E093	Valve Mark Electrical Symbol Number
98-145	T057	Equipment Functional Description
146-157	E052	Location (Deck Frame-Compartment)
158-163	D011	Quantity Per Application
164-178	T058	Equipment System Designator
179-185	D008D	Equipment Identification Code
186-189	E128	Work Center Responsible for Equipment
190-195	T017B	Technical Confirmation Activity
196	E012	AEL Column Number
197	E226	Category Code
198-204	E177	Subcategory Code
205	E243	Selected Equipment Indicator
206-230	E239	Technical Remarks next higher Assy, Mark Mod
231	T065	Logistic Support Request Indicator
232	T068	Allowance Fund Code
233		Filler
234	E222	Installation Status Code
235-236	E223	Validation Source Action Code
237-238	D037	Data Originator, Validation Code
239	E346	Reason Not Validated
240-250	D009	Parent RIC or APL Number
251-265	D032D	Parent Equipment Serial Number
266-274	T060	Configuration Reporting Activity
275-278	T060A	Configuration Reporting Initials
279-284	T060B	Configuration Reporting Date
285-289	C035	Commercial and Government Entity Code
290-297		Filler
298-307	E010A	Service Application Code
308	C008D	Military Essentiality Code
309	T063A	Hierarchical Structure Code Indicator
310-313	E127	Work Center Responsible for Compartment
314-326	E349	Job Control Number

FIGURE 2. ROMIS SCLSIS configuration input tape layout for record type 2

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:36Z
Check the source to verify that this is the current version before use.

Block 10. Preparation Instructions (Continued)

CH POS	DEN	DATA DESCRIPTION
327-330	E349D	Configuration Change Form Page Number
331	E225	Critical Equipment Indicator
332-419		Filler

MODIFIED FORMAT FOR NEW CONSTRUCTION SHIPS:**

CH POS	DEN	DATA DESCRIPTION
1-331		Same as Standard V09 Transaction Format
332-356		Filler
357	D038	Equipment Supplier's Code**
358-377	L088	Procurement Source Document Number**
378-385	L090	Procurement Source Document Item Number**
386	T088	Type Number Code**
387-407		Filler
408	C003Y	Service Importance Code, Mission Criticality Code
409-414	C008B	Military Essentiality Code (FBM)
415-419		Filler

** THESE DATA ELEMENTS ARE USED IN THE V09 TRANSACTION FORMAT FOR NEW CONSTRUCTION SHIPS ONLY; THEY ARE NOT USED FOR OPERATIONAL SHIPS.

FIGURE 2. ROMIS SCLSIS configuration input tape layout for record type 2 - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:36Z
Check the source to verify that this is the current version before use.

Block 10. Preparation Instructions (Continued)

CH POS	DEN	DATA DESCRIPTION
1-6	A002	Unit Identification Code
7-11	E221A	Parent Record Identification Number (RIN)
12-16		Filler
17	T062	Record Type
18	E033	Action Code
19-23	E221	Record Identification Number (RIN) (Use E221_L)
24-28		Filler
29-31	T059A	Type of Logistic Support Document
32-63	T059	Logistic Support Document Serial
64-263	T059B	Logistic Support Document Description
264-269	T059C	Logistic Support Document Date
270-272	T059D	Logistic Support Document Note
273-285	E349	Job Control Number
286-289	E349D	Configuration Change Form Page
290-419		Filler

FIGURE 3. ROMIS SCLSIS configuration input tape layout for record type 3

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:36Z
Check the source to verify that this is the current version before use.

Block 10. Preparation Instructions (Continued)

CH POS	DEN	DATA DESCRIPTION
1-6	A002	Unit Identification Code
7-11	E221A	Parent Record Identification Number (RIN)
12-16		Filler
17	T062	Record Type
18	E033	Action Code
19-23	E221	Record Identification Number (RIN) (Use E221_A)
24-28		Filler
29-31	E317	Alteration Type
32-40	E319	Alteration Number
41-51	D008	RIC, APL or AEL Number (Alteration)
52	E223	Validation Source Action Code (2nd Pos.)
53-65	E349	Job Control Number
66-69	E349D	Configuration Change Form Page Number
70-78	T060	Configuration Reporting Activity
79-82	T060A	Configuration Reporting Initials
83-88	T060B	Configuration Reporting Date
89-222		Filler
223	T065	Logistic Support Request Indicator
224	T068	Allowance Fund Code
225-419		Filler

MODIFIED FORMAT FOR NEW CONSTRUCTION SHIPS:

CH POS	DEN	DATA DESCRIPTION
1-224		Same as Standard V09 Transaction Format
225-356		Filler
357	D038	Equipment Supplier's Code**
358-377	L088	Procurement Source Document Number**
378-385	L090	Procurement Source Document Item Number**
386	T088	Type Number Code**
387-407		Filler
408	C003Y	Service Importance Code, Mission Criticality Code
409-414	C008B	Military Essentiality Code (FBM)
415-419		Filler

** THESE DATA ELEMENTS ARE USED IN THE V09 TRANSACTION FORMAT FOR NEW CONSTRUCTION SHIPS ONLY; THEY ARE NOT USED FOR OPERATIONAL SHIPS.

FIGURE 4. ROMIS SCLSIS configuration input tape layout for record type 4

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:36Z
Check the source to verify that this is the current version before use.