MIL-T-26831B (USAF)
Amendment 3
10 JUNE 1983
Superseding
Amendment 2
22 December 1970

MILITARY SPECIFICATIONS

TELEPHONE CENTRAL OFFICE GROUP, MANUAL AN/GTA-6( )

This amendment forms a part of Military Specification MIL-T-26831B (USAF) dated 24 August 1965, and is approved for use by the Department of the Air Force and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1 Under Federal Specifications delete GG-H-941.

2.1 Under Federal Specifications add:

GG-T-258	Tester, Battery Electrolyte Solution
PPP-B-601	Box, Wood, Cleated-plywood

*2.1 Under Military Specifications delete MIL-R-26474, MIL-M-26512, MIL-H-27894, MIL-M-4552, and MIL-T-4807.

2.1 Under Military Specifications add:

MIL-P-116	Preservation Methods of
MIL-B-26195	Box, Wood-cleated, Skidded, Load-bearing, Base
MIL-H-46855	Human Engineering Requirements for Military systems Equipment and Facilities
MIL-M-55250	Multimeter TS-352( )/U

2.1 Under Miltary Specifications, change MIL-P-642 to:

MIL-P-642	Plugs, Telephone, and Accessory Screws, General Specifications for

PAGE 2

2.1 Under Military Specifications change MIL-B-15072 to:

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Sacramento ALC/MMEA, McClellan AFB, California 95652 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 5805

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T10:25Z
Check the source to verify that this is the current version before use.

MIL-B-15072 Battery, Storage, Lead-Acid, Portable, General Specifications for (Naval Shipboard use)

*2.1 Under Military Standards add:

MIL-STD-129	Marking for Shipment and Storage
MIL-STD-471	Maintainability Demonstration
MIL-STD-785	Requirements for Reliability Programs (For Systems Equipment)
MIL-STD-794	Part and Equipment, Procedures for Packaging and Packing of
MIL-STD-810	Environmental Methods

PAGE 3

*2.2 Delete

PAGE 4

*3.2 Delete Item 3 and add:

13	1 each Multimeter TS-352( )/U	3.7.12

PAGE 6

3.3.9 Last Sentence, change MIL-H-27894 to MIL-H-46855.

3.3.11 Line 3, change MIL-R-26474 to MIL-STD-785.

*3.3.12 Add paragraph:

Reclaimed Material. The use of reclaimed material shall be encouraged to the maximum extent possible.

PAGE 12

*3.7.8.1 Change fourth line from the end of the paragraph from "AN/PSM-6, MIL-M-4522" to "TS-352( )/U, MIL-M-55250." Change second line from the bottom of paragraph from "AN/PSM-6" to "TS-352( )/U".

PAGE 13

3.7.10.4 Line 2, change "GG-H-941, Class C to GG-T-258, Class 3, Style C".

PAGE 14

*3.7.12 Multimeter TS-352( )/U. Multimeter TS-352( )/U shall be in accordance with MIL-M-55250.

PAGE 22

4.6.6 Change to read as follows:

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T10:25Z
Check the source to verify that this is the current version before use.

Maintainability Demonstration. The maintainability of the group shall be demonstrated in accordance with MIL-STD-471 to confidence level of 90 percent.

4.6.7 Line 3, change MIL-R-26474 to MIL-STD-785.

5.1 Delete in its entirety and add the following in Section 5:

5.1 Preservation Packaging.

5.1 Level A. Unless otherwise specified by the procuring activity the Telephone Central Office Groups and components shall be preserved and packaged as determined by Selection of Preservation and Packaging Methods. Appendix D of MIL-STD-794 and requirements of MIL-P-116. Commensurate with protection requirements for individual components.

5.1.2 Level C. Unless otherwise specified by the procuring activity the Telephone Central Office Group and components shall be preserved and packaged to afford adequate protection against corrosion, deterioration, and physical damage during shipment from the supply source to the first receiving activity. This level may conform to the supplier's commercial practice when such meets the requirements of this level.

5.2 Packing.

5.2.1 Level A. The Telephone Office Group and Components preserved and packages as specified in paragraph 5.1 and unless otherwise specified by the procuring activity shall be packed in overseas type shipping containers conforming to specifications PPP-B-601 and MIL-B-26195. Containers shall be of uniform shape and size and of minimum cube and tare weight consistent with protection required.

5.2.2 Level B. Same as level A except domestic type shipping containers conform to specifications PPP-B-601 and MIL-B-26195 may be used.

5.2.3 Level C. The Telephone Central Office Group and components unless otherwise specified by the procuring activity shall be packed to afford adequate protection against damage and to insure arrival at destination in a satisfactory condition and to be acceptable to the carrier at the lowest rates. Containers and packing shall comply with Uniforms Freight Classification Rules. This level may be the supplier's commercial practice, provided the latter meets requirements of this level.

5.3 Marking. In addition to any special marking required, unit packages, intermediate packages and the shipping containers shall be marked in accordance with MIL-STD-129.

The margins of this amendment are marked with an asterick or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Governments assumes no liability whatsoever for any inaccuracies in those notations. Bidders and contractors are cautioned to evaluate

Source: https://assist.dla.mil -- Downloaded: 202610-20T10:25Z
Check the source to verify that this is the current version before use.

the requirements of this document based upon the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Air Force - 99

Preparing Activity:
Air Force - 80

Project Number:
5805-F255

Source: https://assist.dla.mil -- Downloaded: 202610-20T10:25Z
Check the source to verify that this is the current version before use.