MIL-STD-1374A
30 September 1977

SUPERSEDING
MIL-STD-1374
31 March 1972

MILITARY STANDARD

WEIGHT AND BALANCE DATA REPORTING FORMS FOR AIRCRAFT (INCLUDING ROTORCRAFT)



FSC 1500

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

DEPARTMENT OF DEFENSE

Washington, D.C. 20301

Weight and Balance Data Reporting Forms for Aircraft

MIL-STD-1374A

1. This Military Standard is mandatory for use by all Departments and Agencies of the Department of Defense.

2. Recommended corrections, additions, or deletions should be addressed to the Commander, Naval Air Systems Command, Evaluation Division (Code: AIR-506), Department of the Navy, Washington D.C. 20360.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

FOREWORD

This standard is based on the coordinated efforts of the Military Services and Weight Engineers of the Aerospace Industry.

This standard supersedes both MIL-STD-254 Weight and Balance Data Reporting Forms for Aircraft and MIL-STD-451 Weight and Balance Reporting Forms for Rotorcraft by combining the common features of both standards in addition to providing for the features unique to each.

The format is adaptable to either manual or machine method preparation.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

95

CONTENTS

Paragraph			Page
	1.	SCOPE	1
	1.1	Scope	1
	1.2	Concepts	1
	1.3	Principles	1
	2.	REFERENCED DOCUMENTS	2
	2.1	Issues of documents	2
	3.	DEFINITIONS	3
	3.1	Weight definition	3
	4.	GENERAL REQUIREMENTS	3
	4.1	General instructions	3
	4.2	Design drawings	5
	4.2.1	Basic drawings	5
	4.2.2	Structure drawings	5
	5.	DETAIL REQUIREMENTS	6
	5.1	Detail instructions and glossary of terms	6
	5.1.1	Group Weight Statement, Part I	6
	5.1.1.1	Weight empty	6
	5.1.1.2	Useful load	7
	5.1.1.3	Dimensional and structural data	7
	5.1.1.4	Description of dimensional and structural data	7
	5.1.2	Detail Weight Statement, Part II	7
	5.1.2.1	Items serving a structural as well as an equipment function	7
	5.1.2.2	Items common to the several structural groups	9
	5.1.2.3	Wing, Rotor and Tail Groups	10
	5.1.2.4	Body Group	11
	5.1.2.5	Alighting Gear Groups	12
	5.1.2.6	Engine section of Nacelle Group	12
	5.1.2.7	Air Induction Group	13
	5.1.2.8	Propulsion Group	13
	5.1.2.9	Flight Control Group	14
	5.1.2.10	Auxiliary Power Plant Group	15
	5.1.2.11	Instrument Group	15
	5.1.2.12	Hydraulic and Pneumatic Group	15
	5.1.2.13	Electrical Group	16
	5.1.2.14	Avionics Group	16
	5.1.2.15	Armament Group	16
	5.1.2.16	Furnishing and Equipment Group	16
	5.1.2.17	Air Conditioning and Anti-Icing Equipment Group	16
	5.1.2.18	Photographic Group	17
	5.1.2.19	Load and Handling Group	17
	5.1.2.20	Special Equipment	17
	5.1.3	Appendix I, Detail Weight Statement, Part II, Structural Increments for Design Features	17
	5.1.3.1	Purpose	17
	5.1.3.2	Structural increments	17

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

CONTENTS (Continued)

			Page
Paragraph	5.1.3.3	Discussion of increments	18
	5.1.3.4	Methods of determining increments	18
	5.1.3.5	Accuracy of increments	18
	5.1.3.6	Nonpermanent joint	19
	5.1.3.7	Permanent joint	19
	5.1.4	Appendix II, Detail Weight Statement, Part II, Design Criteria Data for Weight Estimation and Analysis	19
	5.1.4.1	Purpose	19
	5.1.4.2	Design Criteria	19
	5.1.5	Weight and Balance Status-Aircraft, Part III	19
	6.	NOTES	21
	6.1	Abbreviations	21
	6.2	Changes from previous issue	21

FIGURES

Figure	1.	Wing structural increments for design features	22
	2.	Wing planform	23
	3.	Wing basic structure weight vs. semi-span	24

WEIGHT STATEMENTS

Part I	Group Weight Statement
Part II	Detailed Weight Statement
Part III	Weight and Balance Status

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

1. SCOPE

1.1 Scope. This document covers standard weight statements and forms Parts I, II, and III hereof, for procurement of weight and balance data for aircraft (including rotorcraft), states the principles followed in the formulation of these standards, furnishes instructions where necessary for uniform compilation of the required weight and descriptive data, and provides a glossary of terms for which definitions may not be self-evident on the weight statements and forms.

Sufficient detail is included to cover the majority of components for most fixed wing, rotary wing, or V/STOL type aircraft. Blank spaces are provided for "write-ins" to detail weights for advanced design vehicles, hypersonic structures, projected propulsion systems, etc. Care should be taken before adding a "write-in" to ascertain that reasonably appropriate terms are not already available for usage.

1.2 Concepts. The detail and group weight statement have been predicated on the following basic concepts:

a. The primary purposes of the weight data are to provide information in the most advantageous form for development and improvement of aircraft weight estimating methods, and for weight controls during design and construction of aircraft. Such data and methods can serve the significant functions of bringing avoidable adverse trends to light at an early stage, pointing out areas in which design weight control can be most fruitful, establishing realistic weight goals, and evaluating on a rational basis the weight costs of design features during the evolution of new configurations.

b. The secondary purpose of the weight data is to provide reasonably detailed information for engineering checking and reference purposes.

1.3 Principles. The following principles have been followed to implement the above basic concepts:

a. Structural weight has been broken down into functional and identifiable components which will permit and encourage the analysis of structural weight variations and stimulate development of lighter and more efficient structure.

b. Insofar as practicable, all tangible and readily identifiable components and provisions for a specific function or installation have been allocated to the functional group, regardless of geographic location and physical method of attachment. Where compromise of this principle was necessary because of multipurpose function (e.g., doors and panels which serve as closure for structural surface as well as a particular installation function), items have been allocated geographically with as complete function isolation and identification as possible.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

c. The importance of consistent allocation of weights by all contractors in completing the detail statement has been recognized. The amplifying instructions in this document are furnished to insure consistency in allocation to the greatest extent practicable.

d. Provision has been made for tabulating in an appendix of the detail statement the total net weight increments for special functions, installations, or features, including the semitangible weights which are buried in the structural group weights but which can be determined approximately by appropriate observation and analysis during the design and development phases of a new aircraft.

* 2. REFERENCED DOCUMENTS

2.1 Issues of documents. The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of the standard to the extent specified herein:

SPECIFICATIONS

MILITARY

MIL-S-8698	Structural Design Requirements - Helicopters
MIL-W-25140	Weight and Balance Control System (For Aircraft and Rotorcraft)

NAVAL AIR SYSTEMS COMMAND

SD-24	General Specification for Design Construction of Aircraft Weapons for the United States Navy

STANDARDS

MILITARY

MIL-STD-12	Abbreviations for Use on Drawings and in Technical Type Publications

PUBLICATIONS

AIR RESEARCH AND DEVELOPMENT COMMAND

ARDC Manual 80-1	Handbook of Instructions for Aircraft Designs

ARMY AVIATION SYSTEMS COMMAND

AMCP 706-201, -202, -203	Army Engineering Design Handbooks

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

* 3. DEFINITIONS

3.1 Weight definitions. Weight definitions shall be as specified in MIL-W-25140. Airframe unit weight is defined and derived on page 8 of Part I.

4. GENERAL REQUIREMENTS

4.1 General instructions.

4.1.1 Weight control systems shall provide for determination of breakdown weight data required by the statements for consistency of allocations in accordance with the item allocations of the Detail Weight Statement, Part II and the concepts and principles outlined in 1.2 and 1.3. If it becomes necessary to deviate from the listed allocations, adequate cross reference and brief reason shall be indicated by footnote. Further structural and equipment breakdowns, and generous use of footnotes, are encouraged when such practices will further understanding the tabulated data and aid in the intended purposes.

4.1.2 The Detail Weight Statement, Part II lists entries to take care of foreseeable cases. Write-in spaces have been provided for new installations and expansion of the listed entries. Insofar as practicable, nomenclature for write-ins shall identify the function of the items, and allocation shall be made consistent with the principles outlined in 1.3. Use of the words "provision" and "installation" shall be avoided, unless further breakdown is given to indicate what is included in the item. Supplementary sheets may be inserted when insufficient space is available for new installations or expanded breakdowns.

4.1.3 All bolts, nuts, rivets, etc., and loose items of attachment shall be allocated to the same group as the item being attached.

4.1.4 Equipment and system support shall be allocated to the same group as the item being supported. Multipurpose supports shall be allocated to the primary function. Where a primary allocation cannot be determined by observation, such as may occur for fairleads, supports for wire harnesses, and brackets, an arbitrary allocation may be made.

4.1.5 Where more than one weight category is provided in the statements for a given installation, allocation shall be made to the Weight Empty, Useful Load, or Special Equipment categories in accordance with the category allocation assigned in the design detail specification for the model aircraft concerned, or in the general design specifications of the procuring activity. If a conflict in category allocation of any item occurs between weight statement and model detail specification, the latter shall govern in all cases.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

4.1.6 All items of power distribution systems (electrical, hydraulic, and pneumatic including fluid in the respective tubing for hydraulic systems, from main distribution points to actuating units) shall be allocated with the items operated. All components from source of power to main distribution points shall be considered to comprise the main system. The distribution system for a given item shall be assumed to include all components which would be unnecessary and could be removed if power actuation of the item were to be eliminated. Where several successive branches from a distribution system are involved, and a clear-cut main distribution point is not readily apparent, it shall be assumed that power is supplied to a given geographic location primarily for the function requiring the largest power, and to other functions in the sequence of descending power requirements. For hydraulic power transmission to the various operating mechanisms (e.g., pages 3, 6, 8, 17 of the Detail Weight Statement, Part II) hydraulic "Fluid" shall be listed separately as a write-in term.

4.1.7 Where a number of identical items and weight for the total number of these items are provided for in the statements, the "No." of identical items shall be entered in the appropriate spaces to avoid ambiguity. Design data, such as "size", "type", "model", and "capacity" shall be completed where specifically provided for, and shall be written in for other items when considered necessary. When abbreviations are necessary for write-ins owing to space limitations, the abbreviations as required by Section 6 shall be used.

* 4.1.8 When business machine methods are utilized and reports are produced automatically by machines, all pages as shown on the Group Weight Statement and Detail Weight Statement (Parts I, and II, respectively) must be identically reproduced. Where write-in items are necessary, or where an existing item is altered in any manner, an appropriate flag entry shall be made in the righthand margin directly opposite the line. Machines shall be programmed to include all indicated totals including those designated by parenthesis, i.e., ( ).

* 4.1.9 Page size. The normal full size copies of these forms are 8-1/2 by 11 inches for Parts I and II, and 11 by 30 inches (foldable to 8-1/2 by 11 inches) for Part III. These may be obtained from the procuring activity, or as directed by the contracting officer. Requests should specify: "Full size forms Part I, II, or III or all, as applicable, of MIL-STD-1374." Parts I, II, and III herein are photographic reductions of pages prepared in accordance with the above page size standards and therefore represent standards of content and arrangement only.

4.1.10 All pages not used for the presentation of data may be omitted from the reports.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

4.2 Design drawings. Drawings supplied with the Detail Weight Statement shall be as specified in 4.2.1, 4.2.2, 4.2.3, and 4.2.4. The drawings shall be reductions of current design group drawings.

4.2.1 Basic drawings. Basic drawings shall contain a three view drawing which shall include the overall dimensions and an inboard profile drawing.

4.2.2 Structure drawings. Structure drawings shall contain direct and cross-sectional views (not isometric) accurately scaled, which shall include or be attached to the drawing, with details and dimensions that show the following:

a. Wing. Structural box including box chord and thickness along the span, typical cross sections showing flaps, slats, etc., engine location and centroid, fuel tank locations and centroids, store locations and centroids, dimensions and areas for flaps, slats, ailerons, spoilers, leading edge, trailing edge, major cutouts, etc., fold and production joints, materials used, critical temperature areas with design temperatures. Areas shall be shown in square feet and identified by cross hatching or other suitable means.

b. Tail. Drawings and information compatible with wing requirement where applicable.

c. Rotor. Hub and hinge, including method of rotor attachment, typical cross section including any balance weight, structural box, rotor chord and thickness along the span. Blade area in square feet identified by cross hatching or suitable means.

d. Fuselage, Hull, and Booms. Primary and secondary structure including bulkheads, frames, longerons and stringers, major cutouts, flooring, major fittings and splices, pressurized area including volume, materials, critical temperature areas with design temperatures indicated. Fuel tank areas shall be cross hatched and capacities indicated (where not shown on a separate fuel system drawing). Major cutouts, weapons bays, store provisions, engine, engine compartment and access doors, landing gear support and cutout shall be identified.

e. Nacelle. Primary and secondary structure with details compatible with wing and fuselage requirements when applicable.

f. Air Induction System. Details may be included on a separate drawing or included on the fuselage or nacelle drawings. Inlet design including spike, ramp, mechanisms, etc., shall be shown.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

g. Alighting Gear. Main, nose, or tail, and auxiliary gear drawings detailing the gear structure, rolling stock, retracting mechanism, attachment fittings, catapult and arrest structure. Sizes and dimensions are to be included for the rolling stock, oleo, travel, wheel travel (where different from oleo travel), struct length from axle to centerline trunnion.

4.2.3 Propulsion system drawings. Propulsion system drawings shall show the following:

a. Engine. Location and shape, mounts, access provisions, intake attachment station, etc. (unless shown on the fuselage or nacelle structural drawings). Bleed or bypass ducts not shown on the basic air induction drawing.

b. Fuel System. Tank locations, shapes, and capacities as well as location of the major distribution system components.

* c. Transmission System. Gear boxes and supports, drive shafts, and supports, from engine to final output drive points. Horsepower, torque, rpm, and gear ratios shall be shown for each stage. Also for each gear box shown, the overall gear box input/output maximum continuous hp and rpm.

4.2.4 Equipment drawings. Equipment drawings shall be scaled drawings to show major component locations and schematics to show the functional layout of the flight control, hydraulic, pneumatic, electrical, air conditioning, and anti-icing groups. Isometric drawings may be substituted.

5. DETAIL REQUIREMENTS

5.1 Detail instructions and glossary of items. Specific items referred to in the Military Standards, specifications, and in the weight statement are identified by page-line numbers of the weight statement concerned.

5.1.1 Group Weight Statement, Part I.

5.1.1.1 Weight empty.

Item 2-37, Landing Gear "Type": Insert "Tricycle", "Tail Wheel", "Bicycle", "Quadricycle", or similar general descriptive nomenclature.

* Item 3-111 Manufacturing Variation: This weight is the variation of weight empty between successively weighed aircraft because of unaccountable tolerances on sheet and material gages, salvages, paint thickness, etc. It is also intended as an overall factor for differences between weight bookkeeping records and actual weights after the contractor has applied his best efforts to account for variations in tangible items (e.g., fuel cells, purchased parts, and equipment items) to reconcile any initial, or consistently repeated, variation from the weight bookkeeping records.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

* 5.1.1.2 Useful load.

Item 4-128: Oil for transmission or gear box which has a self-contained independent system is included in the weight empty as Item 20-28 Drive System, Propulsion Group.

Item 4-129, Trapped Oil: Where "unusable" rather than "Trapped" oil has been established for the model delete "Trapped" and insert "Unusable".

* 5.1.1.3 Dimensional and structural data. Items 5-1 through 5-41 require dimensional entries which apply to the weights listed in "Basic Structure". Items such as radomes, canopies, pylons, etc., should not normally be included in the dimensions unless they are a part of "Basic Structure". Items 5-42 through 6-57 represent structural data sufficient for preliminary design weight estimating. Items under 6-20 should be predicated on the critical design condition or conditions which design the structure. Paragraph 5.1.1.4 provides instructions for describing the data submitted for Part I, Page 5.

* 5.1.1.4 Description of dimensional and structural data. Specific definitions for dimensional and structural data are usually impractical due to variations in design configuration and requirements. Page 7 provides space for descriptions which apply to the data included on Pages 5 and 6. Drawings and/or sketches may be used as they are effective means to clearly show where listed dimensions and areas apply. (Required with the Detailed Weight Statement.) The structural design conditions and speeds should be briefly described and related to the affected structure. Rotor systems should be described as to type (articulating, flapping, rigid, etc.) with rotor tip speed as designed in MIL-S-8698 and design factors clarified with regard to power on, power off, auto-rotation, etc., that may design the rotor. Any dimensions or structural data on Pages 5 and 6 which requires clarification should be described on Page 7.

5.1.2 Detail Weight Statement, Part II.

5.1.2.1 Items serving a structural as well as an equipment function. Items serving such multipurpose functions present difficulty in coding and in application to weight estimating methods. Therefore, all parts of such installations which are multipurpose and cannot be isolated as serving a single function and which are integral with the structure of the rotor, wing, tail body, or nacelle shall be allocated to these structural groups by write-in entries, using functional identifying nomenclature. Structural increments shall be shown in Appendix I to the Detail Weight Statement, Part II to isolate the structural weight portion of such installations. Typical installations in this category are:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

a. Air supply, bleed air, and exhaust ducting systems in which skin or webs serve as part of duct contour (duct walls and stiffeners which can be isolated primarily as duct system are allocated to "Engine Section or Nacelle Group, Air Induction System" or "Propulsion Group, Exhaust System").

b. Double skin and baffle construction for heat anti-icing ducts and rotor pressure ducts (ducting allocated to "Anti-Icing" and rotor pressure ducts, similar to paragraph (a) above).

c. Integral tanks in which skin, webs, and load-carrying seal fittings are utilized to form the cavity, or bag-type installations in which skin, webs, and backing board provide tank support (backing board, separate tank supports, sealant material, nonload-carrying fittings are allocated to "Fuel System").

d. Skin or webs serving as deflector plate or radiation protection, or fabricated of special materials to act as heat or fire barriers, or acting under elevated temperature conditions (non-structural shrounding and fire shielding are allocated to "Propulsion Group").

e. Load-carrying armor-plate.

f. Engine section structure, engine supports and removal tracks, etc., for engines buried in the body (mounts and vibration isolators are allocated to the "Engine Section").

g. Catapult, arresting, and barrier-crash installations. (Catapult, arresting, and barrier crash fittings are allocated to "Alighting Gear").

h. Load handling gear installations. (Inflight towing and external cargo sling, rescue hoist fittings are allocated to "Load and Handling").

i. Flooring and supports. (Provision has been made for allocation to "Basic Structure" and "Secondary Structure" in the "Body Group", as well as allocation to nonstructural flooring in the "Furnishings and Equipment Group". Refer to discussion of "Flooring" under 5.1.2.4.)

j. Randomes which do not form normal contour of wing, tail, or body are allocated to the "Avionics Group".

k. Removable structural panels or structural doors for special functions are included in the basic structural groups.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

5.1.2.2 Items common to the several structural groups.

* Pages 2, 5, 7, 10, 11 include a line item titled "Joints, splices and fasteners". These items include all doublers, fillers, spacers, gussets, angles, clips, fittings for joints, rivets, bolts, nuts, screws, etc. The items shall, insofar as practicable, be allocated by structural function served. For example, Items 2-7 and 2-13 shall include all joint, splice, and fastener material in the interspar skin and spanwise stiffeners, the spar caps, and interspar skin attachment to spar caps; Item 2-17 shall include all joint, splice, and fastener material in webs, web stiffeners, and web attachment to spar caps; Item 2-24 and 11-25 shall include all joint, splice, and fastener material for fastening ribs or bulkheads to skins and spars; Items 2-34 and 2-39 shall include leading and trailing edge attachment to spars.

Items 2-21, 2-22, 2-23, 5-12, 5-13, 7-21, 7-22, 7-23, 11-4, 11-24, 16-14, Bulkheads, Ribs, Frames, Chordwise Stiffeners, and Minor Frames: Bulkheads are the main structural members which assist in carrying loads around major cutouts, or which distribute major concentrated loads (external or within the structure). Bulkheads include a reinforced or specially stiffened shear web or truss over the partial or complete cross section and may also act as partitions to separate an area into physical compartments, or as closures to an area. Body bulkheads, Item 11-4, should be listed individually and identified by location and by nomenclature which indicates function e.g., "Front Spar Bulkhead Sta. 150", "Equipment Section", "Bulkhead 65," and "Fuel Tank Sta. 140". A supplementary page (11A) may be appended if necessary ("Nonstructural partitions", such as movable separators, are coded to Item 35-52). For large aircraft, it is also desirable to append a similar breakdown of minor frames, Item 11-24. Ribs and frames are similar but usually of relatively lighter construction and serve the function primarily of stiffening the skin surface to maintain contour under air load or internal structure crushing loads. They are not specially reinforced to distribute major load concentrations. Minor frames and chordwise stiffeners usually have very limited shear web depth, may be partial rather than complete contours, and are used primarily for additional local reinforcement, skin stiffening, or to distribute minor local loads.

* Items 3-8, 8-13, 13-5, 16-34, Doors and Frames: These items include the framing around the door opening, hinges, and all other items of the door installation. Columns are provided for the door "Structure", and for a breakdown of the "Operating Mechanism" for power-operated doors. Operating mechanism shall be allocated to the group to which the door is allocated.

Item 11-39, Longitudinal Partitions: These are longitudinal structural bulkheads in the body contributing to body strength, similar to transverse bulkheads. ("Nonstructural partitions", such as movable cabin "Separators", are coded to "Furnishings and Equipment Group", Item 35-52.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

* Items 3-52, 4-40, 5-53, 6-53, 8-49, 9-40, 13-52, 14-52, 17-52, 20-53, Exterior Finish: These items include camouflage, paint, protection from elements, filler for aerodynamic smoothness, etc.

* Basic protective interior finish is coded to the item which it covers. Items 3-53, 8-51, 13-53, 17-53, Interior Finish: Include any finish added over basic protective coating and sealants necessary for pressurization or flotation.

5.1.2.3 Wing, Rotor, and Tail Groups. Surface Folding or pivoting actuation systems are to be included on pages 3, 6, 8, and 10 when provided for ground operation (i.e., wing fold) and to Flight Controls, pages 23 and 26, when used during flight.

Item 5-56 "Blade Assembly" includes that structural portion of the rotor between the tip and the first hinge point inboard of the tip, and includes the root end attachment.

* Items 2-6, 2-12, 5-11, 7-6, 7-12, 9-7, 10-9, Cover: When sandwich or filler construction is used, include weight of "Inner Skin", "Outer Skin" and "Filler" in cover weight. Code full depth core to Items 2-28, 5-13, 7-28, 9-14 and 10-11. Use footnotes to call attention to type of construction.

Tip burner housing integral with rotor blade, write in as Item 5-42; where removable with burner, write in as Item 18-13.

Items 2-32, 5-20, and 7-32, Leading Edge Covering: Refer to 5.1.2.1 regarding double skin construction used as ducting.

Items 2-40 and 2-41, Trailing Edge Core and Bonding Adhesive: To be used for full depth core trailing edge construction similar to treatment of 2-28 and 2-29 for the structural box.

Items 2-43 and 2-44, Variable Sweep Pivot Structure: Include write-ins where "Bushings" and "Pins" does not adequately describe the type of pivot structure. Sweep mechanism should be detailed on page 23 under "wing positioning" column with note describing variable sweep.

Items 2-47, 2-48, and 7-47, Attachments Wing to Fuselage Wing to Nacelles; Tail to Fuselage: Include identifiable fittings and hardware for attachment of wings.

* Item 3-4, Wing Fold: Include identifiable structure necessary for fold actuation under "structure" column. Structural box hinge and carry-thru structure to be included on page 2. Fold penalty in Appendix I should include both structural penalty buried in page 2 and secondary structure including mechanism on page 3.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

Item 5-41, Internal Duct Structure: This item to be used only where internal ducting also serves a structural function in the rotor blades. Allocate non-structural ducting for pressure jet or anti-icing to "Propulsion System, Drive", Item 20-34 or "Anti-icing", Item 38-15. Refer to 5.1.2.1, "Duct Systems".

Items 5-45, 5-46, Balance Weights: These are supplemental non-load-carrying weights added to the structure for blade balancing or inertia.

Pages 3, 6, and 8, Power Transmission: Refer to 4.1.6 for listing of hydraulic "Fluid".

Items 6-5, 6-6, and 6-7, Gimbal Ring, Yoke, and Universal Joints: These are normally the structural attachment of the rotor hub to the aircraft. Write-in lines are provided for other types of such attachments, for which appropriate descriptive nomenclature should be inserted.

Items 4-21 and 9-21, Tabs: If tab balance weights are used, write in on line 22, as applicable.

5.1.2.4 Body Group. If tubular welded basic structure is used, single write-ins may be used for the entire structure, or sections of the structure, as appropriate.

Items 11-44, 12-28, Flooring and Supports: Flooring is considered as follows:

a. "Basic Structure" and coded to Item 11-44 if it partially carries flight and landing loads through the aircraft structure. "Fuel Decks" and "Control Decks" and their supports should be written in under Item 11-44.

b. "Secondary Structure" and coded to Item 12-28 if it is fixed in place, but if removed does not impair flight and landing strength of the flyable aircraft (that is, flooring is present only as a walkway or for support of equipment, cargo, etc.).

c. "Auxiliary" and coded to "Furnishings, and Equipment Group", Item 35-24, if it is removable for various missions, or hinged for stowage to provide extra deck space, or if it is overlay to increase local floor-load capacity.

* Item 11-51: Rotor support included for the structural members whose primary function is to provide a structural connection between the rotor and the body. The pylon fairing is listed as Item 11-52 if structural, or under Item 13-46 if nonstructural.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

Item 11-45, Firewall: Refer to discussion under 5.1.2.6, Item 16-24.

Items 12-5, 12-11, Canopy: Includes glass and plexiglass. Bullet-resistant glass shall be allocated to "Armament Group", Item 32-29.

Page 13, Power Transmission: Refer to 4.1.6 for listing of hydraulic "Fluid".

5.1.2.5 Alighting Gear Groups.

* Item 14-1, Landing Gear "Type": Insert "Trailing Arm", "Conventional", "Articulating", "Quadricycle", or similar general descriptive nomenclature.

* Item 14-3, Location: Insert column headings descriptive of the location, such as: Fuselage, Wing, Nacelle, etc.

Where landing gear drive mechanisms for taxiing are provided, write in descriptive breakdown of page 15 with weights tabulated in last column.

5.1.2.6 Engine Section or Nacelle Group. Rings and annular sections solely for generating lift are to be coded under wing, page 2. Rings and annular sections which may generate lift but are basically for propulsion efficiency are to be coded under Items 16-13 and 16-32 using write-ins for adequate description of the structure.

* Item 16-9, Gear Box Support Structure and Item 18-8, Reduction Gear Box: Allocate to these items only the gear boxes and mounts used exclusively for driving the propeller/fan or a load compressor in pressure jets. Otherwise, allocate gear boxes and mounts to "Drive System", page 20.

Item 16-22, Pylons: Where pylons are built-up structure of spars, frames, skin, skin stiffeners, etc., insert breakdown by written items.

* Item 16-24, Firewall: Nonstructural firewalls, or firewalls which serve a structural function in the nacelle, are coded to this item. Firewalls which serve a structural function in the body are coded to "Body Group", Item 11-45. Firewalls in a wing (rather than a wing nacelle), which serve a structural function for the wing, shall be coded to "Wing Group", Item 2-54.

Item 16-32, Cowling: If cowl is sectionalized for maintenance or functional purposes, write in breakdown of sections, using descriptive nomenclature.

* Page 20, Power Transmission: Refer to 4.1.6 for listing of hydraulic "Fluid".

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

5.1.2.7 Air Induction Group.

Item 17-30 Engine Dome: If the engine dome is supplied with the engine, it is listed under 18-4. Otherwise it shall be included here.

5.1.2.8 Propulsion Group. Separate columns are included to allow for dissimilar engines. Auxiliary Power Plant Group, page 27, is provided for power plants used only to supply power for starting or equipment.

Item 18-4, Engine (as installed): List engine weight, including all residuals as specified in SD-24, and all engine accessories which are a part of the specified engine weight. For unusual cases in which items commonly included in other groups are included in engine weight (e.g., starter generators), appropriate cross-reference is desirable. Where rotor tip burners are used, write in using line 18-7.

Fuel lines from distribution point to burners, write in as Item 19-38.

Item 18-12, Accessory Gear Boxes and Drives: This item includes all multi-purpose gear boxes and drives which are not integral with drive system gear boxes (Items 20-4 and 21-5) nor in the specified engine weight.

Item 18-21, Exhaust System Shroud, and Item 18-28, Engine Cooling: Refer to discussion under 5.1.2.1 for duct systems where structural surfaces form part of duct contour.

Item 18-40, Starting System: Power supplies such as gas generators shall be coded here as a write-in solely for starting and to the power plant group when used for other power requirements in addition to starting. When air turbine starters are used, air supply ducts shall be listed as a write-in item. For cases in which skin or webs serve as part of the duct, refer to 5.1.2.1.

Items 18-41 and 18-42, Starter Type: Describe by AN and MIL standard number, and nomenclature such as "Pneumatic", and "Cartridge", and "Air-fuel Combustion".

Item 18-50, Propeller Controls: Includes governors, synchronizers, boosters, pumps, relays, switches, lights, timers, circuit breakers, etc. Under "Type", list "Electrical", "Hydraulic", "Manual", etc.

Items 18-51, 18-52, Propeller Oil and Tank: These items provide for entries when a separate oil supply system for hydraulic propellers is used. When engine oil is used for hydraulic propeller supply, propeller oil is included under "Trapped" or "Unusable" oil in the useful load.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

Item 20-2, Identify gear boxes in column headings in sequence from engine output to rotor(s), fans or props.

Item 20-22: Include all components for independent gear box lubrication system. Include drive system lubrication in Item 21-20.

Item 19-4, Tanks: List each cell or tank individually, even though tanks may be interconnected. Wetted areas of tanks shall also be listed as a write-in item, integral tanks excepted. Under "Type" list "S.S.", "Bladder", "Aluminum", etc.

Item 19-18, Integral Tank Seals and Sealants: This item includes all sealant compound, corner seal fittings, and other non-load-carrying tank seal fittings. Also refer to discussion under 5.1.2.1 for items serving a structural and equipment function.

Item 19-39, Pumps: Include all pumps, including those buried in tanks.

* Items 19-45 to 19-54, Lubricating and Fuel Plumbing Systems: Includes all piping, fittings, drains, valves, supports, etc., except for items specifically provided for on page 19 and major or novel items for which a write-in item may be warranted.

"Fuel Gaging Equipment " is allocated to "Instruments", page 28.

* 5.1.2.9 Flight Controls Group. Insert data for fixed wing systems controls on pages 23 and 24, rotating rotor/fan systems controls on page 25 (v/stol transition systems controls to page 26).

For "Wing Positioning" or "Rotor/Fan Attitude" controls, write in on page 22 any controls which are in the cockpit and allocate the remainder of the system to "Wing Positioning" or "Rotor/Fan Attitude" columns. Use similar treatment for any other special flight feature controls, inserting a descriptive column heading on pages 23 or 26, as appropriate.

Rotating Controls, page 25, columns 5 and 6, defined as those rotorcraft control items which rotate with the rotor.

Rotor/Fan Attitude Controls, page 26, column 2, defined as those controls which tilt the rotor axis.

For aircraft with powered flight control systems, follow the general guidance of paragraph 4.1.6 by coding the power distribution components (from the main distribution point) to the "Flight Control Group" and the power supply components to the appropriate power generation groups ("Hydraulic", "Pneumatic", "Electrical").

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

Items 23-5, 24-5, 25-6, 26-5, Mechanical Operating Mechanism: For manual or boost systems: Includes all mechanical controls from the "Cockpit Controls" to the devices actuated. For power-operated systems: Includes all mechanical (pilot actuated) controls between the "Cockpit Controls" and the "Power Operating Mechanism".

* Items 23-10, 23-17, 23-26, 23-41, 24-10, 24-17, 24-26, 24-41, 25-19, 25-25, 25-42, 26-10, 26-17, 26-26, and 26-41, Power Operating Mechanisms: For boost systems: Includes all boost system components (wiring, plumbing, actuators, etc.) from power distribution point to, and including, the boost unit. For power systems: Includes all power system components (wiring, plumbing, actuators, etc.) from power distribution point to the surfaces actuated; mechanical components from power units to surfaces actuated shall be allocated to "Mechanism", Items 23-14, 23-22, 23-31, 24-14, 24-22, 24-31, 25-23, 25-32, 26-14, 26-22, and 26-31.

Items 23-34, 24-34, 25-38, and 26-34, Artificial Feel: If special feel "Systems" are provided, insert breakdown by write-in items. Write-in "q" springs and speed sensing devices.

Items 23-48, 24-48, 25-48, 26-48, Supports, Guides, etc.: Includes seals and covers for pulleys and cables.

* 5.1.2.10 Auxiliary Power Plant Group.

Page 27: Includes complete auxiliary power plant installation. For unusual cases, in which items commonly included in other groups (e.g., generators and alternators) are included in the auxiliary power unit (apu) weight, appropriate cross-reference is desirable.

* 5.1.2.11 Instrument Group. The "Installation" column is provided for allocation of all wiring, circuit breakers, plugs, relays, switches, tubing, valves, brackets, etc., for instruments.

"Fuel Gaging Equipment" (inlcuding probes, amplifiers, indicators, wiring, etc.) is to be allocated to "Instruments".

Item 28-53, Instrument Power System: Alternators, inverters, vacuum pumps, etc., used exclusively for instrument power should be written in as specific entries under this item. Multipurpose power supply or power conversion items are listed under "Electrical Group", Items 30-3 and 30-22.

* 5.1.2.12 Hydraulic and Pneumatic Group. Refer to 4.1.6 for discussion of main system and determination of distribution points.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

* 5.1.2.13 Electrical Group. Refer to 4.1.6 for discussion of main system and determination of distribution points.

Items 30-3, 30-14, Power Supply and Conversion Equipment: All multipurpose power supply and conversion equipment are allocated to these items. Single purpose power supply and conversion items are coded to the group service (e.g., instrument inverters are coded to "Instrument", Item 28-53).

Item 30-31, Wiring: Where extensive use has been made of aluminum wiring, nylon-jacketed wiring, etc., add appropriate footnote.

Item 30-34, Lights and Signal Devices: Includes all necessary wiring, switches, relays, etc.

* 5.1.2.14 Avionics Group. All avionics equipment shall be allocated to this group. When for special reasons, it is necessary to deviate from this practice, cross-reference to other groups to which avionics equipment has been allocated shall be made. The "Installation" column is provided for allocation of contractor-furnished brackets, tables, shelves, wiring, cabling, plugs, etc. Government-furnished installation items shall be listed separately in the installation column.

* 5.1.2.15 Armament Group.

Item 32-28, Passive Protection: Refer to discussion under 5.1.2.1 for armor and deflector plate serving a structural and equipment function.

* 5.1.2.16 Furnishing and Equipment Group.

Item 35-24, Auxiliary Flooring: Refer to discussion of flooring under 5.1.2.4, Items 11-44 and 12-28.

Item 35-52, Partitions (Nonstructural): Refer to discussion of "Longitudinal Partitions" under 5.1.2.2, Item 11-39.

Item 35-53, Vibration Absorbers: Separately identifiable devices (not incl. engine or equipment type isolators) which generally function to improve the vibration environment for crew and passengers. In this respect they serve a function similar to acoustical and thermal insulation and are considered furnishing.

* 5.1.2.17 Air Conditioning and Anti-Icing Equipment Group.

Items 37-43 and 38-42, Hydraulic Controls: Refer to 4.1.6 for listing of hydraulic "Fluid".

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

Item 38-15, Ducting: Refer to discussion under 5.1.2.1 for duct systems where structural surfaces form part of duct contour.

Where equipment or installation serves both air-conditioning and anti-icing functions, code to primary function and cross-reference under the other; where a distinct primary allocation is not apparent, an arbitrary allocation may be made with appropriate cross-reference of dual function.

* 5.1.2.18 Photographic Group. Gun camera mounts, wiring, etc., are allocated to this group.

* 5.1.2.19 Load and Handling Group. See 5.1.2.1 for discussion of items serving structural and equipment function.

Item 40-29, Ramps: Allocate ramps to this item which are not part of the cargo doors or which do not serve as a closure for a structural surface. Refer to 1.3b. Other ramps should be allocated or written into the appropriate structural group.

* 5.1.2.20 Special Equipment.

Item 41-38, "Type" Tanks: List "S.S.", "Bladder", "Aluminum", etc.

5.1.3 Appendix I, Detail Weight Statement, Part II. Structural Increments for Design Features (pages 42-44).

5.1.3.1 Purpose. Pages 42 and 43 provide for determination and listing of net structural weight increments for special functions, installation, and other design features. Such information is considered essential for a full understanding of structural weight variations among various configurations, and for formulation and improvement of weight estimating methods.

5.1.3.2 Structural increments. These net structural weight increments are already included in the structural weights tabulated in the Detail Weight Statement, Part II, but are of such nature that they may not be directly apparent quantitatively during the normal processes of calculating weights from drawings and coding to items in a weight statement. Insofar as practicable, tangible portions of these net increments are isolated as items in the structural groups under "Secondary Structure". Semitangible portions of these net increments which do not lend themselves to automatic coding as items on the weight statement, are buried or masked in the "Basic Structure", and must therefore be quantitatively evaluated by some rational analytic procedure. In the latter category are the weight penalties caused by major cutouts and joints, removable structural panels, portions of the wing designed by landing rather than flight loads, blast protection, gun reactions, heavy

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

skin serving primarily as deflector plate, use of special materials in high temperature regions, etc. In general, the intangible weight increment is in the form of increases in skin and web gages, special ribs and auxiliary spars, doublers, built-up sections around cutouts and other local increases. A total net increment represents the weight penalties of a feature for the existing basic configuration, and does not entail evaluation of the relative merits of weight of other configurations or types of construction which might be possible without the feature. Therefore, areas, basic geometry, type of construction, design conditions, and design philosophy which led to selection of the existing configuration are assumed to be unchanged.

5.1.3.3 Discussion of increments. Since mere listing of net structural increments may, in some cases, warrant discussion to avoid ambiguity, page 44 provides for amplifying and clarifying remarks. Brief discussion should be utilized to indicate: The source of the net increment in terms of its basic and secondary structure components; the effects of overlapping penalties, one of which masks or includes the potential effect of another, and for which, therefore, a distributed or inclusive increment has been listed, etc. Schematic diagrams of type structure are desirable and should be included where considered necessary for clarity. Tabular breakdown of the derivation of the net increment in the form shown in Figure 1 may be used to advantage in the discussion.

5.1.3.4 Methods of determining increments. Any rational procedure for determining the increments may be used. Discussion of proposed procedures with the procuring activity is encouraged. Two possible approaches are suggested in the following paragraphs. A combination of approaches may be found to be advantageous.

5.1.3.4.1 The normal structural design processes and review of structural drawings may be utilized to determine qualitatively, as the design progresses, the area in which the structural compromises have been made for design features. A review and analysis of the critical design loads and conditions may produce information concerning the magnitude of the compromises, from which the weight increment may be deduced.

5.1.3.4.2 Graphical plots of weight distribution of the structural elements (covering, webs, spar caps, etc), superimposed on a planform of the structural envelope may yield information from which total local weight increments may be deduced. A study of the irregularities in the weight distribution, their location on the envelope, and a review and analysis of the critical structural loads and design conditions may produce qualitative allocation of these irregularities to particular design features. An example of this type of approach for a wing is shown in Figure 2 and Figure 3.

5.1.3.5 Accuracy of increments. It is recognized that some degree of approximation will be inherent in determining the intangible portion of the structural increments.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

5.1.3.6 Nonpermanent joint. This type of joint is one which can be readily disconnected in the field for folding, stowage, maintenance disassembly, etc., purposes. The structure may be in the form of concentrated tension or shear connections and doubler plates, or a ring of removable connections.

5.1.3.7 Permanent joint. This type of joint is incorporated for manufacturing reasons and cannot be readily disconnected in the field. The structure is continuous but additional and mating members, fittings, doublers, splices, etc., may have been added for manufacturing assembly purposes.

5.1.4 Appendix II, Detail Weight Statement, Part II, Supplementary Data for Weight Estimation and Analysis. To be completed when data are agreed upon.

* 5.1.4.1 Purpose. Page 45 provides for detailed data to supplement that included on pages 5, 6 and 7. Part I compatible with and necessary for analytical weight estimating methods used with the Part II level of weight breakdown.

* 5.1.4.2 Design Criteria. These data supplementing information provided in Part I, pages 5 and 6, should be consistent with the aircraft design stage at time of submittal. Line items for which data are not yet available shall be so indicated. Pertinent design criteria not listed on page 45 which materially affects the aircraft weight should be added.

* 5.1.5 Weight and Balance Status - Aircraft, Part III. The compilation of data for, and use of, the status report form is considered to be self-explanatory for the most part. The following instructions are intended to aid in the preparation of the status report.

a. All entries in Column 8, page 1 shall be detailed on the combined GOV'T/CONTRACTOR pages. Delete the words "CONTRACTOR" and add appropriate page numbers as required, i.e. 2, 2a, 3, 3a, etc. Use a separate column for each change and additional sheets if necessary. Changes are to be identified in tabular summary called for in Instruction b.

b. Attach a tabular summary of Gov't responsibility changes listed on Column 3, page 1 listing the following information, as applicable, for each change.

(1) E.C.P. Number.

(2) Contract Change Order number.

(3) Letter designation of correspondence reference for pending change not yet assigned an ECP number.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

(4) Brief subject/title, together with changes to weight empty and horizontal moment, useful load, and horizontal moment, and gross weight center of gravity, for GOV'T responsibility changes incorporated since last status report (Column 8, page 1). List the column number on added pages in which the change is detailed.

(5) Authorized changes (Column 3, page 1) shall be listed as a separate group and may reference and carry forward the total of weights, moments and center of gravity for the "authorized" changes summarized in the last status report.

c. All entries on page 1, Column 9 shall be detailed on the combined GOV'T/CONTRACTOR pages. Delete the words "GOV'T" and add appropriate page numbers as required, i.e. 2, 2a, 3, 3a, etc. Use a separate column for each change and additional sheets if necessary. Minor changes in group weights due to revised estimated, calculated, or actual weights need not be listed in detail and may be combined into one or more columns using appropriate headings such as Calc vs Est, etc. Include brief discussion of reasons for all important or major weight changes, variation, or C.G. shifts, including horizontal moment changes and any remedial measures being investigated or applied. Use column numbers from the appropriate page and brief titles to identify each change.

d. On page 1, for each item of weight empty, under basis for current weight data, Columns 10 thru 12, list percentages of current group weights of Column 6 which are in an Estimated, Calculated, or Actual Weight Status.

e. If Main and Auxiliary Engines are used, attach breakdown of main and auxiliary Propulsion Groups.

f. Enter airframe weight on page 1a as updated from page 8, Part I of the Estimated Weight Report.

g. (1) Page 1a - Lines 175 & 176. Delete the inapplicable wheel position. Most Fwd & Most Aft should show extremes (paragraph 3.8.3 of MIL-W-25140).

(2) Recommended C.G. Limits. Indicate whether wheels up or down. If limits vary with gross weight, include C.G. envelope plot. State conditions which determine the C.G. limits and source of data in initial issue and whenever limits are revised.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Abbreviations. When abbreviations are necessary for write-ins or in machine tabulation methods, the abbreviations of MIL-STD-12 shall be used wherever space permits. The following list summarizes acceptable abbreviations commonly used for weight data or used in the Summary Weight Statement, Detail Weight Statement, and Weight and Balance Status, Parts I, II, and III, respectively, of this standard. Where more than one abbreviation is shown, the first given is preferred.

alighting - alight
barometric - bartc
boost - bst
bungee - bun
collision - coln
compartmentation - comptn
contingency - cntcy
co-pilot - c-plt
covering - covrg
cyclic - cyc
duct - du
fairlead - frld
fingerplate - frpl
fire warning - fwng
flasher - flshr
gusset - gus
headset microphone - hdstmk
hook - hk
incidence - incid
inertia - iner
king - kg
liner - lnr
oxidizer - oxidiz
pedal - pdl
pitot - pit
pylon - pyn
rainshield - rnsd
shelf - shlf
shelves - shlves
shimmy - shmy
stabilizing - stabg
stick - stck
supercharger - s-chg
thermoswitch - thsw
transponder - xpdr
walkway - wkwy

* 6.2 Changes from previous issue. The margins of this specification are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

CUSTODIANS:
NAVY - AS
AIR FORCE - 11

PREPARING ACTIVITY
NAVY - AS
PROJECT NO. 1500-0092

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

STRUCTURAL ELEMENT	WING SWEEP & PIVOT	CHORDWISE WELDS	PYLON SUPPORT	BARRICADE ENGAGEMENT	WING FUEL	FUSELAGE ATTACHMENT
Upper Interspar Cover & Stiffeners	292	22	8	24	53	
Lower Interspar Cover & Stiffeners	318	18	10	24	58	14
Spar Webs & Stiffeners	-14			3	18	
Interspar Ribs & Bulkheads	-55			3	35	
Fuselage & Nacelle Attachment						140
Pylon Attachment			10			
Pins & Bushings	194					
Sweep Actuator Attachment	20			45		
TOTAL BASIC STRUCTURE INCREMENT	755	40	28	99	164	154
TOTAL SECONDARY STRUCTURE INCREMENT					9	
TOTAL STRUCTURAL-INCREMENT	755	40	28	99	173	154

FIGURE 1. Wing structural increments for design features

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.




FIGURE 2. Wing planform

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.




FIGURE 3. Wing basic structure weight vs. semi-span

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

PART I

GROUP WEIGHT STATEMENT

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

GROUP WEIGHT STATEMENT

AIRCRAFT

(INCLUDING ROTORCRAFT)

ESTIMATED - CALCULATED - ACTUAL

(CROSS OUT THOSE NOT APPLICABLE)

CONTRACT NO.

AIRCRAFT, GOVERNMENT NO.

AIRCRAFT, CONTRACTOR NO.

MANUFACTURED BY

	MAIN	AUX
ENGINE MANUFACTURED BY		
ENGINE MODEL		
ENGINE NO.		
ENGINE TYPE		
PROPELLER MANUFACTURED BY		
PROPELLER MODEL		
PROPELLER NUMBER		

PAGES REMOVED	PAGE NO.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

GROUP WEIGHT STATEMENT
WEIGHT EMPTY

1	WING GROUP						
2	BASIC STRUCTURE-CENTER SECTION						
3	-INTERMEDIATE PANEL						
4	-OUTER PANEL						
5	-GLOVE						
6	SECONDARY STRUCTURE-INCL.WING FOLD WEIGHT				LBS.		
7	AILERONS - INCL. BALANCE WEIGHT		LBS.				
8	FLAPS - TRAILING EDGE						
9	- LEADING EDGE						
10	SLATS						
11	SPOILERS						
12							
13							
14	ROTOR GROUP						
15	BLADE ASSEMBLY						
16	HUB & HINGE - INCL. BLADE FOLD WEIGHT			LBS.			
17							
18							
19	TAIL GROUP						
20	STRUCT. - STABILIZER (INCL.		LBS.SEC. STRUCT.)				
21	- FIN-INCL.DORSAL (INCL.		LBS.SEC.STRUCT.)				
22	VENTRAL						
23	ELEVATOR - INCL.BALANCE WEIGHT		LBS.				
24	RUDDERS - INCL.BALANCE WEIGHT		LBS.				
25	TAIL ROTOR - BLADES						
26	- HUB & HINGE						
27							
28	BODY GROUP						
29	BASIC STRUCTURE - FUSELAGE OR HULL						
30	- BOOMS						
31	SECONDARY STRUCTURE - FUSELAGE OR HULL						
32	- BOOMS						
33	- SPEEDBRAKERS						
34	- DOORS, RAMPS, PANELS & MISC.						
35							
36							
37	ALIGHTING GEAR GROUP - TYPE **						
38	LOCATION		RUNNING	*STRUCT.	CONTROLS		
39	MAIN						
40	NOSE/TAIL						
41	ARRESTING GEAR						
42	CATAPULTING GEAR						
43							
44							
45	ENGINE SECTION OR NACELLE GROUP						
46	BODY - INTERNAL						
47	- EXTERNAL						
48	WING - INBOARD						
49	- OUTBOARD						
50							
51	AIR INDUCTION GROUP						
52	- DUCTS						
53	- RAMPS, PLUGS, SPIKES						
54	- DOORS, PANELS & MISC.						
55							
56							
57	TOTAL STRUCTURE						

* CHANGE TO FLOATS AND STRUTS FOR WATER TYPE GEAR.
**LANDING GEAR "TYPE": INSERT "TRICYCLE", "TAIL WHEEL", "BICYCLE", "QUADRICYCLE", OR SIMILAR DESCRIPTIVE NOMENCLATURE.

Source: https://assist.dla.mil - Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

MIL-STD-1374 PART I - TAB | GROUP WEIGHT STATEMENT | PAGE
NAME | WEIGHT EMPTY | MODEL
DATE | | REPORT

58	PROPULSION GROUP		X	AUXILIARY	XX	MAIN	X	
59	ENGINE INSTALLATION							
60								
61								
62	ACCESSORY GEAR BOXES & DRIVE							
63	EXHAUST SYSTEM							
64	ENGINE COOLING							
65	WATER INJECTION							
66	ENGINE CONTROL							
67	STARTING SYSTEM							
68	PROPELLER INSTALLATION							
69	SMOKE ABATEMENT							
70	LUBRICATING SYSTEM							
71	FUEL SYSTEM							
72	TANKS - PROTECTED							
73	- UNPROTECTED							
74	PLUMBING, ETC.							
75								
76	DRIVE SYSTEM							
77	GEAR BOXES, LUB SY & ROTOR	BRK						
78	TRANSMISSION DRIVE							
79	ROTOR SHAFTS							
80								
81	FLIGHT CONTROLS GROUP							
82	COCKPIT CTLS. (AUTOPILOT	LBS.)						
83	SYSTEMS CONTROLS							
84								
85								
86	AUXILIARY POWER PLANT GROUP							
87	INSTRUMENTS GROUP							
88	HYDRAULIC & PNEUMATIC GROUP							
89								
90	ELECTRICAL GROUP							
91								
92	AVIONICS GROUP							
93	EQUIPMENT							
94	INSTALLATION							
95								
96	ARMAMENT GROUP (INCL.PASSIVE PROT.			LBS.)				
97	FURNISHINGS & EQUIPMENT GROUP							
98	ACCOMMODATION FOR PERSONNEL							
99	MISCELLANEOUS EQUIPMENT							
100	FURNISHINGS							
101	EMERGENCY EQUIPMENT							
102								
103	AIR CONDITIONING GROUP							
104	ANTI-ICING GROUP							
105								
106	PHOTOGRAPHIC GROUP							
107	LOAD & HANDLING GROUP							
108	AIRCRAFT HANDLING							
109	LOADING HANDLING							
110	BALLAST							
111	MANUFACTURING VARIATION							
112	TOTAL CONTRACTOR CONTROLLED							
113	TOTAL GFAE							
114	TOTAL WEIGHT EMPTY - PG 2-3							

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

115	LOAD CONDITION						
116							
117	CREW (NO.)						
118	PASSENGERS (NO.)						
119	FUEL LOCATION TYPE	GALS.					
120	UNUSABLE						
121	INTERNAL						
122							
123							
124							
125	EXTERNAL						
126							
127							
128	OIL						
129	TRAPPED						
130	ENGINE						
131							
132	FUEL TANKS (LOCATION)						
133	WATER INJECTION FLUID (GALS.)						
134							
135	BAGGAGE						
136	CARGO						
137							
138	GUN INSTALLATIONS						
139	GUNS LOCAT.FIX.OR FLEX.QUANTITY CALIBER						
140							
141							
142	AMMO.						
143							
144							
145	SUPP'TS *						
146	WEAPONS INSTALL. **						
147							
148							
149							
150							
151							
152							
153							
154							
155							
156							
157							
158							
159							
160							
161							
162	SURVIVAL KITS						
163	LIFE RAFTS						
164	OXYGEN						
165	MISC.						
166							
167							
168							
169	TOTAL USEFUL LOAD						
170	WEIGHT EMPTY						
171	GROSS WEIGHT						

* IF REMOVABLE AND SPECIFIED AS USEFUL LOAD.

**LIST STORES, MISSILES, SONOBUOYS, ETC. FOLLOWED BY RACKS, LAUNCHERS, CHUTES, ETC. THAT ARE NOT PART OF WEIGHT EMPTY. LIST IDENTIFICATION, LOCATION, AND QUANTITY FOR ALL ITEMS SHOWN INCLUDING INSTALLATION.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

1	WING, ROTOR + TAIL GROUPS	WING	H TAIL	V TAIL	CANARD	ROTOR (BLADS/RTR)	
2							
3	RADIUS OR SPAN(FT)						
4	*SPAN AT .25 CHORD						
5	**ROOT CHORD(IN) - THEO.						
6	- MAX THICKNESS						
7	**PLANFORM BREAK-CORD (IN)						
8	- MAX THICKNESS						
9	**TIP CHORD (IN) - THEO.						
10	- MAX THICKNESS						
11	SWEEP ANGLE AT .25 CHORD						
12	ASPECT RATIO						
13	TAPER RATIO						
14	MEAN AERODYNAMIC CHORD						
15	AREAS ***						
16							
17	AREAS WING	SPD.BRK.	LE FLAPS	TE FLAPS	SLATS	SPOILERS	AIL
18	(SQ.FT.PER AIRCRAFT)						
19	FUS	SPD.BRK.	ELEV.	RUDDER	DORSAL		
20							
21							
22	ROTOR DISK AREAS - FWD		AFT		FOLDED	WING SPAN	
23	WING .25MAC TO H TAIL .25MAC(IN)			NOSE TO WING		.25 MAC	
24	WING .25MAC TO V TAIL .25MAC(IN)					LEMAC	
25	WING BOX SPAN AT FUS.INTERSECTION			WING BOX	LENGTH AT	C.L.	
26							
27		CAPTURE	BLOW-IN	DUCT	MAX.DES.	CIRCUM-	
28	ENGINE INLETS	AREA	AREA	LENGTH	PRESSURE	FERENCE	
29	-MAIN						
30	AUXILIARY						
31		LENGTH	DEPTH	WIDTH	WET.AREA	VOLUME	VOL.PRESS
32	BODY + NACELLE GROUPS						
33	FUSELAGE OR HULL****						
34	BOOMS						
35	NACELLES (INBD.B.L.	)					
36	(OUTBD.B.L.	)					
37	ALIGHTING GEAR GROUP	LENGTH-OLEO EXT.		OLEO TRAVEL		LENGTH ARREST	
38		AXLE-CL.TRUNNION		EXT.TO COLLAPSED		HOOK TRUNNION	
39	- LOCATION					TO POINT	
40	- DIMENSION(INCHES)						
41							
42	PROPULSION GROUP	(S.L.S.	UNINSTALLED THRUST		IN LBS./ENGINE)		
43			MAXIMUM	INTERMEDIATE		MAX SLS	SHAFT RPM
44	ENGINES		RATING	RATING		SHAFT HP	AT MAX HP
45	MAIN (NO.)						
46	AUXILIARY (NO.)						
47							
48				OUTPUT	INTER	NUMBER	
49	ROTOR DRIVE SYSTEM	DESIGN	INPUT	RPM AT	ROTOR	GEAR	TORQUE
50		H.P.	R.P.M.	ROTOR	R.P.M.	BOXES	FACTOR
51	1/2 HOUR RATINGS - MAIN						
52	- TAIL						
53	- INTERMEDIATE						
54	CONT.RATINGS - MAIN						
55	- TAIL						
56	- INTERMEDIATE						
57							

THE NOTES FOR THIS PAGE MAY BE FOUND ON PAGE 8 OF PART I UNDERNEATH "AIRFRAME UNIT WEIGHT".

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

GROUP WEIGHT STATEMENT
DIMENSIONAL AND STRUCTURAL DATA
(CONTINUED)

1	FUEL SYSTEM	X PROTECTED		XX UNPROTECTED		XX INTEGRAL	X
2	- INTERNAL * LOCATION	NO.TANKS	GALLONS	NO.TANKS	GALLONS	NO.TANKS	GALLONS
3	WING						
4	FUSELAGE						
5							
6	- EXTERNAL *						
7							
8	OIL						
9							
10							
11		QUANTITY X	GENERATOR	X	BATTERY RATING		EMERG
12		MAIN X	OUTPUT	X	(TYPE	)	GENERATR
13	ELECTRICAL GENERATING	GENERATRS X	D.C.	A.C. X	AMP-HOURS		(KVA)
14	SYSTEMS						
15							
16							
17		BODY					
18		PLUS INT	EXTERNAL	FUEL IN		DESIGN	ULTIMATE
19		CONTENTS	WEIGHT	WINGS		GROSS	LOAD
20	STRUCTURAL DATA - CONDITION	-LBS.	ON BODY	-LBS.		WEIGHT	FACTOR
21	FLIGHT - MANEUVER						
22	- GUST						
23	LANDING						
24	MAXIMUM GROSS WEIGHT WITH	ZERO	WING FUEL				
25	CATAPULTING						
26							
27	CRASH LIMIT LOAD FACTOR -	AXIAL		LATERAL		VERTICAL	
28	ULTIMATE LANDING SINK SPEED(FT/SEC)						
29	WING OR ROTOR LIFT ASSUMED FOR LDNG DSGN COND.						
30	STALL SPEED LDNG. CONFIGURATION-POWER OFF (KNOTS)						
31	APPROACH SPEED POWER ON (V-P	KNOTS)					
32	ENGAGING SPEED (KNOTS)						
33	PRESSURIZED CABIN - ULTIMATE	DESIGN					
34	PRESSURE DIFFERENTIAL FLIGHT	(PSI)					
35	CARGO FLOOR AREA (DESIGN LOAD		LBS/SQ.FT.)				
36	HYDRAULIC SYSTEM OIL CAPACITY	(GALLONS)					
37	TAIL ROTOR CANT ANGLE (DEGREES)						
38							
39							
40	ROTOR TIP SPEED AT DESIGN LIMIT		R.P.M.	POWER	FT/SEC		
41	- MAIN						
42	- TAIL						
43							
44	DESIGN THRUST OR LIFT ON	WING		M ROTOR		T ROTOR	
45	ULTIMATE L.F. FOR THE ABOVE LOADS						
46							
47	MATERIAL BREAKDOWN IN PERCENT		STEEL	ALUM	TI	COMPOSITE	OTHER
48	OF STRUCT.WEIGHT(PAGE 2, LINE 57)						
49							
50	DESIGN SPEEDS AT S.L. (KNOTS)	LEVEL			DIVE		
51							
52	DESIGN SPEED AT BEST CRUISE		SPEED		ALTITUDE		
53	MAX. SPEED AND ALTITUDE		SPEED		ALTITUDE		
54							
55							
56	MODEL FIRST FLIGHT DATE						
57	AIRFRAME UNIT WEIGHT						

*TOTAL USABLE CAPACITY.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

REFER TO PARAGRAPH 5.1.1.4 OF

DETAILED REQUIREMENTS FOR INSTRUCTIONS FOR USE

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

THE AIRFRAME UNIT WEIGHT TO BE ENTERED ON LINE 56 OF PAGE 6 OF THE GROUP WEIGHT STATEMENT SHOULD BE DERIVED BELOW IN DETAIL SHOWING THOSE ITEMS DEDUCTED FROM WEIGHT EMPTY. THE ITEMS BELOW FOLLOW THE DEFINITION OF AIRFRAME UNIT WEIGHT CARRIED IN THE DOCUMENT "CONTRACTOR COST DATA REPORTING SYSTEM" DATED 5 NOVEMBER 1973. AIRFRAME UNIT WEIGHT IS THE SAME AS PREVIOUSLY CALLED AMPR AND DCPR AND IS NOT TO BE CONFUSED WITH WORK BREAKDOWN STRUCTURE (WBS) AIRFRAME COST DEFINITION.

WEIGHT EMPTY

DEDUCT THE FOLLOWING ITEMS DESCRIBED IN PART II

1	WHEELS BRAKES, TIRES & TUBES
2	ENGINES - MAIN AND AUXILIARY
3	RUBBER OR NYLON FUEL CELLS
4	STARTERS - MAIN AND AUXILIARY
5	PROPELLERS
6	AUXILIARY POWER PLANT UNIT
7	INSTRUMENTS
8	BATTERIES & ELECTRICAL POWER SUPPLY & CONVERSION
9	AVIONICS
10	TURRETS & POWER OPERATED MOUNTS
11	AIR CONDITIONING, ANTI-ICING AND PRESSURIZATION UNITS & FLUIDS
12	CAMERAS & OPTICAL VIEWFINDERS

AIRFRAME UNIT WEIGHT

NOTES FOR PAGE 5:

* INSERT INCHES FROM CENTER LINE OF THE ROTOR TO THE ELASTIC AXIS OF THE BLADE ATTACHMENT FOR THE ROTORS.

** PARALLEL TO THE CENTER LINE OF THE VEHICLE FOR WING AND TAIL.

*** THEORETICAL FOR ROTORS AND CONTINUOUS WING, EXPOSED FOR NON CONTINUOUS WING AND ALL OTHERS.

****NOSE TO AFT TIP OF FUSELAGE EXCLUDING EQUIPMENT PROTUBERENCES.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

PART II

DETAIL WEIGHT STATEMENT

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

DETAILED WEIGHT STATEMENT

AIRCRAFT

(INCLUDING ROTORCRAFT)

WEIGHT EMPTY

ESTIMATED - CALCULATED - ACTUAL

(CROSS OUT THOSE NOT APPLICABLE)

CONTRACT NO.

AIRCRAFT, GOVERNMENT NO.

AIRCRAFT, CONTRACTOR NO.

MANUFACTURED BY

	MAIN	AUX
ENGINE MANUFACTURED BY		
ENGINE MODEL		
ENGINE NO.		
ENGINE TYPE		
PROPELLER MANUFACTURED BY		
PROPELLER MODEL		
PROPELLER NUMBER		

PAGES REMOVED PAGE NO.

Source: https://assist.dla.mil - Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

		CENTER SECTION*	INTERM PANEL*	OUTER PANEL*	GLOVE ***		
1							
2							
3							
4	UPPER						
5	-SPAR CAPS & SPAN. STIFF.						
6	-COVER INCL.INTGRL.STIFF.						
7	-JOINTS, SPLICES & FAST.						
8	-DOORS & PANELS (STRUCT)						
9							
10	LOWER						
11	-SPAR CAPS & SPAN.STIFF.						
12	-COVER INCL.INTGRAL.STIFF.						
13	-JOINTS, SPLICES & FAST.						
14	-DOORS & PANELS (STRUCT)						
15							
16	SPAR WEBS & SHEAR PANELS						
17	-JOINTS, SPLICES & FAST.						
18	-DOORS & PANELS (STRUCT)						
19							
20							
21	INTERSPAR - RIBS						
22	-BULKHEADS						
23	-CHORDWISE STIFFENERS						
24	-JOINTS, SPLICES & FAST.						
25							
26							
27							
28	CORE ** - (STRUCTURAL BOX)						
29	- BONDING ADHESIVE						
30							
31	LEADING EDGE						
32	-COVER INCL. STIFFENERS						
33	-RIBS & WEBS						
34	-JOINTS, SPLICES & FAST.						
35							
36	TRAILING EDGE						
37	-COVER INCL. STIFFENERS						
38	-RIBS & WEBS						
39	-JOINTS, SPLICES & FAST.						
40	-CORE (MULTI - STIFF.)						
41	-BONDING ADHESIVE						
42							
43	HUB (VARIABLE SWEEP)-BUSHG.						
44	-PINS						
45							
46							
47	ATTACHMENTS - WING TO FUS.						
48	- NACELLES						
49							
50							
51	TIPS						
52							
53							
54	FIREWALL (STRUCTURAL)						
55	COLUMN TOTALS						
56	TOTAL-BASIC STRUCTURE						
57							

* IDENTIFY LOCATION BY BUTTLINES OR SPANWISE STATION.
** INCLUDE FULL DEPTH CORE ONLY. CODE SANDWICH PANELS TO THE COVER.
***INCLUDE BASIC FLIGHT OR LANDING LOAD CARRYING STRUCTURE ONLY.

Source: https://assist.dla.mil-- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

		XX	OPERATING MECHANISM				X
1		STRUCT	MECH & CONTROLS	POWER TRANS.	ACTUATOR LOCKMECH	EMERG.	
2							
3							
4	WING FOLD						
5							
6	** * AREA						
7	LOC P SQ FT						
8	DOORS & FRAMES						
9	-LANDING						
10							
11	-STORES						
12							
13	-MISSILE						
14							
15	-GUN						
16							
17	-AMMO.						
18							
19	-FUEL						
20							
21							
22	-ACCESS						
23							
24							
25							
26							
27							
28	PANELS-NON STRUCTURAL						
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
41							
42							
43							
44	GLOVE						
45							
46	WALKWAYS, STEPS. & GRIPS						
47							
48	FAIRING & FILLET (IDENTIFY)						
49							
50							
51	STATIC DISCHARGERS						
52	EXTERIOR FINISH						
53	INTERIOR (INCL. LB.SEAL.)						
54							
55	COLUMN TOTALS						
56	TOTAL-SECONDARY STRUCTURE						
57							

* DESCRIBE THE TYPE OF POWER USED FOR ACTUATION: HYDRAULIC - H, ELECTRICAL - E, PNEUMATIC - P.
**DESCRIBE MAJOR DOORS AND PANELS BY SYMBOLS I.E. LOCATION - C.S., O.P., I.P., ETC.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

		X AILERONS		XX SPOILERS		X	
1							
2		INBOARD	OUTBOARD	INBOARD	OUTBOARD		
3							
4							
5	SPARS						
6							
7	COVER INCL. STIFFENERS						
8							
9	RIBS						
10	-FLAP TRACK / HINGE SUPT						
11	-AIL. HINGE SUPPORT						
12	-OTHER						
13							
14	CORE * -(HONEYCOMB TYPE)						
15	-BONDING ADHESIVE						
16							
17	T.E.STRIPS						
18							
19	FABRIC & DOPE						
20							
21	TABS						
22							
23	JOINTS, SPLICES, FASTENERS						
24							
25	TORQUE TUBES						
26							
27							
28							
29	BALANCE WEIGHTS & SUPPORTS						
30							
31	AERO.SEAL						
32							
33							
34	CONTROL HORNS						
35							
36							
37	ACCESS DOORS						
38							
39	HINGES & PINS						
40	EXTERIOR FINISH						
41							
42							
43							
44							
45	SUPPORTS - HINGES						
46	- BRACKETS						
47	- TRACKS						
48	- CARRIAGES						
49	- ROLLERS						
50							
51							
52							
53							
54							
55	COLUMN TOTALS						
56	TOTALS OF AIL AND SPOILERS						
57	TOTAL-CONTROL SURFACES PAGE						

*INCLUDE FULL DEPTH TYPE CORE ONLY. CODE SANDWICH PANELS TO THE COVERS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

		X		XX		T.E. FLAPS	
		L.E.FLAP	OR SLAT	INBOARD		OUTBOARD	
		SURFACE	SUPPORTS	SURFACE	SUPPORTS	SURFACE	SUPPORTS
1							
2	SPARS						
3							
4	COVER INCL. STIFFENERS						
5							
6	RIBS						
7	-FLAP TRACK / HINGE SUPT						
8	-AIL. HINGE SUPPORT						
9	-OTHER						
10							
11	CORE * -(HONEYCOMB TYPE)						
12	-BONDING ADHESIVE						
13							
14	T.E.STRIPS						
15							
16	FABRIC & DOPE						
17							
18	TABS						
19							
20	JOINT, SPLICES, FASTENERS						
21							
22	TORQUE TUBES						
23							
24							
25							
26	BALANCE WEIGHTS & SUPPORTS						
27							
28	AERO.SEAL						
29							
30							
31	CONTROL HORNS						
32							
33							
34	ACCESS DOORS						
35							
36	HINGES & PINS						
37	EXTERIOR FINISH						
38							
39							
40							
41							
42							
43	SUPPORTS - HINGES						
44	- BRACKETS						
45	- TRACKS						
46	- CARRIAGES						
47	- ROLLERS						
48							
49							
50							
51							
52	COLUMN TOTALS						
53	TOTALS OF SURFS AND SUPTS						
54	TOTAL-CONTROL SURFACES PAGES						
55	TOTAL-WING GROUP - PG 2-4A						
56							
57							

*INCLUDE FULL DEPTH TYPE CORE ONLY. CODE SANDWICH PANELS TO THE COVERS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

1							
2							
3							
4	SPAR - FRONT						
5	-INTERMEDIATE						
6	-REAR						
7	-JOINTS, SPLICES & FAST.						
8							
9							
10							
11	INTERSPAR - COVER & STIFF.						
12	-RIBS						
13	-CORE						
14	-JOINTS, SPLICES & FAST.						
15							
16							
17							
18	LEADING EDGE						
19	-MEMBER						
20	-COVER & STIFFENER						
21	-RIBS						
22	-CORE						
23	-JOINTS, SPLICES & FAST.						
24							
25							
26							
27	TRAILING EDGE						
28	-MEMBER						
29	-COVER						
30	-STIFFENERS						
31	-RIBS						
32	-CORE						
33	-JOINTS, SPLICES & FAST.						
34							
35							
36							
37							
38							
39							
40	TIPS - IF NOT INTEGRAL						
41	INTERNAL DUCT STRUCTURE						
42							
43	FAILURE DETECTION						
44							
45	BALANCE WEIGHTS - TIP						
46	- LEADING EDGE						
47							
48							
49	TRIM TAB & FITTING						
50	ROOT END ATTACHMENT						
51	-FITTINGS						
52	-FASTENERS						
53	EXTERIOR FINISH						
54							
55	COLUMN TOTALS						
56	TOTAL - BLADE ASSEMBLY						
57							

Source: https://assist.dla.mil - Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

1		X HUB XX		HINGE & BLADE RETENTION			X
2			FLAPPING	LEAD-LAG	PITCH	BLD-FOLD	
3							
4	HOUSING						
5	GIMBAL RING						
6	YOKE						
7	UNIVERSAL JOINTS						
8							
9							
10							
11							
12							
13	BEARINGS						
14	SEALS, SPACERS & RETAINERS						
15	BLADE GRIPS						
16	BALANCE WEIGHTS						
17	STOPS						
18	LUB SYSTEM INCL. LBS.OIL						
19	FAIRINGS & DUST COVERS						
20	GREASE						
21							
22							
23							
24							
25	FITTINGS						
26	PINS						
27	LINKS						
28	DAMPERS OR RESTRAINERS						
29	DRAG BRACE						
30	TENSION STRAP ASSEMBLY						
31							
32							
33							
34	SHAFTS						
35	PITCH ARMS						
36							
37							
38	BLADE FOLD MECH.						
39	-ACTUATORS						
40	-CONTROLS						
41	-LOCKS						
42	-PLUMBING *						
43	-CIRCUITRY *						
44	-SUPPORTS						
45							
46	VIBRATION ABSORBERS						
47							
48							
49							
50	FASTENERS						
51							
52							
53	EXTERIOR FINISH						
54							
55	COLUMN TOTALS						
56	TOTAL - HUB & HINGE						
57	TOTAL-ROTOR GROUP - PG 5&6						

*MAIN DISTRIBUTION POINT TO ACTUATING UNIT.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

1		X HOR.STABILIZ.	XX		FINS		X
2		CTR.SECT	OUTR.PNL	VERTICAL	DORSAL	VENTRAL	
3							
4	UPPER						
5	-SPAR CAPS & SPAN.STIFF.						
6	-COVER INCL.INTGRAL.STIFF.						
7	-JOINTS, SPLICES & FAST.						
8	-DOORS & PANELS (STRUCT)						
9							
10	LOWER						
11	-SPAR CAPS & SPAN.STIFF.						
12	-COVER INCL.INTGRL.STIFF.						
13	-JOINTS, SPLICES & FAST.						
14	-DOORS & PANELS (STRUCT)						
15							
16	SPAR WEBS & SHEAR PANELS						
17	-JOINTS, SPLICES & FAST.						
18	-DOORS & PANELS (STRUCT)						
19							
20							
21	INTERSPAR - RIBS						
22	-BULKHEADS						
23	-CHORDWISE STIFFENERS						
24	-JOINTS, SPLICES & FAST.						
25	-SPINDLE SUPPORT RIB						
26							
27							
28	CORE - (STRUCTURAL BOX) *						
29	- BONDING ADHESIVE						
30							
31	LEADING EDGE						
32	-COVER INCL. STIFFENERS						
33	-RIBS & WEBS						
34	-JOINTS, SPLICES & FAST.						
35	-CORE						
36							
37	TRAILING EDGE						
38	-COVER INCL. STIFFENERS						
39	-RIBS & WEBS						
40	-JOINTS, SPLICES & FAST.						
41	-CORE						
42	-BONDING ADHESIVE						
43							
44							
45							
46							
47	ATTACHMENTS-TAIL TO FUS.						
48	-BEARINGS						
49	-SPINDLES						
50							
51	TIPS						
52							
53							
54							
55	COLUMN TOTALS						
56	TOTALS HORIZ. STAB, FIN & DORSAL						
57	TOTAL-BASIC STRUCTURE						

*INCLUDE FULL DEPTH TYPE CORE ONLY. CODE SANDWICH PANELS TO THE COVERS.

Source: https://assist.dla.mil - Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

1		X HOR.STABILIZ.	XX		FINS	X	
2		CTR.SECT	OUTR.PNL	VERTICAL	DORSAL	VENTRAL	
3							
4	** * AREA						
5	LOC P SQ FT						
6	FOLD-STRUCTURE						
7	-MECH. & CTLS.						
8	-POWER TRANS.						
9	-ACTUATOR & LOCK						
10	-EMERGENCY						
11							
12							
13	DOORS & DOOR FRAMES						
14							
15							
16							
17	-ACCESS						
18							
19							
20							
21							
22							
23							
24							
25							
26	PANELS-NON STRUCTURAL						
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37	WALKWAYS, STEPS, & GRIPS						
38							
39	FAIRING & FILLET (IDENTIFY)						
40							
41							
42							
43							
44							
45							
46							
47	STATIC DISCHARGERS						
48							
49	EXTERIOR FINISH						
50							
51	INTERIOR (INCL. LB.SEAL)						
52							
53							
54							
55	COLUMN TOTALS						
56	TOTALS HORIZ. STAB, FIN & DORSAL						
57	TOTAL-SECONDARY STRUCTURE						

* DESCRIBE THE TYPE OF POWER USED FOR ACTUATION: HYDRAULIC - H, ELECTRICAL - E, PNEUMATIC - P.
**DESCRIBE MAJOR DOORS AND PANELS BY SYMBOLS, I.E., LOCATION - C.S., O.P., I.P., ETC.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

		X		XX		RUDDERS	X
		ELEVATORS		CENTER		OUTBOARD	
		SURFACE	SUPPORTS	SURFACE	SUPPORTS	SURFACE	SUPPORTS
5	SPARS						
7	COVER INCL. STIFFENERS						
10	RIBS						
14	CORE *-						
15	-BONDING ADHESIVE						
17	T.E. STRIPS						
19	FABRIC & DOPE						
21	TABS						
25	TORQUE TUBES						
29	BALANCE WEIGHTS & SUPPORTS						
31	AERO.SEAL						
34	CONTROL HORNS						
37	ACCESS DOORS						
39	HINGES & PINS						
40	EXTERIOR FINISH						
41	JOINTS, SPLICES, FASTENERS						
45	SUPPORTS - HINGES						
46	- BRACKETS						
55	COLUMN TOTALS						
56	TOTAL FOR EACH SURFACE						
57	TOTAL-CONTROL SURFACES						

*INCLUDE FULL DEPTH CORE ONLY. CODE SANDWICH PANELS TO THE COVERS.

Source: https://assist.dla.mil - Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

MIL-STD-1374 PART II-TAB TAIL GROUP PAGE
NAME ROTOR GROUP MODEL
DATE REPORT

					BLADE	HUB	HINGE
1							
2							
3							
4	BLADES						
5	SPAR						
6							
7							
8	INTERSPAR						
9	-COVERS & STIFFENERS						
10	-RIBS						
11	-CORE						
12	-JOINTS, SPLICES & FAST.						
13							
14							
15							
16	LEADING EDGE						
17							
18							
19	TRAILING EDGE						
20							
21							
22	TIPS IF NOT INTEGRAL						
23							
24	BALANCE WEIGHTS - TIP						
25	-LEADING EDGE						
26	TRIM TAB & FITTINGS						
27	ROOT END ATTACHMENT						
28	-FITTINGS						
29	-FASTENERS						
30							
31							
32	HUB & HINGE						
33	HOUSING						
34							
35							
36	BEARING, SEALS, RETAINERS						
37	BLADE GRIPS						
38	BALANCE WEIGHS						
39							
40							
41	LUB. SYSTEM INCL. LBS. OIL						
42	GREASE						
43	FITTINGS, PINS, LINKS						
44	DAMPERS OR RESTRAINERS						
45	DRAG BRACE						
46							
47	SHAFTS & PITCH ARMS						
48							
49	FASTENERS						
50							
51							
52							
53							
54	COLUMN TOTALS						
55	TOTAL FOR HUB, AND HINGE						
56	TOTAL - TAIL ROTOR						
57	TOTAL - TAIL GROUP - PG 7-10						

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

1		X	FUSELAGE OR HULL					XX BOOMS
2	SECTION							
3	STATION							
4	BULKHEADS & FRAMES *							
5								
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24	MINOR FRAMES							
25	JOINTS, SPLICES & FAST.							
26								
27	COVER-UPPER BETWEEN LONGN.							
28	-SIDE BETWEEN LONGERONS							
29	-LOWER BETWEEN LONGERONS							
30								
31	COVER LONGL.STIFF.-UPPER							
32	-SIDE BETWEEN LONGERONS							
33	-LOWER BETWEEN LONGERONS							
34								
35	LONGERONS - UPPER							
36	-SIDE							
37	-LOWER							
38								
39	LONGITUDINAL PARTITIONS **							
40	FUEL TANK WALLS **							
41	KEEL **							
42	DOORS & PANELS (STRUCT) **							
43								
44	FLOORING & SUPPORT **							
45	FIREWALL **							
46	PALLET RAILS & SUPPORT **							
47								
48								
49								
50								
51	ROTOR SUPPORT							
52	PYLON							
53								
54	STEP ASSEMBLY							
55	COLUMN TOTALS							
56	TOTAL FOR FUSE. OR HULL							
57	TOTAL - BASIC STRUCTURE							

* LIST ALL MAIN AND WATERTIGHT BULKHEADS AND FRAMES INDIVIDUALLY. MINOR FRAMES MAY BE COMBINED. IDENTIFY TAIL CARRY THRU.

**INCLUDE BASIC FLIGHT OR LANDING LOAD CARRYING STRUCTURE ONLY.

Source: https://assist.dla.mil - Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

MIL-STD-1374 PART II-TAB
NAME
DATE

BODY GROUP
SECONDARY STRUCTURE

PAGE
MODEL
REPORT

1		X	FUSELAGE OR HULL			XX	XX	X
2						BOOMS	SPEED	
3	SECTION						BRAKES	
4	ENCLOSURES							
5	CANOPY (MOVABLE)							
6	-OPERATING MECH.							
7	-RAILS							
8	-CYLINDERS & ACTUAT.SYST							
9	-JETTISON SYSTEM							
10								
11	CANOPY (FIXED)							
12								
13	COCKPIT (EXCL.WINDSHIELD)							
14								
15	WINDSHIELD - VISION							
16	-FWD.(INCL. LBS.PROT*)							
17	-SIDE VISION							
18								
19								
20	WINDOWS, PORTS-INCL.FRAMES							
21								
22								
23								
24								
25								
26								
27								
28	FLOORING & SUPTS.(SEC.STR)							
29								
30								
31	STAIRWAYS & LADDERS-FIXED							
32								
33								
34	NOSE RADOME - RADOME							
35	- MECHANISM							
36								
37	NOSE CONE							
38								
39	AFTERBODY							
40								
41								
42								
43								
44								
45	SPEED BRAKES - STRUCTURE							
46	- SUPPORT							
47								
48								
49								
50								
51								
52								
53								
54								
55	COLUMN TOTALS							
56	TOTAL FOR FUSE. OR HULL							
57	TOTAL - SEC. STRUCTURE PAGE							

*IDENTIFY POUNDS OF BULLET OR BIRD PROTECTION INCLUDED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

BODY GROUP
SECONDARY STRUCTURE (CON'T)
(DOORS, RAMPS, PANELS & MISC.)

1	** *	X	XX	OPERATING MECHANISM			X
2	LO P AREA	STRUCT	MECH &	POWER	ACTUATOR	EMERG.	
3	SQ FT		CONTROLS	TRANS.	LOCKMECH		
4							
5	DOORS & DOOR FRAMES						
6	-ALIGHT.GEAR						
7							
8							
9	-STORES						
10							
11	-SONOBUOYS						
12							
13	-MISSILES						
14	-GUNS						
15	-AMMO						
16	-FUEL						
17							
18							
19	-ESCAPE						
20							
21							
22	-COMPARTMENT						
23							
24	-ENTRANCE						
25							
26							
27	-CARGO						
28							
29	-ENGINE						
30							
31	-LIFE RAFT						
32	-CAMERA						
33	-ACCESS						
34							
35							
36	RAMPS						
37							
38							
39	PANELS-(NON-STRUCTURAL) **						
40							
41	LADDERS (RETRACTABLE)						
42							
43	WALKWAYS, STEPS, GRIPS						
44	PYLON / BOOM FOLD						
45							
46	FAIRINGS						
47							
48							
49							
50							
51							
52	EXTERIOR FINISH						
53	INTERIOR (INCL. LB.SEAL)						
54							
55	COLUMN TOTALS						
56	TOTAL SEC. STRUCT. PG 12-13						
57	TOTAL-BODY GROUP - PG 11-13						

* DESCRIBE THE TYPE OF POWER USED FOR ACTUATION: HYDRAULIC - H, PNEUMATIC - P, ELECTRICAL - E, ETC.
**DESCRIBE MAJOR DOORS AND PANELS BY ABBREVIATIONS OF THEIR LOCATIONS: FWD, AFT, B-BOOMS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

MIL-STD-1374 PART II-TAB — ALIGHTING GEAR GROUP — PAGE
NAME — (INCLUDING LAUNCH AND RECOVERY GEAR) — MODEL
DATE — REPORT

1	TYPE *	X MAIN		XX NOSE OR TAIL		X ARREST.CATAPULT	
2		RUN.GEAR	STRUCT.	RUN.GEAR	STRUCT.	GEAR	GEAR
3	LOCATION						
4	QUANTITY						
5	MAIN NOSE/TAIL						
6	WHEELS						
7	TIRES(SIZE ,)						
8	TUBES						
9	BRAKES** (NO. , FT.LBS.)						
10	AIR						
11							
12	ANTI-SKID DEVICE						
13							
14	FLOATS - BULKHEADS & FRAMES						
15	- COVER & STIFFENERS						
16	- KEEL & KEELSONS						
17							
18	BUMPER OR SKID						
19	SKIIS						
20							
21							
22							
23	ARREST.GEAR - TRAILING HOOK						
24	- HOOK POINT						
25							
26	DECELERATION CHUTE						
27							
28							
29	SUPPORT-STRUCT-DRAG STRUTS						
30	-SIDE STRUTS						
31							
32							
33	-BOGIE BEAMS						
34							
35	PYLONS (FOR FLOATS)						
36							
37	SHOCK STRUT - STRUT						
38	- OIL						
39	- FORK						
40	- AXLE						
41	- TORQUE ARMS						
42	- TRUNNIONS						
43							
44	FITTINGS(PRI.ATTACH.)-WING						
45	-BODY						
46	-NACELLE						
47	CATAPULT - TOW BAR						
48	- HOLD BACK FITTINGS						
49							
50	FAIRINGS						
51							
52	EXTERIOR FINISH						
53	PINS, BOLTS,NUTS, ETC.						
54							
55	COLUMN TOTALS						
56	TOTALS FOR MAIN AND NOSE						
57	PAGE TOTAL						

* "TYPE" REFERS TO WHETHER THE GEAR IS TRAILING ARM, CONVENTIONAL, ARTICULATING, ETC.
**INPUT FT/LBS PER BRAKE TIMES 10^{-6}.
IN THE CASE OF AN AIRCRAFT WITH OUTRIGGERS, ADD ANOTHER PAGE (14A).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

52

ALIGHTING GEAR GROUP
CONTROLS

		X MAIN		XX NOSE OR TAIL			
	LOCATION *		BRAKE			ARREST.	CAT.
		RETRACT.	OPER.	RETRACT	STEERING		
	MECHANICAL OPER. MECH.						
	CONTROLS						
	ACTUATORS						
	BUNGEES						
	ELECTRICAL OPER. MECH.						
	CONTROLS						
	CIRCUITRY **						
	OPERATING MOTORS						
	MECHANISM						
	HYDRAULIC OPER. MECH.						
	CONTROLS						
	PLUMBING **						
	ACCUMULATORS						
	ACTUATORS						
	MECHANISM						
	FLUID						
	PNEUMATIC OPER. MECH.						
	CONTROLS						
	PLUMBING **						
	BOTTLES						
	ACTUATORS						
	MECHANISM						
	EMERGENCY BRAKE						
	LOCKING MECHANISM						
	BRACES						
	LINKS						
	PARKING BRAKE CONTROL						
	POSITION INDICATING MECH.						
	SHIMMY DAMPER/SNUBBER						
	EMERG. EXTENSION (TYPE)						
	SUPPTS, GUIDES, ETC. - WING						
	- TAIL						
	- BODY						
	- NACELLE						
	COLUMN TOTAL						
	TOTALS MAIN,NOSE,ARR, CAT.						
	TOTALS - MAIN,NOSE, ARR, CAT PG 14-15						
	TOTAL - ALIGHTING GEAR GROUP PG 14-15						

* ADD A SUPPLEMENTARY PAGE IF NECESSARY.
**FROM MAIN DISTRIBUTION POINT TO ACTUATING UNIT.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

MIL-STD-1374 PART II-TAB ENGINE SECTION OR NACELLE GROUP PAGE
NAME MODEL
DATE REPORT

1		BODY	BODY		WING	WING	
2		INTERNAL	EXTERNAL		INBOARD	OUTBOARD	
3							
4	ENGINE SUPPORT STRUCTURE						
5							
6							
7	NACELLE OR PYLON SUP. STRUCT						
8							
9	GEAR BOX SUPPORT STRUCTURE						
10							
11	VIBRATION ASBORPTION DEVICES						
12							
13	NACELLE STRUCTURE						
14	BULKHEAD & FRAMES						
15	COVER INCL. STIFFENERS						
16	LONGERONS						
17	FITTINGS						
18	ATTACHING ANGLES, ETC.						
19							
20							
21							
22	PLYONS & STRUTS						
23							
24	FIREWALL						
25							
26							
27							
28							
29							
30	SHROUDS-FIRE PROTECTION						
31							
32	COWLING						
33							
34	DOOR, PNLS, ETC.						
35	DRS.WT. FRAMES						
36	ALIGHT. GEAR						
37	STORES						
38	SONOBUOYS						
39	ENGINE						
40	ACCESS						
41							
42							
43							
44	EXTERIOR FINISH						
45	INTERIOR FINISH						
46							
47	FAIRING-NACELLE TO BLANK						
48							
49	WORKING PLATFORM (BUILT-IN)						
50							
51	INSTALLATION HARDWARE						
52							
53							
54							
55	COLUMN TOTALS						
56							
57	TOTAL ENGINE SECTION OR NACELLE GROUP						

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

		STRUCTURE	OPERATING MECHANISM				TOTAL
			MECH CONTROLS	POWER TRANS.	ACTUATOR & LOCK.MECH	EMERG	
5	INLET LIPS						
7	FIXED DUCT STRUCTURE						
8	FRAMES						
9	COVERS						
10	FITTINGS						
11	ATTACHING ANGLES ETC.						
14	RAMP STRUCTURE						
15	FIXED						
16	VARIABLE						
18	BELLMOUTH						
19	-CONTROLS						
21	PLUG						
22	PLUG TRACKS						
23	PLUG CONTROLS						
26	SPIKE						
27	SPIKE CONTROLS						
30	ENGINE DOMES						
32	MASTER CONTROLS						
34	DOORS						
35	BLEED						
36	BYPASS						
37	COOLING						
42	SUPPORT STRUCTURE						
46	MISC.						
47	WATER INJECTION						
48	HEAT PROTECTION						
49	SCREENS						
50	PARTIAL SEPARATORS						
52	EXTERIOR FINISH						
53	INTERIOR FINISH						
57	TOTAL-AIR INDUCTION SYSTEM GROUP						

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

1				X	AUXILIARY	XX	MAIN	X
2								
3								
4	ENGINE INSTALLATION							
5	ENGINE*							
6	INSTALLATION HARDWARE							
7								
8	REDUCTION GEAR BOXES **							
9								
10	EXTENSION DRIVE SHAFT **							
11								
12	ACCESSORY GR.BOXS. & DRIVES							
13								
14								
15								
16	EXHAUST SYSTEM							
17	TAIL PIPE							
18								
19	SPACE OR EXTENSION							
20								
21	SHROUD							
22	INSULATION							
23	SILENCING DEVICES							
24	SUPPORTS, BRACKETS, ETC.							
25								
26								
27								
28	ENGINE COOLING							
29								
30								
31	WATER INJECTION SYSTEM							
32	TANKS							
33	PUMPS, PLUMBING, & CTLS.							
34								
35	ENGINE CONTROLS							
36	THROTTLE							
37	SHUTDOWN							
38	CIRCUITRY							
39								
40	STARTING SYSTEM							
41	STARTER PWR.UT.(TYPE)							
42	STARTER (TYPE)							
43	CONTROLS							
44	CIRCUITRY							
45								
46								
47	PROPELLER INSTL.(DIA.)NO.							
48	PROPELLER							
49	SPINNERS							
50	CONTROLS							
51	OIL (GALS.)							
52	TANK & PLUMBING							
53								
54	SMOKE ABATEMENT							
55	COLUMN TOTALS							
56	PAGE TOTAL							
57								

* ISOLATE MAJOR CONTRACTOR FURNISHED AREAS OF INSTALLATION E.G. NOZZLES, THRUST REVERSERS, INFRA-RED, NOISE SUPPRESSORS, ETC.

**PROPELLER GEAR BOX AND EXTENSION SHAFT ONLY.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

1				X AUXILIARY XX MAIN X			
2	* VOL-EA	WET AREA		LUBRI-	FUEL	LUBRI-	FUEL
3	TYPE LOC QTY GAL	SQ FT		CATION		CATION	
4	TANKS						
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16	BACKING BOARD						
17	TANK SUPPORTS AND PADDING						
18	INTEGRAL TANK SEAL & SLNT.						
19	FIRE SUPPRESSION MATERIAL						
20							
21	TANK RELEASE & CONTROLS						
22	OIL COOLING INSTALLATION						
23	COOLERS & SUPPORTS						
24	DUCTS & SHUTTERS						
25	SHUTTER CONTROLS						
26	BLOWER SYSTEM						
27							
28	OIL DILUTION SYSTEM						
29							
30							
31	PUMPS, PLUMBING, ETC.						
32	FUEL INERTING-CYL. & SUPTS.						
33	GENERATOR						
34	CONTROLS						
35							
36	EXTERNAL FUEL SYSTEM						
37	FUEL TEMPERATURE CT. SYS.						
38							
39	PUMP INSTALL. QTY. TYPE						
40	ENGINE DRIVEN						
41	BOOSTER						
42	TRANSFER						
43	SUPPORTS & CIRCUITRY						
44							
45	FILLING SYSTEM** -GROUND						
46	-IN FLIGHT						
47	-CIRCUITRY						
48	ENGINE DRAINS						
49	DISTRIBUTION SYSTEM						
50	TRANSFER SYSTEM						
51	VENT. SYSTEM						
52	PRESSURIZATION SYSTEM						
53	DUMP SYSTEM						
54	VAPOR RECOVERY						
55	COLUMN TOTALS						
56	PAGE TOTAL-LUBE & FUEL SYS						
57							

* INDICATE TYPE AS TO SELF SEAL, BLADDER, ALUMINUM, ETC. WITH TOTALS SHOWN FOR PROTECTED AND UNPROTECTED TANKS.
**IDENTIFY AS PRESSURE (P) OR GRAVITY (G).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

		* GEAR BOXES				LUB. SYSTEM	ROTOR BRAKE & MISC
1							
2							
3							
4	GEAR BOXES						
5	CASES & HOUSING						
6	BEARINGS						
7	SEALS, SPACER & RETAINER						
8	GEARS - DRIVE						
9	- DRIVER						
10	- IDLER						
11							
12	PLANET GEAR ASSEMBLIES						
13	SHAFTING (INTERNAL)						
14	ACCESSORY DRIVES						
15	SUMPS						
16							
17							
18							
19							
20							
21							
22	GEAR BOX LUB. SYSTEM						
23	-PUMPS						
24	-TANKS						
25	-COOLERS						
26	-BLOWER SYSTEM						
27	-PLUMBING						
28	-OIL						
29							
30							
31							
32							
33	ROTOR BRAKE						
34							
35							
36							
37	FREE WHEELING DEVICE						
38	DEPHASING UNIT						
39							
40							
41							
42							
43							
44							
45	SUPPORTS						
46	-GEAR BOXES						
47	-LUBRICATING SYSTEM						
48	-ROTOR BRAKE						
49							
50							
51							
52	DRIP PAN						
53	EXTERIOR FINISH						
54							
55	COLUMN TOTALS						
56	PAGE TOTAL - DRIVE SYSTEM						
57							

*INSERT A GEAR BOX IDENTIFICATION IN THE COLUMN HEADINGS, AND DO LIKEWISE ON A SUPPLEMENTAL PAGE 20A IF IT IS REQUIRED FOR AN AUXILIARY DRIVE SYSTEM.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

MIL-STD-1374 PART II-TAB
NAME
DATE

PROPULSION GROUP
DRIVE SYSTEM - POWER TRANSMISSION
TO ROTORS, FANS OR PROPS
CONT.

PAGE
MODEL
REPORT

1		X	TRANSMISSION DRIVE			X	
2	* FROM	ENGINE	BOX	BOX	BOX	ROTOR SHAFT	JET DRIVE
3	* TO	BOX	BOX	BOX	BOX		
4							
5	TRANSMISSION DRIVE						
6	SHAFTS						
7	UNIVERSAL JOINTS						
8	COUPLINGS						
9	SEALS, SPACERS, RETAINER						
10	ADAPTERS						
11	BALANCE WEIGHTS						
12	VIB. ABSORBING DEVICES						
13	SUPPORTS						
14							
15							
16	BELTS						
17	PULLEYS						
18	IDLERS						
19	TENSION DEVICES						
20	LUBRICATION						
21							
22							
23							
24							
25							
26							
27							
28	ROTOR SHAFT						
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
41							
42							
43							
44							
45							
46							
47							
48							
49							
50							
51							
52							
53							
54	COLUMN TOTALS						
55	TOTAL FOR TRANSMISSION DRIVE						
56	PAGE TOTALS - DRIVE SYSTEM -CONT						
57	TOTAL-PROPULSION GROUP - PG 18-21						

*INSERT A GEAR BOX IDENTIFICATION IN THE COLUMN HEADINGS, AND DO LIKEWISE ON A SUPPLEMENTAL PAGE 21A IF IT IS REQUIRED FOR AN AUXILIARY DRIVE SYSTEM.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

						COCKPIT CONTROLS	AUTO-PILOT
1							
2							
3							
4	CONTROL COLUMN OR STICK						
5	-PILOT						
6	-ASSISTANT PILOT						
7	-CONNECTING MEMBERS FOR ABOVE						
8	-SUPPORTS						
9							
10							
11							
12	RUDDER OR TAIL ROTOR PEDALS						
13	-PILOT						
14	-ASSISTANT PILOT						
15	-CONNECTING MEMBERS FOR ABOVE						
16	-PEDAL ADJUSTMENT						
17	-SUPPORTS						
18							
19							
20							
21	COLLECTIVE PITCH STICK						
22	-PILOT						
23	-ASSISTANT PILOT						
24	-CONNECTING MEMBERS FOR ABOVE						
25	-SUPPORTS						
26							
27							
28							
29	INTEGRAL PARKING LOCK						
30							
31							
32							
33							
34	AUTOPILOT OR AUTOSTABILIZATION						
35	(TYPE)						
36	GYROS						
37	ACCELEROMETERS						
38	SENSORS						
39							
40	COMPUTER						
41	AMPLIFIER						
42							
43	SERVOS						
44							
45	CONTROLS						
46							
47	PLUMBING *						
48	FLUID *						
49	CIRCUITRY *						
50	MECHANISM						
51	SUPPORTS & BRACKETS						
52							
53							
54							
55	COLUMN TOTALS						
56	PAGE TOTALS-COCKPIT CONTROLS & AUTOPILOT						
57							

*FROM MAIN DISTRIBUTION POINTS TO ACTUATING UNITS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

1		X	LATERAL *	X	LONGI-	DIREC-	WING
2					TUDINAL*	TIONAL*	POSI-
3	TYPE *						TIONING
4							
5	MECHANICAL OPER. MECH.						
6	CONTROLS						
7	TENSION REGULATORS						
8	ACTUATORS						
9							
10	ELECTRICAL OPER. MECH.						
11	CONTROLS						
12	CIRCUITRY **						
13	OPERATING MOTORS						
14	MECHANISM						
15							
16							
17	HYDRAULIC OPER. MECH.						
18	CONTROLS						
19	PLUMBING **						
20	ACCUMULATORS						
21	ACTUATORS						
22	MECHANISM						
23	FLUID **						
24							
25							
26	PNEUMATIC OPER. MECH.						
27	CONTROLS						
28	PLUMBING OR DUCTING **						
29	BOTTLES (AIR)						
30	ACTUATORS OR NOZZLES						
31	MECHANISM						
32							
33							
34	ARTIFICIAL FEEL						
35	BOB WEIGHT						
36							
37	DAMPING						
38							
39							
40							
41	TRIM CONTROLS						
42	MECHANICAL OPER. MECH.						
43	ELECTRICAL OPER. MECH.						
44	HYDRAULIC OPER. MECH.						
45							
46	TRIM CONTROL SUPPORTS						
47							
48	SUPPORTS, GUIDES, ETC.						
49	-WING						
50	-TAIL						
51	-BODY						
52							
53							
54							
55	COLUMN TOTALS						
56	TOTAL - SYSTEMS CONTROL PAGE						
57							

* IDENTIFY THE TYPE OF CONTROL SURFACE - AILERON, FLAPERON, ETC. AND TYPE OF POWER - POWERED (P) OR BOOST (B).

**FROM MAIN DISTRIBUTION POINTS TO ACTUATING UNITS.

Source: https://assist.dla.mil - Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

1		L.E.FLAP	T.E.	STAB.	SPEED		
2		OR SLAT*	FLAPS*	ADJ.	BRAKES*		B.L.C.
3	TYPE *						
4							
5	MECHANICAL OPER. MECH.						
6	CONTROLS						
7	TENSION REGULATORS						
8	ACTUATORS						
9							
10	ELECTRICAL OPER. MECH.						
11	CONTROLS						
12	CIRCUITRY **						
13	OPERATING MOTORS						
14	MECHANISM						
15							
16							
17	HYDRAULIC OPER. MECH.						
18	CONTROLS						
19	PLUMBING **						
20	ACCUMULATORS						
21	ACTUATORS						
22	MECHANISM						
23	FLUID **						
24							
25							
26	PNEUMATIC OPER. MECH. ***						
27	CONTROLS						
28	PLUMBING OR DUCTING **						
29	BOTTLES (AIR)						
30	ACTUATORS OR NOZZLES						
31	MECHANISM						
32							
33							
34	ARTIFICAL FEEL						
35	BOB WEIGHT						
36							
37							
38							
39	DAMPING						
40							
41	TRIM CONTROLS						
42	MECHANICAL OPER. MECH.						
43	ELECTRICAL OPER. MECH.						
44	HYDRAULIC OPER. MECH.						
45							
46	TRIM CONTROL SUPPORTS						
47							
48	SUPPORTS, GUIDES, ETC.						
49	-WING						
50	-TAIL						
51	-BODY						
52							
53							
54							
55	COLUMN TOTALS						
56	TOTAL - SYSTEMS CONTROL PAGE						
57							

* IDENTIFY THE TYPE OF CONTROL SURFACE - SLOTTED, FOWLER, KRUEGER, ETC.
** FROM THE MAIN DISTRIBUTION POINTS TO THE ACTUATING UNITS.
***INCLUDE BOUNDARY LAYER OF REACTION CONTROLS UNDER THIS HEADING.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

1		X	NON-ROTATING			XX	ROTATING X
2		LONGI-	LATERAL	DIREC-	COLLEC-	MAIN	TAIL
3		TUDINAL		TIONAL	TIVE	ROTOR	ROTOR
4	TYPE *						
5							
6	MECHANICAL OPER. MECH.						
7	CONTROLS						
8	TENSION REGULATORS						
9							
10	MIXER						
11							
12	SWASHPLATE						
13	PITCH BEAM						
14	LINKAGES						
15	DRIVE ARMS - SCISSORS						
16	SLIDER						
17	BEARINGS						
18							
19	ELECTRICAL OPER. MECH.						
20	CONTROLS						
21	CIRCUITRY **						
22	OPERATING MOTORS						
23	MECHANISM						
24							
25	HYDRAULIC / PNEU.OPER.MECH.						
26	CONTROLS						
27	PLUMBING **						
28	ACCUMULATORS						
29	AIR BOTTLES						
30	ACTUATORS - MAIN						
31	- AUXILIARY						
32	MECHANISM						
33	FLUID **						
34							
35							
36	STABILIZER / GYRO BAR						
37							
38	ARTIFICIAL FEEL						
39							
40	DAMPING						
41							
42	TRIM CONTROLS						
43	MECHANICAL OPER. MECH.						
44	ELECTRICAL OPER. MECH.						
45	HYDRAULIC OPER. MECH.						
46	TRIM CONTROL SUPPORTS						
47							
48	SUPPORTS, GUIDES, ETC.						
49	-WING						
50	-TAIL						
51	-BODY						
52							
53							
54							
55	COLUMN TOTALS						
56	TOTAL - SYSTEMS CONTROL PAGE						
57							

* INDICATE TYPE OF POWER - (P) FOR POWERED OR (B) FOR BOOST.
**FROM THE MAIN DISTRIBUTION POINTS TO THE ACTUATING UNITS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

1		ROTOR/FAN NACELLE					
2		MIXING	ATTITUDE	ATTITUDE			
3	TYPE *						
4							
5	MECHANICAL OPER. MECH.						
6	CONTROLS						
7	TENSION REGULATORS						
8	ACTUATORS						
9							
10	ELECTRICAL OPER. MECH.						
11	CONTROLS						
12	CIRCUITRY **						
13	OPERATING MOTORS						
14	MECHANISM						
15							
16							
17	HYDRAULIC OPER. MECH.						
18	CONTROLS						
19	PLUMBING **						
20	ACCUMULATORS						
21	ACTUATORS						
22	MECHANISM						
23	FLUID **						
24							
25							
26	PNEUMATICS OPER. MECH.						
27	CONTROLS						
28	PLUMBING OR DUCTING **						
29	BOTTLES (AIR)						
30	ACTUATORS OR NOZZLE						
31	MECHANISM						
32							
33							
34	ARTIFICIAL FEEL						
35	BOB WEIGHT						
36							
37							
38	DAMPING						
39							
40							
41	TRIM CONTROLS						
42	MECHANICAL OPER. MECH.						
43	ELECTRICAL OPER. MECH.						
44	HYDRAULIC OPER. MECH.						
45							
46	TRIM CONTROL SUPPORTS						
47							
48	SUPPORTS, GUIDES, ETC.						
49	-WING						
50	-TAIL						
51	-BODY						
52							
53							
54							
55	COLUMN TOTALS						
56	TOTAL - SYSTEMS CONTROLS TRANSITION						
57	TOTAL - FLIGHT CONTROLS GROUP - PG 22-26						

* INDICATE TYPE OF POWER - (P) FOR POWERED OR (B) FOR BOOST.
**FROM THE MAIN DISTRIBUTION POINTS TO THE ACTUATING UNITS.

Source: https://assist.dla.mil - Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

1							
2							
3							
4	ENGINE OR POWER UNIT MODEL						
5	ENGINE						
6	ENGINE SUPPORTS						
7							
8	AIR INDUCTION SYSTEM						
9							
10	EXHAUST SYSTEM						
11							
12	HYDRAULIC SYSTEM-PLUMBING						
13	-FLUID						
14							
15							
16	COOLING SYSTEM						
17							
18							
19							
20	LUBRICATING SYSTEM						
21	TANKS (VOL. GALS.)						
22	PLUMBING						
23	OIL						
24							
25							
26	FUEL SYSTEM						
27	TANKS (VOL. GALS.)						
28	PLUMBING						
29							
30							
31	CONTROLS						
32							
33							
34							
35	STARTING SYSTEM						
36							
37							
38							
39							
40	SUPPORTS						
41							
42	FIRE BARRIER						
43							
44	FIRE EXTINGUISHING SYSTEM						
45							
46	INSTRUMENTS						
47							
48	ELECTRICAL SYSTEM						
49							
50							
51							
52							
53							
54							
55	COLUMN TOTALS						
56	TOTAL - PAGE						
57	TOTAL - AUXILIARY POWER PLANT GROUP						

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

MIL-STD-1374 PART II - TAB INSTRUMENT GROUP PAGE
NAME MODEL
DATE REPORT

1	FUNCTIONAL GROUP, ITEMS	X	INDICATOR		X	TRANSMIT & AMPL	X	INSTALL
2	AND QUANTITY	X	GFE	CFE	X	GFE	CFE	X
3								
4								
5								
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								
27								
28								
29								
30								
31								
32								
33								
34								
35								
36								
37								
38								
39								
40								
41								
42								
43								
44								
45								
46								
47								
48								
49								
50								
51								
52								
53								
54								
55	COLUMN TOTALS							
56	TOTAL - PAGE							
57	TOTAL - INSTRUMENTS GROUP							

*LIST ITEMS BY FUNCTIONAL GROUPS (FLIGHT, ENGINE, AND MISC.) LIST SUB-GROUPS BY CREW STATIONS. ADD SUPPLEMENTARY PAGES 28A IF THEY ARE NECESSARY. CODE NAVIGATIONAL EQUIPMENT TO FURNISHINGS PAGE 35.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

1		X	HYDRAULIC *		XX	PNEUMATIC *	X
2		FLT. CON		UTILITY	EMERG.	UTILITY	EMERG.
3	SYSTEM PRESSURE (PSI)						
4							
5	PUMPS & COMPSRS. QTY. MODEL						
6							
7							
8							
9							
10							
11							
12	REMOTE PUMP DRIVES						
13	QTY. CAP. EA.						
14	RESERVOIRS						
15							
16	BOTTLES						
17	ACCUMULATORS						
18							
19							
20	HEAT EXCHANGERS						
21							
22	MODULES **						
23							
24							
25	FILTERS						
26	PRESSURE REGULATORS						
27							
28	VALVES						
29							
30							
31							
32	CONTROLS						
33							
34							
35							
36	PLUMBING						
37							
38							
39	FLUID (TYPE)(GALS.)						
40							
41	SUPPORTS - WING						
42	- TAIL						
43	- BODY						
44	- NACELLE						
45							
46	FURNISHES POWER FOR-(ITEMS)						
47							
48							
49							
50							
51							
52							
53							
54							
55	COLUMN TOTALS						
56	TOTAL - PAGE						
57	TOTAL - HYDRAULIC AND PNEUMATIC GROUP						

* INCLUDES THE SYSTEM FROM SOURCES OF POWER TO THE MAIN DISTRIBUTION POINTS.
**WHERE SYSTEM COMPONENTS ARE INTEGRATED INTO MODULES (I.E. A FLUIDIC COMPUTER), SHOW THE WEIGHT FOR EACH MODULE AND IDENTIFY IT.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

MIL-STD-1374 PART II - TAB ELECTRICAL GROUP * PAGE
NAME MODEL
DATE REPORT

				AC(HZ)	(VOLTS)	DC(AMP)	(VOLTS)
1							
2							
3	POWER SUPPLY KVA AMP QTY						
4	GENERATOR-MAIN						
5	-AUX.						
6	-EMERG.						
7	CONSTANT SPEED DRIVE						
8							
9	REMOTE GENERATOR DRIVES						
10	COOLING-GEN. & GEN. DRIVE						
11	BATTERY(AN)(NO.)(AH)						
12	BATTERY CONTAINER & SUPT.						
13							
14	PWR CONVERSION KVA AMP QTY						
15	INVERT. (DC-AC)						
16	CONVRT. (AC-DC)						
17	TRANSFORMER						
18	TRANS. RECTIFR.						
19	FREQNC. CONVRT.						
20							
21							
22	PWR. DISTRIBUTION & CNTLS.						
23	GENERATOR CONTROL BOXES						
24	CUTOUTS & VOLT. REGULATORS						
25	AMMETERS & VOLTMETERS						
26	SWITCHES, RHEO., SW. PANELS						
27	CIRCUIT BREAKERS & FUSES						
28	JUNCT., FUSE & DIST. BOXES						
29	RECEPT. & CONNECTOR PLUGS						
30	RELAYS						
31	WIRING						
32	CONDUIT						
33							
34	LIGHTS & SIGNAL DEVICES						
35	LIGHTS - INTERIOR						
36	- EXTERIOR						
37	- LDG.-TAXI (INCL. MECH.)						
38							
39	SIGNAL DEVICES - LIGHTS						
40	- HORNS						
41							
42							
43	EQUIPMENT SUPPORTS						
44	- WING						
45	- TAIL						
46	- BODY						
47	- NACELLE						
48							
49	FURNISHES POWER FOR-(ITEMS)						
50							
51							
52							
53							
54							
55	COLUMN TOTALS						
56	TOTAL - PAGE						
57	TOTAL - ELECTRICAL GROUP						

*INCLUDES THE SYSTEM FROM THE SOURCES OF POWER TO THE MAIN DISTRIBUTION POINTS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

1	EQUIPMENT COMPONENTS AND	X EQUIPMENT			XX INSTALLATION		X
2	PART NOS. OR IDENTIFICATION		GFE	CFE	GFE	CFE	
3	LIST BY FUNCTIONAL GROUP *						
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
41							
42							
43							
44							
45							
46							
47	AVIONICS INSTALLATION						
48	TABLES						
49	RACKS, SHELVES, & SUPTS.						
50	LOCKERS						
51	PODS (IF NOT U.L.)						
52	CRASH DATA RECORDER						
53							
54							
55	COLUMN TOTALS						
56	TOTAL - PAGE						
57	TOTAL - AVIONICS GROUP PG 31-						

*LIST THE COMPONENTS (INCLUDING ANTENNAE, SWITCHES, RELAYS, FILTERS, ETC.) FROM THE MAIN DISTRIBUTION POINTS TO THE UNIT OPERATED BY A FUNCTIONAL GROUP (E.G. COMMUNICATIONS, VHF SEARCH, NAVIGATION, INTERCOMMUNICATIONS, ETC.). DO NOT INCLUDE NOSE RADOMES. ADD SUPPLEMENTARY PAGES 31A IF IT IS NECESSARY.

Source: https://assist.dla.mil - Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

	LOCATION *						
1							
2							
3							
4	GUN PROVISIONS						
5	AMMUNITION - FEED CHUTES						
6	- CONTAINERS						
7							
8							
9	CASES & LINK RECEPTACLES						
10	MOUNTS & SUPPORTS						
11	BLAST TUNNELS (INTEGRAL)						
12	AMMUNITION BOOSTERS						
13							
14	GUN CHARGER INSTALL.						
15	SCAVENGING SYSTEM						
16	GUN SIGHT						
17	HEATING						
18	FIRE INTERRUPTERS						
19							
20							
21							
22	TURRET SYSTEMS (TYPE)**						
23							
24							
25							
26							
27							
28	PASSIVE PROTECTION						
29	BULLET RESISTANCE GLASS ***						
30	ARMOR (NON-STRUCT.)-PILOT						
31	-COPILOT						
32							
33							
34							
35							
36							
37							
38							
39	FLAK (CURTAINS, ETC.)						
40							
41	RADIATION SHIELD						
42							
43							
44	SUBMARINE DETECTION						
45	STOWAGE						
46	DISPENSER OR CHUTE-PRESS						
47	-UNPRESSURIZED						
48	-RETR. MECH.						
49	-SUPPORTS						
50	-COVERS						
51	EJECTOR						
52	PLUMBING						
53	CONTROLS						
54							
55	COLUMN TOTALS						
56	TOTAL PAGE - GUNS, TURRETS, ARMOR & SUBMARINE DETECTION						
57							

* DESCRIPTIVE LOCATION E.G. 20MM GUNS (2) NOSE, TURRET-NOSE, SONOBUOYS (SSQ-15), AFT FUSELAGE, S.U.S. (MK-50), ETC.

** LIST COMPONENTS BY PACKAGED GROUPS (TURRET STRUCTURE, ACCESSORIES, CIRCUITRY, ETC.). ADD SUPPLEMENTARY PAGES 32A IF IT IS NECESSARY.

***OTHER THAN ITEM 12-16.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

1							
2	LOCATION *						
3							
4							
5							
6	EXPENDABLE WEAPONS						
7	CONTROLS & PROVISIONS						
8	-CONTROLS (SELECT)						
9							
10	-RELEASE OR LAUNCH						
11							
12							
13	-JETTISON SYSTEM						
14							
15	-FUSING						
16							
17	-HEATING						
18							
19							
20							
21							
22							
23							
24	INSTALLATION **						
25	-RACKS (TYPE NO.)						
26							
27	-RAILS OR TRACKS						
28							
29							
30							
31							
32	-PYLONS						
33							
34	-LAUNCHERS						
35							
36							
37							
38							
39							
40							
41	SUPPORTS						
42	-RACKS						
43							
44	-RAILS OR TRACKS						
45							
46	-PYLONS						
47							
48	-LAUNCHERS						
49							
50	STORE HOIST (BUILT-IN ONLY)						
51							
52							
53							
54							
55	COLUMN TOTALS						
56	TOTAL PAGE - EXPENDABLE WEAPON PROVISIONS						
57	TOTAL - ARMAMENT GROUP PG 32-33						

* PROVIDE A DESCRIPTIVE LOCATION - E.G. BOMBS - FUSELAGE INTERNAL (MAX. SIX MK-83), MISSILES - FUSELAGE EXTERNAL (MAX. FOUR AIM-54A), MISSILES - WING EXTERNAL (MAX. TWO AIM-54A).

**IF NOT SPECIFIED AS USEFUL LOAD. ADD A SUPPLEMENTARY PAGE 33A IF IT IS NECESSARY.

Source: https://assist.dla.mil - Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

1		X	SEATS			XX	XX	X
2		PILOT	COPILOT	*	*	MISC.		OXYGEN
3						ACCOM.		SYSTEM
4	SEATS (MODEL)							
5	SEAT STRUCTURE							
6	HEADREST							
7	CUSHIONS ***							
8								
9	BELT							
10	HARNESS							
11	INERTIA REEL							
12								
13	CATAPULT							
14	ROCKET							
15	DROGUE SYSTEM							
16	STABILIZATION SYSTEM							
17								
18	PARACHUTE (MODEL)**							
19	SURVIVAL KIT (MODEL)**							
20								
21	RAILS							
22	ADJUSTING MECHANISM							
23	INSTALLATION HARDWARE							
24	EJECTION CONTROLS							
25	EJECTION SEQUENCING SYS.							
26								
27	MISCELLANEOUS ACCOMMODATION							
28	BUNKS (NO.) & SUPPORTS							
29	LITTERS (NO.) & SUPPORTS							
30								
31	PARACHUTE STOWAGE							
32	TOILETS							
33	WASH BASINS							
34	WATER TANKS & PIPING							
35	DRINKING WATER PROVISION							
36	STOVES OR HOTPLATES							
37	REFRIGERATORS							
38	LOCKERS - FOOD							
39	- PERSONAL EFFECTS							
40								
41	EXPOSURE SUIT PROVISIONS							
42	ANTI-G SUIT PROVISIONS							
43	PRESSURE SUIT PROVISIONS							
44								
45	OXYGEN SYSTEM							
46	BOTTLES * (SIZE) (NO.)							
47	REGULATORS(SIZE) (NO.)							
48	CONVERTERS(SIZE) (NO.)							
49	HEAT EXCHANGERS							
50	PLUMBING							
51	CONTROLS							
52								
53	SUPPORTS							
54								
55	COLUMN TOTALS							
56	TOTAL PAGE - ACCOMMODATIONS FOR PERSONNEL							
57								

* IF THERE ARE MORE THAN 5 CREWMEMBERS, AND ADDITIONAL SPACE IS REQUIRED, ADD ADDITIONAL PAGE 34A.
** IF THEY ARE NOT SPECIFIED AS USEFUL LOAD OR SPECIAL EQUIPMENT.
***IF THEY ARE LOCATED IN THE SEAT AND ARE NOT SPECIFIED AS USEFUL LOAD.

Source: https://assist.dla.mil - Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

						MISC. EQUIP.	FURNI-SHINGS
1							
2							
3							
4	MISCELLANEOUS EQUIPMENT						
5	PORTABLE PLATFORM/LADDER						
6							
7	DATA CASES & HOLDERS						
8							
9	MANUALS *						
10	BALANCE COMPUTER & SUPT.						
11	WEIGHING DEVICE-BUILT-IN						
12	TOOL LOCKERS						
13							
14	RAIN REMOVAL - WIPERS						
15	- FORCED AIR						
16	- CHEMICAL						
17	WINDSHIELD WASHERS						
18							
19	RELEASE MECH.-TARGET TOW						
20							
21	BILGE SYSTEM						
22							
23	REAR VIEW MIRRORS						
24	AUXILIARY FLOORING						
25							
26	COCKPIT DISPLAY-CONSOLES						
27	-INSTRUMENT PANELS						
28	-OVERHEAD PANELS						
29	-SIDE CONSOLES						
30	-CENTER CONTROL STAND						
31							
32	NAVIGATION - LOCKERS						
33	-TABLES						
34	-SHELVES						
35	-STOWAGE						
36							
37	-CHARTS & MAPS						
38							
39							
40							
41	GLARE SHIELD						
42							
43							
44	FURNISHINGS						
45	-FLOOR COVERING						
46	-ACCOUSTIC INSULATION						
47	-THERMAL INSULATION						
48	-TRIM						
49	-CURTAINS & SCREENS						
50	-CRASH PADDING						
51							
52	-PARTITIONS (NON-STRUCT)						
53	-VIBRATION ABSORBERS						
54							
55	COLUMN TOTALS						
56	TOTAL PAGE - MISC. EQUIP. & FURNISHINGS						
57							

*IF THEY ARE NOT SPECIFIED AS SPECIAL EQUIPMENT, INCLUDE THEM UNDER THIS ITEM.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

1		FIRE EXTINGUISH. & DETECT					OTHER
2		ENGINE	BAGGAGE	FUEL			EMERG.
3		COMP'T.	COMP'T.	COMP'T			EQUIP.
4							
5	FIRE EXTINGUISH. & DETECTN.						
6	FIXED EXTINGUISHER SYST.						
7	BOTTLES-TYPE						
8	-SIZE						
9	-NUMBER						
10	-WEIGHT						
11	PLUMBING						
12	CONTROLS						
13	SUPPORTS						
14							
15	PORTABLE SYSTEM						
16	BOTTLES-SIZE NO.						
17							
18	SUPPORTS						
19							
20							
21	FIRE DETECTION SYSTEM						
22							
23	FIRE RESISTANT PAINT						
24							
25	FIRE CURTAINS						
26							
27							
28							
29							
30	OTHER EMERGENCY EQUIPMENT*						
31	FIRST AID KITS & STOWAGE						
32	SURVIVAL KITS & STOWAGE						
33							
34							
35	FLASHLIGHTS (NO.)						
36							
37	AXES (NO.)						
38	SIGNAL PISTOLS & CAR.HOLDERS						
39	PARA.FLARES-CONTAINERS (NOS.)						
40	-RACKS (CAP.)						
41	-RELEASE MECH.						
42							
43							
44	STOWAGE-EMERG. FOOD & WATER						
45							
46	LIFE RAFTS-TYPE NO.						
47							
48							
49	LIFE RAFT SUPPORTS						
50							
51	ESCAPE LADDERS						
52	ESCAPE ROPES						
53							
54							
55	COLUMN TOTALS						
56	TOTAL PAGE - EMERGENCY EQUIPMENT						
57	TOTAL - FURNISHINGS & EQUIPMENT GROUP						

*IF IT IS NOT SPECIFIED AS USEFUL LOAD OR SPECIAL EQUIPMENT, INCLUDE IT UNDER THIS HEADING.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

		COCKPIT SYSTEM	CABIN SYSTEM	ELECTRN. SYSTEM	WEAPON BAY SYS.		COMMON SYSTEM
4	FUNCTIONS PERFORMED *						
5	HEATERS(BTU)(NO.)**						
7	COMPRESSORS (NO.)						
8	HEAT EXCHANGERS (NO.)**						
10	TURBINES (NO.)						
11	FANS (NO.)						
12	MOTORS (NO.)						
14	VAPOR CYCLE SYSTEM						
15	COMPRESSORS (NO.)						
16	CONDENSERS (NO.)						
17	EVAPORATORS (NO.)						
19	PLUMBING						
20	FLUID(TYPE)(QTY)						
22	PUMPS						
23	TANKS						
24	FLUID (TYPE)(QTY)						
26	WATER SEPARATORS						
27	PRESSURE REGULATORS						
30	SCOOPS						
31	DUCTING(INCL. INSULATION)						
37	PLUMBING						
40	CONTROLS						
41	MANUAL						
42	ELECTRICAL						
43	HYDRAULIC (FLUID LBS)						
44	PNEUMATIC						
47	DEFOG SYSTEM						
48	SUPPORTS & BRACKETS						
49	WING						
50	TAIL						
51	BODY						
52	NACELLE						
54	PRESSURIZATION SEALING						
55	COLUMN TOTAL						
56	TOTAL PAGE						
57	TOTAL - AIR CONDITIONING GROUP						

* INDICATE FUNCTION PERFORMED: VENTILATION - V, HEATING - H, COOLING - C, PRESSURIZATION - P.
**IF THEY ARE NOT SPECIFIED AS SPECIAL EQUIPMENT, INCLUDE THEM UNDER THIS HEADING.

Source: https://assistdla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

MIL-STD-1374 PART II - TAB ANTI-ICING GROUP PAGE
NAME MODEL
DATE REPORT

		WING	TAIL	AIR INDUCTN.	ROTOR OR PROPELL.	CANOPY & WINDSHD.	FUEL SYSTEM
1							
2							
3							
4	HEATERS * NO. BTU						
5							
6							
7							
8							
9							
10							
11	HEAT EXCHANGERS (NO.)						
12							
13							
14							
15	DUCTING						
16	SHROUDING						
17							
18							
19	BOOTS *						
20							
21	ATTACHING STRIPS*						
22							
23	OIL SEPARATORS						
24							
25	AIR PUMPS						
26							
27	AIR LINES & HOSES						
28							
29	TANKS						
30							
31	FLUID (GALS.)						
32							
33	PLUMBING						
34							
35	DISTRIBUTOR						
36	VALVE						
37	CONTROLS						
38							
39	CONTROLS						
40	MANUAL						
41	ELECTRICAL						
42	HYDRAULIC (FLUID LBS)						
43	PNEUMATIC						
44							
45	CIRCUITRY **						
46							
47	SUPPORTS						
48	ROTOR						
49	WING						
50	TAIL						
51	BODY						
52	NACELLE						
53							
54							
55	COLUMN TOTAL						
56	TOTAL PAGE						
57	TOTAL - ANTI-ICING GROUP						

* IF NOT SPECIFIED AS SPECIAL EQUIPMENT, INCLUDE THEM UNDER THE GIVEN HEADING.
**FROM THE MAIN DISTRIBUTION POINTS TO THE ACTUATING UNIT.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

MIL-STD-1374 PART II - TAB PHOTOGRAPHIC GROUP PAGE
NAME MODEL
DATE REPORT

1				PHOTO		INSTALLATION	
2				EQUIPMENT		PROVISIONS	
3							
4							
5	EQUIPMENT ITEM * MODEL						
6							
7	CAMERAS						
8							
9	OPTICAL VIEWFINDERS						
10							
11	INDICATOR PANELS						
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	MOUNTS & ADAPTERS						
23							
24							
25							
26							
27							
28	INSTALLATION PROVISIONS						
29							
30							
31							
32							
33							
34							
35							
36							
37							
38							
39							
40							
41							
42							
43							
44							
45	CONTROLS						
46	SUPPORTS						
47							
48							
49							
50	CIRCUITRY						
51							
52							
53							
54							
55	COLUMN TOTAL						
56	TOTAL PAGE						
57	TOTAL - PHOTOGRAPHIC GROUP						

*IF NOT SPECIFIED AS USEFUL LOAD OR SPECIAL EQUIPMENT, INCLUDE IT UNDER THE GIVEN HEADINGS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

MIL-STD-1374 PART II - TAB LOAD AND HANDLING GROUP * PAGE
NAME MODEL
DATE REPORT

1							AIRCRAFT	LOAD
2						BALLAST	HANDLING	HANDLING
3								
4								
5								
6	HOISTING SLING							
7								
8	FITTINGS							
9	TIE DOWN							
10	JACKING							
11								
12	TOWING							
13	LEVELING							
14	HOISTING							
15								
16	ANCHORAGE							
17								
18								
19	BLADE STOWAGE RACKS							
20	TAIL POST JACK							
21								
22								
23	TIE DOWN FITTINGS							
24								
25								
26	PALLET RAILS & SUPPORTS							
27	PALLET WINCH MECHANISM							
28								
29	RAMPS - CARGO LOADING							
30								
31	DROP LINE INSTALLATION							
32								
33	AERIAL DELIVERY SYSTEM							
34								
35	BOOM ASSY. (HOIST)							
36								
37	HOIST							
38								
39								
40	BALLAST							
41								
42								
43	BALLAST PROVISIONS							
44								
45								
46								
47								
48								
49								
50	GEAR STOWAGE PROVISION							
51								
52								
53								
54								
55	COLUMN TOTAL							
56	TOTAL PAGE							
57	TOTAL - LOAD & HANDLING GROUP							

*DO NOT INCLUDE ITEMS SPECIFIED AS SPECIAL EQUIPMENT OR USEFUL LOAD.

Source: https://assist.dla.mil - Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

SPECIAL EQUIPMENT *
NOT INCLUDED IN WEIGHT EMPTY

1							
2							
3							
4	TARGET TOWING EQUIPMENT						
5	HOIST NOT BUILT IN - CARGO						
6	- ENGINE						
7	- WEAPONS						
8							
9	SPECIAL LOADING PLATFORMS						
10	ENGINE MAINT. PLAT. (IF NOT BUILT IN)						
11							
12	HOISTING SLING						
13							
14	LIFE RAFTS-TYPE QTY						
15							
16	COVERS - COCKPIT						
17	- AIR INDUCTION						
18							
19							
20	TOOL KITS						
21							
22							
23	ANTI-ICING BOOTS - WING						
24	- TAIL						
25							
26							
27	ANTI-ICING FLUID						
28							
29							
30	FIRE EXTINGUISHER BOTTLE & VALVE						
31	ENGINE (SIZE QTY)						
32							
33	PORTABLE (SIZE QTY)						
34							
35							
36							
37	FUEL TANKS						
38	TYPE QTY. LOC. CAP.						
39							
40							
41							
42							
43							
44	ASSIST TAKE OFF INSTAL.						
45	BOTTLES - SIZE QTY						
46							
47							
48	TROOP SEATS						
49	PORTABLE LITTERS						
50							
51							
52	PORTABLE LADDERS						
53							
54							
55							
56							
57							

*INCLUDE ON THIS PAGE ONLY THOSE ITEMS WHICH ARE AIRBORNE EQUIPMENT NOT SPECIFIED AS WEIGHT EMPTY OR NORMAL USEFUL LOAD.

Source: https://assist.dla.mil - Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

(SEE PAGE 44 FOR INSTRUCTIONS AND NOTES)

		WING	ROTOR	TAIL	FUSELAGE	NACELLE	ALIGH.GR
1							
2	JOINTS - FOLDING						
3	- VARIABLE SWEE						
4	- C.S. TO FUSELAGE						
5	- C.S. TO O.P.						
6	- PYLON						
7							
8	(STA.) FUSELAGE BREAK						
9							
10	CUTOUTS-ALIGHT GR. - MAIN						
11	- AUX.						
12							
13	-WEAPONS BAY						
14	-SONOBUOY BAY						
15	-HOIST						
16	-CARGO DOORS						
17	-RAMP						
18							
19	REMOVABLE PANELS - STR. **						
20							
21	TRANSPORTABILITY						
22							
23	VARIABLE INCIDENCE						
24							
25	FUSELAGE CARRY THRU FOR						
26	DISCONTINUOUS WING						
27							
28	HORIZ. TAIL CARRY THRU FOR						
29	DISCONTINUOUS TAIL						
30							
31	FLAPS - L.E.						
32	- T.E.						
33	SPOILERS						
34	SLATS						
35	SPEED BRAKES						
36							
37							
38	ALIGHTING GEAR - MAIN						
39	- AUXILIARY						
40							
41							
42	PROPULSION - MAIN						
43	- LIFT						
44	- AUXILIARY						
45							
46	LIFT ENGINE INTAKE LOUVERS						
47							
48							
49	FUEL-TANKS-INTERNAL						
50	-REMOVABLE						
51	-DROPPABLE						
52	-PRESSURIZATION						
53							
54							
55							
56							
57							

* THE WEIGHTS FOR THE INCREMENTS ARE ALREADY INCLUDED WITHIN THE STRUCTURAL GROUPS.
ADD SUPPLEMENTARY PAGES 42A IF IT IS NECESSARY.

**IDENTIFY THE PANELS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

MIL-STD-1374 PART II - TAB
NAME
DATE

APPENDIX I TO PART II
STRUCTURAL INCREMENTS FOR
DESIGN FEATURES *
(SEE PAGE 44 FOR INSTRUCTIONS AND NOTES)

PAGE
MODEL
REPORT

		WING	ROTOR	TAIL	FUSELAGE	NACELLE	ALIGH. GR
1							
2	CATAPULTING - STRUCTURE						
3	- FITTINGS						
4							
5	ARRESTING - STRUCTURE						
6	- FITTINGS						
7							
8	BARRIER CRASH						
9	SEAT EJECTIONS						
10							
11	ARMAMENT - BOMBS						
12	- MISSILES						
13	- STRUCT. ARMOR						
14	- FIXED GUNS						
15	- TURRETS						
16							
17	SONOBUOYS						
18							
19	ANTI-ICING - BOOT						
20	- THERMAL						
21							
22	DITCHING						
23	FLOATATION						
24							
25	ATO						
26							
27	CARGO - TIEDOWN						
28	- HOIST DR SLING						
29	- RAMP						
30	- DOOR						
31	- SIDE RAILS						
32							
33	FLOORING						
34							
35							
36	PRESSURIZATION						
37							
38							
39							
40	DOORS						
41							
42							
43	WINDOWS						
44							
45							
46							
47							
48							
49							
50							
51	STIFFNESS						
52							
53							
54	FATIGUE						
55							
56							
57							

*THE WEIGHTS FOR THE INCREMENTS ARE ALREADY INCLUDED WITHIN THE STRUCTURAL *GROUPS*.
ADD SUPPLEMENTARY PAGES 42A IF IT IS NECESSARY.

Source: https://assist.dla.mil - Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS AND NOTES - ASSUME NO CHANGE IN BASIC CONFIGURATION, TYPE OF CONSTRUCTION OR DESIGN CONDITIONS. OVERLAPPING PENALTIES SHALL BE EXPLAINED BY APPROPRIATE DISCUSSION BELOW. ANY KNOWN WEIGHT INCREMENTS OR DECREMENTS FOR UNUSUAL DESIGN REQUIREMENTS. SUCH AS RIGIDITY, FATIGUE, TRANSIENT LOADS OR USE OF HIGH STRENGTH OR SPECIAL MATERIALS, SHALL BE DISCUSSED.

DISCUSSION

Source: https://assist.dla.mil - Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

1	WING DATA						
	A. LOAD DIAGRAM						
	B. SHEAR DIAGRAM						
	C. BENDING MOMENT DIAGRAM						
	D. MATERIAL ALLOWABLES						
	E. CRITICAL DESIGN CONDITIONS	ARE TO BE NOTED AND SHOWN ON THE DIAGRAMS OF					
	(A), (B), AND (C) ABOVE.						
2	ROTOR DATA						
	A. LOAD DIAGRAM						
	B. SHEAR DIAGRAM						
	C. BENDING MOMENT DIAGRAM						
	D. MATERIAL ALLOWABLES						
	E. CRITICAL DESIGN CONDITIONS	ARE TO BE NOTED AND SHOWN ON THE DIAGRAMS OF					
	(A), (B), AND (C) ABOVE.						
3	TAIL DATA						
	A. LOAD DIAGRAM						
	B. SHEAR DIAGRAM						
	C. BENDING MOMENT DIAGRAM						
	D. MATERIAL ALLOWABLES						
	E. CRITICAL DESIGN CONDITIONS	ARE TO BE NOTED AND SHOWN ON THE DIAGRAMS OF					
	(A), (B), AND (C) ABOVE.						
4	FUSELAGE DATA						
	A. LOAD DIAGRAM						
	B. SHEAR DIAGRAM						
	C. BENDING MOMENT DIAGRAM						
	D. MATERIAL ALLOWABLES						
	E. CRITICAL DESIGN CONDITIONS	ARE TO BE NOTED AND SHOWN ON THE DIAGRAMS OF					
	(A), (B), AND (C) ABOVE.						
5	NACELLE DATA						
	A. LOAD DIAGRAM						
	B. SHEAR DIAGRAM						
	C. BENDING MOMENT DIAGRAM						
	D. MATERIAL ALLOWABLES						
	E. CRITICAL DESIGN CONDITIONS	ARE TO BE NOTED AND SHOWN ON THE DIAGRAMS OF					
	(A), (B), AND (C) ABOVE.						
	F. NACELLE CAPTURE AREA	SQ. FT.					
	G. NACELLE DUCT PRESSURE						
	(1) TRANSIENT						
	(2) STEADY STATE						
6	ALIGHTING GEAR DATA						
	A. IW (POLAR MASS MOMENT OF INERTIA OF ROTATING WHEEL ASSEMBLY - SLUG FT2)						
	B. FS. SIDE LOADS - LBS.						
	C. FTOW. CATAPULT TOWING LOAD - LBS.						
	D. FD. DRAG LOAD - LBS.						
	E. NUMBER OF BRAKE STOPS						
7	SPEED DATA						
	A. VST. POWER ON STALL SPEED IN TAKEOFF CONFIGURATION - FT/SEC.						
	B. VSL. FLAPS DOWN POWER ON STALL SPEED - LIMITS.						
	C. VH. SEA LEVEL MAXIMUM SPEED IN LEVEL FLIGHTS - KNOTS.						
	D. V. MAXIMUM SPEED LEVEL FLIGHT AT ALTITUDE				FT.		KNOTS.
	E. ROTOR TIP SPEED						
	(1) POWER ON	FT./SEC.					
	(2) POWER OFF	FT./SEC.					
8	PRESSURIZATION DATA						
	A. PRESSURIZATION LEVEL						
9	FATIGUE DATA						
	A. STRUCTURAL FATIGUE CRITERIA						

Source: https://assist.dla.mil - Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

PART III

WEIGHT AND BALANCE STATUS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

MODEL _____
ENGINE _____
CONTRACT NUMBER _____
DATE _____
ISSUE _____

	1	ORIGINAL GUAR OR ORIGINAL SPEC NO DATED 2	GOVT RESPONSIBILITY CHANGES AUTH, PENDING, & GFAE VARIATIONS 3	REVISED GUAR OR USAF PROPOSED SPEC SUM COLUMNS 2 & 3 4	TOTAL CONTRACTOR RESPONSIBILITY CHANGES & VARIATIONS COLUMN 6 MINUS COLUMN 4 5	CURRENT STATUS SUM COLUMNS 4 & 5 AND SUM COLUMNS 7, 8 & 9 6	LAST STATUS DATED ISSUE 7	CHANGE BETWEEN LAST & CURRENT STATUS REPORTS: TOTAL GOVT RESPONSIBILITY CHANGES & GFAE VARIATIONS 8	CHANGE BETWEEN LAST & CURRENT STATUS REPORTS: TOTAL CONTRACTOR RESPONSIBILITY CHANGES 9	BASIS FOR CURRENT DATA: % EST 10	% CALC 11	% ACT 12
1	WING GROUP											
2	BASIC STRUCT - CENTER SECTION											
3	- INTMD PANEL											
4	- OUTER PANEL											
5	- GLOVE											
6	SECOND STRUCT (INCL FOLD)											
7	AILERONS INCL BAL WT											
8	FLAPS - TRAILING EDGE											
9	- LEADING EDGE											
10	SLATS											
11	SPOILERS											
12												
13												
14	ROTOR GROUP											
15	BLADE ASSEMBLY											
16	HUB & HINGE (INCL FOLD)											
17												
18												
19	TAIL GROUP											
20	BASIC & SECOND STRUCT- STAB											
21	- FIN											
22	VENTRAL											
23	ELEVATOR - INCL. BAL WT											
24	RUDDERS - INCL. BAL WT											
25	TAIL ROTOR - BLADES											
26	- HUB & HINGE											
27												
28	BODY GROUP											
29	BASIC STRUCT - FUSE OR HULL											
30	- BOOMS											
31	SECOND. STRUCT - FUSLG OR HULL											
32	- BOOMS											
33	- SPEEDBRAKES											
34	- DOORS, RAMPS, PANELS & MISC.											
35												
36												
37	ALIGHTING GEAR GROUP											
38												
39	MAIN GEAR											
40	NOSE/TAIL											
41	ARRESTING GEAR											
42	CATAPULTING GEAR											
43												
44												
45	ENGINE SECTION OR NACELLE GROUP											
46	BODY - INTERNAL											
47	- EXTERNAL											
48	WING - INBOARD											
49	- OUTBOARD											
50												
51	AIR INDUCTION GROUP											
52	DUCTS											
53	RAMPS, PLUGS, SPIKES											
54	DOORS, PANELS & MISC.											
55												
56												
57												
58	PROPULSION GROUP											
59	ENGINE INSTALLATION											
60												
61												
62	ACCESSORY GEARBOXES & DRIVE											
63	EXHAUST SYSTEM											
64	ENGINE COOLING											
65	WATER INJECTION											
66	ENGINE CONTROL											
67	STARTING SYSTEM											
68	PROPELLER INSTALLATION											
69	SMOKE ABATEMENT											
70	LUBRICATING SYSTEM											
71	FUEL SYSTEM											
72	TANKS - PROTECTED											
73	- UNPROTECTED											
74	PLUMBING, ETC.											
75												
76	DRIVE SYSTEM											
77	GEAR BOXES LUB SYS & ROT BRK											
78	TRANSMISSION DRIVE											
79	ROTOR SHAFT											
80												
81	FLIGHT CONTROLS GROUP											
82	COCKPIT CTLS (INCL AFCS)											
83	SYSTEMS CONTROLS											
84												
85												

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

	1	2	3	4	5	6	7	8	9	10	11	12
86	AUXILIARY POWER PLANT GROUP											
87	INSTRUMENTS GROUP											
88	HYDRAULIC & PNEUMATIC GROUP											
89												
90	ELECTRICAL GROUP											
91												
92	AVIONICS GROUP											
93	EQUIPMENT											
94	INSTALLATION											
95												
96	ARM'T GRP (INCL PASS PROTECT)											
97	FURNISHINGS & EQUIPMENT GROUP											
98	ACCOMMODATION FOR PERSONNEL											
99	MISCELLANEOUS EQUIPMENT											
100	FURNISHINGS											
101	EMERGENCY EQUIPMENT											
102												
103	AIR CONDITIONING GROUP											
104	ANTI - ICING GROUP											
105												
106	PHOTOGRAPHIC GROUP											
107	LOAD & HANDLING GROUP											
108	AIRCRAFT HANDLING											
109	LOAD HANDLING											
110	BALLAST											
111	MANUFACTURING VARIATION											
112	TOTAL - CONTRACTOR CONTROLLED											
113	TOTAL - GFAE											
114	TOTAL - WEIGHT EMPTY											
115	LOAD CONDITION											
116												
117	CREW											
118	PASSENGERS											
119	FUEL											
120	UNUSABLE											
121	INTERNAL											
122												
123												
124												
125	EXTERNAL											
126												
127												
128	OIL											
129	TRAPPED											
130	ENGINE											
131												
132	FUEL TANKS											
133	WATER INJECTION FLUID											
134												
135	BAGGAGE											
136	CARGO											
137												
138	GUN INSTALLATIONS											
139	GUNS											
140												
141												
142	AMMUNITION											
143												
144												
145	SUPPORTS											
146	WEAPONS INSTALLATION											
147												
148												
149												
150												
151												
152												
153												
154												
155												
156												
157												
158												
159												
160												
161												
162	SURVIVAL KITS											
163	LIFE RAFTS											
164	OXYGEN											
165	MISC.											
166												
167												
168												
169	TOTAL USEFUL LOAD											
170	WEIGHT EMPTY											
171	GROSS WEIGHT											

CENTER OF GRAVITY DATA INCHES

172	WEIGHT EMPTY - WHEELS DOWN								
173	GROSS WEIGHT - WHEELS DOWN								
174	GROSS WEIGHT - WHEELS UP								
175	MOST FWD - WHEELS UP - DOWN								
176	MOST AFT - WHEELS UP - DOWN								

SEE INSTRUCTIONS

M.A.C. DATA

REF. DATUM TO L.E. M.A.C. _____ INCHES

M.A.C. LENGTH _____ INCHES

ROTOR DATA

REF. DATUM TO ℄ ROTOR OR ℄ BETW. ROTORS _____ INCHES

AIRFRAME UNIT WEIGHT

_____ LBS.

POUNDS OF FOLLOWING MATERIALS IN AIRFRAME UNIT WEIGHT:

ALUMINUM _____ LBS.
STEEL _____ LBS.
TITANIUM _____ LBS.
MAGNESIUM _____ LBS.
COMPOSITE _____ LBS.
BORON _____ LBS.
CARBON _____ LBS.
FIBERGLASS _____ LBS.
_____ LBS.
_____ LBS
FLUIDS _____ LBS.
OTHER _____ LBS.

RECOMMENDED C.G. LIMITS - INCHES

FWD _____ *
AFT _____ *

*SHOW WHETHER WHLS. UP OR DN. (SEE INSTRUCTIONS)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

MODEL _____
DATE _____
ISSUE _____

GOV'T/CONTRACTOR RESPONSIBILITY CHANGES SINCE LAST REPORT

CHANGES

TOTALS COLUMNS 2 THROUGH 12

	GOV'T/CONTRACTOR CHANGE IDENTIFICATION	2	3	4	5	6	7	8	9	10	11	12	13
1	WING GROUP												
2	BASIC STRUCT - CENTER SECTION												
3	- INTMD PANEL												
4	- OUTER PANEL												
5	- GLOVE												
6	SECOND STRUCT (INCL FOLD)												
7	AILERONS INCL BAL WT												
8	FLAPS - TRAILING EDGE												
9	- LEADING EDGE												
10	SLATS												
11	SPOILERS												
12													
13													
14	ROTOR GROUP												
15	BLADE ASSEMBLY												
16	HUB & HINGE (INCL FOLD)												
17													
18													
19	TAIL GROUP												
20	BASIC & SECOND. STRUCT - STAB												
21	- FIN												
22	VENTRAL												
23	ELEVATOR - INCL. BAL WT												
24	RUDDERS - INCL. BAL WT												
25	TAIL ROTOR - BLADES												
26	- HUB & HINGE												
27													
28	BODY GROUP												
29	BASIC STRUCT - FUSE OR HULL												
30	- BOOMS												
31	SECOND. STRUCT - FUSLG OR HULL												
32	- BOOMS												
33	- SPEEDBRAKES												
34	- DOORS, RAMPS, PANELS & MISC.												
35													
36													
37	ALIGHTING GEAR GROUP												
38													
39	MAIN GEAR												
40	NOSE/TAIL												
41	ARRESTING GEAR												
42	CATAPULTING GEAR												
43													
44													
45	ENGINE SECTION OR NACELLE GROUP												
46	BODY - INTERNAL												
47	- EXTERNAL												
48	WING - INBOARD												
49	- OUTBOARD												
50													
51	AIR INDUCTION GROUP												
52	DUCTS												
53	RAMPS, PLUGS, SPIKES												
54	DOORS, PANELS & MISC												
55													
56													
57													
58	PROPULSION GROUP												
59	ENGINE INSTALLATION												
60													
61													
62	ACCESSORY GEARBOXES & DRIVE												
63	EXHAUST SYSTEM												
64	ENGINE COOLING												
65	WATER INJECTION												
66	ENGINE CONTROL												
67	STARTING SYSTEM												
68	PROPELLER INSTALLATION												
69	SMOKE ABATEMENT												
70	LUBRICATING SYSTEM												
71	FUEL SYSTEM												
72	TANKS - PROTECTED												
73	- UNPROTECTED												
74	PLUMBING, ETC.												
75													
76	DRIVE SYSTEM												
77	GEAR BOXES LUB SYS & ROT BRK												
78	TRANSMISSION DRIVE												
79	ROTOR SHAFT												
80													
81	FLIGHT CONTROLS GROUP												
82	COCKPIT CTLS (INCL AFCS)												
83	SYSTEMS CONTROLS												
84													
85													

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

MODEL _____ DATE _____ ISSUE _____	GOV'T/CONTRACTOR RESPONSIBILITY CHANGES SINCE LAST REPORT											TOTALS COLUMNS 2 THROUGH 12
	CHANGES											
GOV'T/CONTRACTOR CHANGE IDENTIFICATION												
1	2	3	4	5	6	7	8	9	10	11	12	13
86 AUXILIARY POWER PLANT GROUP												
87 INSTRUMENTS GROUP												
88 HYDRAULIC & PNEUMATIC GROUP												
89												
90 ELECTRICAL GROUP												
91												
92 AVIONICS GROUP												
93 EQUIPMENT												
94 INSTALLATION												
95												
96 ARM'T GRP (INCL PASS PROTECT)												
97 FURNISHINGS & EQUIPMENT GROUP												
98 ACCOMMODATION FOR PERSONNEL												
99 MISCELLANEOUS EQUIPMENT												
100 FURNISHINGS												
101 EMERGENCY EQUIPMENT												
102												
103 AIR CONDITIONING GROUP												
104 ANTI - ICING GROUP												
105												
106 PHOTOGRAPHIC GROUP												
107 LOAD & HANDLING GROUP												
108 AIRCRAFT HANDLING												
109 LOAD HANDLING												
110 BALLAST												
111 MANUFACTURING VARIATION												
112 TOTAL - CONTRACTOR CONTROLLED												
113 TOTAL - GFAE												
114 TOTAL - WEIGHT EMPTY												
115 LOAD CONDITION												
116												
117 CREW												
118 PASSENGERS												
119 FUEL												
120 UNUSABLE												
121 INTERNAL												
122												
123												
124												
125 EXTERNAL												
126												
127												
128 OIL												
129 TRAPPED												
130 ENGINE												
131												
132 FUEL TANKS												
133 WATER INJECTION FLUID												
134												
135 BAGGAGE												
136 CARGO												
137												
138 GUN INSTALLATIONS												
139 GUNS												
140												
141												
142 AMMUNITION												
143												
144												
145 SUPPORTS												
146 WEAPONS INSTALLATION												
147												
148												
149												
150												
151												
152												
153												
154												
155												
156												
157												
158												
159												
160												
161												
162 SURVIVAL KITS												
163 LIFE RAFTS												
164 OXYGEN												
165 MISC.												
166												
167												
168												
169 TOTAL USEFUL LOAD												
170 WEIGHT EMPTY												
171 GROSS WEIGHT												

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE MIL-STD-1374A WEIGHT AND BALANCE DATA REPORTING FORMS FOR AIRCRAFT (INCLUDING ROTORCRAFT)

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*	TELEPHONE NO.
	DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED S/N 0102-014-1802

☆U.S. GOVERNMENT PRINTING OFFICE: 1977—703-122/6435

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:46Z
Check the source to verify that this is the current version before use.