FEDERAL SPECIFICATION

CUTTER BIT, TOOL HOLDER

(SOLID HIGH-SPEED STEEL)

This amendment, which forms part of Federal Specification 00-C-851A, dated May 11, 1967, was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

PAGE 1

1.2.2: Under "Grade B - Heavy duty", add the following:

"Class M-45
Class M-46"

PAGE 2

2.1: Delete "Federal Standard" and "Fed. Std. No. 123 - Marking for Domestic Shipment (Civilian Agencies)." and substitute the following:

Federal Specification:
PPP-T-1150 - Tools and Tool Accessories for Power Driven, Metal and Woodworking, Machinery; Packaging and Packing of.

2.1: Delete "Military Specification" and "MIL-H-15424 - Hand Tools; Packaging of."

2.1: Under Military Standards, delete "MIL-STD-129 - Marking for Shipment and Storage."

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:00Z
Check the source to verify that this is the current version before use.

Table I: Delete and substitute:

TABLE I. Chemical composition, percentage[1/]

Class	Elements											
	Carbon		Chromium		Tungsten		Vanadium		Molybdenum[2/]		Cobalt	
	(Min.)	(Max.)	(Min.)	(Max.)	(Min.)	(Max.)	(Min.)	(Max.)	(Min.)	(Max.)	(Min.)	(Max.)
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
T-1	0.65	0.75	3.75	4.50	17.25	18.75	0.90	1.30	-	-	-	-
T-2	0.75	0.85	3.75	4.50	17.50	19.00	1.80	2.40	-	1.00	-	-
T-4	0.70	0.80	3.75	4.50	17.50	19.00	0.90	1.30	-	1.00	4.25	5.75
T-5	0.75	0.85	3.75	4.50	17.50	19.00	1.80	2.40	-	1.00	7.00	9.50
T-6	0.75	0.85	4.00	4.75	18.50	21.25	1.50	2.10	-	1.00	10.25	13.75
T-7	0.70	0.80	3.75	4.50	13.50	14.50	1.80	2.20	-	-	-	-
T-8	0.75	0.85	3.75	4.50	13.25	14.75	1.80	2.40	-	1.00	4.25	5.75
T-15	1.50	1.60	3.75	4.75	12.00	13.25	4.50	5.25	-	1.00	4.75	5.25
M-1	0.75	0.85	3.50	4.50	1.15	2.00	0.90	1.30	7.75	9.25	-	-
M-2	0.75	1.05	3.75	4.50	5.50	6.75	1.60	2.20	4.50	5.50	-	-
M-3	1.00	1.25	3.75	4.50	5.50	6.75	2.25	3.25	4.75	6.25	-	-
M-6	0.74	0.85	3.50	4.75	3.75	4.75	1.25	1.75	4.50	5.75	10.25	13.75
M-7	0.95	1.10	3.50	4.50	1.40	2.10	1.60	2.20	8.40	10.00	-	-
M-10	0.85	1.00	3.75	4.50	-	-	1.80	2.20	7.75	9.00	-	-
M-30	0.75	0.85	3.50	4.25	1.30	2.30	1.00	1.40	7.75	9.00	4.50	5.50
M-34	0.85	0.95	3.50	4.25	1.30	2.30	1.90	2.30	7.75	9.00	7.75	8.75
M-41	1.05	1.15	4.00	4.75	6.50	7.75	1.60	2.20	3.25	4.25	4.75	5.25
M-42	1.05	1.15	3.50	4.25	1.15	1.85	0.95	1.35	9.00	10.00	7.75	8.75
M-43	1.15	1.30	3.50	4.25	1.75	3.00	1.50	1.75	7.50	9.00	7.75	8.75
M-44	1.10	1.20	4.00	4.75	5.00	6.25	1.85	2.45	5.75	6.75	10.25	13.75
M-45	1.20	1.30	4.00	4.75	7.75	9.00	1.40	1.80	4.50	5.50	5.25	5.75
M-46	1.20	1.30	3.75	4.50	1.65	2.35	2.90	3.50	7.75	8.75	7.75	8.75

1/ Chemical requirements of other elements for all classes are as follows:

Phosphorus and sulphur: 0.03 percent maximum
Manganese and silicon: 0.40 percent maximum
Copper and nickel: 0.25 percent maximum
Tin: 0.05 percent maximum

2/ Molybdenum shown for "T" classes is a manufacturing option but shall not exceed 1.00 percent.

Source: https://assistdla.mil -- Downloaded: 2026-10-26T12:00Z
Check the source to verify that this is the current version before use.

PAGE 7

4.1: Delete and substitute:

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

PAGE 8

Section 5: Delete and substitute:

5. PREPARATION FOR DELIVERY

5.1 Preservation, packaging, packing and marking. The tool holder cutter bits shall be preserved, packaged, packed and marked in accordance with PPP-T-1150. The level of preservation and packaging shall be A or C and the level of packing shall be A, B, or C, as specified (see 6.2).

PAGE 9

6.3: Under classes of steel, after "M-44" add "M-45, M-46".

MILITARY CUSTODIANS:
Navy - SH
Air Force - 84
Review activities:
Navy - SH
Air Force - 84
NS
User activity:
Army - WC

Preparing activity:
Navy - SH
(Project 3455-0018)

CIVIL AGENCY INTEREST:
GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:00Z
Check the source to verify that this is the current version before use.