METRIC
DOD-M-64040A (AR)
AMENDMENT 1
04 SEPTEMBER 1992

MILITARY SPECIFICATION

METHYL DIPHENYLUREA

This Amendment forms a part of Military Specification DOD-M-64040A (AR), dated 21 November 1986., and is approved for use by the U.S. Army Armament, Munitions and Chemical Command, Department of the Army, and is available for use by all Departments and Agencies for the Department of Defense.

The attached insertable replacement pages listed below are replacements for stipulated pages. When the new pages have been entered in the document, insert the amendment as the cover sheet to the specification.

Replacement page	Page replaced
*1	1
*2	2
*2a	None
*5	5

* Indicates specific pages revised by this Amendment.

AMSC N/A FSC-1376

Distribution Statement B: Distribution authorized to U.S. Government agencies and 120 mm system contractors only in accordance with Arms Export Control (22.USC.2778). Other requests for this document shall be referred to ARDEC, SMCAR-ESM-I, Rock Island, IL.

Custodian:
Army (AR)

Preparing activity:
Army (AR)

Project number:
1376-A448

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:11Z
Check the source to verify that this is the current version before use.

STANDARDS

MILITARY

MIL-STD-105	Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129	Marking for Shipment and Storage
MIL-STD-286	Propellants, Solid; Sampling, Examination and Testing

FEDERAL

UU-S-48	Sack, Shipping, Paper
PPP-D-723	Drum, Fiber

* 2.1.2 Other Government documents, drawings and publications. - The following other Government documents, drawings and publications form a part of this specification to the extent specified herein. Unless otherwise specified, the issues shall be those in effect on the date of the solicitation

CODE OF FEDERAL REGULATIONS

Title 49	Transportation, Parts 100-199

(The Interstate Commerce Commission Regulations are now a part of the Code of Federal Regulations, available from the Superintendent of Documents, U.S. Government Printing Office, Washington D.C. 20402. Orders for the above publications should cite, "49 CFR 100-199 (latest revision)".)

* 2.2 Other publications. - The following document(s) form a part of this specification to the extent specified herein. Unless otherwise specified, the issues of the documents which are DOD adopted shall be those listed in the issue of the DODISS specified in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS shall be the issue of the nongovernment documents which is currently on the date of the solicitation.

AMERICAN SOCIETY FOR TESTING AND MATERIALS

ASTM E11	Wire-Cloth Sieves for Testing Purposes
ASTM E300	Recommended Practice for Sampling Industrial Chemicals

(Application for copies should be addressed to the American Society For Testing and Materials, 1916 Race Street, Philadelphia, PA 19103)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:11Z
Check the source to verify that this is the current version before use.

* American Chemical Society Specifications - Reagent Chemicals

(Application for copies should be addressed to the American Chemical Society, 1155 16th Street NW, Washington, DC 20036.)

* 2.3 Order of precedence.- In the event of a conflict between the text of this specification and the references cited herein (except for associated detail specifications, specification sheets or MS standards), the text of this specification shall take precedence. Nothing in this specification, however, shall supersede applicable laws and regulations unless a specific exemption has been obtained.

New page.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:11Z
Check the source to verify that this is the current version before use.

* 4.5 Test methods and procedures. - All tests given in this section shall be performed using prescribed procedures for replicate determinations given in standard analytical chemistry textbooks. Also, unless otherwise specified herein, all chemicals shall meet the American Chemical Society (ACS) standards for reagent chemicals specified in the current edition of Reagent Chemicals.

* 4.5.1 Melting point. - Use Mettler melting point apparatus or equivalent and follow Manufacturer's Procedure Manual.

4.5.2 Moisture content. - The sample shall be tested for moisture content in accordance with MIL-STD-286, Method 101.5. Failure to meet the applicable requirement shall be cause for rejection.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:11Z
Check the source to verify that this is the current version before use.