INCH-POUND

MIL-M-63146 (AR)
AMENDMENT 2
11 February 1993
SUPERSEDING
AMENDMENT 1
18 May 1978

MILITARY SPECIFICATION

MINE, ANTITANK, TRAINING: M80
AND FUZE, MINE, AT, PRACTICE, M606, INERT
PARTS FOR AND LOADING, ASSEMBLING AND PACKING

This Amendment forms a part of MIL-M-63146 (AR), dated 27 September 1977, and is approved for use by the U.S. Army Armament, Munitions and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

TITLE: Delete "MINE, AT, PRACTICE M19, INERT" and substitute with "MINE, ANTITANK, TRAINING: M80". Make this change throughout the specification wherever reference to the M19 mine occurs.

PAGE 4

* 4.4.2.1: Delete and replace with revised paragraph 4.4.2.1 included.

PAGE 5

* 4.4.2.2: Delete and replace with revised paragraph 4.4.2.2 included.

PAGE 6

* 4.4.2.3: Add Minor Defect 203:

"203 Marking incorrect 0.65%, 3.2, Visual"

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-M-63146 (AR)
AMENDMENT 2

PARAGRAPH	TITLE	SHEET 1 OF 1	DRAWING NUMBER
4.4.2.1	Detonator Holder, Inert		8796142
			NEXT HIGHER ASSEMBLY 9321449

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major	None defined				
Minor					
201	Paint missing or incorrect		0.65%	3.2	Visual
202	Marking missing, incorrect or illegible		0.65%	3.2	Visual
203	Poor workmanship		1.00%	3.3	Visual

NOTES:

2(4)

AMSMC Form 1570, 1 Feb 85 Replaces DRSMC-QA (D) Form 160, 1 Aug 83, which may not be used.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE	SHEET 1 OF 1	DRAWING NUMBER
4.4.2.2	Activator, M2, Inert		NEXT HIGHER ASSEMBLY

CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major	None defined				
Minor					
201	Any component missing or improperly assembled		0.65%	3.2	Visual
202	Paint missing or incorrect		0.65%	3.2	Visual
203	Marking missing, incorrect or illegible		0.65%	3.2	Visual
204	Poor workmanship		1.00%	3.3	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.

PAGE 7

* 4.4.2.4: Delete "on 'x' surfaces" from Minor Defect 201.

PAGE 8

* 4.4.2.5: Delete in its entirety.

PAGE 9

* 4.4.2.6: Add Minor Defects 202, 203, and 204:

"202	Paint missing or improper	0.65%, 3.2, Visual
203	Paint on gasket or groove surface	0.65%, 3.2, Visual
204	Marking missing, incorrect or illegible	0.65%, 3.2, Visual"

PAGE 10

* 4.4.2.7: Add Major Defect 103:

"103 Activator, M2, Inert missing 0.40%, 3.2, Visual"

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project: 1345-A610)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:19Z
Check the source to verify that this is the current version before use.