MILITARY SPECIFICATION SHEET

DISPENSER, MINE, GROUND VEHICLE, M128; PREPARATION FOR SHIPMENT AND STORAGE OF

This Amendment forms a part of Military Specification Sheet MIL-D-63370(AR), dated 18 September 1981, and is approved for use by the U.S. Army Armament, Munitions and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 28

Delete in its entirety and replace with a new page 28, attached.

PAGE 29

Delete in its entirety and replace with a new page 29, attached.

PAGE 30

Delete in its entirety and replace with a new page 30, attached.

FSC 1345

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:43Z
Check the source to verify that this is the current version before use.

PACKAGING MATERIAL


BOX, WOOD - CLASS 2, STYLE 4, PPP-B-621. EXCEPT TOP TO BE CONSTRUCTED FROM 1/2 IN. THICK, 5 PLY PLYWOOD, GRADE CD, BONDED WITH EXTERIOR GLUE, NN-P-530. OUTSIDE TO BE COMPLETELY PAINTED WITH ENAMEL, CAMOUGLAGE, COLOR FOREST GREEN NO. 34079, MIL-E-52798.
INSIDE DIMENSIONS: 38 1/2 x 15 7/8 x 5 5/8.

BOX, FIBERBOARD - TYPE CF, CLASS WEATHER RESISTANT, GRADE W6c, STYLE RSC, PPP-B-636.
INSIDE DIMENSIONS - FIRE EXTINGUISHER: 14 7/8 x 5 1/8 x 5. -SHACKLES (2): 7 x 4 5/8 x 5.
- REFLECTORS (4): 4 7/8 x 3 7/8 x 2 7/8. -MINE PIN ASSY: 16 1/4 x 2 3/8 x 2 3/8.

BAG, BARRIER - TYPE I, CLASS B, MIL-B-117. DIMENSIONS - BELTS: 10 x 18 MIN KEYS: 3 x 4 MIN.

FILLER - FIBERBOARD, WEATHER RESISTANT, PPP-F-320 AND/OR CUSHIONING, PPP-C-1797.

TAPE - PPP-T-76 FOR FIBERBOARD BOX.



NOTE 1: TWO BELTS IN BAG, PACKED IN THIS AREA ON TOP OF SPADE AND CRANK. REMOVED FROM FIGURE FOR CLARIFY.

FIGURE 5. PACKING CONFIGURATION FOR OVE WOOD BOX

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:43Z
Check the source to verify that this is the current version before use.

PACKAGING MATERIAL

CUSHIONS - POLYSTYRENE, FOAM, TYPE 1, 1. LB/CU FT DENSITY, MIL-P-60312.
DIMENSIONS - CUSHION 1: 8. x 3. x 5 1/2
2: 5. x 4. x 5 1/2 2 REQUIRED
3: 9. x 5 3/4 x 3.
4: 9. x 5. x 2 3/4
5: 7 1/2 x 4 1/4 x 3.




FIGURE 5. (CONT'D) PACKING CONFIGURATION FOR OVE WOOD BOX

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:43Z
Check the source to verify that this is the current version before use.

PACKAGING MATERIAL

BOX, WOOD - CLASS 2, STYLE 4, PPP-B-621. EXCEPT TOP TO BE CONSTRUCTED FROM 1/2 IN. THICK, 5 PLY PLYWOOD, GRADE CD, BONDED WITH EXTERIOR GLUE, NN-P-530. OUTSIDE TO BE COMPLETELY PAINTED WITH ENAMEL, CAMOUFLAGE, COLOR FOREST GREEN NO. 34079, MIL-E-52798.
INSIDE DIMENSIONS: 19 x 14 x 12 1/2.

BOX, FIBERBOARD - TYPE CF, CLASS WEATHER RESISTANT, GRADE W6c, STYLE OPF, PPP-B-636.
INSIDE DIMENSIONS: CARD ASSY 1, 5-16: 10 1/4 x 5 3/8 x 1. 13 REQUIRED
CARD ASSY 2, 3, 4: 10 1/4 x 5 3/8 x 1 1/4 3 REQUIRED
CARD ASSY 17: 7 3/4 x 7 3/4 x 1 1/8 1 REQUIRED

BAG, BARRIER - TYPE I, CLASS F, MIL-B-117. DIMENSIONS: 6 1/2 x 14. 16 REQUIRED
DIMENSIONS: 8 1/2 x 11 1/2 1 REQUIRED

WRAP - CUSHIONING, POLYPROPYLENE, PPP-C-1797. DIMENSIONS: 12 x 10 x 1/8 THICK 16 REQUIRED
DIMENSIONS: 16 x 7 1/2 x 1/8 THICK 1 REQUIRED

CUSHION - POLYURETHANE FOAM, TYPE 1, CLASS 2, 2. LB/CU FT DENSITY, MIL-P-26514.
DIMENSIONS - TOP & BOTTOM: 19 x 14 x1 SIDES: 17 x 10 1/2 x1 ENDS: 14 x 10 1/2 x 1 CENTER: 15 x 10 1/2 x 1

TAPE - FOR WRAP: PPP-T-42 FOR FIBERBOARD BOX: PPP-T-76

NOTE: Add additional filler material to contents to insure tight packing.




FIGURE 6. PACKING CONFIGURATION FOR PRINTED CIRCUIT CARDS WOOD BOX

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:43Z
Check the source to verify that this is the current version before use.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1345-A327)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T02:43Z
Check the source to verify that this is the current version before use.