MIL-S-52339E(ME)
AMENDMENT 3
9 March 1989
SUPERSEDING
AMENDMENT 2
18 March 1987

MILITARY SPECIFICATION

SHOP EQUIPMENT, WOODWORKING TRAILER-MOUNTED

This amendment forms a part of MIL-S-52339E(ME) , dated 23 August 1984, and is approved for use within the USA Belvoir Research, Development, and Engineering Center, Department of the Army and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1, under SPECIFICATIONS, MILITARY, ADD:

| | |
|---|---|
| "MIL-C-46168 | - Coating Aliphatic Polyurethane, Chemical Agent Resistant. |
| MIL-C-53039 | - Coating, Aliphatic Polyurethane, Single Component, Chemical Agent Resistant." |

PAGE 5

3.10, delete and substitute the following:

"3.10 Treatment and painting. The portions of the shop normally painted internally and externally shall be cleaned, treated, and painted in accordance with MIL-T-704, type F or G, as applicable. Unless otherwise specified (see 6.2), top coat color shall be camouflage green 383 conforming to MIL-C-46168 or MIL-C-53039 as applicable. The shop shall then be overcoated in accordance with the Government furnished camouflage patterns with MIL-C-46168 top coat of the colors specified in the camouflage patterns, except the first article may be camouflage green 383."

PAGE 6

* 3.13, delete and substitute the following:

"3.13 Noise Limits. The noise produced by the Shop Equipment shall conform with MIL-STD-1474 requirements, with the exception of MIL-STD-1474 paragraphs 5.2, 5.3, and 5.4, when tested in accordance with 4.5.2.6. The provision of MIL-STD-1474, paragraphs 4.3 and 4.4 shall be provided if and only if MIL-STD-1474, paragraph 5.1.1.2 procedures have been pursued and documented to the satisfaction of the procuring activity and written permission to exceed the 85 dB(A) limit is obtained from the procuring activity. Hazard signs shall conform with MIL-STD-1474, paragraph 4.3, except the sign will state "HEARING PROTECTION REQUIRED WITHIN (specify) FEET." The sign shall be readable at the distance indicated on the sign."

AMSC N/A FSC 3220
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:15Z
Check the source to verify that this is the current version before use.

3.14, add the following:

| | | | |
|---|---|---|---|
| "ITEM | Description | Identification | Quality |
| 4 | Pattern drawing | Camouflage patterns | As required" |

PAGE 8

4.5.1, add the following under table I:

"Critical

1. Camouflage pattern data not as specified.

Major

114. Camouflage patterns not as specified."

PAGE 9

* 4.5.2.5 Third line from the bottom of the page, delete:

"....shall constitute failure of this test."

and substitute with the following:

"....shall constitute a failure. Reaching a reject decision in accordance with MIL-STD-781 shall constitute failure of this test."

PAGE 10

* 4.5.2.6, delete and substitute the following:

"4.5.2.6 Noise Level Test. Noise levels shall be measured in accordance with MIL-STD-1474 requirements and reported in the format indicated by MIL-STD-1474, Figure 7. As a minimum: noise levels shall be measured when the generator is running and the radial saw is cutting a nominal 2 x 4 inch pine board. MIL-STD-1474, paragraph 5.1.2.1.4 contours shall be taken at not fewer than 12 equal (horizontal) arc increments, one increment shall include data from the noisiest position. Additionally, the noise level at the typical operating position shall be provided as dB(A) level. Failure to comply with MIL-STD-1474 provisions shall constitute failure of this test."

* 4.5.2.6.1, delete in its entirety.

* 4.5.2.6.2, delete in its entirety.

PAGE 14

6.2, add the following:

"i. Color required when other than as specified (see 3.10).



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:15Z
Check the source to verify that this is the current version before use.

6.2.1 Acquisition requirements. Acquisition documents should specify the following:

Upon final delivery of the first article it must be camouflage pattern painted."

The margins of the amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletion) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army - ME

Preparing activity:
Army - ME

Project 3220-A158



Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:15Z
Check the source to verify that this is the current version before use.