
MILITARY SPECIFICATION SHEET

CLIP, DOUBLE SLOT, SPRING TENSION

This specification sheet is approved for use by the Space and Naval Warfare Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the clip described herein shall consist of this document and the latest issue of Specification MIL-C-24066.






FIGURE 1




FIGURE 2

NOTES: All dimensions are in inches.
Tolerances are not cumulative.

Configuration

(D) Denotes change

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, Space and Naval Warfare Systems Command (SPAWAR 003-121), Washington, DC 20363-5100, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document, or by letter.

AMSC N/A

FSC 5340

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T18:55Z
Check the source to verify that this is the current version before use.

Requirements:

1. All dimensions are with clip secured to a flat surface with part inserted.

Part number	Part number	D (Dia.) ±0.010	L Length ±0.010	H Mtg. Hole ±0.003	T Material thk. ±0.003	A ±0.020	B ±0.020	C Min.	E ±0.010	F ±0.005	G ±0.005	X * *.030	Y * ±0.30	Superseded part number of MS28137(Wep)	Superseded part number of MS28137(Wep)
Spring Steel	Copper Beryllium	FIGURE 1 (D)												Spring steel	Copper Beryllium
Cadmium Plated	Cadmium Plated													Cadmium Plated	Silver Plated
M24066/4-101	M24066/4-001	0.195	0.625	0.093	0.012	0.270	0.220	0.035	0.156	0.312	---	.190	.190	MS28137-1	MS28137-101
M24066/4-102	M24066/4-002	.235	.625	.093	.012	.320	.260	.040	.156	.312	---	.190	.190	MS28137-2	MS28137-102
M24066/4-103	M24066/4-003	.400	.875	.093	.012	.490	.420	.050	.187	.500	---	.190	.190	MS28137-3	MS28137-103
M24066/4-104	M24066/4-004	.500	1.031	.093	.016	.610	.530	.050	.234	.562	---	.230	.230	MS28137-4	MS28137-104
M24066/4-105	M24066/4-005	.562	1.062	.128	.016	.690	.590	.085	.250	.562	---	.330	.330	MS28137-5	MS28137-105
M24066/4-106	M24066/4-006	.875	.625	.128	.024	1.016	.930	.110	.156	.312	---	.190	.190	MS28137-6	MS28137-106
FIGURE 2 (D)															
M24066/4-107	M24066/4-007	.195	1.187	.071	.010	.270	.210	.035	.156	.875	0.438	.380	.380	MS28137-7	MS28137-107
M24066/4-108	M24066/4-008	.375	1.000	.093	.012	.450	.400	.040	.093	.813	.406	.280	.380	MS28137-8	MS28137-108
M24066/4-109	M24066/4-009	.375	1.187	.093	.012	.450	.400	.040	.187	.813	.406	.380	.380	MS28137-9	MS28137-109
M24066/4-110	M24066/4-010	.400	1.000	.093	.012	.490	.420	.050	.093	.813	.406	.280	.380	MS28137-10	MS28137-110
M24066/4-111	M24066/4-011	.400	1.125	.103	.016	.490	.420	.050	.187	.750	.375	.340	.380	MS28137-11	MS28137-111
M24066/4-112	M24066/4-012	.500	1.625	.128	.016	.600	.530	.050	.250	1.125	.562	.560	.440	MS28137-12	MS28137-112
M24066/4-113	M24066/4-013	.562	1.625	.128	.022	.690	.600	.080	.250	1.125	.562	.560	.440	MS28137-13	MS28137-113
M24066/4-114	M24066/4-014	.670	1.375	.128	.024	.820	.720	.090	.250	.875	.437	.440	.440	MS28137-14	MS28137-114
M24066/4-115	M24066/4-015	.750	2.000	.144	.028	.920	.810	.100	.250	1.500	.750	.640	.640	MS28137-15	MS28137-115
M24066/4-116	M24066/4-016	.875	2.000	.144	.028	1.110	.930	.110	.250	1.500	.750	.640	.640	MS28137-16	MS28137-116
M24066/4-117	M24066/4-017	1.000	1.875	.144	.032	1.220	1.060	.120	.250	1.375	.688	.600	.600		
M24066/4-118	M24066/4-018	0.195	0.625	.103	0.012	0.270	0.220	0.035	0.156	0.312	---	0.190	0.190	-- --	-- --
M24066/4-119	M24066/4-019	.235	.625	.103	.012	.320	.260	.040	.156	.312	---	.190	.190	-- --	-- --
M24066/4-120	M24066/4-020	.400	.875	.103	.012	.490	.420	.050	.187	.500	---	.190	.190		
M24066/4-121	M24066/4-021	.500	1.031	.103	.016	.610	.530	.050	.234	.562	---	.230	.230		
M24066/4-122	M24066/4-022	.375	1.000	.103	.012	.450	.400	.040	.093	.813	.406	.280	.380		
M24066/4-123	M24066/4-023	.375	1.187	.103	.012	.450	.400	.040	.187	.813	.406	.380	.380		
M24066/4-124	M24066/4-024	.400	1.000	.103	.012	.490	.420	.050	.093	.813	.406	.280	.380		

* Optional design where slots divide clip into 3 equal parts (±.030) is permissable.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T18:55Z
Check the source to verify that this is the current version before use.

2. Material. Copper-beryllium alloy, cadmium plated conforming to QQ-C-533 and QQ-P-416; Spring steel, cadmium plated conforming to QQ-S-777 and QQ-P-416.

Review activity:
NAVY - AS

Preparing activity:
NAVY - EC

(Project 5340-N101)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T18:55Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

SPACE AND NAVAL WARFARE SYSTEMS COMMAND
WASHINGTON, D.C. 20363-5100

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

COMMANDER
SPACE AND NAVAL WARFARE SYSTEMS COMMAND
ATTN: SPAWAR 003-121
WASHINGTON, DC 20363-5100

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T18:55Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-C-24066/4D(EC)	CLIP, DOUBLE SLOT, SPRING TENSION

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*: _____
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T18:55Z
Check the source to verify that this is the current version before use.