
MILITARY SPECIFICATION SHEET

RETAINER, PACKING, HYDRAULIC AND PNEUMATIC, POLYTETRAFLUOROETHYLENE RESIN, (SINGLE TURN)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the packing retainers described herein shall consist of this specification and the latest issue of MIL-R-8791.



NOTES:

1. All dimensions are in inches.
2. For use in packing grooves conforming to MIL-G-5514 and MIL-P-5514C, D and E revisions.

FIGURE 1. RETAINER, PACKING, HYDRAULIC AND PNEUMATIC, POLYTETRAFLUOROETHYLENE RESIN, (SINGLE TURN)

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T10:54Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. Surfaces and edges: Surfaces shall be smooth and free from irregularities. Edges shall be clean and sharp.

2. Scarf cut: When measuring dimension M ±.001 inches over a mandrel the scarf cut shall not exceed dimension "G". These measurements are to be made at stabilized temperatures between 22°C and 25°C (72°F and 77°F).

3. Part number: The part number consists of the letter "M", the basic number of this specification sheet, followed by a dash number taken from Table I.

Example: M8791/1-004

- M8791/1 — Specification sheet number
- -004 — Dash number

M8791/1-004 Indicates - Retainer, Packing, Hydraulic and Pneumatic, Polytetrafluoroethylene Resin, (Single Turn); Diameter .076; A° Range 39-35

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T10:54Z
Check the source to verify that this is the current version before use.

TABLE I. DASH NUMBERS AND DIMENSIONS

DASH NUMBER	Ø M ±.001	T	W	G	A° (RANGE)
004	.076				39-35
005	.108				34-30
006	.123				28-24
007	.154				27-24
008	.185				
009	.217				
010	.248				
011	.310				
012	.373				
013	.438				
014	.501				
015	.563	.052	.054	.005	22-19
016	.626	.048	.052	.000	
017	.688				
018	.751				
019	.813				
020	.881				
021	.943				
022	1.006				
023	1.068				
024	1.131				
025	1.193				
026	1.256				
027	1.318				
028	1.381				
110	.373				
111	.435				
112	.498				
113	.560				
114	.623				
115	.685				
116	.748				
117	.815				
118	.878				
119	.940				
120	1.003				
121	1.065				
122	1.128				
123	1.190	.056	.087	.006	22-19
124	1.253	.052	.085	.000	
125	1.315				
126	1.380				
127	1.442				

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T10:54Z
Check the source to verify that this is the current version before use.

TABLE I. DASH NUMBERS AND DIMENSIONS - Continued

DASH NUMBER	Ø M ±.001	T	W	G	A° (RANGE)
128	1.505				
129	1.564				
130	1.627				
131	1.689				
132	1.752	.056	.087	.006	22-19
133	1.814	.052	.085	.000	
134	1.877				
135	1.940				
136	2.002				
137	2.065				
138	2.127				
139 1/	2.190				
210	.748				
211	.810				
212	.873				
213	.935				
214	.998				
215	1.060			.006	
216	1.123			.000	
217	1.185				
218	1.248				
219	1.310				
220	1.373	.064	.120		
221	1.435	.060	.118		
222	1.498				
223	1.625				
224	1.750				
225	1.875				
226	2.000				
227	2.125				
228	2.250				
229	2.375				
230 1/	2.500				
325	1.498				
326	1.623				
327	1.748				
328	1.873	.090	.184	.007	22-19
329	1.998	.086	.182	.000	
330	2.123				
331	2.248				
332	2.373				
333	2.498				
334	2.623				

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T10:54Z
Check the source to verify that this is the current version before use.

TABLE I. DASH NUMBERS AND DIMENSIONS - Continued

DASH NUMBER	ØM ±.001	T	W	G	A° (RANGE)
335	2.748				
336	2.873				
337	2.997				
338	3.122				
339	3.247				
340	3.372				
341	3.497	.090	.184	.007	
342	3.622	.086	.182	.000	
343	3.747				
344	3.872				
345	3.997				
346	4.122				
347	4.247				22-19
348	4.372				
349	4.497				
425	4.497				
426	4.622				
427	4.747				
428	4.872				
429	4.997				
430	5.122	.122	.237	.008	
431	5.247	.118	.235	.000	
432	5.372				
433	5.497				
434	5.622				
435	5.747				
436	5.872				
437 1/	5.997				

1/ For larger packing retainers (backup rings) in this series uncut packing retainers MS27595 are recommended.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T10:54Z
Check the source to verify that this is the current version before use.

Custodians:
Army - MR
Navy - AS
Air Force - 99

Review activities:
Army - AR, AV, MI
DLA-IS

User activities:
Army - ME
Navy - SH

Preparing activity:
Air Force - 82

Agent:
DLA- IS

(Project 5330-0732)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T10:54Z
Check the source to verify that this is the current version before use.