INCH-POUND

MIL-C-45195E (AR)
AMENDMENT 3
24 September 1993
SUPERSEDING
AMENDMENT 2
10 June 1986

MILITARY SPECIFICATION

CARTRIDGE, 105MM, HE, M1
LOADING, ASSEMBLING AND PACKING

This Amendment forms a part of Military Specification MIL-C-45195E (AR), dated 25 March 1985 and is approved for use by the US Army Armament Munitions and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

1.1 Line 3, Add the following to the end of the sentence: "series tubes or M119 Howitzer."

* 2.1.1 Standards, Military, Add "MIL-STD-129 - Marking for Storage and Shipment"

PAGE 2

* 2.1.2 Drawings, Delete: 9271850 and 9275181 in their entirety and substitute the following:

"12934901	- Packing and Marking for Container Ammo Metal, PA117, for 105MM, Howitzer Ctg. Packed in PA55 or M105A3
19-48-4231/45-20PM1006	- Unitization Procedures for Ammunition and Components Packed in Cylindrical Metal or Plastic Containers on 4-way Entry Metal Pallets "

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202640-22T02:33Z
Check the source to verify that this is the current version before use.

PAGE 6

* Add paragraph 3.8 and 3.9

"3.8 Moisture Content. The maximum moisture content of the packing material shall not exceed that limit as specified on dwg 12934901 and 9258026 or 7549073.

3.9 Air Pressure Test. The packed and sealed metal container assemblies shall withstand an air pressure test as specified on drawing 12934901."

* 4.3.1 Add two items to first article submission table:

Part Description	Drawing	Quantity
"Packing and Marking for Container Fiber PA55 for 105mm How. Ammo Without Fuze	9258026	10
or		
Container, Ammo, Fiber, M105A3 for 105mm Howitzer Ammunition	7549073	10
Packing and Marking for Container Ammo, Metal, PA117 for 105mm How. Ctg. Packed in PA55 or M105A3	12934901	10

PAGE 7

* TABLE II - First article inspection:
In block, Change "SHEET 1 of 1" to "SHEET 1 of 2".
In block, Drawing Number delete all drawing numbers and substitute "See Below".
Add TABLE II - First article inspection SHEET 2 of 2 (see included TABLE II - First article inspection.

PAGE 10

4.4.2.2 Minor, 204, Delete:

"Anti-seize compound not completely covering threads" and "0.65%" and substitute the following:

"Silicone compound not 360 degrees around liner or on its base (exterior surfaces only)" and "100%".

Source: https://assist.dla.mil -- Downloaded: 202610-22T02:33Z
Check the source to verify that this is the current version before use.

PAGE 11

4.4.2.3 Add the following Minor:

"Minor 205; Silicone compound on fuze threads or liner cavity, after insertion of liner; 0.65%; 3.2; Visual".

PAGE 17

4.4.2.9 Major 101, Delete: "Torque test failure of plug or fuze" and substitute "Torque test failure of plug or fuze (when applicable)".

PAGE 18

* 4.4.2.10 Delete table in its entirety and substitute new table (see included table).

PAGE 19

* 4.4.2.11 Delete table in its entirety and substitute new table (see included table).

* 4.4.2.13 Add new table entitled "Metal Container (unsealed)" (see included table).

* 4.4.2.14 Add new table entitled "Sealed Metal Container" (see included table).

* 4.4.2.15 Add new table entitled "Unitization Procedure for Cylindrical Metal or Plastic Containers on 4-Way Entry Pallets" (see included table).

PAGE 20

* 4.4.2.12 In block drawing number: delete "9271850, 9275181"

Major 103: Delete "DoD symbol missing or incorrect" and substitute "Marking missing, misleading, illegible or incorrect".

Minor 204: Delete "marking misleading, missing or unidentifiable"; "3.2" and substitute "Evidence of poor workmanship"; "3.7"

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:33Z
Check the source to verify that this is the current version before use.

TABLE II - First Article Inspection

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE			SHEET 2 OF 2	DRAWING NUMBER
	Packaging for Cartridges, 105MM, HE, M1				See Below
					NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
	Container, Ammo, Fiber, M105A3 for 105MM Howitzer Ammunition (Dwg. 7549073)				
	Examination for Defects	10	100%	3.1	4.4.2.10/4.4.2.11
	or				
	Packing and Marking for Container Fiber, PA55 for 105MM Howitzer Ammunition Without Fuze (Dwg. 9258026)				
	Examination for Defects	10	100%	3.1	4.4.2.10 / 4.4.2.11
	Packing and Marking for Container Ammo Metal, PA117, for 105MM, Howitzer Ctg, Packed in PA55 or M105A3 (Dwg. 12934901)				
	Examination for Defects	10	100%	3.1	4.4.2.13/4.4.2.14

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:33Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

MIL-C-45195E (AR)
AMENDMENT 3

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.10	Packing and Marking for Container Fiber (Unsealed)				7549073 or 9258026
					NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Packing component missing, damaged or improperly assembled		0.40%	3.1	Visual
102	Cartridge cannot be inserted or removed easily by hand		0.40%	3.1	Manual
103	Container covers cannot be removed easily by hand		0.40%	3.1	Manual
104	Insufficient fillers for tight pack (slight gap between body and covers)		0.40%	3.1	Visual
105	Moisture content of packing material		0.40%	3.8	4.5.5
Minor					
201	Evidence of poor workmanship		1.00%	3.7	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:33Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-C-45195E (AR)
AMENDMENT 3

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.11	Sealed Fiber Container				7549073 or 9258026
					NEXT HIGHER ASSEMBLY 12934901
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None Defined				
Major					
101	Tape incomplete, wrinkled, incorrect material or damaged during insertion/extraction from metal container		0.40%	3.1	Visual
102	Contents loose		0.40%	3.1	Manual
103	Marking missing, misleading illegible or incorrect		0.40%	3.1	Visual
104	Any component missing or damaged		0.40%	3.1	Visual
Minor					
201	Tear tab length, minimum		0.65%	3.1	Gage
202	Evidence of poor workmanship		1.00%	3.7	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:33Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.13	Metal Container (Unsealed)				12934901
					NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Tape damaged during inserting/extraction from metal container		0.40%	3.1	Visual
102	Cloth strap incorrect width or length		0.40%	3.1	Visual
103	Cloth strap assembled incorrectly or missing		0.40%	3.1	Visual
104	Moisture content of packing material		0.40%	3.8	4.5.5
Minor					
201	Evidence of poor workmanship		0.65%	3.7	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 20260-22102:33Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-C-45195E (AR)
AMENDMENT 3

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.14	Sealed Metal Container				12934901
					NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Container damaged, exposing contents		0.40%	3.1	Visual
102	Metallic seal missing or improperly secured		0.40%	3.1	Visual
103	UN marking missing or incorrect		0.40%	3.1	Visual
104	Air leak test		100%	3.9	4.5.4
105	Screw not properly replaced and torqued after test		0.40%	3.1	Visual
106	Contents loose in metal container		0.40%	3.1	Manual
107	Marking incorrect, missing or unidentifiable		0.40%	3.1	Visual
Minor					
201	Evidence of poor workmanship		1.00%	3.7	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:33Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER
4.4.2.15	Unitization Procedure for Cylindrical Metal or Plastic Containers on 4-Way Entry Pallets				19-48-4231/45-20PM1006
					NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major					
101	Missing or loose strapping		0.40%	3.1	Visual - Manual
102	Incorrect number of containers on pallet (except for light load)		0.40%	3.1	Visual
103	Containers not all positioned in the same direction and properly interlocked		0.40%	3.1	Visual
104	Marking missing, incorrect or illegible		0.40%	3.1	Visual
Minor					
201	Evidence of poor workmanship		1.00%	3.7	Visual

NOTES:

Source: https://assist.dla.mil -- Downloaded: 20260410-22T02:33Z
Check the source to verify that this is the current version before use.

PAGE 25

4.5.2.2 Line 3, Delete: "M103 tube" and substitute the following:

"M2A2 tube or M137 series tubes".

4.5.3 Delete the first sentence in its entirety and substitute the following:

"These tests (when applicable) shall be performed on the sample selected in accordance with 4.4.2.9."

* Add two new paragraphs 4.5.4 and 4.5.5:

"4.5.4 Air Pressure Test. The packed and sealed metal container assemblies shall be subjected to the external air pressure test as specified on drawing 12934901. Observation shall be made for a pressure drop exceeding the requirement for the specified time. The cartridge packed in a defective metal container may be removed from that container and packed in a different container to be tested.

4.5.5 Maximum Moisture Content of Packing Material. Testing for the maximum moisture percentile of content of the packing material may be accomplished using commercially available test equipment."

* 5.1.1.1 Delete the words, "The cartridges shall be preserved and packaged" and substitute the following: "Each cartridge shall be packaged"

* 5.2.1.1 Delete in its entirety and substitute the following:

"5.2.1.1 Level A. Each packaged fiber container (7549073 or 9258026) shall be packed in a PA117 metal container and cushion assembly in accordance with drawing 12934901.

5.2.1.2 Alternate packing Level A. Only with the specific approval of the contracting officer, the cartridge in fiber container shall be packed and marked in a wooden box in accordance with dwg 7549072 or 9258027."

PAGE 26

* 5.3.1 Delete in its entirety and substitute the following:

"5.3.1 Level A (Fiber Container). The fiber container shall be marked in accordance with drawing 7549073 or 9258026."

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:33Z
Check the source to verify that this is the current version before use.

* Add the following new paragraphs 5.3.2, 5.3.3, 5.4 and 5.4.1:

"5.3.2 Level A (Metal Container). The metal container outer pack shall be marked in accordance with drawing 12934901 and MIL-STD-129.

5.3.3 Level A (Alternate Wood Box. The wood box shall be marked in accordance with drawing 7549072 or 9258027.

5.4 Unitization

5.4.1 Level A. The packed metal container shall be unitized in accordance with drawing 19-48-4231/ 45-20PM1006."

The margins of this amendment are marked with an asterisk to indicate where changes from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirement of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1315 AD59)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T02:33Z
Check the source to verify that this is the current version before use.