[INCH-POUND]
A-A-59287
7 April 1999
SUPERSEDING
MS17155B
6 March 1963

COMMERCIAL ITEM DESCRIPTION

TERMINAL, STUD
FEEDTHRU, SINGLE

The General Services Administration has authorized the use of this commercial item description, for all federal agencies.

1. SCOPE. This commercial item description covers a single turret, feedthru terminal stud.

2. SALIENT CHARACTERISTICS

2.1 General. The terminal stud shall be a single turret feedthru type.

2.2 Material. The material shall be brass conforming to alloy C36000 of ASTM Standard B16, alloy C34200 or C35300 of ASTM Standard B121, or alloy C31400 of ASTM Standard B140. All alloys shall have a half-hard temper.

2.3 Interface. Dimensional requirements are contained in table I and figure 1. Dimensions are in inches, unless otherwise specified.

2.4 Workmanship. All surfaces shall be smooth and free of burrs and sharp edges.

2.5 Finish. The finish shall consist of a silver plate, Grade D, Class N (0.0003 min.) per ASTM Standard B7000, followed by a gold plate per SAE/AMS Specification 2422D (0.00043 min.), or equivalent.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any other data which may improve this document should be sent to: Defense Supply Center Richmond (DSCR), 8000 Jefferson Davis Highway, Richmond, VA 23297-5610.

AMSC N/A FSC 5940

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:08Z
Check the source to verify that this is the current version before use.

TABLE I. Dimensional requirements.

Dash Number	Thickness of Mounting Board	A Dia. ±.002	B ±.015	C ±.010	D Dia. ±.005	E ±.005	F ±.005	G ±.010	H ±.010	J ±.005	K ±.005	L ±.005
-01	1/64	.072	.104	.082	.093	.020	.050	.038	.038	.022	.050	.037
-02	1/32	.072	.104	.082	.093	.020	.050	.038	.038	.022	.050	.054
-03		.090	.133	.113	.125	.020	.062	.040	.040	.020	.062	.075
-04		.124	.158	.084	.156	.022	.093	.047	.030	.045	.062	.075
-05	1/16	.072	.104	.082	.093	.020	.050	.038	.038	.022	.050	.084
-06		.090	.133	.113	.125	.020	.062	.040	.040	.020	.062	.105
-07		.124	.158	.084	.156	.022	.093	.047	.030	.045	.062	.105
-08	3/32	.072	.104	.082	.093	.020	.050	.038	.038	.022	.050	.115
-09		.090	.133	.113	.125	.020	.062	.040	.040	.020	.062	.135
-10		.124	.158	.084	.156	.022	.093	.047	.030	.045	.062	.135
-11	1/8	.072	.104	.082	.093	.020	.050	.038	.038	.022	.050	.147
-12		.090	.133	.113	.125	.020	.062	.040	.040	.020	.062	.165
-13		.124	.158	.084	.156	.022	.093	.047	.030	.045	.062	.165



FIGURE 1. Single feedthru terminal stud.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:08Z
Check the source to verify that this is the current version before use.

3. REGULATORY REQUIREMENTS

There are no regulatory requirements, however, the offeror or contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4. QUALITY ASSURANCE PROVISIONS

4.1 Product conformance. The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial market. The government reserves the right to require proof of such conformance.

4.2 Market acceptability. Similar items must have been sold in the commercial market or to the Government. The offeror or contractor shall certify and provide supporting documentation as to the serviceability and the long term (5 years) availability of all necessary maintenance and logistics support parts and materials.

5. PACKAGING

Preservation, packing, and marking shall be as specified in the contract or order.

6. NOTES

6.1 Part Identification Number (PIN) The following part identification numbering procedure is for government purposes and does not constitute a requirement for the contractor.

This example describes a part numbering system for CID A-A-59287:

AA59287-01

where AA59287 is the basic part number and the dash -01 references the figure 1 and Table I dimensional requirements of -01. All dash numbers of this document supercede corresponding dash numbers of MS17155.

6.2 Source of documents.

6.2.1 Government documents. Military and Federal documents are available from:

Standardization Documents Order Desk
Bldg. 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

6.2.2 Non-government documents. Applicable documents are available from the following:

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:08Z
Check the source to verify that this is the current version before use.

Society of Automotive Engineers
400 Commonwealth Drive
Warrendale, PA 15096-0001

American Society for Testing and Materials
1916 Race Street
Philadelphia, PA 19103-1187

MILITARY INTERESTS

Custodians:
Army -MI
Navy - AS
Air Force - 85

Reviewers:
Air Force - 82, 99

Preparing Activity:

DLA - GS

(Project 5940-1292)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:08Z
Check the source to verify that this is the current version before use.