MIL-S-8805/114A(AT)
8 May 1986
SUPERSEDES
MIL-S-8805/114(AT)
19 December 1984

MILITARY SPECIFICATION SHEET

SWITCH ASSEMBLY, SENSITIVE, ROLLER PLUNGER, SPDT, 7 AMPERES WATERTIGHT SEAL

This specification is approved for use by US Army Tank-Automotive Command, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the switch assembly described herein shall consist of this specification and the latest issue of MIL-S-8805.

DISTRIBUTION STATEMENT A. Approved for public release, distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T11:23Z
Check the source to verify that this is the current version before use.





Figure 1 Dimensions and configuration.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T11:23Z
Check the source to verify that this is the current version before use.






Figure 1. Dimensions and configuration - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T11:23Z
Check the source to verify that this is the current version before use.

INCHES	MM	INCHES	MM
0.003	0.08	0.375	9.53
0.004	0.10	0.42	10.67
0.005	0.13	0.433	11.00
0.010	0.25	0.443	11.25
0.015	0.38	0.45	11.43
0.025	0.64	0.469	11.91
0.03	0.76	0.470	11.94
0.031	0.79	0.480	12.19
0.059	1.50	0.56	14.22
0.06	1.52	0.64	16.26
0.065	1.65	0.72	18.29
0.072	1.83	0.83	21.08
0.090	2.29	0.87	22.10
0.100	2.54	0.93	23.62
0.120	3.05	0.906	23.01
0.125	3.18	1.00	25.40
0.164	4.17	1.56	39.62
0.22	5.59	1.812	46.02
0.26	6.60	2.00	50.80
0.36	9.14	2.25	57.15
		7.00	177.80

NOTES:

1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. Unless otherwise specified, tolerance (in inches) is 0.03 for 2 place decimals and 0.005 for 3 place decimals.
4. Exact shape of switch optional within envelope dimensions shown.
5. Mounting plate shall be positioned between indicated dimensions.
6. Decal. Type I, class 1 per MIL-M-43719.

FIGURE 1. Dimensions and configuration - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T11:23Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configuration: See figure 1.

Enclosure design: 3.

Temperature characteristic: 1.

Shock type: M.

Sinusoidal vibration grade 2.

Military part number: M8805/114-01.

Finish: All exposed metal parts shall be corrosion resistant or shall be treated for corrosion resistance.

Mounting hardware Mounting plate shall be positioned as shown on figure 1.

Weight (with leads) 0.20 pound maximum.

Operating characteristics:

Actuating force. 9 ± 3 pounds.

Releasing force. 4 pounds minimum.

Pretravel. 0.040 inch maximum.

Overtravel. 0.125 inch minimum.

Overtravel force 30 pounds maximum.

Movement differential 0.020 inch minimum.

Strength of actuating means: 30 pounds.

Salt spray. Connectors shall be coupled during the test and examined for corrosion following the test.

Sand and dust: Connectors shall be coupled during the test. Following the test, there shall be no evidence of dust inside the connectors.

Mechanical endurance: 25 000 cycles.

Electrical endurance: 25 000 cycles.

Electrical ratings See table I.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T11:23Z
Check the source to verify that this is the current version before use.

TABLE I. Electrical ratings.

Load	Sea level 28 V dc
	(amperes)
Resistive	7
Inductive	4
Motor	4

Marking: Black printing 0.06 inch high on white background (decal).

Terminal identification: Include circuit schematic diagram.

Qualification inspection: Table II applies only if qualified MIL-S-8805/4 basic sensitive switches are utilized, and similar products have been qualified to MIL-S-8805/43 or MIL-S-8805/104.

TABLE II. Qualification inspection.

Number of sample units	Tests of MIL-S-8805 qualification inspection table
6	Group I
2	Group III
4 1/	Group VII

1/ Electrical endurance: Only resistive and inductive loads need to be tested.

Revision letters are not used to denote changes due to the extensiveness of the changes.

Custodian:
Army - AT

Agent:
DLA - ES

Preparing activity:
Army - AT

(Project No. 5930-A606)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T11:23Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12062 WASHINGTON D C
POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Tank-Automotive Command
ATTN: DRSTA-GSS
Warren, MI 48080

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T11:23Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1 DOCUMENT NUMBER	2 DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4 TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b ADDRESS *(Street, City, State ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)* _____

5 PROBLEM AREAS

a. Paragraph Number and Wording

b Recommended Wording

c Reason/Rationale for Recommendation

6 REMARKS

7a NAME OF SUBMITTER *(Last, First, MI)* – Optional	b WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c MAILING ADDRESS *(Street City, State ZIP Code)* – Optional	8 DATE OF SUBMISSION *(YYMMDD)*

Source: https://assist.dla.mil — Downloaded: 2026-10-17T11:23Z
Check the source to verify that this is the current version before use.