INCH-POUND

A-A-54764
24 October 1992

COMMERCIAL ITEM DESCRIPTION

# BAGS, WET DRESSING

The General Services Administration has authorized the use of this Commercial Item Description as a replacement for Federal Specification L-B-74 which is cancelled.

This Commercial Item Description covers wet-dressing bags for arms or legs.

Salient characteristics:

The wet-dressing bag shall be fabricated from plasticized film with three short pieces of plastic tubing attached, and shall be supplied in the following types:

Type 1 - Arm (see figure 1 for style, design, and dimensions)
Type 2 - Leg (see figure 2 for style, design, and dimensions)

The film shall be flexible plastic made from a synthetic resin compound of copolymer of vinyl chloride and vinyl acetate, or a polymer of vinyl chloride. The film shall be a minimum of 0.004 inch thick.

The tubing shall be a flexible plastic tubing made of synthetic resin, compounded of a suitably plasticized polyvinyl chloride. The three pieces of tubing shall be heat-sealed to the body of the bag as shown in figures 1 and 2, and shall be approximately 5-1/2 inches in length. The inside diameter of the tubing shall be 1/4 plus or minus 1/64 inch, and the wall thickness shall be not less than 1/8 inch.

AMSC N/A FSC 6515

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:38Z
Check the source to verify that this is the current version before use.





FIGURE 1 *Wet dressing arm bag.*



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:38Z
Check the source to verify that this is the current version before use.





FIGURE 2. Wet dressing leg bag.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:38Z
Check the source to verify that this is the current version before use.

All film seams and hems shall be made by a suitable heat and pressure method that will form an autogenous bond. All seams shall be waterproof, and shall have at least 50 percent of the strength of the parent material. The tubing shall be joined to the film by a suitable heat and pressure method which will form an autogenous bond. The joint shall be waterproof.

The color of the tubing and the film shall be the natural color of the plastic. The transparency of the film shall be such that a typewritten sheet may be easily read when the film is placed directly upon it.

The film shall be capable of stretching to at least one and one-half times its original length without any indication of failure. The permanent set of the film shall not exceed 30 percent of the original length when stretched to 1-1/2 times its original length.

The finished wet-dressing bag shall hold water for ten hours without leaking after the bag is filled with water, its openings are closed, and it is laying flat on a table.

Workmanship. The wet-dressing bag shall be free from defects which detract from its appearance or impair its serviceability.

Unit. Each (EA). One bag of the type specified, constitutes one unit.

Quality Assurance Provisions.

Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:38Z
Check the source to verify that this is the current version before use.

Records. Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of three years after delivery of the supplies to which such records relate.

Inspection. Inspection, as used herein, is defined as both examination (such as visual or auditory investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item.

Sampling for examination. Sampling for examination shall be conducted in accordance with MIL-STD-105, with an AQL of 4.0 (percent defective) and an inspection level of II. The unit of product for examination purposes shall be one wet-dressing bag.

Sampling for tests. Sampling for tests, including dimensional test, shall be conducted in accordance with MIL-STD-105, with an AQL of 2.5 (percent defective) and an inspection level of S-2. The unit of product for test purposes shall be one wet-dressing bag.

Tests. Tests shall be conducted to determine compliance with specification requirements. Where feasible, the same sample shall be used for the determination of two or more test characteristics.

Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within the tolerances specified using conversion tables contained in the latest revision of Federal Standard 376, and all other requirements of this document are met.

If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch/pound units, a request should be made to the contracting officer to determine if the product is acceptable.

The contracting officer has the option of accepting or rejecting the product.



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:38Z
Check the source to verify that this is the current version before use.

Contractor certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this Commercial Item Description, and that the product conforms to the producers' own drawings, specifications, standards, and quality assurance practices. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Regulatory requirements.

Federal Food, Drug and Cosmetic Act. If the product covered by this document has been determined by the U.S. Food and Drug Administration to be under its jurisdiction, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder. In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of all other applicable Federal, State, and local statutes, ordinances, and regulations.

Recovered materials. The offeror/contractor is encouraged to use recovered material in accordance with Federal Acquisition Regulation Subpart 23.4 to the maximum extent practical.

Preservation, packaging, packing, labeling, and marking. Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc., involving shipment from the supply source to the receiving activity, plus reshipment from receiving activity, and shall conform to applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order.

Ordering data. Intermediate/exterior package quantities, labeling, and marking must be specified in the contract and/or order.

NOTE: The following National Stock Number(s) are covered by this document.

6515-00-308-9100 (Type 1)
6515-00-308-9200 (Type 2)



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:38Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Custodians:

Air Force - 03
Army - MD
Navy - MS

PREPARING ACTIVITY:

DoD-MB

Agent:

DLA-DM

CIVIL AGENCY COORDINATING ACTIVITIES:

FDA-MPQAS
USPHS
VA - OSS

Project Number: 6515-5059

Location: BAGSC13.DOC



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:38Z
Check the source to verify that this is the current version before use.

# STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

## INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

| I RECOMMEND A CHANGE: | 1. DOCUMENT NUMBER: A-A-54764 | 2. DOCUMENT DATE (YYMMDD): 24 October 1992 |
|---|---|---|

3. DOCUMENT TITLE: BAGS, WET DRESSING

4. NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)

5. REASON FOR RECOMMENDATION

6. SUBMITTER

| a. [illegible] | b. ORGANIZATION | |
|---|---|---|
| c. ADDRESS (Include Zip Code) | d. TELEPHONE (Include Area Code)<br>(1) Commercial<br>(2) AUTOVON (If applicable) | 7. DATE SUBMITTED (YYMMDD) |

8. PREPARING ACTIVITY

| a. NAME<br>DEFENSE PERSONNEL SUPPORT CENTER<br>ATTN: DPSC-MSE | b. TELEPHONE (Include Area Code)<br>(1) Commercial: AC 215-737-2870 | (2) AUTOVON: AV 444-2870 |
|---|---|---|
| c. ADDRESS (Include Zip Code)<br>2800 SO. 20TH STREET<br>PHILADELPHIA, PA 19145 | IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS CONTACT:<br>Defense Quality and Standardization Office<br>5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466<br>Telephone (703) 756-2340 AUTOVON 289-2340 | |

DD Form 1426, OCT 89 — Previous editions are obsolete — 98/294

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:38Z
Check the source to verify that this is the current version before use.