MIL-C-50870C(AR)
22 JULY 1981
SUPERSEDING
MIL-C-50870B(MU)
27 April 1973

MILITARY SPECIFICATION
CARTRIDGE, 40MM, HEDP, M433; LINER FOR METAL PART

This specification is approved for use by the U.S. Army Armament Research and Development Command and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification covers the metal part for one type of liner designated as Liner (One piece) for use in Cartridge, 40MM, HEDP, M433.

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents of the issue in effect on data of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

SPECIFICATIONS

FEDERAL

PPP-B-601	-	Boxes, Wood, Cleated Plywood
PP-B-621	-	Box, Wood, Nailed and Lock Cover

MILITARY

MIL-A-48078	-	Ammunition, Standard Quality Assurance Provisions, General Specification For

STANDARDS

MILITARY

MIL-STD-105	-	Sampling Procedures and Tables for Inspection by Attributes

FSC: 1310

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, US Army Armament Research and Development Command, Attn. DRDAR-QA, Dover, New Jersey 07801 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:41Z
Check the source to verify that this is the current version before use.

MIL-STD-1169	-	Packaging, Packing and Marking for Shipment for Inert Ammunition Components
MIL-STD-1188	-	Commerical Packaging of Supplies and Equipment
MIL-B-2427	-	Box, Ammunition Packing, Wood, Nailed
MIL-B-46506	-	Box, Ammunition Packing, Wood, Wirebound

DRAWINGS (See 6.5)

U.S. ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND

9276544	-	Liner (One piece)

3. REQUIREMENTS

3.1 Material. Materials shall be in accordance with the applicable drawings and specifications.

3.2 Assembly. The assembly shall comply with all requirements specified on Drawing (Dwg.) 9276544, all associated drawings, and with all requirements specified in applicable specifications.

3.3 First article testing. This specification makes provisions for first article testing. Submission of first article quantity by the contractor shall be as specified in the contract.

3.4 Workmanship. All parts and assemblies shall be fabricated and finished in a thorough, workmanlike manner. They shall be free of burrs, chips, sharp edges, cracks, unblended radii, surface defects, dirt, grease, rust, corrosion product, and other foreign matter. The cleaning method used shall not be injurious to any parts, nor shall the parts be contaminated by the cleaning agents.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsiblity for inspection and quality assurance provisions. Unless otherwise specified herein or in the contract, the provisions of MIL-A-48078 shall apply and are made a part of this detail specification.

4.2 Classification of inspection. The following type of inspections shall be conducted on this item:

a. First article inspection.
b. Quality conformance inspection.

4.3 First article inspection.

4.3.1 Submission. The contractor shall submit a first article as designated by the Contracting Officer for evaluation in accordance with the provisions of 4.3.2. The first article sample shall consist of the following items in sample quantities as indicated.

Source: https://assist.dla.mil -- Downloaded: 202610-22T20:41Z
Check the source to verify that this is the currentversion before use.

Part Description	Drawings	Quantity
Liner	9276544	15

4.3.2 Inspections to be performed. See MIL-A-48078 and Table I herein.

4.3.3 Rejection. See MIL-A-48078.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:41Z
Check the source to verify that this is the current version before use.

TABLE I. FIRST ARTICLE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-C-50870C(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER SEE BELOW
					NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
	Liner (Dwg. 9276544) Examination of defects	15			4.4.2.1

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 202610-22T20:41Z
Check the source to verify that this is the current version before use.

4.4 Quality conformance inspection.

4.4.1 Inspection lot formation. Inspection lots shall comply with the lot formation provisions of MIL-A-48078.

4.4.2 Examination. See MIL-A-48078.

a. Sampling plans. Unless otherwise specified in the Classification of Defects and Test Tables, sampling plans for major and minor defects shall be in accordance with MIL-STD-105, Inspection Level II.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:41Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF DEFECTS & TESTS

MIL-C-50870C(AR)

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 9276544
4.4.2.1	Liner (One Piece)				NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
CRITICAL:	None defined				
MAJOR					
101.	Diameter of flange		0.40%	3.2	Gage
102.	Wall thickness		0.40%	3.2	Gage
103.	Location large basic diameter		0.40%	3.2	Gage
104.	Location small basic diameter		0.40%	3.2	Gage
105.	Concentricity of small end with flange diameter including perpendicularity		0.40%	3.2	Gage
106.	Diameter of hole small end		0.40%	3.2	Gage
107.	Concentricity hole small end with flange including perpendicularity		0.40%	3.2	Gage
MINOR					
201.	Total length		0.65%	3.2	Gage
202.	Evidence of poor workmanship		0.65%	3.4	Visual

NOTES:

DRDAR-QA Form 160 Jul 77 Replaces SARPA-QA Form 2567 Feb 74 Which is Obsolete

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:41Z
Check the source to verify that this is the current version before use.

4.4.3 Testing. Testing is described in the First Article and Quality Conformance Inspection Tables.

4.4.4 Inspection equipment. The inspection equipment required t perform the examinations and tests prescribed herein is described in the Paragraph Reference/Inspection Method Column in the tables starting with Paragraph 4.4.2.1. The contractor shall submit for approval inspection equipment designs in accordance with the terms of the contract. See MIL-A-48078 and 6.3 herein.

4.5 Test methods and procedures. This section is not applicable to this specification.

5. PACKAGING

5.1 Preservation and packaging. Unless otherwise specified, packaging will be Level B. Maximum and intermediate protection (Level A and B) shall be in accordance with MIL-STD-1169. Minimum protection shall be in accordance with MIL-STD-1188. Level A packaging shall be the same as Level B packaging except that one to four Level B packs shall be over packed in a wooden box complying with PPP-B-621, MIL-B-2427, PPP-B-601 or MIL-B-46506.

5.2 Unitization. Unitization for Levels A and B shall be in accordance with MIL-STD-1169.

5.3 Marking. Marking shall be in accordance with MIL-STD-1169.

5.4 Shipping. When shipments from more than one lot are shipped as a carload, each lot shall be kept separate and the division between lots clearly indicated to prevent mixing of the lots in transit.

6. NOTES

6.1 Intended use. The part covered by this specification is intended for use with Cartridge, 40MM, HEDP, M433.

6.2 Ordering data. See MIL-A-48078.

6.3 Submission of inspection equipment design for approval. See MIL-A-48078. Submit equipment designs as required to Commander, ARRADCOM, ATTN: DRDAR-QAA-I, Dover, NJ 07801. Request letter of submittal state contractor, contract number, specification number, item nomenclature and classification of defects or test paragraph.

Source: https://assist.dla.mil -- Downloaded: 202610-22T20:41Z
Check the source to verify that this is the current version before use.

6.4 Submission of results of contractor-conducted examinations and tests. Unless otherwise specified by the Contracting Officer, the contractor shall forward requested records of examinations or tests to Commander, ARRADCOM, ATTN: DRDAR-QAA-S, Dover, NJ 07801.

6.5 Drawings. Drawings listed in Section 2 of this specification under the heading of US Army Armament Research and Development Command (ARRADCOM) may also include drawings prepared by and identified as Edgewood Arsenal, Frankford Arsenal, Rock Island Arsenal or Picatinny Arsenal drawings. Technical data originally prepared by these activities is now under cognizance of ARRADCOM.

6.6 Changes from previous issue. Asterisks are not used in this revision to identify changes with respect to the previous issue, due to the extensiveness of the changes.

CUSTODIAN:
ARMY-AR

PREPARING ACTIVITY:
ARMY-AR

☆U.S. GOVERNMENT PRINTING OFFICE: 1981—703-023/5584

PROJECT NUMBER; 1310-A254

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:41Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-C-50870C Cartridge, 40MM, HEDP, M433 Liner For Metal Part

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1426 1 OCT 76

EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:41Z
Check the source to verify that this is the current version before use.