MIL-C-52810A(ME)
20 March 1980
SUPERSEDING
MIL-C-52810(ME)
10 June 1974

MILITARY SPECIFICATION

CURTAIN, PROJECTOR COMPARTMENT,

COTTON DUCK

This specification is approved for use by the Mobility Equipment Research and Development Command, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers a two-part curtain used in a map reproduction van.

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents of the issue in effect on date of invitation for bids or request for proposal form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

V-T-276	- Thread, Cotton.
MM-L-751	- Lumber; Softwood.
CCC-C-419	- Cloth, Duck, Cotton, Unbleached, Plied-Yarns Army and Numbered.

FSC 7230

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: US Army Mobility Equipment Research and Development Command, ATTN: DRDME-DS, Fort Belvoir, VA 22060 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.

CCC-C-428	- Cloth, Duck, Cotton; Fire, Water, Weather, and Mildew Resistant.
PPP-B-601	- Boxes, Wood, Cleated-Plywood.
PPP-B-636	- Boxes, Shipping, Fiberboard.
PPP-B-640	- Boxes, Fiberboard, Corrugated, Triple-Wall.

STANDARDS

FEDERAL

FED. STD. No. 751	- Stitches, Seams, and Stitchings.

MILITARY

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.
MIL-STD-130	- Identification Marking of US Military Property.
MIL-STD-1188	- Commercial Packaging of Supplies and Equipment.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Description. The curtain shall be as shown in Figure 1 and as specified herein.

3.2 Material. Material shall be as specified herein. Material not specified shall be selected by the contractor and shall be subject to all provisions of this specification (see 6.3).

3.2.1 Cloth. The finished cloth shall conform to CCC-C-428, Type I, Class 2. The basic cloth shall conform to CCC-C-419, Type I, Hard Texture, Number 10.

3.2.2 Thread and stitching. Thread shall conform to V-T-276, Type IB1, Ticket No. 16, 4-ply. Stitching shall conform to FED. STD. No. 751, Type EFb-2, Stitch Type 301, 7 or 8 stitches per inch.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.

3.3 Curtain rod. The curtain rod shall be softwood conforming to MM-L-751, dressed, grade optional, and shall be as shown in Figure 1. The rod shall be in three pieces; 62, 54, and 42-inches long.

3.4 Turn button socket. Turn button sockets shall be as shown in Figure 1. Turn button sockets shall be brass with a black oxide finish and shall be provided with clinch plates.

3.5 Identification markings. Each part of the curtain shall be identified in accordance with MIL-STD-130.

3.6 Workmanship. The curtains shall be free from flaws or rips in the fabric, loose or broken stitches, or other contaminating material. Eyelets shall be properly seated and spaced with no sharp edges or protruding points. Curtain rods shall be smooth with no splinters or knots.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Component and material inspection. The contractor is responsible for insuring that components and materials used are manufactured, examined, and tested in accordance with referenced specifications and standards, as applicable.

4.2 Classification of inspections. The inspection requirements specified herein are as follows:

(a) Quality conformance inspection (see 4.3).
(b) Inspection of packaging (see 4.5).

4.3 Quality conformance inspection.

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:34Z
Check the source to verify that this is the current version before use.

4.3.1 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.3.2 Examination.

4.3.2.1 Sampling. Samples selected in accordance with 4.3.1 shall be examined for the defects specified in 4.4.1. AQL shall be 0.4 percent defective.

4.4 Inspection procedure.

4.4.1 Examination. The curtains shall be examined as specified herein, for the following defects:

101. Curtains not as shown in Figure 1.
102. Material not as specified.
103. Stitches and stitching not as specified.
104. Curtain rod not as specified; lengths of the three pieces not as specified.
105. Turn button sockets not as specified; not spaced as shown in Figure 1.
106. Identification marking missing, incomplete, or illegible.
107. Workmanship not as specified.

4.5 Inspection of packaging.

4.5.1 Quality conformance of pack.

4.5.1.1 Unit of product. For purpose of inspection a completed pack prepared for shipment shall be a unit of product.

4.5.1.2 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.5.1.3 Examination. Samples selected in accordance with 4.5.1.2 shall be examined for the following defects. AQL shall be 2.5 percent defective.

108. Materials or containers not as specified. Each incorrect material or container shall be considered one defect.
109. Curtain and rods not preserved together in the same box as specified for Level A.
110. Box not closed and sealed Method V as specified for Level A.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.

111. Quantities packed together exceed the size or weight limitations of the box for Level A or Level B.
112. Marking missing, illegible, incorrect, or incomplete.

5. PACKAGING

5.1 Preservation. Preservation shall be Level A or Commercial as specified (see 6.2).

5.1.1 Level A. The curtains shall be compactly and neatly folded to form a bundle. The bundled curtain and the rods shall then be preserved together in a close-fitting box conforming to PPP-B-636, W5c. The box shall be closed and sealed in accordance with the appendix to the box specification as specified for Method V.

5.1.2 Commercial. The curtains and rods shall be preserved in accordance with MIL-STD-1188.

5.2 Packing. Packing shall be Level A, Level B, or Commercial as specified (see 6.2).

5.2.1 Level A. The curtains and rods, preserved as specified in 5.1 shall be packed together in a close-fitting box conforming to PPP-B-601, Overseas Type, style optional, in quantities not to exceed the weight limitation of the box. Closure and strapping shall be in accordance with the appendix to the box specification.

5.2.2 Level B. The curtains and rods, preserved as specified in 5.1, shall be packed as specified in 5.2.1, except boxes shall be Domestic Type. As an alternate, boxes conforming to PPP-B-640, Class 2, style optional; or PPP-B-636, V3c, V11c, V13c or V15c may be used when the quantity to be packed does not exceed the gross weight or size limitation of the box. Box closure and strapping shall be in accordance with the appendix to the applicable box specification.

5.2.3 Commercial. The curtains and rods, preserved as specified in 5.1, shall be packed in accordance with MIL-STD-1188.

5.3 Marking.

5.3.1 Military packaging. Marking shall be in accordance with MIL-STD-129.

Source: https://assist.dla.mil -- Downloaded: 202640-22T21:34Z
Check the source to verify that this is the current version before use.

5.3.2 Commercial packaging. Marking shall be in accordance with MIL-STD-1188.

6. NOTES

6.1 Intended use. The curtain is intended for use in a motorized photomapping van to protect the reflecting projector from the direct light of the interior of the van. The curtain is a component of Supply Catalog SC 6675-97-CL-E38.

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Degree of preservation and degree of packing required (see 5.1 and 5.2).


6.3 Recycled material. It is encouraged that recycled material be used, when practical, as long as it meets the requirements of this specification (see 3.2).

Custodian:
Army - ME

Preparing activity:
Army - ME

Project 7230-A045

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.



NOTE: 1. ALL DIMENSIONS ARE IN INCHES.
2. THE SECTIONAL CURTAIN ROD CONSISTS OF 3 PIECES,. 42, 54, AND 62 INCHES LONG, FORMED AS SHOWN HEREON.

FIGURE 1. Curtain, duck, projector compartment.

X-2765

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:34Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.
NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-C-52810A(ME) Curtain, Projector Compartment, Cotton Duck

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*	TELEPHONE NO.
	DATE

DD FORM 1 OCT 76 1426 EDITION OF 1 JAN 72 WILL BE USED UNTIL EXHAUSTED.

Source: https://assist.dla.mil -- Downloaded: 202610-22T21:34Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
USA Mobility Equipment R&D Command
ATTN: DRDME-DS
Ft. Belvoir, VA 22060

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:34Z
Check the source to verify that this is the current version before use.