MIL-F-48746 (PA)
14 FEBRUARY 1975

MILITARY SPECIFICATION

Fuze M811, M816, M819E1, GM, ET, LANCE, SPARE PARTS FOR PARTS, ASSEMBLING AND PACKING

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 This specification contains requirements not normally required by the drawings and provides the quality assurance provisions for the fabrication of parts, assembly and packing for parts for M811, M816 and M819E1.

2. APPLICABLE DOCUMENTS

2.1 The following documents of the issue in effect on date of invitation for bids form a part of this specification to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-A-48078 - Ammunition, Standard Quality Assurance Provisions, General Specification for

DRAWINGS

PICATINNY ARSENAL

PRODUCT AND PACKAGE DRAWINGS

9294661 - Knob Cover & Latch Assembly
9208864 - Standoff Knob Cover
8808932 - Unit Packing
8808362 - Exterior Packing

FSC: 1336

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 Material. - Materials shall be in accordance with applicable drawings and specifications.

3.1.1 Parts.-All parts shall meet all requirements of applicable drawings and specifications.

3.2 First Article Inspection.-This specification contains technical provisions for first article inspection. Requirements for the submission of first article samples by the contractor shall be specified in the contract.

3.3 Workmanship.-All parts and assemblies shall be fabricated in a thorough, workmanlike manner and shall be free of cracks, burrs or sharp edges. All parts shall be free of chips, dirt, grease, rust and other foreign material that may impair proper functioning. The cleaning method shall not be injurious to any of the parts, nor shall the parts be contaminated by the cleaning agents. Exterior surface coatings shall be continuous except for a few light scratches not exposing base material. All required markings shall be neat, clean and sharply defined.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for Inspection and Standard Quality Assurance Provisions.-Unless otherwise specified herein or in the contract, the provisions of MIL-A-48078 shall apply and are hereby made a part of this detail specification.

4.2 Classification of Inspections.-See MIL-A-48078.

4.3 First Article Inspection

4.3.1 Submission.-The contractor shall submit a first article sample as designated by the Contracting Officer for evaluation in accordance with the provisions of 4.3.2. The First Article sample shall consist of two (2)Knob Cover & Latch Assembly (dwg. 9294661), two (2) Standoff Knob Cover (dwg. 9208864), two (2) Cover, Knob (dwg. 9242202) and two (2) Cover Outer (dwg. 9242203).

4.3.2 Inspections to be Performed.-See MIL-A-48078 and 4.3.4 specified herein.

4.3.3 Rejection.-See MIL-A-48078

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET 01 OF 01		DRAWING NUMBER
4.3.4	SPARE PARTS FOR M811, M816, M819E1 PARTS, ASSEMBLING AND PACKING				See Below
					NEXT HIGHER ASSEMBLY
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
	KNOB COVER AND LATCH ASSEMBLY				
	Dwg. 9294661				
	EXAMINATION FOR DEFECTS	2	-	3.2	4.4.2.4
	STANDOFF, KNOB COVER				
	Dwg. 9208864	2	-	3.2	4.4.2.3
	EXAMINATION FOR DEFECTS				
	COVER, KNOB				
	Dwg. 9242202				
	EXAMINATION FOR DEFECTS	2	-	3.2	4.4.2.1
	COVER, OUTER				
	Dwg. 9242203				
	EXAMINATION FOR DEFECTS	2	-	3.2	4.4.2.2

NOTES:

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 202640-22T19:38Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

MIL-F-48746 (PA)

PARAGRAPH	TITLE		SHEET 01 OF 01		DRAWING NUMBER 9242202
4.4.2.1	COVER KNOB				NEXT HIGHER ASSEMBLY 9294661
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined.				
Major B					
131	Location of Standoff Holes		1.0	3.1.1	Gage
132	Diameter of Standoff Holes		1.0	3.1.1	Gage
133	Location of Sight Holes		1.0	3.1.1	Gage
134	Diameter of Sight Holes		1.0	3.1.1	Gage
135	Location of Mounting Holes		1.0	3.1.1	Gage
136	Diameter of Mounting Holes		1.0	3.1.1	Gage
137	Location of Detent Hole		1.0	3.1.1	Gage
138	Diameter of Detent Hole		1.0	3.1.1	Gage
139	Location of Rivit Holes		1.0	3.1.1	Gage
140	Diameter of Rivit Holes		1.0	3.1.1	Gage
Minor					
201	Defective Metal Stamping and Coloring		1.5	3.1.1	Visual
202	Protective finish missing or damaged		1.5	3.1.1	Visual
203	Evidence of poor workmanship		1.5	3.1.1	Visual

NOTES:

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-02-22T19:38Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

MIL-F-48746 (PA)

PARAGRAPH	TITLE		SHEET 01 OF 01		DRAWING NUMBER 9242203
4.4.2.2	Cover, Outer				NEXT HIGHER ASSEMBLY 9294661
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major B					
131	Location of Tabs		0.65%	3.1.1	Gage
132	Width of Tabs		0.65%	3.1.1	Gage
133	Length of Tabs		0.65%	3.1.1	Gage
134	Radii of Tabs		0.65%	3.1.1	Gage
135	Location of Holes		0.65%	3.1.1	Gage
136	Spacing of Holes		0.65%	3.1.1	Gage
137	Diameter of Holes		0.65%	3.1.1	Gage
Minor					
201	Protective finish missing or damaged		1.0	3.1.1	Visual
202	Evidence of poor workmanship		1.0	3.1.1	Visual

NOTES:

SARPA-QA FORM 2567 FEB 74

CLASSIFICATION OF DEFECTS & TESTS

MIL-F-48746 (PA)

PARAGRAPH	TITLE		SHEET 01 OF 01		DRAWING NUMBER 9208864
4.4.2.3	STANDOFF, KNOB COVER				NEXT HIGHER ASSEMBLY 9251881 - 9206336 9274046
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major B					
131	Inside diameter		0.4	3.1.1	Gage
132	Outside diameter		0.4	3.1.1	Gage
133	Length		0.4	3.1.1	Gage
134	Concentricity		0.4	3.1.1	Gage
Minor					
201	Evidence of poor workmanship		1.0	3.1.1	Visual
202	Finish missing or inadequate		1.0	3.1.1	Visual

NOTES:

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF DEFECTS & TESTS

PARAGRAPH	TITLE		SHEET 01 OF 01		DRAWING NUMBER 9294661
4.4.2.4	KNOB COVER AND LATCH ASSY.				NEXT HIGHER ASSEMBLY 9251881 - 9206336 9274046
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
Critical	None defined				
Major B					
131	Rivet improperly rolled over		0.65	3.1.1	Visual
132	Detent rivets not staked		0.65	3.1.1	Visual
133	Detent improperly engaged		0.65	3.1.1	Visual
134	Outer cover not free to move		0.65	3.1.1	Manual
135	Detent eyelet defective or missing		0.65	3.1.1	Visual
Minor					
201	Protective finish missing or damaged		1.0	3.1.1	Visual
202	Evidence of poor workmanship		1.0	3.1.1	Visual

NOTES:

SARPA-QA FORM 2567 FEB 74

Source: https://assist.dla.mil -- Downloaded: 2026-02-22T19:38Z
Check the source to verify that this is the current version before use.

4.4 Quality Conformance Inspection

4.4.1 Inspection Lot Formation.-See MIL-A-48078.

4.4.2 Examination.-See MIL-A-48078 - Unless otherwise specified in the Tables on Classification of Defects and Tests, sampling plans for Major and Minor Defects shall be in accordance with MIL-STD-105, Inspection Level II, Normal Inspection.

4.4.3 Inspection Equipment.-The inspection equipment required to perform the examinations and tests prescribed herein is described in the tables in the column headed "Paragraph Reference/Inspection Method". The contractor shall submit for approval inspection equipment designs in accordance with the terms of the contract and MIL-A-48078.

5. PREPARATION FOR DELIVERY

5.1 Packaging.-Packaging shall be as specified on Dwg. 8808932.

5.2 Packing and Marking.-Packing and marking shall be as specified on Dwgs. 8808932 and 8808362.

6. NOTES

6.1 Intended Use.-It is intended that the parts and assemblies, covered by this specification be used as spare parts for the M811, M816, and M819A1 Lance Fuze.

6.2 Ordering Data.-See MIL-A-48078.

6.3 Inspection Equipment Designs.-See MIL-A-48078 - Submit equipment designs as required to Commander, Picatinny Arsenal, ATTN: SARPA-QA-T-T, Dover, New Jersey 07801.

6.4 Definitions.-See MIL-A-48078.

Custodian:
Army-PA

Preparing Activity:
Army-PA

Project Number: 1336-A-236

Source: https://assist.dla.mil -- Downloaded: 202610-22T19:38Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 202610-22T19:38Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF THE ARMY
DOD – 314



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

COMMANDER
Picatinny Arsenal
ATTN: SARPA-QA-A
Dover, New Jersey 07801

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:38Z
Check the source to verify that this is the current version before use.