MILITARY SPECIFICATION

RACK, STORAGE SMALL SAW (M13)

1. SCOPE

1.1 Scope. This specification establishes the requirements and quality assurance provisions for the Rack, Storage, M249 Machine Gun.

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications, standards and handbooks. Unless otherwise specified, the following specifications and standards of the issue listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation, form a part of this specification to the extent specified herein.

SPECIFICATIONS

MILITARY

MIL-W-13855	-	Weapons: Small Arms and Aircraft Armament Subsystem, General Specification for
MIL-W-63150	-	Weapons and Support Material, Standard Quality Assurance Provision for

STANDARDS

MILITARY

MIL-STD-105	-	Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-109	-	Quality Assurance Terms and Definitions
MIL-STD-1261	-	Welding Procedures for Constructional Steels

FSC 1095

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Commander, US Army Armament Research and Development Center, Attn: DRSMC-QA, Dover, New Jersey 07801 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:35Z
Check the source to verify that this is the current version before use.

2.1.2 Other government documents, drawings and publications. The following other government documents form a part of this specification to the entent specified herein:

DRAWINGS

US ARMY ARMAMENT RESEARCH AND DEVELOPMENT CENTER

PRODUCT AND PACKAGING DRAWINGS

11828609 - Rack, Storage Small SAW (M13)

(Copies of specifications, standards, and handbooks required by manufacturers in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

American National Standards Institute (ANSI)

ANSI B46.1 - Surface Texture
ANSI Y32.3 - Welding Symbols

(Application for copies should be addressed to the American Society of Mechanical Engineers, United Engineering Center, 345 East 47th Street, New York, NY 10017)

3. REQUIREMENTS

3.1 First article. This specification contains technical provisions for first article inspection. Requirements for submission of first article inspection by the contractor shall be as specified in the contract.

3.2 Materials and construction. The storage racks shall conform to the materials and construction requirements specified herein, on drawing F11828609 and shall be in accordance with the applicable materials and construction processes of MIL-W-13855.

3.2.1 Welding. Welding shall be as specified on drawing 11828609 and MIL-STD-1261. Welding symbols shall be interpreted as specifed in ANSI Y32.3.

3.3 Design. The design of the storage rack shall conform to the design specified herein, on drawing F11828609 and in accordance with the applicable design provisions of MIL-W-13855.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:35Z
Check the source to verify that this is the current version before use.

3.3.1 Locking mechanism.

3.3.1.1 Functioning. The opening and closing action of the locking mechanism shall function smoothly without snagging or binding and must be able to be smoothly locked with one padlock.

3.3.1.2 Open position. With the locking mechanism unlocked and in the open position all weapons shall be easily inserted and withdrawn from the rack.

3.3.1.3 Locked position. With the locking mechanism closed and locked each weapon shall be securely locked in place. The locked rack shall be capable of detering forced entry with ordinary tools (crowbar, cold chisel, hammer, etc.). This security of the locking mechanism shall be maintained for any number of weapons less than nine as well as a full rack of nine weapons.

3.3.2 Rack envelope.

3.3.2.1 Serial number accessability. The weapon serial numbers shall be easily viewed while the weapons are in a fully loaded rack in the locked position.

3.3.2.2 Weapon protection. All weapons shall be fully enclosed within the rack envelope and there shall be no metal contact between the weapons and the rack.

3.3.2.3 Weapon security. None of the weapons shall be able to be disassembled while locked in the rack.

3.4 Rack stackability. Racks shall be easily secured together vertically and/or horizontally without any degradation to the requirements of paragraphs 3.2 and 3.3.

3.5 Weight. Rack shall not exceed 130 lbs.

3.6 Marking. Each rack shall be marked in accordance with drawing F11828609 and MIL-W-13855.

3.7 Workmanship. Workmanship shall be in accordance with MIL-W-13855.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection and standard quality assurance provisions. Unless otherwise specified in the contract, the supplier is responsible for the performace of all inspection requirements as specified herein. Except as otherwise specified in the contract, the supplier may use his own or any facilities

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:35Z
Check the source to verify that this is the current version before use.

suitable for the performance of the inspection requirements specified herein, unless disapproved by the government. The government reserves the right to perform any of the inspections set forth in the acceptance test plan where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements. Reference shall be made to MIL-STD-109 to define terms used herein. The provisions of MIL-W-13855 and MIL-W-63150 shall apply.

4.2 Classification of inspection. Unless otherwise specified in the contract, the following types of inspection shall apply to this item.

a. First Article Inspection (see 4.2.1).

b. Quaity Conformance Inspection (see 4.3).

4.2.1 First article inspection. The first article sample shall be subjected to the quality conformance inspection as specified herein and such other inspection as necessary to determine that all requirements of the contract have been met. The first article sample shall be representative of the manufacturing methods and processes to be used for quantity production. The first article samples shall be submitted and inspected prior to the beginning of quantity production.

4.2.2 First article submission.

4.2.2.1 Submission. The contractor shall submit a first article sample as designated by the contracting officer for evaluation in accordance with the provisions of 4.2.1.

4.2.2.2 Rejection. If any rack fails to comply with any of the applicable requirements, the first article sample shall be rejected. The government reserves the right to terminate its inspection upon any failure of a rack to comply with any of the stated requirements. In the event of rejection, the government reserves the right to require the contractor to take corrective action and submit a new first article quantity. Until the first article quantity is accepted, the contractor is not authorized to proceed with regular production unless otherwise directed by the contracting officer.

4.3 Quality conformance inspection.

4.3.1 Inspection lot. Unless otherwise specified the formation, size and presentation of inspection lots shall be in accordance with MIL-STD-105 and MIL-W-13855.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:35Z
Check the source to verify that this is the current version before use.

4.3.2 Examination. The examinations listed in Table 1 of this specification shall be performed on inspection lots as defined in 4.3.1 of this specification. Any rack in the sample containing one or more defects shall be rejected and if the number of defective racks in any sample exceeds the acceptance number of that sample the lot represented by the sample shall be rejected.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:35Z
Check the source to verify that this is the current version before use.

TABLE I. Quality conformance test

CLASSIFICATION OF DEFECTS & TESTS

MIL-R-70502

PARAGRAPH	TITLE		SHEET 1 OF 1		DRAWING NUMBER 11828609
4.3.3	Rack, Storage, M249 Machine Gun				NEXT HIGHER ASSEMBLY N/A
CATEGORY	EXAMINATION OR TEST	NO. OF SAMPLE UNITS	AQL OR 100%	REQUIREMENT PARAGRAPH	PARAGRAPH REFERENCE /INSPECTION METHOD
	INSPECTIONS				
	1. Materials and Construction		-	3.2	Certification (See MIL-W-63150 Para. 3.5)
	2. Design		-	3.3	Certification (See MIL-W-63150 Para. 3.5)
	3. Improper Assembly or Missing Parts		1.5	3.2	11828609/Visual
	4. Improper Alignment of Holes Bottom to Top or Side to Side		1.5	3.4	11828609/Visual/SMTE
	5. Missing Welds or Defects in Welding		.65	3.2.1	11828609/Visual
	6. Performance of Locking Mechanism not as specified. (The lock itself is not a part of this test.)		1.5	3.3.1	Visual/Manual
	7. Rack Envelope not as specified.		1.5	3.3.2	Visual/Manual
	8. Weight incorrect		1.5	3.5	SMTE
	9. Improper or Missing Identification Marking		1.5	3.5	Visual
	10. Workmanship		1.5	3.6	Visual

NOTES:

DRSMC-QA (D) Form 160, 1 Aug 83 replaces edition of 1 Jul 77 which may be used until exhausted.

Source: https://assist.dla.mil -- Downloaded: 2026-02-23T03:35Z
Check the source to verify that this is the current version before use.

5. PACKAGING

5.1 Preservation, packaging, packing and marking. Preservation, packaging, packing and marking shall be in accordance with Packaging Data Sheet 11828609.

6. NOTES

6.1 Intended use. The assembly covered by this specification is intended to store the M249 machine gun.

6.2 Ordering data. Procurement documents shall be as specified in the contract.

6.3 Submission of inspection equipment designs for approval. Submit equipment designs, as required, to Commander, US Army Armament Research and Development Center (ARDC), Dover, NJ 07801-5001, ATTN: AMSMC-QAF-I(D). Request letter of submittal shall state the contractor, contract number, specification number, item nomenclature and classification of defects or test paragraph.

Custodian:
Army-AR

Preparing Activity:
Army-AR

(Project 1095-A144)

U.S. GOVERNMENT PRINTING OFFICE: 1985 - 509-038/20780

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:35Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12062 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

COMMANDER
US ARMY ARMAMENT MUNITIONS & CHEMICAL COMMAND
ATTN: DRSMC-QA
DOVER, NJ 07801 5001

Source: https://assist.dla.mil -- Downloaded: 202610-23T03:35Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-R-70502	RACK, STORAGE SMALL SAW (M13)

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T03:35Z
Check the source to verify that this is the current version before use.