INCH POUND
MIL-DTL-32134 A
20 October 2021
SUPERSEDING
MIL-DTL-32134
22 October 2003

DETAIL SPECIFICATION
STRAP, EYEWEAR, RETENTION

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This document covers the requirements for an eyewear retention strap to be used with the Advanced Combat Helmet (ACH)

2. APPLICABLE DOCUMENTS

2.1 General. The documents listed in this section are specified in sections 3 and 4 of this specification. This section does not include documents cited in other sections of this specification or recommended for additional information or as examples. While every effort has been made to ensure the completeness of this list, document users are cautioned that they must meet all specified requirements documents cited in sections 3 and 4 of this specification, whether or not they are listed.

2.2 Government Documents

2.2.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation (see 6.2).

Comments, suggestions, or questions on this document should be addressed to: Defense Supply Center Philadelphia, Clothing and Textiles Directorate, Attn: DSCP-FQSE (Bldg 3), 700 Robbins Ave., Philadelphia, PA 19111-5092 or emailed to Kathleen.Gullifer@dla.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T04:50Z
Check the source to verify that this is the current version before use.

SPECIFICATIONS

MILITARY

MIL-DTL-32075	-	Label: For Clothing, Equipage, and Tentage (General Use)

(Copies of these documents are available online at https://quicksearch.dla.mil.)

2.2.2 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this document to the extent specified herein. Unless otherwise specified, the issues are those cited in the solicitation.

Drawings

U.S. ARMY RESEARCH, DEVELOPMENT AND ENGINEERING COMMAND, NATICK SOLDIER CENTER

2-1-2499	-	Strap, Retention, Eyewear
PL2-1-2499	-	Strap, Retention, Eyewear

(Applications for copies of drawings, publications, and other Government documents required by contractors in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting activity.)

2.3 Non-Government publications. The following document forms a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents, which are DoD adopted, are those listed in the issue of DODISS cited in the solicitation. Unless otherwise specified, the issues of the documents not listed in the DODISS are the issue of the documents cited in the solicitation (see 6.2).

AMERICAN SOCIETY FOR QUALITY

ASQC Z1.4	-	Sampling Procedures and Tables for Inspection by Attributes

(Applications for copies should be addressed to American Society for Quality Control, 611 East Wisconsin Avenue, Milwaukee, WI 53202, https://www.asq.org .)

(Non-Government standards and other publications are normally available from the organizations that prepare or distribute the documents. These documents also may be available in or through libraries or other information services.)

2.4 Order of precedence. In the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T04:50Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 First article. When specified, (see 6.2), a sample shall be subjected to first article inspection (see 4.2 and 6.3).

3.2 Recycled, recovered, or environmentally preferable materials. Recycled, recovered, or environmentally preferable materials should be used to the maximum extent possible provided that the material meets or exceeds the requirements of this specification and promotes economically advantageous life cycle costs.

3.3 Design and materials. The eyewear retainer strap shall be comprised of a length of webbing, a snap fastener, and stitching. The design and materials of the strap shall be as specified herein and as shown on drawing 2-1-2499 and all subsidiary drawings and parts lists.

3.4 Barcode/label. The eyewear retention strap shall be individually bar-coded with a pressure sensitive label in accordance with MIL-DTL-32075, Type VII, Class 17, when packaged in accordance with the contract or purchase order. The bar coding element shall be the 13 digit national stock number (NSN). There shall be a 12-digit universal product code (UPC) number assigned for the NSN by the Government. The initials “UPC” shall appear beneath the universal product code (UPC) code. The label shall be located so that it is completely visible on the item when it is folded and packaged as specified (see 5.1) and shall cause no damage to the item.

3.5 Workmanship. The finished eyewear retention strap shall conform to the quality of product established by this document and the occurrence of defects shall not exceed the specified quality levels.

4. VERIFICATION

4.1 Classification of inspection. The inspection requirements specified herein are classified as follows:

1. First article inspection (see 4.2)
2. Quality conformance inspection (see 4.3)

4.2 First article inspection. When specified (see 6.2), a sample shall be subjected to first article inspection in accordance with 4.4.

4.3 Conformance inspection. Sampling for inspection shall be performed in accordance with ANSI/ASQC Z1.4, as defined by contract, except where otherwise indicated.

4.4 Component and end item inspection. In accordance with 4.1, components and end items shall be tested in accordance with all the requirements of referenced documents unless otherwise excluded, amended, modified, or qualified in this document or applicable procurement documents. The government reserves the right to inspect all components and end items to determine conformance to requirements.

4.4.1 Examination of the end item. Examination of the end item shall be in accordance with 4.4.2 through 4.4.3.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T04:50Z
Check the source to verify that this is the current version before use.

4.4.2 End item visual examination. The end item shall be examined for the defects listed in Table I.

TABLE I
End item visual defects.

Examination	Defect
Material and workmanship	Component part omitted, incorrect, not as specified, distorted, or twisted; assembled reversed (wrong side) or assembled incorrectly (not at correct location). Webbing: any hole, cut, tear, broken or missing yarns or floats, smash, thin place, dye streak, color not as specified, misweave, knot or slub affecting appearance or serviceability, abrasion, not firmly or tightly woven, edge cut or frayed or scalloped, ends not seared or sharp edges present, permanent fold, pleat, or crease affecting appearance or serviceability. Snap: any snap not functioning properly, i.e., fails to snap closed, provide a secure closure, or opens freely, not properly set (clinched excessively tight resulting in cut adjacent material or cinched loosely), damaged including any split on eyelet or button barrels, finish not as specified. NOTE: Incomplete roll of end of button or eyelet barrel is evidence of improper and insecure clinching. Stitches and Seams: puckered, distorted, pleated, wavy, twisted, irregular or open; loose or tight stitch tension; broken or missing thread, stitch, or row of stitching; needle chew; visible mend; edge or raised stitching sewn too close to edge resulting in damage to webbing; stitch, seam type or seam allowance not as specified. Hole: not seared, not at correct location, incorrect size.
Shade	Shade variation within a part or between parts, shade not as specified. Thread color not as specified.
Cleanness	Spot, stain, excessive thread ends not trimmed or removed, odor, affecting appearance or serviceability.
Label	Bar code omitted, not legible or readable by scanner, human readable interpretation (HRI) omitted or illegible, not visible on packaged item, not as specified.
Packaging	Any items not packaged in accordance with the contract or purchase order.

4.4.3 End item dimensional examination. The end items shall be examined for conformance to all dimensions specified on the drawings. Only those dimensions that can be evaluated without damaging or disassembling the end item shall be examined. Any dimension not within the specified tolerance shall be classified as a defect.

5. PACKAGING

5.1 Packaging. For acquisition purposes, the packaging requirements shall be as specified in the contract or order (see 6.2). When actual packaging of materiel is to be performed by DoD personnel, these personnel need to contact the responsible packaging activity to ascertain requisite packaging requirements. Packaging requirements are maintained by the Inventory Control Point's

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T04:50Z
Check the source to verify that this is the current version before use.

packaging activity within the Military Department or Defense Agency, or within the Military Department's System Command. Packaging data retrieval is available from the managing Military Department's or Defense Agency's automated packaging files, CD-ROM products, or by contacting the responsible packaging activity.

5.1.1 Preservation. Two straps shall be inserted in a clear polyethylene film bag. The polyethylene bag shall be formed with heat sealed seams that are straight and continuous and parallel to each other and the formed edges of the bag. Twenty-five bagged straps shall be neatly stacked to form a bundle. The bundle shall be securely tied with twine or tape.

5.1.2 Packing. One thousand straps, preserved as specified in 5.1 shall be packed in a snug-fitting fiberboard shipping container conforming to style RSC-l, grade V2S of ASTM D5118 and ASTM D1974.

6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Intended use. The eyewear retention strap is to be used with the Advanced Combat Helmet to hold eyewear in place on the helmet.

6.2 Acquisition requirements. Acquisition documents should specify the following:

1. Title, number and date of this specification.
2. Issue of DODISS to be cited in the solicitation and, if required, the specific issue of individual documents referenced (see 2.2.1, 2.2.2 and 2.3).
3. When first article inspection is required, (see 3.1), the item will be tested and should be a first article sample. The contracting officer should include specific instructions in acquisition documents regarding arrangement for examinations, quantity, and testing and approval.
4. Packaging requirements (see 5.1).

6.3 First article. When a first article is required, it should be inspected and approved under the appropriate provisions of FAR 52.209-4. The first article should be a pre-production sample. The contracting officer should specify the appropriate type of first article and the number of units to be furnished. The contracting officer should include specific instructions in all acquisitions documents regarding arrangements for selection, inspection, and approval of the first article.

6.4 Acceptance criteria. Acceptance criteria should be specified in the contract or purchase order.

6.5 National Stock Number (NSN).

8470-01-487-1605

6.6 Subject term (key word) listing.

Helmet

6.7 Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T04:50Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Custodians:
Army – GL
Navy - NU

Preparing activity:
DLA – CT
(Project 8415-2021-047)

Review activities:
Army – MD
Navy - MC

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T04:50Z
Check the source to verify that this is the current version before use.