MILITARY SPECIFICATION

CODEINE PHOSPHATE AND ASPIRIN TABLETS

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Codeine Phosphate and Aspirin Tablets.

1.2 Classification. The tablets covered by this specification shall be of the following sizes (See 6.2):

Size 1 - Individually Sealed, 25's
Size 2 - 1000's

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Hq, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document, or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:55Z
Check the source to verify that this is the current version before use.

SPECIFICATIONS

FEDERAL

PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals. (See 6.3)

STANDARDS

FEDERAL

FED-STD-140 - Tablets (for Medicinal Purposes).

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION (FDA).

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia (USP).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:55Z
Check the source to verify that this is the current version before use.

The National Formulary (NF).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Codeine Phosphate and Aspirin Tablets, and shall be in accordance with all applicable requirements of FED-STD-140, and as specified herein.

S2. Classification. Shall be type I, class 1.

S5.3 The following is added to this paragraph:

The tablets shall contain 30 mg of Codeine Phosphate and 0.325 gram of Aspirin per tablet, within the designated assay limits.

S6.4.9.1 Disintegration. Shall disintegrate in not more than 10 minutes when determined by the USP method for uncoated tablets.

3.2 Finished product.

3.2.1 Assay. The tablet shall assay to contain not less than 93.0 percent and not more than 107.0 percent of the required amounts of Codeine Phosphate and Aspirin when assayed as specified in 4.3.1.1. and 4.3.1.2.

3.2.2 Identification. The tablets shall comply with the identity test specified in 4.3.2.

3.2.3 Free salicylic acid. The tablets shall contain not more than 0.75 percent salicylic acid calculated on the labeled aspirin content when tested as specified in 4.3.3.

3.3 Ingredients.

3.3.1 Codeine phosphate and aspirin. The codeine phosphate and aspirin used in the manufacture of the tablets shall comply with the tests, standards, and requirements of the USP, including any supplements or revisions thereto.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:55Z
Check the source to verify that this is the current version before use.

3.4 Other ingredients. All other ingredients used in the manufacture of the tablets shall comply with S5.1 of FED-STD-140.

3.5 Expiration dating period. The expiration dating period shall be not less than 36 months.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling. The sampling as shown in FED-STD-140 shall be applicable.

4.3 Tests.

4.3.1 Assay for the finished tablets.

4.3.1.1 Codeine Phosphate.

Sample Preparation. Transfer 10 tablets to a 125 ml glass stoppered Erlenmeyer flask, add 20.0 ml of purified water and shake well. Filter through coarse filter paper and transfer 10.0 ml of the filtrate to a 125 ml separatory funnel. Add 0.5 ml of 50% sodium hydroxide and 8 ml of carbon disulfide. Shake well, allow separation and draw off about 5 ml of the carbon disulfide layer into a small glass stoppered Erlenmeyer flask containing about 2 gram of sodium chloride. Shake carefully and transfer a portion into a 0.4 mm NaCl cell for use in an infrared spectrophotometer.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:55Z
Check the source to verify that this is the current version before use.

Standard Preparation. Accurately weigh about 300 mg of USP Codeine Phosphate Reference Standard, 3.25 gram of Aspirin, USP, 750 mg of potato starch, 1.19 gram of Lactose, USP, and 160 mg of Stearic Acid, USP, and transfer to a 125 ml glass stoppered Erlenmeyer flask. Prepare this in the same manner as the Sample Preparation.

Procedure. Using a suitable infrared spectrophotometer, concomitantly determine the absorbances of the sample and standard solutions in 0.4 mm NaCl cells between 11.0 μ - 10.0 μ (1000 cm^{-1} - 900 cm^{-1}).

Calculation: $\frac{A \text{ (sample)}}{A \text{ (standard)}} \times 100 = \%$ codeine phosphate

As an alternate assay method for codeine phosphate, the finished tablets may be tested according to the NF XIII (official from 1 September 1970 to 30 June 1975), assay for Codeine Phosphate, Aspirin, Phenacetin, and Caffeine Tablets.

4.3.1.2 Aspirin.

Sample Preparation. Transfer 3 tablets to a 125 ml glass stoppered Erlenmeyer flask, add 50 ml of chloroform and shake well. Transfer a portion of the clear solution to a 0.1 mm cell, for use in an infrared spectrophotometer, by means of a dropper containing a pledget of cotton in the end.

Standard Preparation. Accurately weigh about 975 mg of USP Aspirin Reference Standard, 90 mg of Codeine Phosphate, USP, 225 mg of potato starch, 375 mg of Lactose USP, and 48 mg of Stearic Acid, USP and transfer to a 125 ml glass stoppered Erlenmeyer flask. Prepare this in the same manner as the Sample Preparation.

Procedure. Using a suitable infrared spectrophotometer, concomitantly determine the absorbances of the sample and standard solutions in 0.1 mm cells at 5.65 μ (about 1800 cm^{-1}).

Calculation: $\frac{A \text{ (sample)}}{A \text{ (standard)}} \times 100 = \%$ aspirin

As an alternate assay method for aspirin, the finished tablets may be tested according to the NF XIII, (official from 1 September 1970 to 30 June 1975) for Codeine Phosphate, Aspirin, Phenacetin, and Caffeine Tablets.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:55Z
Check the source to verify that this is the current version before use.

4.3.2 Identification.

4.3.2.1 Identification of Codeine in the finished tablets. Powder several tablets and place a small amount of the powder in a clean, dry test tube. Add a few drops of sulfuric acid containing 5 mg of selenous acid in each ml. A green color is produced which rapidly changes to blue to indicate the presence of codeine.

4.3.2.2 Identification of Phosphate in the finished tablets. Powder a tablet and mix a small amount with 10 ml of purified water and filter. Neutralize about 5 ml of the filtrate with ammonia T.S. and add silver nitrate T.S. To indicate the presence of phosphate, a yellow precipitate of silver phosphate is produced which is soluble in diluted nitric acid and in ammonia T.S.

4.3.2.3 Identification of Aspirin in the finished tablets. Powder a tablet and place in a clean test tube. Add several ml of diluted sulfuric acid and boil for a few minutes. An odor of acetic acid is evolved and after cooling, the addition of a few drops of ferric chloride T.S. to the mixture shall produce a purple color to indicate the presence of aspirin.

4.3.3 Free salicylic acid. The free salicylic acid content shall be determined by the procedure in the USP under Aspirin Tablets for non-aspirin salicylates.

4.4 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.5 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186 (See 6.3) and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (See 6.1).

5.2.1 Unit of issue. One box containing 25 individually packaged tablets of size 1 or one bottle containing 1000 tablets of size 2, as specified, constitutes one unit of issue.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:55Z
Check the source to verify that this is the current version before use..

5.2.2 Level A.

5.2.2.1 Immediate container.

5.2.2.1.1 Size 1. The immediate container for size 1 shall be a commercially available blister or strip packaging suitable for use in unit dose dispensing. Twenty-five (25) tablets shall be packaged in a tamperproof container with a transparent window suitable for visual check of contents. The tablets shall be in one continuous strip, each tablet in an individually-labeled tear-off pocket numbered in descending sequence. The immediate container shall be one considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.1.2 Size 2. The immediate container for size 2 shall be a commercially available immediate container considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit packaging. Each unit of size 1 shall be packaged as specified in 5.2.5 of PPP-C-186. At the option of the contractor, each unit of size 2 may be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate packaging. Ten (10) units of issue of size 1 shall be packaged as specified in 5.2.7.1 of PPP-C-186. Twelve (12) units of issue of size 2 shall be packaged as specified in 5.2.9 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C, as specified (see 6.1)

5.3.1 Level A. One hundred twenty (120) units of issue of size 1 or twelve (12) units of issue of size 2 shall be packed as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. One hundred twenty (120) units of issue of size 1 shall be packed as specified in 5.4.3.1.1 of PPP-C-186. No overpacking will be required for level B protection for size 2. Intermediate package will be used as the exterior container.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:55Z
Check the source to verify that this is the current version before use.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the National Stock Number.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.

(2) Strip labeling may be used.

(3) Label adhesion test shall not apply.

(4) If a unit package is not supplied for size 2 the National Stock Number shall appear on the immediate container label.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. In addition, Type II shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend:

"STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30°C. (59° - 86°F.)"

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:55Z
Check the source to verify that this is the current version before use.

5.4.3 Exterior container. Exterior containers shall be marked as specified in 5.5.4 of PPP-C-186. Type II shelf life marking as specified in MIL-STD-129 shall also be shown. Marking shall include the legend:

"STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30°C. (59° - 86°F.)"

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.

(b) National Stock Number.

(c) Selection of applicable levels of packaging and packing (See 5.2 and 5.3).

6.2 This specification covers the following item(s):

National Stock Number	Item Identification	Specification Designation
6505-00-118-2347	CODEINE PHOSPHATE AND ASPIRIN TABLETS, Individually Sealed, 25s	Size 1
6505-00-149-0116	CODEINE PHOSPHATE AND ASPIRIN TABLETS, 1000s	Size 2

6.3 All refences to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1684

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:55Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to *preparing activity*. *Comments submitted on this form do not constitute or imply authorization to waive any* portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-C-37526 CODEINE PHOSPHATE AND ASPIRIN TABLETS

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*	TELEPHONE NO.
	DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:55Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, PA 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:55Z
Check the source to verify that this is the current version before use.