# MILITARY SPECIFICATION

## KANAMYCIN SULFATE INJECTION, USP

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Kanamycin Sulfate Injection, USP.

1.2 Classification. The injection covered by this specification shall be of the following sizes and strengths (See 6.2):

Size 1 - 3 ml
Size 2 - 2 ml
Strength 1 - Equivalent to 0.333 Gram of Kanamycin per ml
Strength 2 - Equivalent to 37.5 mg of Kanamycin per ml

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Hq, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document, or by letter.



Source: https://assist.dla.mil -- Downloaded: 202610-21T10:54Z
Check the source to verify that this is the current version before use.

SPECIFICATIONS

FEDERAL

PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals. (See 6.3)

STANDARDS

FEDERAL

FED-STD-142 - Parenteral Preparations.

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.

MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION (FDA)

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia (USP).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary (NF).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

Source: https://assist.dla.mil -- Downloaded: 202640-21T10:54Z
Check the source to verify that this is the currentversion before use.

3. REQUIREMENTS

3.1 Material. Shall be Kanamycin Sulfate Injection, USP, and shall be in accordance with all applicable requirements of FED-STD-142, and as specified herein.

S2. Classification. Shall be type I, class 1.

Size 2, strength 2 shall be suitable for intramuscular use.

S5.2.1 The following is added to this paragraph:

Strength 1. Each milliliter of injection for strength 1 shall contain a quantity of Kanamycin Sulfate equivalent to 0.333 gram of Kanamycin base.

Strength 2. Each milliliter of injection for strength 2 shall contain a quantity of Kanamycin Sulfate equivalent to 57.5 mg of Kanamycin base.

S5.3 The following is added to this paragraph:

Shall be in accordance with the applicable regulations for the Certification of Antibiotics and Antibiotic-Containing Drugs, as promulgated by the Food and Drug Administration (FDA) for Kanamycin Sulfate Injection.

3.2 Ingredients.

3.2.1 Kanamycin sulfate. The kanamycin sulfate used in the manufacture of the injection shall comply with the tests, standards, and requirements of the USP, including any supplements or revisions thereto, and shall be in accordance with the applicable regulations for the Certification of Antibiotics and Antibiotic-Containing drugs, as promulgated by the FDA, U.S. Department of Health, Education, and Welfare.

3.3 Other ingredients. All other ingredients used in the manufacture of the injection shall comply with S5.1 of FED-STD-142.

3.4 Expiration dating period.

3.4.1 Size 1, strength 1. The expiration dating period for size 1, strength 1, shall be 48 months.

3.4.2 Size 2, strength 2. The expiration dating period for size 2, strength 2, shall be 36 months.



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:54Z
Check the source to verify that this is the current version before use.

## 4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling. The sampling as shown in FED-STD-142 shall be applicable.

4.3 Tests and examinations. Tests and examinations shall be performed to determine compliance with all requirements of this document and all referenced documents.

4.4 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.5 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

## 5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186 (See 6.3) and as specified herein.



Source: https://assist.dla.mil -- Downloaded: 202610-21T10:54Z
Check the source to verify that this is the currentversion before use.

5.2 Packaging. Packaging shall be level A or C, as specified (See 6.1).

5.2.1 Unit of issue. One bottle containing 2 ml or 3 ml, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container: size 1 and size 2. The immediate container for size 1 and size 2 shall be a commercially available immediate container considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package. At the option of the contractor, a unit package may be furnished. If a unit package is furnished, each bottle shall be packaged as specified in 5.2.5 of PPP-C-186.

5.2.2.3 Intermediate package. Fifty units of issue containing size 1, strength 1, or size 2, strength 2, shall be packaged as specified in 5.2.7.1 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C, as specified (see 6.1).

5.3.1 Level A. Twelve intermediate packages (600 units) containing size 1, strength 1, or size 2, strength 2, shall be packed in an exterior container as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Twelve intermediate packages (600 units) containing size 1, strength 1, or size 2, strength 2, shall be packed in an exterior container as specified in 5.4.3.1.1 of PPP-C-186.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:54Z
Check the source to verify that this is the current version before use.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information.

(a) label information in accordance with commercial practice.
(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the National Stock Number.
(c) extended potency lines.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.
(4) If a unit package is not supplied, the National Stock Number and extended potency lines shall appear on the immediate container.

5.4.2 Intermediate package. Each intermediate package shall be marked in accordance with paragraph 5.5.3 of PPP-C-186. Type II Shelf Life marking as specified in MIL-STD-129 shall apply. Marking shall include the legend:

"STORE AT CONTROLLED ROOM TEMPERATURE $15^{\circ}$ - $30^{\circ}$ C ($59^{\circ}$ - $86^{\circ}$ F)".

5.4.3 Exterior container. Exterior containers shall be marked as specified in 5.5.4 of PPP-C-186. Type II Shelf Life marking as specified in MIL-STD-129 shall apply. Marking shall include the legend:

"STORE AT CONTROLLED ROOM TEMPERATURE $15^{\circ}$ - $30^{\circ}$ C ($59^{\circ}$ - $86^{\circ}$ F)".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) the National Stock Number.
(c) Selection of applicable levels of packaging and packing (See 5.2 and 5.3).



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:54Z
Check the source to verify that this is the current version before use.

6.2 This specification covers the following item(s):

| National Stock Number | Item Identification | Specification Designation |
|---|---|---|
| 6505-00-660-1676 | KANAMYCIN SULFATE INJECTION, USP, Equivalent to 0.333 Gram of Kanamycin per ml, 3 ml | Size 1, strength 1 |
| 6505-00-926-9202 | KANAMYCIN SULFATE INJECTION, USP, Equivalent to 37.5 mg of Kanamycin per ml, 2 ml | Size 2, strength 2 |

6.3 All references to PPP-C-186 refer to Interim Federal Specification PPP-C-00186B which is mandatory for use until superseded by a revision.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1682



Source: https://assist.dla.mil -- Downloaded: 202640-21T10:54Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:54Z
Check the source to verify that this is the current version before use.

# STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS. The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers, vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
MIL-K-37522 KANAMYCIN SULFATE INJECTION, USP

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

**DD FORM 1 JAN 72 1426** REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:54Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 SOUTH 20TH STREET
PHILADELPHIA, PA. 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA. 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:54Z
Check the source to verify that this is the current version before use.