MILITARY SPECIFICATION

MEPERIDINE HYDROCHLORIDE INJECTION, USP

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Meperidine Hydrochloride Injection, USP.

1.2 Classification. The injection covered by this specification shall be of the following strengths (see 6.2):

Strength 1 - 50 mg
Strength 2 - 75 mg
Strength 3 - 100 mg

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-B-566 - Boxes, Folding, Paperboard.
PPP-B-676 - Boxes, Setup.
PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Headquarters, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this doucment or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:57Z
Check the source to verify that this is the current version before use.

STANDARDS

FEDERAL

FED-STD-142 - Parenteral Preparations.

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE, FOOD AND DRUG ADMINISTRATION (FDA)

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia (USP).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary (NF).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Meperidine Hydrochloride Injection, USP, and shall be in accordance with all applicable requirements of FED-STD-142, and as specified herein.

Source: https://assist.dla.mil -- Downloaded: 20260-21T10:57Z
Check the source to verify that this is the current version before use.

S2. Classification. Shall be type I, class 1.

S5.2.1 The following is added to this paragraph:

Strength 1. Shall be a solution containing 50 mg of meperidine hydrochloride in one ml of injection, within the applicable assay limits.

Strength 2. Shall be a solution containing 75 mg of meperidine hydrochloride in one ml of injection, within the applicable assay limits.

Strength 3. Shall be a solution containing 100 mg of merperidine hydrochloride in one ml of injection, within the applicable assay limits.

3.2 Ingredients.

3.2.1 Meperidine hydrochloride. The meperidine hydrochloride used in the manufacture of the injection shall comply with the tests, standards, and requirements of the USP, including any supplements or revisions thereto.

3.3 Other ingredients. All other ingredients used in the manufacture of the injection shall comply with S5.1 of FED-STD-142.

3.4 Expiration dating period. The expiration dating period shall be not less than 24 months.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) at to non-dated items, for not less than 3 years after delivery of the item to the Government.

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:57Z
Check the source to verify that this is the currentversion before use.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling. The sampling as shown in FED-STD-142 shall be applicable.

4.3 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.4 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.5 Tests and examinations. Tests and examinations shall be performed to determine compliance with all requirements of this document and all referenced documents.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186, **and as specified herein.**

5.2 Packaging. Packaging shall be level A or C, as specified (See 6.1).

5.2.1 Unit of issue. One box containing ten (10) cartridge-needle units, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container: Sizes 1, 2 and 3. The immediate container for sizes 1, 2 and 3 shall be a commercially available 2 ml cartridge-needle assembly of a disposable type. This immediate container shall be considered acceptable by the Food and Frug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.1.1 The cartridge-needle unit shall be colorless, shall have a capacity of 2 ml, and shall deliver 1 ml of the injection.

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:57Z
Check the source to verify that this is the currentversion before use.

5.2.2.1.2 The cartridge-needle unit shall have a 22 gauge, regular level point, hypodermic needle, 1-1/4" in length, firmly secured and protected by a suitable cover.

5.2.2.1.3 The cartridge-needle unit shall be compatible for use with the stock-listed syringe cartridge (see 6.3).

5.2.2.1.4 The end, opposite the needle assembly of the cartridge-needle unit, shall contain a suitable plunger or piston having a screw centered in its external face that matches the threaded hole in the plunger rod of the syringe cartridge.

5.2.2.2 Unit packaging. Ten (10) cartridge-needle units shall be packaged together in two trays of five cartridge needle units each. The trays shall be of a tamper-detection design that allows a single cartridge-needle unit to be removed while the others remain securely intact. The trays shall be of a transparent nature that allows for visual inspection of the contents of the cartridge needle units. The two trays containing ten cartridge-needle units shall be further packaged in a box conforming to PPP-B-566 or PPP-B-676. Closure of the box shall be as specified in the applicable box specification.

5.2.2.3 Intermediate packaging. Ten (10) units of issue shall be packaged as specified in 5.2.7.1 of PPP-C-186.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C, as specified (see 6.1).

5.3.1 Level A. Sixty (60) units of issue shall be packed as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Sixty (60) units of issue shall be packed in a 175 lb. test, "C" flute, corrugated carton with 125 lb. test, "C" flute, top and bottom pads.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:57Z
Check the source to verify that this is the current version before use.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.
(b) the National Stock Number.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. In addition, Type II shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE 15° -30° C (59° - 86° F)" AND "DO NOT PERMIT TO FREEZE".

5.4.3 Exterior container. Exterior containers shall be marked as specified in 5.5.4 of PPP-C-186. Type II shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30° C (59° - 86° F)" AND "DO NOT PERMIT TO FREEZE".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) National Stock Number.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:57Z
Check the source to verify that this is the current version before use.

6.2 This specification covers the following items:

National Stock Number	Item Identification	Specification Designation
6505-00-855-6979	MEPERIDINE HYDROCHLORIDE INJECTION, USP, 50 mg. Cartridge-Needle Unit, 1 ml, 10s	Size 1
6505-00-855-6982	MEPERIDINE HYDROCHLORIDE INJECTION, USP, 75 mg. Cartridge-Needle Unit, 1 ml, 10s	Size 2
6505-00-855-6984	MEPERIDINE HYDROCHLORIDE INJECTION, USP, 100 mg. Cartridge-Needle Unit, 1 ml, 10s	Size 3

6.3 The items covered in this specification shall be compatible for use with 6515-00-926-9043 Syringe, Cartridge.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Review activity:
DoD - MB

Preparing activity:
DLA - DM

Project No. 6505-1694

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:57Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:57Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS. The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers, vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
MIL-M-37537 MEPERIDINE HYDROCHLORIDE INJECTION, USP

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1426

PREVIOUS EDITION OF 1 JAN 68 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:57Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 SOUTH 20TH STREET
PHILADELPHIA, PA. 19101

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA. 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:57Z
Check the source to verify that this is the current version before use.