MILITARY SPECIFICATION

PENICILLIN G PROCAINE SUSPENSION, STERILE, USP

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Penicillin G Procaine Suspension, Sterile, USP.

1.2 Classification. The suspension covered by this specification shall be of the following sizes and strengths (see 6.2):

Strength 1 - 600,000 Units
Strength 2 - 1,200,000 Units
Strength 3 - 2,400,000 Units
Size 1 - 1 ml, 10s
Size 2 - 2 ml, 10s
Size 3 - 4 ml, 10s

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals and Pharmaceuticals.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Headquarters, Defense Personnel Support Center, ATTN: Directorate of Medical Materiel, DPSC-ATT, 2800 South 20th Street, Philadelphia, Pa. 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:59Z
Check the source to verify that this is the current version before use.

STANDARDS

FEDERAL

FED-STD-142 - Parenteral Preparations.

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION (FDA)

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia (USP).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary (NF).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:59Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 Material. Shall be Penicillin G Procaine Suspension, Sterile, USP, and shall be in accordance with all applicable requirements of FED-STD-142, and as specified herein.

S2. Classification. Shall be type I, class 2.

Shall be suitable for intramuscular use.

S5.2.1 The following is added to this paragraph:

For strength 1, shall deliver 600,000 units of Penicillin G Procaine within the applicable assay limits for the injection.

For strength 2, shall deliver 1,200,000 units of Penicillin G Procaine within the applicable assay limits for the injection.

For strength 3, shall deliver 2,400,000 units of Penicillin G Procaine within the applicable assay limits for the injection.

S6.2.2 Suspensions. Lines 17 and 18, delete "22 gage, 1 inch", and substitute "20 gage, 1-1/4 inch regular bevel point" for strengths 1 and 2. Lines 17 and 18, delete "22 gage, 1 inch" and substitute "18 gage , 2 inch, regular bevel point" for strength 3.

S6.3 Volume in final containers. Delete in its entirety.

3.1.1 Certification. Shall conform to the pertinent provisions of the regulations for the Certification of Antibiotic and Antibiotic-containing Drugs, as promulgated by the FDA. Each lot shall be certified by the FDA.

3.2 Ingredients.

3.2.1 Penicillin G Procaine. The Penicillin G Procaine used in the manufacture of the suspension shall comply with the tests, standards, and requirements of the USP, including any supplements or revisions thereto and shall be in accordance with the applicable regulations for the certification of Antibiotic and Antibiotic-containing Drugs as promulgated by the FDA.

3.3 Other ingredients. All other ingredients used in the manufacture of the suspension shall comply with S5.1 of FED-STD-142.

3.4 Expiration dating period. The expiration dating period shall be 24 months.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:59Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and, (i) as to any expiration dated item, for the expiration dating period specified by the contractor for such item, or such longer period as may be required by regulation of any federal agency; or (ii) as to non-dated items, for not less than 3 years after delivery of the item to the Government.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Sampling. Sampling shall be conducted in accordance with FED-STD-142.

4.3 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

4.4 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.5 Tests. Tests shall be performed to determine compliance with all requirements of this document and all referenced documents.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186 and as specified herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:59Z
Check the source to verify that this is the current version before use.

5.2 Packaging. Packaging shall be level A or C as specified (see 6.1).

5.2.1 Unit of issue. One package containing 10 cartridge needle units of size 1 or size 2 or one package containing 10 syringe needle units of size 3 as specified constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container.

5.2.2.1.1 Sizes 1 and 2. The immediate container for sizes 1 and 2 shall be a commercially available cartridge-needle unit (1-1/4 inch x 20 gage regular bevel point) considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other. The cartridge-needle unit shall be compatible with Syringe, Cartridge, Thumb Rest Handle (see 6.3).

5.2.2.1.2 Size 3. The immediate container for size 3 shall be a commercially available 4 ml size disposable syringe, with 18 gage, 2 inch, regular bevel hypodermic needle, considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package. Five (5) syringe-needle units or five (5) cartridge-needle units shall be fitted into a tray-type container. Two (2) trays (10 syringe-needle units or 10 cartridge-needle units) and several direction circulars shall be packed in a folding carton of appropriate size and design.

5.2.2.3 Intermediate packaging. Ten (10) units of issue of size 1 or size 2 or twelve units of issue of size 3 shall be placed in a folding paperboard box of an appropriate size and design. Closure shall be adequate to prevent accidental opening.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B, or C, as specified (see 6.1).

5.3.1 Level A. Sixty (60) units of issue of size 1 or size 2 or forty-eight (48) units of issue of size 3 shall be packed as specified in 5.4.4 of PPP-C-186.

5.3.2 Level B. Sixty (60) units of issue of size 1 or size 2 or forty-eight (48) units of issue of size 3 shall be packed in a 175 lb "C" flute fiberboard corrugated box. The box shall include two 175 lb test top and bottom pads. Closure shall conform to method II as specified in PPP-B-636.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:59Z
Check the source to verify that this is the current version before use.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the expiration date.

5.4.1.2 Unit package. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the National Stock Number.

(c) extended potency lines.

NOTES: (1) The National Stock Number shall not be preceded by any prefix.

(2) Strip labeling may be used.

(3) Label adhesion test shall not apply.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. In addition, Type II shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legends:

"STORE BETWEEN 2° - 8° C (35° - 46° F)"
AND
"SUBJECT TO DAMAGE BY FREEZING"

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:59Z
Check the source to verify that this is the current version before use.

5.4.3 Exterior container. Exterior containers shall be marked as specified in 5.5.4 of PPP-C-186. Type II shelf life marking as specified in MIL-STD-129 shall be shown: Marking shall include the legends:

"STORE BETWEEN 2° - 8° C (35° - 46° F)"
AND
"SUBJECT TO DAMAGE BY FREEZING"

NOTE: The unrefrigerated shipping time for this item shall be not more than 12 days (288) hours.

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) National Stock Number.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following items:

National Stock Number	Item Identification	Specification Designation
6505-00-122-6980	PENICILLIN G PROCAINE SUSPENSION, STERILE, USP, 2,400,000 Units in Aqueous Suspension, Syringe-Needle Unit, 4 ml Size, 10s	Strength 3, Size 3
6505-00-133-4452	PENICILLIN G PROCAINE SUSPENSION, STERILE, USP, 1,200,000 Units in Aqueous Suspension, Cartridge-Needle Unit, 2 ml Size, 10s	Strength 2, Size 2
6505-00-616-7859	PENICILLIN G PROCAINE SUSPENSION, STERILE, USP, 600,000 Units in Aqueous Suspension, Cartridge-Needle Unit, 1 ml Size, 10s	Strength 1, Size 1

6.3 Sizes 1 and 2 shall be compatible with 6515-00-926-9043, Syringe, Cartridge, Thumb Rest Handle.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
DLA-DM

Project No. 6505-1704

Reviewing activity:
DoD - MB

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:59Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
MIL-P-37557 PENNICILLIN G PROCAINE SUSPENSION, STERILE, USP

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*	TELEPHONE NO.
	DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 202610-21T10:59Z
Check the source to verify that this is the current version before use.