INCH-POUND

A-A-59356
October 28, 1998

COMMERCIAL ITEM DESCRIPTION

NET MULTI-PURPOSE

The General Services Administration has authorized the use of this commercial item description as a replacement for MIL-N-43181 for all federal agencies.

1. SCOPE. This commercial item description covers the requirement for one type of multipurpose net (complete w/ suspension line cords) intended to meet multiple requirements of Special Warfare units. It is used as a hammock, camouflage net, carrier for loads, a litter, or as net or seine for subsistence fishing and catching game.

2. SALIENT CHARACTERISTICS. The netting shall be Camouflage Green 483 (CG-483) mesh type, doubled faced and fully reversible. The finished net shall be 108 inches min. length, and meet the weight requirements in accordance with TABLE-I. The lengthwise meshes per foot shall be 10 (±1) mesh. The width of the finish net inside selvages shall contain 100 (±2) mesh repeats. The width of each selvage of the finished net shall be 1/4 inch minimum and 3/8 inch maximum. The mesh size in the finished and relaxed state, shall measure 9/16 by 9/16 inch (inside measurements ±1/16). Two 14 feet long (± 3 inches), diamond braided cord of polyester, polyamide or fiber of comparable property's shall be packaged with the net.

2.1 Material. The yarn shall be either 260 denier (±5.0) percent, 3 ply or 840 denier (±5.0) percent, single yarn. The material shall be stabilize by heat setting or any commercial method available. The yarn shall be a bright, high tenacity, multi-filament nylon or a fiber with comparable properties meeting the requirements of TABLE-I. The color of the net shall be Camouflage Green 483 (CG-483). The color shall match the standard sample when viewed under incandescent lamplight at 2300 (±100K).

TABLE-I.

Characteristics	Requirements	Test Method
Weight (min.)	16.5 oz/sq. yd	ASTM D 3776-85
Breaking Strength Selvage (min.)	185 lbs.	ASTM D 5034-90 1/
Water & Chloroform Soluble	< 2.0%	ASTM D 629
Colorfastness:		
to laundering	"4.0"	AATCC 61-Test 1a-1989
to light	"4.0"	AATCC 61 Opt-A-1990

Beneficial comments (recommendations, additions, deletions) any pertinent data which may be of use in improving this document should be address to: Defense Supply Center Philadelphia, Clothing and Textiles Directorate, Attn: DSCP-FNS, 2800 South 20th Street, Philadelphia, PA 19145-5099.

AMSC N/A **FSC 8465**

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:12Z
Check the source to verify that this is the current version before use.

Note: "1/ Specimens shall be cut from the net in such a manner that vertical pillars adjacent to the selvage remain uncut and there are no mesh repeats attached to the specimens. The long dimension of the jaws shall be no less than the width of the specimen, and the distance between the jaws at the start of the test shall be ten inches."

2.2 Label/Tag. The label shall be as specified in the contract or order.

3. REGULATORY REQUIREMENTS. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4. QUALITY ASSURANCE PROVISIONS

4.1. Contractor certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this Commercial Item Description and that product conforms to the producer's own drawings, specifications, standards and quality assurance practices, and is the same product offered for sale in the commercial marketplace. The government reserves the right to require proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

4.2. Visual examination. Each case shall be examined for the defects listed below:

DEFECTS. Any hole, cut, tear, smash, broken or missing yarn; thin area, loose or floated end, cut ends not fused or not as specified; Coarse yarn more than twice the thickness of normal yarn, loose knitting, causing sleaziness; Number of lengthwise meshes per foot less than 9 or more than 11; Color off shade or not as specified; Cord ends not fused or less than two lengths of cord per net, cord lengths less than min. or not as specified; label missing, incorrect or illegible; measurement of item not as specified; any items not packaged in accordance with the contract or purchase order.

4.3. Acceptance Criteria. Acceptance criteria shall be as specified in the contract or purchase order.

5. PACKAGING. The preservation, packing, and marking shall be as specified in the contract or order.

6. NOTES

6.1. Standard samples. For access to standard samples, address the contracting activity issuing the invitation for bids.

6.2. Source of Government documents. Copies of military and Federal documents are available from:

Standardization Documents Order Desk
Bldg. 4D
700 Robbins Avenue
Philadelphia, PA 19111-5094

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:12Z
Check the source to verify that this is the current version before use.

6.3. Source of non-Government documents

ASTM Test Methods

(Applications for copies should be addressed to American Society For Testing & Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19426-2959)

AATCC Test Method

(Applications for copies should be addressed to American Association of Textile Chemists and Colorists (AATCC), P.O. Box 12215, Triangle Park, NC 27709-2215.)

MILITARY INTERESTS:

Custodians:
Army – GL
Navy - NU
Air Force - 99

Review Activities:
Army – MD
Navy - MC
Air Force - 82

CIVIL AGENCY COORDINATING ACTIVITY:
GSA - FSS

PREPARING ACTIVITY:
DLA - CT

Project Number
8465-0238

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:12Z
Check the source to verify that this is the current version before use.