A-A-2201
October 31, 1984

COMMERCIAL ITEM DESCRIPTION

SHINGLE, ROOFING
(GLASS FELT)

The General Services Administration has authorized the use of this commercial item description.

This commercial item description covers asphalt roofing in shingle form, composed of glass felt or felts impregnated and coated on both sides with asphalt, and surfaced on the weather side with mineral granules. Shingles covered by this description are of two types:

Type I - Self-sealing
Type II - Non-self-sealing

Salient characteristics

Shall be square tab, strip type unless otherwise specified.

Intended to be applied with exposure to the weather not exceeding 6 ± 1/8 inches and with a headlap of not less than 2 inches.

Width and length shall be as specified with a tolerance of ± 1/4 inch.

Color shall be as specified.

Shingles shall be asbestos free.

Conformance. Shingles shall meet or exceed the requirements of ASTM D3018. The issue in effect on the date of the solicitation shall be used to determine compliance with stated requirements. Shingles shall also meet the requirements of UL 790 and UL 997 and shall be UL Class A listed for fire and wind resistance.

Workmanship. Shingles shall be free of visible defects such as holes, ragged or untrue edges, breaks, cracks, tears, protuberances, indentations or any other defect which may affect their use and serviceability.

Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable.

Preservation, packaging, packing, labeling, and marking. The preservation, packaging, packing, labeling, and marking shall be as specified in the contract or order.

Notes. Purchaser should specify width and length of shingle, shingle type if other than square tab, Type I or Type II, and color.

FSC 5650

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:20Z
Check the source to verify that this is the current version before use.

When this commercial item description is used for procurement the commercial item certification clause must appear in the solicitation.

ASTM standards are available from the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.

Military Coordinating Activity
None. DoD has waived coordination on this commercial item description.

PREPARING ACTIVITY:

GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:20Z
Check the source to verify that this is the current version before use.