A-A-79B
May 22, 1986
SUPERSEDING
A-A-79A
December 14, 1979

COMMERCIAL ITEM DESCRIPTION

DISPENSER, GUMMED TAPE (AUTOMATIC TYPE)

The General Services Administration has authorized the use of this commercial item description in preference to Federal Specification GG-D-450.

This commercial item description covers gummed tape dispensers that dispense water-activated tape at preselected lengths and are suitable for general shipping room use.

Salient characteristics:

Operation. To operate, the tape shall be fed by a manually operated lever, moistened by a brush-type setup, and automatically cut by a cutting edge at a preselected length.

Capacity. A tape roll of 1 to 4 inches wide, 8 inches maximum outer diameter, with an inner core diameter of at least 1/2 inch, shall be accommodated by the dispenser.

Tape cutting edge. The tape cutting edge, either a shear or guillotine type of blade, shall be suitable for cutting gummed, regular or reinforced tape and shall be guarded for operator's protection.

Tape moistening. A visible, auxiliary water supply and a mechanism for regulating the water flow to the gummed tape shall be provided. Parts contacting water shall be corrosion resistant.

Base. Feet or a rubberized base shall be attached to the dispenser body. The base shall protect working surfaces, and shall provide lateral resistance during operation.

Workmanship. The dispenser shall be free from any defects that may affect its serviceability or appearance. Component parts shall be easily removable for cleaning or replacement.

Tape dispensing. The tape shall dispense freely, without binding against any part of the dispenser, and shall cut without wrinkling or tearing unevenly. The brush-type setup shall sufficiently moisten the tape to enable it to adhere to cartons, fiberboard boxes, paper, and paper products.

Full stroke length. The dispenser shall dispense tape not less than 30 inches in length for each full stroke of the operating lever.

Source: https://assist.dla.mil -- Downloaded: 202640-26T08:04Z
Check the source to verify that this is the current version before use.

Partial strokes. The dispenser shall dispense a continuous piece of tape of any length greater than the full stroke length with repeated partial strokes of the operating lever.

Length selection. The dispenser shall have a length selection device, with at least 11 settings in any combination of 2-, 3-, or 4-inch increments and ranging up to the full stroke length, such that a desired length of tape may be selected to be dispensed. The actual length of tape dispensed shall not vary more than 1/2 inch from the length preset.

Sampling. A random sample shall be taken from each lot in accordance with MIL-STD-105 at inspection Level I and Acceptance Quality Level 4.0 percent defective.

Visual Examination for Major Defects

Material not as specified
Construction not as specified
Capacity not as specified
Identification illegible or missing
Workmanship

Performance test. A full sized roll of tape with the maximum specified width shall be dispensed in various lengths without binding or rubbing against the dispenser. The roller set-up or brush shall evenly moisten the tape so that it will uniformly adhere to the box or carton. The tape cutting edge shall cut the tape off evenly without wrinkling.

Capacity. A roll of tape with the maximum specified length and width shall be dispensed to determine the ease of operation.

Single-stroke length. The dispenser shall be set at the maximum specified length. Ten lengths of tape shall be dispensed at a uniform moderate speed. The single-stroke length shall be the average of the ten lengths dispensed.

Measured lengths. Two lengths each of tape shall be dispensed at 4 different tape length settings. The second of each length dispensed at a setting shall be within ± 1/2 inch of the specified setting.

Indentification marking. Each dispenser shall be marked in a legible and permanent manner with the manufacturer's name or trademark.

Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practicable.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:04Z
Check the source to verify that this is the current version before use.

Preservation, packaging, packing, labeling, and marking. The preservation, packaging, packing, labeling, and marking shall be as specified in the contract or order.

Notes. The purchaser shall specify in the contract or order the length selection settings.

When this commercial item description is used for procurement, the commercial item certification clause must appear in the solicitation.

MILITARY INTERESTS:

Custodian

Air Force - 99

Review Activities

Army - GL
Navy - SA, ASC, NAVSUP

User

Air Force - 84
Navy - ASO

PREPARING ACTIVITY:

GSA - FSS

Source: https://assist.dla.mil -- Downloaded: 202610-26T08:04Z
Check the source to verify that this is the current version before use.