INCH-POUND


MIL-DTL-55116/15
07 March 2018

DETAIL SPECIFICATION SHEET

CONNECTOR, RECEPTACLE, SIX PIN AUDIO, SOLDER CUP SPRING TERMINALS, WIRE STRAIN RELIEF, ON SERIES, U-228

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-55116.



NOTES:
1. Dimensions are in inches. Metric equivalents are given for general information only.
2. Stamp or etch 1/16 San Serif characters in accordance with MIL-STD-13231.

FIGURE 1. Connector, receptacle, six pin audio, ON Series.

AMSC N/A FSC 5935

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:25Z
Check the source to verify that this is the current version before use.




FIGURE 2. Connector, receptacle, six pin audio, ON Series.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:25Z
Check the source to verify that this is the current version before use.




FIGURE 3. Connector, receptacle, six pin audio, ON Series.

ENGINEERING DATA:

Temperature rating; -65°C to +125°C.

REQUIREMENTS:

Design and configurations: See figure 1.
Contact plating thickness is 100 microinches.
Backshell material is Type 304 stainless steel.

PIN (Part or Identifying Number): M55116/15-1

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:25Z
Check the source to verify that this is the current version before use.

Reference documents. In addition to MIL-DTL-55116, this document references the following:

MIL-STD-13231

CONCLUDING MATERIAL

Custodians:
Army - CR
DLA - CC

Preparing activity:
DLA - CC

(Project 5935-2018-015)

Review activity:
Army – MI

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:25Z
Check the source to verify that this is the current version before use.