MIL-H-82142(MC)
AMENDMENT 1
1 November 1972

MILITARY SPECIFICATION

HOOD, RAIN, WOMAN'S: NYLON, RUBBER COATED, GREEN

This amendment forms a part of Military Specification MIL-H-82142(MC), dated 2 February 1967, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1:

Under "SPECIFICATIONS FEDERAL", delete "CCC-T-191 - Textile Test Methods".

Under "SPECIFICATIONS MILITARY", delete "MIL-C-22916 - Cloth, Coated Nylon, Copolymer of Butadiene and Acrylonitrile (Rubber)" and substitute "MIL-C-14366 - Cloth, Coated, Nylon Twill (One Side Coated)."

Under "STANDARDS FEDERAL", delete "FED. STD. NO. 175 - Adhesives: Method of Testing" and "FED. STD. No. 751 - Stitches, Seams, and Stitchings" and substitute "FED-STD-175 - Adhesives, Method of Testing.", "FED-STD-191 - Textile Test Methods." and "FED-STD-751 - Stitch, Seam And Stitching."

PAGE 2

2.2:

Line 4: Add to end of sentence, "Agent".
Line 7: Delete "202 Chicago Union Station," and substitute "Room 1106, 222 South Riverside Plaza,".

3.2: Delete and substitute the following:

"3.2 First article. Unless otherwise specified (see 6.2), before production is commenced, a first article consisting of the number of finished hoods specified by the procuring activity (see 6.2) shall be submitted, or

FSC 8410

Source: https://assist.dla.mil -- Downloaded: 202610-23T06:45Z
Check the source to verify that this is the current version before use.

made available to the contracting officer or his authorized representative for approval. The approval of the first article authorizes the commencement of production, but does not relieve the supplier of responsibility for compliance with all provisions of the specification. The first article shall be manufactured by the supplier in the same facilities to be used for the manufacture of the production items."

3.3.1, line 2: Delete "MIL-C-22916" and substitute "type II of MIL-C-14366."

3.4 Delete "the attached figure" and substitute "Figure 1."

PAGE 3

3.6.1.2, line 2: Delete "FED. STD. NO. 751." and substitute "FED-STD-751."

PAGE 9

3.12, line 3: At end of sentence, Add "(AQL's)."

PAGE 10

4.2: Delete and substitute the following:

"4.2 First article inspection. When first article is required, inspection shall be performed on completely fabricated hood for conformance to all provisions of this specification."

PAGE 12

4.3.2.2, Material Defects and workmanship damages: Delete defect d in entirety and substitute the following:

"d. Crease or wrinkle:
1. Resulting from doubling or adhesion of surfaces that cannot be corrected by manual pressure. Major defect.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:45Z
Check the source to verify that this is the current version before use.

2. Which, although, not doubled or adhered to as described in d.1 above nevertheless affects appearance. Major defect.

NOTE: Hoods drawn for this examination shall have been production folded and packed for a minimum of 1 hour."

PAGE 16

Table III: In footnote 1/, delete "CCC-T-191" and substitute "FED-STD-191."

PAGE 17

4.3.4, line 1: Delete "CCC-T-191," and substitute "FED-STD-191,".

4.4.1.2.1, line 2: Delete "CCC-T-191," and substitute "FED-STD-191."

PAGE 18

4.4.1.3, line 3: Delete "CCC-T-191" and substitute "FED-STD-191".

4.4.1.4, line 3: Delete "CCC-T-191" and substitute "FED-STD-191".

4.4.1.5, line 2: Delete "FED. STD. 175." and substitute "FED-STD-175."

5.2.1.2, line 1: After "specified", add "(see 6.2)."

PAGE 19

6.2: Delete and substitute the following:

"6.2 Ordering data. Purchasers should exercise any desired options offered herein, and procurement documents should specify the following:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:45Z
Check the source to verify that this is the current version before use.

"6.2.1 Procurement requirements.

(a) Title, number, and date of this specification.

(b) Whether first article is required (see 3.2).

(c) Number of hoods in first article (see 3.2).

(d) Level of packaging and packing required (see 5.1 and 5.2).

(e) When level A, method 2, packing is required (see 5.2.1.2).

"6.2.2 Contract data requirements. Data conforming to Data Item Descriptions DI-R-4803, DI-R-4805, DI-T-4901, DI-T-4902, DI-T-4903 and DI-T-4904 will usually be required for delivery in connection with this specification. When so required, such data will be specified for delivery on a DD Form 1423 included in the contract."

After 6.4, add new paragraph as follows:

"6.5 First article. First article examination, test and approval shall be as specified by the contracting officer (see 3.2)."

Preparing activity:
Navy - MC
Project No. 8410-N235

Source: https://assist.dla.mil -- Downloaded: 202640-23T06:45Z
Check the source to verify that this is the current version before use.