NOT MEASUREMENT SENSITIVE

MIL-P-12808F
16 July 1991
SUPERSEDING
MIL-P-12808E
8 October 1981

MILITARY SPECIFICATION

PLUMBING FIXTURES AND ACCESSORIES, PACKAGING OF

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers the requirements for preservation, packing, and marking of plumbing fixtures, fittings, trims, and accessories and may be used as a guide in the selection of materials to preserve, pack, and mark similar items not specifically listed herein.

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications and standards. The following specifications and standards form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation (see 6.2).

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: USA Belvoir Research Development, and Engineering Center, ATTN: STRBE-TSE, Fort Belvoir, VA 22060-5606 by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A AREA PACK

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T23:22Z
Check the source to verify that this is the current version before use.

SPECIFICATIONS

FEDERAL

PPP-B-566	-	Boxes, Folding, Paperboard.
PPP-B-585	-	Boxes, Wood, Wirebound.
PPP-B-601	-	Boxes, Wood, Cleated-Plywood.
PPP-B-621	-	Boxes, Wood, Nailed and Lock-Corner.
PPP-B-636	-	Boxes, Shipping, Fiberboard.
PPP-B-640	-	Boxes, Fiberboard, Corrugated, Triple-Wall.
PPP-B-676	-	Boxes, Setup.

MILITARY

MIL-C-104	-	Crates, Wood; Lumber and Plywood Sheathed, Nailed and Bolted.
MIL-P-116	-	Preservation, Methods of.
MIL-B-121	-	Barrier Material, Greaseproofed, Waterproofed, Flexible.
MIL-B-22191	-	Barrier Material, Transparent, Flexible, Heat Sealable.
MIL-B-26195	-	Box, Wood-Cleated, Skidded, Load-Bearing Base.
MIL-C-52950	-	Crate, Wood, Open and Covered.

STANDARDS

FEDERAL

FED-STD-101	-	Preservation, Packaging and Packing Materials: Test Procedures.

MILITARY

MIL-STD-105	-	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	-	Marking for Shipment and Storage.
MIL-STD-147	-	Palletized Unit Loads.
MIL-STD-1186	-	Cushioning, Anchoring, Bracing, Blocking and Waterproofing; with Appropriate Test Methods.

(Unless otherwise indicated, copies of federal and military specifications and standards are available from the Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

2.2 Non-Government publications. The following document(s) form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DoD adopted are those listed in the issue of the DODISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS are the issues of the documents cited in the solicitation (see 6.2).

Source: https://assist.dla.mil -- Downloaded: 2026-04-17T23:22Z
Check the source to verify that this is the current version before use.

AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

D 3953 - Strapping, Flat Steel and Seals.
D 4675 - Selection and Use of Flat Strapping Materials.

(Applications for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)

NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATION (NMFTA)

National Motor Freight Classification Rules

(Application for copies should be addressed to the American Trucking Association, ATTN: Traffic Order Section, 2200 Mill Road, Alexandria, VA 22314.)

UNIFORM CLASSIFICATION COMMITTEE (UCC)

Uniform Freight Classification Rules

(Application for copies should be addressed to the Uniform Classification Committee, ATTN: Tariff Publishing Officer, Room 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

(Non-Government standards and other publications are normally available from the organizations that prepare or distribute the documents. These documents also may be available in or through libraries or other informational services.)

2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 Materials. Materials shall be as specified herein and in applicable specifications and standards. Materials not specified shall be selected by the contractor and shall be subject to all provisions of this specification. Materials shall be free of defects.

3.2 First article. Unless otherwise specified (see 6.2), a sample shall be subjected to first article inspection (see 6.3) in accordance with 4.3.

3.3 Preservation. Preservation shall be level A or C as specified (see 6.2).

3.3.1 Level A.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T23:22Z
Check the source to verify that this is the current version before use.

3.3.1.1 Preservatives and methods of preservation. Preservatives shall conform to the applicable specification listed in and shall be applied in accordance with MIL-P-116. Methods of preservation indicated by symbols herein shall conform to the corresponding symbols in MIL-P-116.

3.3.1.2 Unprotected surfaces. Unprotected metal surfaces of fixtures, fittings, trim, and accessories requiring the application of a contact preservative in accordance with MIL-P-116 shall be coated with a preservative compound as applicable. Components coated with a soft, nondrying type preservative shall be enclosed in a bag or wrapped with barrier material conforming to MIL-B-121, type I, grade A, class 1 or 2, or MIL-B-22191. The wrap or bag shall be secured by heat sealing, taping or tying. Tape shall not be applied to finished surfaces.

3.3.1.3 Threads. Threads of fixtures, fittings, trim, and accessories shall be protected with metal, plastic, or other type thread protectors or the threaded surfaces shall be wrapped with not less than two layers of barrier material conforming to MIL-B-121, type I, grade A, class 1 or 2. The wrap shall be secured by taping or tying. Tape shall not be applied to finished surfaces.

3.3.1.4 Accessories.

3.3.1.4.1 Fixture accessories. Accessories not attached to basic fixtures such as, but not limited to, floor drains, sink drains, drain traps, shower heads, faucets, rubber stoppers, water-closet flush bulbs, flush connections, mixing valves, and lavatory drains shall be preserved in accordance with either method I or III as applicable. Preservatives shall be applied as specified in 3.3.1.2. Accessories preserved in accordance with method I (coated with a preservative) shall be individually bagged or wrapped as specified in 3.3.1.2. Accessories preserved in accordance with method III (mechanical and physical protection) shall be preserved individually in boxes conforming to PPP-B-566, variety 1, style, type, and class optional; PPP-B-676, variety 1, type, class, and style optional; when the weight or contents is ten pounds or less. Accessories exceeding ten pounds weight shall be placed in boxes conforming to PPP-B-636, class domestic. The contents shall be secured within the box to prevent movement or damage in accordance with MIL-STD-1186.

3.3.1.4.2 Other accessories. Other accessories such as soap holders, soap dispensers, toilet-paper-roll holders, water tumblers, toothbrush holders, paper-cup dispensers, and paper towel dispensers shall be preserved individually in accordance with method III. Boxes and securing methods shall be as specified in 3.3.1.4.1.

3.3.1.5 Consolidation. Accessories of like description preserved as specified in 3.3.1.4.1 and 3.3.1.4.2 shall be consolidated together, in quantities specified (see 6.2), in boxes conforming to PPP-B-636, class weather resistant, style optional. When specified (see 6.2), accessories of

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T23:22Z
Check the source to verify that this is the current version before use.

various descriptions required for a complete installation (see 3.4.1.1) shall be consolidated together in boxes specified herein. The boxes shall be waterproof sealed in accordance with the appendix to the box specification, method V closure.

3.3.2 Level C. All components shall be preserved in accordance with the contractor's standard practice in a manner to prevent deterioration and damage during shipment from the contractor to the initial destination.

3.4 Packing. Packing shall be level A, B, or C as specified (see 6.2).

3.4.1 Level A.

3.4.1.1 Basic fixtures. Basic fixtures such as, but not limited to, bathtubs, drinking fountains, lavatories, laundry tubs, sinks, urinals, and water closets shall be packed as a single fixture without accessories; as a single fixture with all accessories required for installation; or as consolidated packs of fixtures (with or without accessories) of like description or of various description as specified (see 6.2).

3.4.1.1.1 Fixtures and fixtures with accessories. Each fixture, fixture with accessories, two or more fixtures, or two or more fixtures with accessories shall be packed, not to exceed the weight limitation, in close-fitting boxes conforming to PPP-B-621, class 2, style optional; PPP-B-601, overseas type, style optional; or PPP-B-585, class 3, style optional. Fixtures, fixtures with accessories, or consolidated packs of fixtures exceeding the weight limitation of the boxes specified above shall be packed in a box conforming to MIL-B-26195, type II, style optional, class 2, with rubbing strips and plywood superstructures; in crates conforming to MIL-C-52950, type V, style A; or MIL-C-104, type or class optional, style A. Unless otherwise specified (see 6.2), crates conforming to MIL-C-52950 shall be nondemountable. Blocking, bracing, anchoring, closure, and strapping shall be in accordance with the appendix to the box or crate specification as applicable and in accordance with MIL-STD-1186. Strapping for boxes or crates shall conform to ASTM D 3953, type 1 or 2, zinc-coated, size as applicable and ASTM D 4675.

3.4.1.1.2 Accessories. Accessories of like description shall be packed as specified in 3.4.1.1.1.

3.4.2 Level B.

3.4.2.1 Basic fixtures. Basic fixtures shall be packed as specified in 3.4.1.1 (see 6.2).

3.4.2.1.1 Fixtures and fixtures with accessories. Each fixture, fixture with accessories, two or more fixtures, or two or more fixtures with accessories shall be packed, not to exceed the weight limitation, in close-fitting boxes conforming to PPP-B-636, class weather-resistent, style optional; PPP-B-640, class 2, style optional; PPP-B-585, class 3, style

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T23:22Z
Check the source to verify that this is the current version before use.

optional; PPP-B-621, class 1, style optional; or PPP-B-601, domestic type, style optional. Fixtures, fixtures with accessories, or consolidated packs of fixtures exceeding the weight limitation of the boxes specified above, shall be packed in a box or crate as specified in 3.4.1.1.1, except crates conforming to MIL-C-52950 shall be style A or B, as applicable. Blocking, bracing, anchoring, closure, and strapping shall be in accordance with the appendix to the box or crate specification as applicable and in accordance with MIL-STD-1186.

3.4.2.1.2 Accessories. Accessories of like description shall be packed in boxes as specified in 3.4.2.1.1.

3.4.3 Level C. The fixtures, fittings, trim, and accessories, preserved as specified in 3.3, shall be packed to assure carrier acceptance and safe delivery to destination at lowest ratings in compliance with Uniform Freight Classification Rules or National Motor Freight Classification Rules.

3.5 Palletization. When a quantity of fixtures or accessories are being shipped to the same destination; packed level A or B, they shall be palletized, unless the size of the boxes makes palletization impractical. Fixtures or accessories packed for level A or B shall be palletized in accordance with MIL-STD-147, load type as applicable.

3.6 Marking. In addition to any special marking specified in the contract or purchase order (see 6.2), marking shall be in accordance with MIL-STD-129.

3.7 Workmanship. Workmanship shall be such as to provide maximum protection to the items by application of the requirements specified herein to prevent corrosion, deterioration, and mechanical or physical damage during handling, shipment, and storage.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements (examinations and tests) as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to ensure supplies and services conform to prescribed requirements.

4.1.1 Responsibility for compliance. All items shall meet all requirements of section 3. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the government for acceptance comply with all requirements of the

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T23:22Z
Check the source to verify that this is the current version before use.

contract. Sampling inspection, as part of manufacturing operations, is an acceptable practice to ascertain conformance to requirements, however, this does not authorize submission of known defective material, either indicated or actual, nor does it commit the government to acceptance of defective material.

4.1.2 Material inspection. The contractor is responsible for insuring that supplies and materials are manufactured, examined, and tested in accordance with referenced specifications and standards, as applicable.

4.2 Classification of inspections. The inspection requirements specified herein are classified as follows:

a. First article pack inspection (see 4.3).
b. Quality conformance inspection (see 4.4).

4.3 First article pack inspection.

4.3.1 Examination. The first article pack shall be examined as specified in 4.4.4. Presence of one or more defects shall be cause for rejection.

4.3.2 Tests. The first article pack of boxed or crated equipment for level A or B shall be tested in accordance with 4.3.2.1 and 4.3.2.2, as applicable. Failure of the applicable test shall be cause for rejection.

4.3.2.1 Boxed equipment. Boxed fixtures and accessories not exceeding 200 pounds shall be subjected to the free-fall drop test in accordance with FED-STD-101, test method 5007, procedure E. Boxed equipment exceeding 200 pounds shall be subjected to the pendulum impact test in accordance with FED-STD-101, test method 5012, except the vertical height of drop shall be 18 inches.

4.3.2.2 Crated fixtures and accessories. Crated fixtures and accessories shall be subjected to the guided-impact test (railroad car) as specified in MIL-STD-1186, appendix A. Crates not exceeding 9.5 feet in length shall be subjected to the tests on each end and each side, a total of 8 impacts.

4.3.2.3 Cause for rejection. Any shifting of contents, loosening or breaking of holddowns, ties, stays, blocking or bracing, or any visual damage to the contents shall constitute failure of the first article pack test and shall be cause for rejection.

4.4 Quality conformance inspection.

4.4.1 Inspection stages. Inspection shall be in two stages as follows:

a. The first stage shall include inspection of materials, methods, containers, and markings prior to placing the fixtures and accessories in shipping containers.
b. The second stage shall include inspection of materials and markings of the completed pack as prepared for shipment.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T23:22Z
Check the source to verify that this is the current version before use.

4.2.2 Unit of product. For the purpose of inspection, a pack of any one level, containing all components prepared for an applicable stage of inspection, shall be considered a unit of product.

4.4.3 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.4.4 Examination. Samples selected in accordance with 4.4.3 shall be examined for the defects marked "X" for the applicable level in table I.

TABLE I. Classification of defects.

No.	Defect	Level		
		A	B	C
101.	Nondrying preservatives, when required, not bagged or wrapped as specified (see 3.3.1.2 and 3.3.1.4.1).	X	-	-
102.	Threads not protected as specified (see 3.3.1.3).	X	-	-
103.	Consolidation not as specified (see 3.3.1.5).	X	-	-
104.	Consolidated boxes not as specified (see 3.3.1.5).	X	-	-
105.	Preservation for level C not as specified (see 3.3.2).	-	-	X
106.	Packing not as specified (see 3.4.1, 3.4.2, and 3.4.3).	X	X	X
107.	Strapping not as specified (see 3.4.1.1.1, 3.4.1.1.2, and 3.4.2.1.1).	X	X	-
108.	Palletization not as specified (see 3.5)	X	X	-
109.	Marking missing, illegible, incorrect or incomplete (see 3.6).	X	X	X
110.	Workmanship not as specified (see 3.7).	X	X	X

5. PACKAGING

(This section not applicable to this specification.)

6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Intended use. It is intended that this specification be reference in section 5 of commodity specifications, be used for direct reference in contracts or purchase orders, and as a guide in the preparation of packaging data sheets.

6.2 Acquisition requirements. Acquisition documents should specify the following:

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T23:22Z
Check the source to verify that this is the current version before use.

a. Title, number, and date of the specification.
b. Issue of DODISS to be cited in the solicitation, and if required, the specific issue of individual documents referenced (see 2.1.1 and 2.2).
c. Time frame required for submission of first article pack (see 3.2).
d. When a first article pack is not required (see 3.2).
e. Level of preservation and packing required (see 3.3 and 3.4).
f. Quantity to be consolidated (see 3.3.1.5).
g. When consolidation of accessories of various description for a complete installation is required (see 3.3.1.5).
h. Whether complete fixtures, fixtures with accessories for installation, or consolidated packs of fixtures with or without accessories are to be packed (see 3.4.1.1 and 3.4.2.1).
i. When crates shall be demountable (see 3.4.1.1.1 and 3.4.1.1.2).
j. Any special marking required (see 3.6).

6.3 First article pack. The first article pack may be accomplished utilizing either the first article model or a production model. If the first article model is utilized, any preservation and packing shall be removed by the contractor at no expense to the Government, when requested by the Government, to facilitate comparison between the first model and the production model. Any changes or deviations of production packs from the approved first article pack will be subject to the approval of the contracting officer. Approval of the first article pack will not relieve the contractor of his obligation to preserve, pack, and mark the pumps and accessories in accordance with this specification.

6.4 Subject term (key word) listing.

Marking
Packing
Preservation

6.5 Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extensiveness of the changes.

Custodians:
Army - ME
Navy - YD
Air Force - 99

Review activities:
Army - SM
Air Force - 84
DLA - CS

User activity:
Navy - MC

Preparing activity:
Army - ME

Project 4510-0257

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T23:22Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T23:22Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1,2,3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4,5,6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of this letter.

NOTE: This form may not be used to request copies of documents, nor to request waives requirements in current contracts. Comments submitted on this form do not constitute or imply autdhorization to waive any portion of the referenced document(s) or tdo amend contractural requirements.

RECOMMENDED CHANGE:	1. DOCUMENT NUMBER MIL-P-12808F	2. DOCUMENT DATE (YYMMDD) 910716

3. DOCUMENT TITLE
Plumbing Fixtures and Accessories, Packaging Of

4. NATURE OF CHANGE (identify paragraph number and include proposed if possible. Attach extra sheets as needed).

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (LAST,FIRST MIDDLE INITIAL)	b. ORGANIZATION	
c. ADDRESS (Include zip code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (if applicable)	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

a. Name Carolyn B. Johnson	b. TELEPHONE (In lude Area Code) (1) Commercial (2) AUTOVON (703) 664-5717 354-5717
c. ADDRESS (Include zip code) Belvoir RDE Center ATTN: STRBE-TSE Fort Belvoir, VA 22060-5606	If you do not receive a reply with 45 days, contact: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403 Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340

Source: https://assist.dla.mil -- Downloaded: 202610-17T23:22Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T23:22Z
Check the source to verify that this is the current version before use.