MIL-BUL-544F
Part III of III
1 MAY 1986
Superseding
MIL-BUL-544E
5 April 1985

LIST OF FEDERAL/MILITARY/INDUSTRY SPECIFICATIONS AND STANDARDS, AND NAVAIR SERIES DOCUMENTS APPROVED BY THE NAVAL AIR SYSTEMS COMMAND

PART III
NUMERIC LISTING
(CANCELLED DOCUMENTS)

This issue contains
transactions through
30 October 1985

Department of the Navy
Naval Air Systems Command
Washington, D.C. 20361

AMSC N/A

NO DELIVERABLE DATA REQUIRED BY THIS DOCUMENT

FSC-GDRQ

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

CONTENTS

Part III - NUMERIC LISTING (Cancelled Documents)

Military Specifications (MIL and JAN). 900
Military Standards (MIL-STD) 1064
Military Standards Drawings (MS) 1072
Federal Specifications 1146
Federal Standards (FED-STD). 1164
Qualified Products List. 1165
Non-Government Documents
Aerospace Materials Specifications (AMS). 1199
American National Standards Institute (ANSI). 1200
American Society for Testing and Materials (ASTM) 1200
Military Handbooks 1200
Air Force-Navy Aeronautical Standard Drawings (AN) 1202
Air Force-Navy Aeronautical Design Standard Drawings (AND) 1236
Naval Aircraft Factory Drawings (NAF). 1248
NAVAIR Peculiar Specifications (AS, XAS, WS, XWS and OS) 1254
MISC Aeronautical Documentation (Non-current) 1271
NAVAIR Requirements (AR) 1304
Weapons Requirements (WR). 1306
Electronic Installation Instruction Documents (EI Series). 1315
Electronic Test Instruction Documents (ET Series). 1322
Air Force - Navy Aeronautical Bulletins (ANA) 1327

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-M-6B-1	Meters, Electrical-Indicating, Panel Type (2-) Inch & (3-) Inch Gen Spec for	Cancelled
MIL-C-16C	Crystal Unit, CR-1A/AR Quartz Pressure Mounted	Cancelled-Superseded by MIL-C-3098/76
MIL-C-17/23C	Cable, Radio Frequency, Flexible, Triaxial, Pulse, 480 HMS M17/23-RG28	Cancelled
MIL-F-31C	Film, Photographic, Black and White; General Spec. for	Cancelled BuAer Uses L-F-330
MIL-F-35B	Film, Photographic, Roll, Sheet, and Pack, Black-and White	Cancelled use L-F-335
MIL-F-36B	Film, Photographic, Photomechanical, Black-and-White	Cancelled Superseded by L-F-336
MIL-P-49C-5	Projection Sets, Motion Picture, Sound 16MM and Component Parts	Cancelled
MIL-M-58	Meter, Photographic Exposure, LM-466	Cancelled
MIL-M-59C-1	Mats, Landing, Pierced	Cancelled, Use MIL-M-52738
MIL-P-66A-1	Plywood; Flat-Panel	Cancelled, Use MIL-P-18066 or NN-P-530
MIL-C-71B	Connectors, "N" For Radio Frequency Cables	Cancelled-Use MIL-C-39012
MIL-L-73A-1	Lacquer, Lusterless	Superseded by TT-L-20a
MIL-C-77C	Plastic Sheet and Plastic Rod, ThermoSetting, Cast	Cancelled-Superseded by L-P-516a
MIL-C-91-3	Capacitors, Fixed, Paper-Dielectric (Nonmetallic Cases)	Cancelled-Use MIL-C-25
MIL-A-101A	Adhesive, Water-Resistant, For Sealing	Cancelled, Use MMM-A-250
MIL-C-102A	Coating Compound, Bituminous, Solvent Cut Back, Box and Crate Topcoating	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-B-107A-2	Boxes, Wood, Wirebound (Overseas Type)	Cancelled-Superseded by PP-B-585
	MIL-C-124B-1	Containers (Cans, Pails and Drum) Metal (For Other than Subsistence Items)	Cancelled BuAer Uses PPP-C-96 or PPP-D-760
	MIL-C-132B	Crate, Wood, Open; Maximum Capacity 2,500 Pounds	Superseded by PPP-C-650
	MIL-B-138A	Boxes, Wood, Fiberboard-Lined for Overseas Shipment (For Weight of Contents Not Exceeding 500 Pounds)	Cancelled
	MIL-A-140A	Adhesive, Water-Resistant, Waterproof Barrier-Material	Cancelled & Superseded by MMM-A-260a
	MIL-A-148E	Aluminum Foil	Superseded by AA-A-1876
	MIL-M-191B-1	Mercury	Cancelled
	MIL-S-207	Sulfuric Acid, Electrolyte: Packaging Packing and Marking for Shipment and Storage of	Cancelled Use O-S-801
	MIL-C-239C-1	Crystal Unit, C-R5/U, Quartz	Cancelled Use MIL-C-3098/77
	MIL-G-252C	Goggles, Variable-Density (For Lookouts)	Cancelled
	MIL-F-254B-1	Filter/Separators, Liquid Fuel, Steel or Aluminum	Cancelled, Use MIL-F-52556, MIL-F-52666, MIL-F-52667 or MIL-F-52694
C	JAN-A-256	Armor, Homogeneous Rolled Steel; A/C Type	Cancelled, Use MIL-A-46099
	MIL-S-260B	Screen, Projection, Portable, Frame Mounting	Cancelled, Use GG-S-00172
	MIL-C-307B	Cases, Shipping, Motion Picture Film, 16mm	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-A-388A-1	Adhesive and Sealing Compounds Cellulose Nitrate Base	Cancelled Superseded by MIL-A-82482 Type III and MMM-A-105 for Type I and II
	MIL-L-389	Labels, Loop	Cancelled
	MIL-A-397B	Adhesive, Room-Temperature and Intermediate Temperature Setting Resin (phenol, Resorcinal and Melamine Base)	Cancelled-Type II Class 2 are now in MIL-A-22397 Type I and II
C	JAN-A-434	Armor, Steel	Cancelled
	MIL-C-444A	Cloth, Rayon, Tow Target, Wire-Bearing	Cancelled Use GGG-B-191
	MIL-P-469A	Pumps, Water, Gasoline Driven, Trailer-Mounted With Distributor Attachments	Cancelled
	MIL-C-490A-1	Cleaning and Preparation of Ferrous and Zinc Coated Surfaces for Organic Protective Coatings	Cancelled, Use TT-C-490
	MIL-D-504C-1	Dyeing and Aftertreating Processes for Cotton Duck and Twill	Superseded by CCC-D-950
	MIL-L-644B	Lubricating Oil, General Purpose Preservative, (Water-Displacing, Low Temperature)	Superseded by VV-L-800
	MIL-A-672A	Arsenic Disulfide (Arsenic Monosulfide)	Cancelled
	MIL-C-679A	Cutter, Rivet, Shear Type	Cancelled
	MIL-C-744B	Cleaning Abrasive, Spark Plug, Ceramic Insulator	Cancelled-Use MIL-G-9954
	MIL-H-795A	Holders, Sheet Metal Hole and Edge Grip	Cancelled-Superseded by GGG-H-575
	MIL-A-799	Aluminum, High Purity, Wrought	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-T-879B	Tanks, Photographic, Sheet Film Processing (For Film Hangers)	Cancelled
MIL-A-921A	Angle Attachment, Riveting Hammer	Cancelled
MIL-D-922A	Dies and Punches, Dimpling	Cancelled
MIL-C-926(Aer)	Cloth, Rayon; Balloon and Airship	Cancelled
MIL-A-927A	Adhesive; Synthetic Resin (For Phenolic Laminates)	Cancelled
MIL-A-928A-1	Adhesive; Metal to Wood, Structural	Cancelled-Superseded by MMM-A-138a
MIL-D-931(Aer)	Drill Case; Twist, Indexed	Superseded by MIL-C-15928 (SHIPS)
MIL-C-932(Aer)	Countersink; High-Speed Steel, Straight Shank, 78°,82° and 100°	Cancelled
MIL-K-934A	Key; Cowl Fastener	Cancelled, Use GGG-K-266
MIL-S-935(Aer)	Stretching and Shrinking Machine; Metal	Cancelled
MIL-C-936	Counter Bores and Spot-Facers, Adjustable	Cancelled
MIL-H-938	Hole Cutters and Hole Saws	Cancelled
MIL-A-939(Aer)	Air Compressor; Two-Stage, Air Cooled, Electric Motor or Gasoline Engine Driven, Portable (Aircraft Squadron Type)	Cancelled
MIL-T-945A-2	Test-Equipment, for Use with Electronic Equipment: General Specification	Cancelled
MIL-B-948(Aer)	Bars, Boring, Light Duty	Cancelled
MIL-B-951(Aer)	Bender, Tube Multiple Bend, Manual	Cancelled
MIL-G-952(Aer)	Guns, Spray, Oil & Solvent	Cancelled
MIL-C-961(Aer)	Cleaner; Vapor Blast, Spark Plug	Cancelled
MIL-C-972(Ships)-1	Compound, Rust-Preventive, Tin-Film (Polar Type)	Superseded by MIL-C-16173
MIL-C-973A	Camera, Motion Picture, 35MM	Cancelled
MIL-S-974A	Surfacer; Sanding	Cancelled
MIL-R-991(Aer)	Riverter, Pneumatic, Alligator Yoke	Cancelled
MIL-K-992(Aer)	Kit, Drilling and Cutting, Universal	Cancelled
MIL-D-1000/1A(AS)	Drawings, Engineering and Associated Data	Cancelled, Use AD-1350
MIL-F-1093C	Floodlight, Electric	Cancelled
MIL-H-1097A-2	Heater, Immersion, Electric, Ring Type	Cancelled, Use MIL-H-10249

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-C-1103A	Camera, Still Picture PH-564 ()/GF	Cancelled
MIL-V-1137A-1	Varnish, Electrical-Insulating (For Electro-Motive Equipment)	Cancelled-Superseded by MIL-I-24092A
JAN-C-1141	Compound, Cyanide	Cancelled
MIL-H-1142A	Hose, Rubber, Cutting and Welding (Fuel, Gases, Oxygen and Air)	Superseded by ZZ-H-461c
MIL-A-1154C-1	Adhesive; Bonding Vulcanized Synthetic Rubber to Steel	Cancelled use MMM-A-121
MIL-S-1216B	Straightener, Photographic Print	Cancelled
MIL-E-1254	Extractors, Screw	Cancelled, Use GGG-E-936
MIL-P-1346A	Pencils, Lead, Drawing	Cancelled use SS-P-181a
MIL-P-1349A-1	Printer, Contact, Photographic, Continuous Type C-1B	Cancelled
MIL-P-1350A	Printer, Contact, Photographic, Still 10 by 20 Inch Printing Area, Type A-11B	Cancelled
MIL-V-1362A	Viewer, Motion Picture Film AR-13()	Cancelled
MIL-C-1365	Camera; Aircraft, Mapping, 9 x 9 In. Negative, 6 In. Lens, 390 Ft. Film Capacity, Type T-11	Cancelled
MIL-E-1369A	Filters, Safelights, Photographic	Cancelled Use MIL-F-9329
MIL-T-1370A	Tank, Photographic, Cut Film and Film Pack Processing (With Film Carrier Unit)	Cancelled
MIL-T-1372	Trimmer, Photographic Print, Type A-2 Hand Operated	Cancelled
MIL-D-1373A	Developing Unit, Photographic, Type B-6	Cancelled
MIL-M-1421C(ASG)	Magazine; Film, Aircraft Camera Type A-8B	Cancelled
MIL-W-1511A-4	Wire Rope, Steel (Carbon) Flexible, Preformed	Cancelled-Superseded by MIL-W-83420
MIL-C-1725B	Cover, Canteen	Cancelled
MIL-I-1908A	Insecticide, DDT, (20 Percent Solution)	Cancelled Use O-I-509

Source: https://assist.dla.mil -- Downloaded: 202640-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-S-1927	Spool Roll Film, Storage (9- Inches)	Cancelled
MIL-P-2001C	Punches, Cutting, (Revolving Head)	Delete No. NASC Interest
MIL-D-2163-1	Dispensors (For Aerosol Insecticide)	Cancelled
MIL-I-2179B	Insecticide Ingredients, Thiocyanates	Cancelled
MIL-I-2237	Insecticide-Concentrate, Liquid, Water-Emulsifying (DDT-Non-Explosive Solvent-Emulsifying Agent)	Cancelled Use O-1-558
MIL-I-2260	Insecticide Aerosol (Dichlorodiflu-oromethane Solvent) in Dispensers	Cancelled
MIL-M-2301B	Machete, 18-Inch Blade	Superseded by GGG-M-45C
MIL-S-2335	Synchros, 60 Cycle, 115 Volt	Cancelled Superseded by MIL-S-20708/99
MIL-F-2413A-1	Food Packet, Survival, Arctic, SA	Cancelled, Use MIL-F-43231
MIL-P-2575B(ASG)-1	Pitot, Static Tube TRU-1/A Electrically Heated	Cancelled
MIL-S-2578D-1	Snaphooks, Fixed, 3/8, 1/2, 5/8, 3/4, 1 and 1 1/2 Inch	Cancelled, use MIL-S-43770
MIL-R-2583B	Rivets, Solid, Belt: And Washers, Flat (Burrs)	Cancelled use FF-R-556
MIL-P-2780	Pipe, Brass, Seamless, Iron-Pipe Size, Standard and Extra Strong	Cancelled, Use WW-P-351
MIL-S-2785B	Shark Repellant Compound, Packet	Cancelled
MIL-G-2810	Gaskets, Rubber-Tubing (For Paint Buckets)	Cancelled
MIL-M-2828	Matting, Synthetic Rubber (For Attachment to Metal)	Cancelled
MIL-L-2923	Leather, Artificial, Fire-Resistant (For Upholstery)	Cancelled Use CCC-C-418
MIL-D-3054A	Dielectric Material, Polyethylene	Superseded by L-P-590
MIL-R-3065-1	Rubber and Synthetic Rubber Compounds, General Purpose (Except Tires, Inner Tubes, Sponge Rubber, and Hard Rubber)	Cancelled
MIL-F-3109	Flares, Electric Emergency	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-P-3115C-1	Plastic Sheet, Laminated, Thermosetting, Paper-Base, Phenolic-Resin	Superseded by L-P-513a
MIL-D-3116	Cement; Acrylic-Monomer-Base (For Acrylic Plastic)	Superseded by MIL-C-8576
MIL-S-3136B	Standard Test Fluids Hydrocarbon	Cancelled and Superseded by TT-S-735
MIL-N-3145B	Nibbling-Mahine, Punch Type, Heavy Duty	Cancelled
MIL-C-3152	Case, Tool, Mechanics	Superseded by MIL-B-3981
MIL-C-3162A	Cable, Special Purpose Electrical; Wire Electrically (Ignition, High Tension)	Superseded by MIL-C-3702
MIL-C-3164A Interim AM-1 (S&A)	Containers, Bottles, Jugs, Pitchers, and Servers, Insulated and Vacuum	Cancelled Superseded by RR-J-800 and RR-P-375
MIL-B-3168A	Balls, Bearing, Non-Ferrous (For Use In Bearings and Valves)	Cancelled Use MIL-B-1083
MIL-H-3195-2	Hanger; Photographic, Film Processing	Cancelled
MIL-C-3254C	Coating-System Bridging, Strippable Sprayable	Cancelled
MIL-G-3278A	Grease; Aircraft and Instruments (For Low and High Temperatures)	Superseded by MIL-G-23827
MIL-T-3300A	Tray; Processing, Photographic	Cancelled Use RR-T-646
MIL-T-3345A	Trailers, Semitrailers, and Trailer Dollies and Packaging of	Cancelled
MIL-D-3396-3	Duck, Cotton, Single & Piled Filling Yams (Flat)	Cancelled, Use CCC-C-443
MIL-I-3401	Inflation Shelter S-13/TM	Cancelled
MIL-P-3406A	Packaging of Libraries, Reference, Field Organizations	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-P-3408	Plastic-Material, Molding; Rigid Thermoplastic, Aniline Formaldehyde; For use in Electronic Communications, and Allied Electrical Equipment	Cancelled, Use CCC-C-443,
MIL-P-3410-1	Plastic-Material, Molding; Rigid Thermoplastic, Polyvinyl Chloride and Copolymers Thereof; for use in Electronic Communications, and Allied Electrical Equipment	Cancelled, Use L-M-530
MIL-P-3411	Plastic-Material, Molding; Rigid Thermoplastic Vinylidene Chloride; for use in Electronic, Communications, Allied Electrical Equipment	Superseded by L-P-1041
MIL-M-3412A-1	Molding Plastic, Ethyl Cellulose	Superseded by MIL-P-22985
MIL-P-3413-1	Plastic-Material, Molding; Rigid Themoplastic Polystyrene; for use in Electronic, Communications, and Allied Electrical Equipment	Superseded by L-M-520
MIL-P-3414	Plastic-Material, Molding; Rigid Thermoplastic, Cellulose Acetate Butyrate; for use in Electronic, Communications, and Allied Electrical Equipment	Cancelled, Use L-P-349a
MIL-P-3415	Plastic-Material, Molding; Rigid Thermoplastic, Cellulose Acetate; for Use in Electronic, Communications, and Allied Electrical Equipment	Superseded by L-M-505
MIL-P-3416	Plastic-Material, Molding; Rigid Thermoplastic, Acrylic for use in Electronic, Communications, and Allied Electrical Equipment	Superseded by L-M-500
MIL-T-3435	Truck Chassis, Motorized, Packaging of	Superseded by MIL-STD-281

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-T-3484	Test Set TS-2/TG, For Printing Telegraph Equipment	Cancelled
MIL-L-3503-1	Lubricating-Oil, Preservative, Light	Cancelled, Use VV-L-800
MIL-H-3526C	Holders, Photographic Sheet, Film Double Lock Rib	Cancelled
MIL-L-3543B-1	Lights, Arc, Photolithographic, Carbon Electrode	Cancelled
MIL-G-3545B	Grease, Aircraft, High Temperature	Superseded by MIL-G-81322A
MIL-C-3556A	Camera, Still Picture, General Utility, for 8 X 10 Inch Films or Plates	Cancelled
MIL-P-3584A	Plastic Sheet, Polyvinyl Chloride, Elastomeric	Cancelled
MIL-C-3608-1	Connectors, Coaxial Frequency, Series BNC, and Associated Fittings, General Spec for	Cancelled, Use MIL-C-39012
MIL-F-3622	Flame Resistant Compound, Fabrics (Colorless Emulsifiable)	Cancelled
MIL-C-3687A	Crystal Blanks, Quartz	Cancelled
MIL-R-3749-1	Receptacle, Film Waster Fiber, Fire Resistant	Cancelled
MIL-P-3757	Packaging of Photographic Accessories and Spare Parts, Domestic and Overseas Shipment	Cancelled
MIL-C-3769	Crates, Intermediate, Sheathed, Wood, Nailed, (For Maximum Net Loads of 300 Pounds)	Cancelled, BuAer Use MIL-C-104A
MIL-P-3803	Plastic Polyethylene, Molded and Extruded Shapes Sheets and Tubing	Cancelled
MIL-S-3808	Scale, Photographic, Projection Print Exposures	Cancelled
MIL-A-3812	Arming Wire Assemblies, Bomb	Cancelled
MIL-P-3824-2	Packaging of Webbing	Cancelled, Use MIL-STD-654
MIL-D-3833	Dryer, Photographic Print, Glossy and Semi-Matte Print, Drum Type, Electrically Heated, 110 Volt, AC	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-W-3856-2	Webbing, Textile, Cotton, Elastic	Cancelled, Use JJ-W-155
MIL-W-3861-1	Wire, Electrical (Bare Copper)	Superseded by QQ-P-343
MIL-C-3871B	Capacitors, Fixed, Electrolytic (A.C., Dry Electrolytic, Non-polarized) Gen Spec for	Cancelled
MIL-B-3878-2	Barometer, Mercurial (ML-222) () Case, Mercurial Barometer, (ML-48) and Case, Barometer CY-1320()/UM	Cancelled, Use MIL-C-55571(EL)
MIL-G-3882A	Guns, Fluid, Direct Delivery	Cancelled
MIL-G-3919	Grease Gun, Hand, 21 Ounce Capacity	Cancelled
MIL-S-3927	Sealing Compound, Thread, Polymerizing Room Temperature	Cancelled, Superseded by MIL-S-46163 and MIL-S-22473
MIL-R-3936	Rod, Polyester, Glass-Filled	Cancelled
MIL-P-3938B-2	Pallet, Material Handling, Hardwood, Stringer Construction, 4-Way (Partial)	Cancelled
MIL-T-3939	Trainer, Flight Simulator, Instrument, H-19A Helicopter Device AVPIL-Ta (1-Ca-1n)(A)	Cancelled
MIL-A-3941A	Adhesive, Paper Label, Water-Resistant	Superseded by MMM-A-178
MIL-B-3959A	Barrier Material for Moderately Water-Vapor-Proof Interior Packaging Bags	Cancelled
MIL-B-3981-1	Box, Tool, Mechanics'	Cancelled Superseded by GGG-T-558
MIL-H-3982-1	Hardware (Fasteners and Related Items); Packaging and Packing for Shipment and Storage	Superseded by PPP-H-1581
MIL-C-3989A	Connectors, Coaxial, Radio Frequency and Associated Fittings, Series C	Cancelled, Superseded by MIL-C-39012
MIL-V-4009B	Viewer; Stereoscopic, Continuous Strip, Film or Print Aerial Photographic	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-D-4014A-1	Dehumidifier, Photographic, Type A-1	Cancelled
MIL-T-4017A-1	Timer, Interval, Electrical, Automatic, Photographic Type C-1B	Cancelled
MIL-K-4022A	Kit, Photographic, Field Processing, Refrigerated Water Bath, Type N-9	Cancelled
MIL-C-4035D-1	Cleaner, Steam, Pressure Jet, Wheel Mounted Electrically Operated, Type B-3	Cancelled, Use MIL-C-22894
MIL-S-4043B	Steel; Corrosion Resisting (Extra Low Carbon Type 304), Plate, Sheet, and Strip	Cancelled
MIL-P-4044B	Printer, Contact, Photographic, Type A-18 (Printer Contract, Hand, Type A-18)	Cancelled, Use MIL-P-27303
MIL-L-4045A	Light Assembly, Machinery and Ship, Adjustable Arm	Cancelled
MIL-P-4050A	Projector, Aerial Roll, Film, Continuous Strip, Type F-2	Cancelled
MIL-E-4069A-1	Envelopes; Packing List, Water-resistant	Cancelled, Use PPP-E-540
MIL-T-4077B-2	Test Set, Battery Storage, High Discharge Rate	Cancelled
MIL-H-4081A	Holder: Countersink, Adjustable, Micrometer Stop	Cancelled
MIL-P-4082B	Processing Machine, Photographic, Automatic Type A-11	Cancelled
MIL-C-4110B	Clips, Photographic Film	Cancelled
MIL-C-4114B	Camera, Set, Still Picture, 35 Millimeter KS-29()	Cancelled
MIL-P-4115A	Press, Photographic, Dry Mounting, Type A-2	Cancelled
MIL-P-4123A	Paper; Brownprint, Sensitized	Cancelled, Use UU-P-141
MIL-C-4170A	Camera; Motion Picture, Sound 35 MM	Cancelled
MIL-C-4175B	Clip Board, File Illuminated	Cancelled
MIL-N-4180C-1	Nozzle, Fuel and Oil Servicing	Cancelled, Use MIL-N-4179
MIL-P-4185A	Paper, Tissue, Wrapping	Use, UU-P-553
MIL-F-4209B	Fastener, Metal, Nut-Sleeve Assembly	Cancelled
MIL-C-4222B(ASG)-2	Cloth, Polyethylene, Leno	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-B-4229A-1	Boxes; Paperboard, Metal-Stayed	Superseded by PPP-B-665
MIL-G-4237B	Grease Gun, Hand, High Pressure	Cancelled, Use MIL-G-3805
MIL-T-4239A	Tape, Pressure-Sensitive Adhesive, Vinyl-Plastic Opaque, Photographic	Cancelled
MIL-P-4252B(ASG)-2	Processing Unit, Photographic Film 70MM to 9-1/2 Inch roll Film, Type B-5A	Cancelled
MIL-S-4282A(ASG)	Soap Solution, Oxygen-System Leak-Testing	Cancelled, Use MIL-L-25567
MIL-A-4291	Audio Oscillator TS-302 F/U	Cancelled, Use MIL-G-27724 & MIL-STD-1364
MIL-D-4303A	Drum, Aluminum, 55-Gallon	Cancelled
MIL-S-4307B	Stereoscope, Folding Type	Cancelled
MIL-P-4315A	Paper, Wrapping, Waxed, Interleaving for Metal Sheets	Cancelled
MIL-L-4322(ASG)	Lens, Camera, Aerial Reconnaissance and Spotting 24-Inch, F/6, 9-By 18-Inch Format	Cancelled
MIL-L-4324(ASG)-1	Lens, Camera, Aerial Reconnaissence and Spotting, 12-Inch, F/2,5, 9-By 9- Inch Format	Cancelled
MIL-L-4325A(ASG)	Lens, Camera, Aerial Reconnaissance and Spotting 36-Inch, F/8, 9 by 18 Inch Format	Cancelled
MIL-T-4403A	Tape, Pressure-Sensitive Adhesive, Cloth, Aerial Film Splicing	Cancelled
MIL-W-4425A(ASG)	Water Supply Kit, Pump and Filter, 7GPM Capacity, Type O-2A	Cancelled
MIL-R-4431B	Rubber Sheet, Cellular, Tension Pad	Cancelled
MIL-H-4443A	Hose, Rubber, Oil Suction, Wire Reinforced	Cancelled, Use MIL-H-4441
MIL-C-4470C	Cans, Hermetic Sealing	Cancelled, Use PPP-C-96
MIL-M-4528A(ASG)	Marking Machine, Wire and Plastic Tubing Identification	Cancelled
MIL-S-4531A	Shearing, Machine, Hand Lever, Throatless	Cancelled, Use MIL-S-45571
MIL-D-4540B	Dibromodifluoromethane, Technical	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-F-4571B	Finger, Mechanical, and Retrieving Tool, Magnetic	Cancelled, Use GGG-F-360
MIL-T-4663B	Tansmissiometer Set AN/GMQ-1b	Cancelld
MIL-D-4677A	Drier, Photographic Pring EL-2()	Cancelled
MIL-E-4682C(ASG)-1	Electron Tubes and Transistors, Choice and Application	Cancelled
MIL-D-4686B	Dehumidifier, Photographic Film Drier, High Capacity, FL-1A	Cancelled
MIL-T-4687B(ASG)-3	Tester, Capacitor Type Fuel Quantity Gage Tank Unit, Type MD-2A	Cancelled
MIL-P-4721-1	Plates, Ferrotype, Photographic	Cancelled
MIL-H-4722A(ASG)	Hose Assembly, High Pressure, Breathing Oxygen	Cancelled
MIL-M-4735A(ASG)	Meduim, Transparent (Photographic)	Cancelled
MIL-P-4745C	Plate, Marking, Blank	Cancelled
MIL-D-4806C-1	Distribution Box, Runway Lighting 5,000 Volts, 20 Ampere Type MA-1	Cancelled
MIL-C-4810D(ASG)-2	Cylinders, Oxygen Purifier	Cancelled
MIL-D-4825A-1	Developer, Photographic, Meduim Contrast, Armed Forces Developer No. 2	Cancelled, Use MIL-D-4824
MIL-M-4841B	Mount, Film Slide, Photographic, 2 X 2 Inch, 35MM Film	Cancelled
MIL-C-4921	Cable Power, Electrical	Cancelled
MIL-G-4933B	Generator Signal TS-452C/U	Cancelled
MIL-T-4949A (ASG)-1	Transformer, Power, Isolation, Type MC-1	Cancelled-Superseded by MIL-T-27535A(ASG)
MIL-T-4950A(ASG)	Transformer, Power, Isolation, Type MC-2	Cancelled Superseded by MIL-T-27535A(ASG)
MIL-S-4953B(ASG)	Spray Outfit, Corrosion Preventive Compound and Engine Prediler, Trainer Mounted, Type MA-2	Cancelled
MIL-E-4957A(ASG)-1	Enclosure, Electromagnetic Shielding, Demountable, Prefabricated for Electronics Test Purposes	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-E-4970(USAF)	Environmental Testing, Ground Support Equipment, General Specification for	Cancelled Superseded by MIL-STD-81
	MIL-C-4996A(ASG)	Coating Compound, Luminescent, Phosphorescent	Cancelled
	MIL-T-5004	Trainer; Demonstrator, Gyro Rotor, Auxiliary Universal Motor Powered	Cancelled
	MIL-B-5005A-2	Breakdown; Provisioning Parts & Illustrated for Aeronautical Articles	Superseded by MIL-M-8910
	MIL-B-5006	Buoys, Seaplane Mooring	Cancelled
	MIL-E-5008C	Engines, Aircraft, Turbojet and Turbofan, Model Specification (For Outline and Instructions for Preparation)	Superseded by MIL-E-5007D
	MIL-E-5009D	Engines, Aircraft, Turbojet and Turbofan, Tests for	Superseded by MIL-E-5007D
	MIL-E-5010B	Engines, Acceptance Test for Aircraft Turbo-Jet	Cancelled-Superseded by MIL-E-5009
	MIL-L-5012C	Life Raft, Inflatable, AR-4 For Aircraft Use	Cancelled
	MIL-I-5016(Aer)-2	Indicator, Temperature, Thermocouple, Chromel Alumel Duel, 0° to 1000°C	Cancelled
	MIL-H-5017	Hose Assemblies; Aircraft High Pressure, Hydraulic and Pneumatic	Cancelled
	MIL-V-5018A-2	Valve, Fuel Selector	Cancelled
	MIL-V-5019(Aer)	Valve, Air Pressure Regulating, Turn and Slip Indicator, Type ME-1	Cancelled
	MIL-T-5021D	Tests, Aircraft and Missile Welding Operator's Qualifications	Cancelled, use MIL-STD-1595
C	MIL-T-5023B	Turret, Tail Aero 11D	Cancelled
	MIL-C-005026D(AS)	Relay, Differential Voltage and Reverse Current Cutout	Superseded by MIL-C-5026E
	MIL-D-5028B(ASG)	Drawings & Data Lists: Preparation of Manufacture (For Production Aeronautical Equip)	INACTIVE use MIL-D-70327

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-T-5029	Tests, Aircraft Armament Installations and Accessories, Standard Minimum Proof	Cancelled
MIL-F-5030	Felt; Hair	Cancelled Use MIL-F-2112
MIL-R-5031B-2	Rod and Wire, Welding, Corrosion and Heat Resistant Alloys	Cancelled Use AWS A5.9-77 & AWS A5.14-76
MIL-B-5032A(Aer)-1	Belt; Pilot's Safety, Lap and Shoulder Type	Cancelled, Use MIL-R-81729
MIL-C-5033A	Clock; Aircraft, Civil Date, 25 Hour Dial, 2-3/4 Inch Diameter	Cancelled
MIL-E-5036(Aer)	Enignes; General Specification for Aircraft Liquid Propellant Rocket	Superseded by MIL-E-5149A(ASG) and MIL-E-5151A(ASG)
MIL-E-5037(Aer)	Engine; Model Specification for Aircraft Liquid Propellant Rocket (Outline and Instructions for Preparation)	Superseded by MIL-E-5150A(ASG)
MIL-C-5039-1	Cloth, Cotton Twill	Cancelled
MIL-T-5042	Terminal; Electrical, Crimp Type, Copper	Superseded by MIL-T-7928C(ASG)
MIL-S-5043(Aer)	Sealing Compound, Repair, Injection and Access Door (For Integral Fuel Tanks)	Superseded by MIL-S-7502A(ASG)
MIL-C-5045A(Aer)	Containers, Practice Bomb Area 4B	Cancelled
MIL-S-5047(Aer)-1	Signal, Daytime Drift	Cancelled
MIL-O-5048	Outline for Preparation of Specifications for Aircraft Used by the Military Services	Cancelled
MIL-P-5051-1	Paint, Anti-Fouling (For Aircraft Hull Bottoms)	Cancelled
MIL-P-5052	Paint; Anti-Fouling Application of to Aircraft Hull Bottoms	Cancelled
MIL-P-5054-1	Paint; Elastomer, Low Gloss, Camouflage, For Aircraft Tires and De-Icer Boots	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-F-5055-1	Finishes, Aircraft, Application and Treatment of, for Producing Aerodynamically Smooth Surfaces	Cancelled
	MIL-G-5058(Aer)-1	Generator; Tachometer, Four Pole (Propeller Synchronizer)	Superseded by MIL-G-5413A(ASG)
	MIL-B-5060(Aer)-1	Beacon, Radar, AN/DPN-3	Cancelled
	MIL-S-5061(Aer)	Sonobuoy, Directional Listening AN/SSQ-1	Cancelled
	MIL-R-5062A(Aer)	Receiving Set, Radio AN/ARR-26	Cancelled
	MIL-V-5064-4	Valve; Regulation Jet-Type Aircraft, Anti "G" Suit	Cancelled Use MIL-V-9370
	MIL-I-5065(Aer)	Indicator; Carbon Monoxide, Bult Type, Colorimetric	Superseded by MIL-D-3945 and MIL-T-3948
	MIL-W-5067	Washers; Spring Lock	Cancelled
	MIL-R-5068D(WEP)-3	Radio Set, AN/ARC-27 and AN/ARC-27A	Cancelled
	MIL-P-5069A	Packaging and Packing of Flight Clothing	Cancelled
	MIL-T-5071A(Aer)-1	Turret, Nose, Aero 9B "Restricted"	Cancelled
	MIL-T-5072A	Instrument Systems, Pitot-Static Tube Operated, Installation of	Cancelled
C	MIL-S-5073(Aer)	Switch Box; SA-194/ASQ-B	Cancelled
C	MIL-I-5074(Aer)	Indicator, Left-Right; ID-278/ASQ-8	Cancelled
	MIL-I-5075(Aer)-2	Indicator: Flowmeter, Fuel Jet Aircraft	Cancelled
	MIL-A-5076(Aer)B-1	Amplifier: Flowmeter, Fuel, Jet Aircraft	Cancelled
	MIL-T-5077(Aer)B-1	Transmitter: Flowmeter, Fuel, Jet Aircraft	Cancelled
	MIL-P-5078A	Power System (Hydraulic), Tow Target Cable Reel, Airborne, Aero 1A, 1B, 1C and 1D	Cancelled
	MIL-I-5079C	Indicator: Pressure, Self-Synchronous, Magnet, Rotor, Alternating Current, Remote	Cancelled
	MIL-T-5080D(Wep)-1	Transmitter: Pressure, Aircraft Magnet Rotor	Cancelled
	MIL-B-5081(AER)	Bomb Rack And Rocket Launcher, Combination Aero 14A	Cancelled
	MIL-R-5082(Aer)	Radome, For CTU-2 Pilotless Aircraft	Cancelled
	MIL-T-5083	Tape, Cotton Surface	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-I-5084(Aer)-1	Indicator; Temperature, Thermocouple Single 0° to 1,000°C (With Adjustable Limit Warning Light and Relay)	Cancelled
	MIL-C-5085B(Wep)	Coveralls, Anti-G	Cancelled-Use MIL-C-23955
	MIL-C-5089A-1	Control Amplifier, Altitude (P-1 Automatic Pilot/ Radio Altimeter RT7/APN-1	Cancelled
	MIL-A-005090E(Wep)	Adhesives, Heat Resistant, Airframe Structural, Metal to Metal	Superseded by MMM-A-132
	MIL-A-5092B-2	Adhesive, Rubber Base, General Purpose	Superseded by MMM-A-1617
	MIL-C-5093(Aer)-1	Compasses, Gyro Flux Gate Lightweight P-3	Cancelled
	MIL-J-5094(Aer)-1	Junction Boxes, Power (P-3 Compass)	Cancelled
C	MIL-S-5095B(Aer)	Sonobuoy, Listening, AN/SSQ-2	Cancelled
C	MIL-R-5097(Aer)	Release; Automatic, C-647/ASQ-8	Cancelled
	MIL-I-5098(Aer)	Indicator, Rate of Climb	Cancelled-Use MIL-I-7721
	MIL-T-5111-3	Trainer, Mobile, General Specification for	Cancelled
	MIL-P-5127A-1	Plotter, Aircraft Navigation, Type B-2	Cancelled
	MIL-T-5128C	Test Stand, AN5738-1 Astro Compass, Type E-1	Cancelled
	MIL-S-5137A-1	Shelter; Aircraft Maintenance, Type B-4	Cancelled
	MIL-G-5146A	Computation Table; Pressure Ratio VS Mach Numbers for Supersonic Speeds	Cancelled
	MIL-I-5147B-1	Intervalometer, Camera, Exposure Limiting, Type B-8A	Cancelled
	MIL-E-5150(ASG)A	Engines, Rocket, Liquid Propellant, Model Specification for, Outline and Insturctions for Preparation of	Cancelled
C	MIL-E-5151A(ASG)-1	Engines, Rocket, Liquid Propellant, Qualification Test for	Cancelled
C	MIL-E-5152A(ASG)-1	Engines, Rocket, Liquid Propellant, Acceptance Test for	Cancelled-Superseded by MIL-R-5149

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-E-5156C	Engines, Aircraft, Experimental Turbo-Jet, Preliminary	Cancelled Superseded by MIL-E-5009
MIL-V-5158A-1	View Finder, Photographic Navigation, General Specification for	Cancelled
MIL-J-5161	Jet, Fuel, Referee	Cancelled
MIL-P-5164A(Aer)	Preservation and Packing of Turrets and Turret Systems, Aircraft	Cancelled
MIL-C-5167A	Camera, Recording, Photoflash Bomb Performance 16MM Type O-19	Cancelled
MIL-T-5174A	Trainer, C-119B Internal Combustion Heater System, Type U-235	Cancelled
MIL-P-5175B(ASG)	Plate, Anchor, AIrcraft Troop Seat	Cancelled
MIL-F-5182B	Filler and Bleeder, Hydraulic Systems, Type C-1	Cancelled
MIL-S-5216A	Surge Chamber, Torque Pressure, Type A-1	Cancelled
MIL-V-5218A	Valve; Multiple Gas Sample General Specification for	Cancelled
MIL-T-5223A(ASG)	Trainer, K-38 Aircraft Camera, Type F-4	Cancelled
MIL-T-5224A	Trainer, C-119B Auxiliary Electrical System, Type U-252	Cancelled
MIL-T-5231A(ASG)	Trainer, K-37 Aircraft Camera, Type U-279	Cancelled
MIL-E-5272C(2)	Environmental Testing, Aeronautical and Associated Equipment, Gen Spec For	Cancelled, use MIL-STD-810
MIL-I-5289B(ASG)	Instrumentation Installation for Climatic Test of Aircraft, General Specification for	Cancelled
MIL-R-5296A	Relay, Differential Current Protection, Type S-1	Cancelled
MIL-T-5298A(ASG)	Trainer, K-17C Aircraft Camera, Type U-237	Cancelled
MIL-C-5302B	Cloth, Coated and Laminated, Chloroprene on Nylon	Cancelled
MIL-C-5303B(ASG)-1	Cover, Camera, Electrical Heated, General Specification for	Cancelled
MIL-C-5305B(ASG)	Cover, Camera, Electrically Heated, Type B-13	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-C-5306B(ASG)	Cover, Camera, Electrically Heated, Type B-14	Cancelled
MIL-C-5307B(ASG)	Cover, Camera, Electrically Heated, Type B-15	Cancelled
MIL-C-5308B(ASG)	Cover, Camera, Electrically Heated, Type B-16	Cancelled
MIL-V-5317A-1	View Finder, Photographic Navigation	Cancelled
MIL-T-5318A	Trainer, S-7A Aircraft Camera, Type U-277	Cancelled
MIL-T-5320A	Trainer, K-20 Aircraft Camera, Type U-275	Cancellec
MIL-C-5321C(ASG)-1	Camera; Aircraft, Reconnaissance, Type K-37	Cancelled
MIL-I-5323B	Intervalometer, Camera, Automatic Control Type B-10A	Cancelled
MIL-R-5335E)ASG)-1	Release, Parachute Rip Cord, Automatic, Type F-1A	Cancelled
MIL-T-5336A-1	Turntable, Aircraft, Compass Compensating, Type B-1	Cancelled
MIL-C-5339A	Cloth, Synthetic, Vinyl	Cancelled
MIL-H-5353C	Height Finder, Continuous Strip, Stereoscopic, Aerial Photographic, Type A-1	Cancelled
MIL-M-5354A-1	Magnesium Alloy ZK60A Extruded Bars, Rods, and Shapes	Cancelled
MIL-T-5361A(ASG)	Trainer, Parachute, Bailout, Escape, and Landing	Cancelled
MIL-T-5362A	Trolley, AC-1 Bailout and Escape Parachute Trainer Type A-1	Cancelled
MIL-F-5369A(ASG)-1	Fire, Detector, Thermocouple, Type F-1	Cancelled, Use MIL-D-7872(Aer)
MIL-R-5370A	Recorder, Auxiliary Data, Mapping and Charting Type A-1	Cancelled
MIL-P-5374	Parachute, Cargo, Type G-8	Cancelled
MIL-C-5390G(Wep)	Coverall, Flying, Men's, Summer	Cancelled
MIL-M-5401A	Mount, Aircraft Camera, Vertical, Type A-27A	Cancelled
MIL-H-5404-1	Heater, Aircraft Camera, Tupe P-1 K-24 Camera-12-& 20 20 Inc Lens Cone	Cancelled
MIL-C-5405	Container; Shipping, Fiber Tube, Spirally Wound	Superseded by MIL-C-3955

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-C-5407A1	Controller, Altitude (P-1 Automatic Pilot/Radio Altimeter RT-7/APN-1)	Cancelled
MIL-L-5408B	Light, Beacon, Flashing, Gas Operated Type E-1	Cancelled
MIL-R-5409A(Aer)	Recorder, RD-47/ASQ-B	Cancelled
MIL-C-5410B-3	Cleaning Compound, Aluminum Surface Non-Flame Sustaining	Cancelled
MIL-K-5411-1	Kit; Repair, Glasses, Sun Flying	Cancelled
MIL-W-5423B	Wire Rope, Steel, (Corrosion-Resistant) Flexible, Preformed (For Aeronautical Use)	Superseded by MIL-W-83420
MIL-C-5427A(ASG)	Cabinet and Relay Assembly; Distribution	Cancelled-Superseded by MIL-P-8945(ASG)
MIL-C-5429A	Coating; Strippable, Protective, Aircraft Bearing	Cancelled
MIL-I-5432C(ASG)-1	Insulator, Vibration	Cancelled Superseded by MIL-C-172
MIL-C-5436	Cylinder; Oxygen, Low Pressure, Type B-3	Cancelled
MIL-A-5437C-2	Adapter, G-2 Compass	Cancelled
MIL-T-5438	Tester, Abrasion, Electrical Cable	Cancelled
MIL-F-5441A(ASG)	Filter Assembly; Fluid Metering Pump	Cancelled
MIL-F-5442A	Fitting; Push-Pull Engine Control, Quick Disconnect Valve, Vaccuum Breaking	Cancelled
MIL-H-5443	Hub; Wood Propeller and Test Club, Fixed Pitch	Superseded by MIL-P-26366A
MIL-P-5444	Propeller Blade; General Specification for Detachable (Laminated Veneer Uncompressed)	Superseded by MIL-P-26366A
MIL-E-5445	Engines, Aircraft Ground Test for Combat Power (War Emergency Rating)	Cancelled
MIL-P-5446A-1	Propeller Blade; General Specification for Solid, Aluminum Alloy	Superseded by MIL-P-26366A

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-P-5447A(ASG)	Propeller; Controllable Pitch, General Specification for	Superseded by MIL-P-26366A
MIL-P-5448	Propeller; General Specification for Ground Adjustable	Superseded by MIL-P-26366A
MIL-P-5449	Propeller; Installation Model Specification (Instruction for Preparation)	Cancelled Superseded by MIL-P-26366A
MIL-P-5450	Propeller Spinner; (General Specification for)	Superseded by MIL-P-26366A
MIL-P-5451	Propeller and Test Club; Fixed Pitch Wood	Superseded by MIL-P-26366A
MIL-P-5452A	Propeller; Type Test of	Cancelled Superseded by MIL-P-26366A
MIL-P-5453	Pump; Fluid Metering 2 GPH, Type A	Cancelled
MIL-P-5454	Pump Assembly; 5 GPH Fluid Metering, Type B	Cancelled
MIL-P-5455	Pump; Fluid Metering, General Specification for	Cancelled
MIL-V-5456A	Vacuum Pump, Rotary, Power Driven	Cancelled
MIL-S-5457	Separator; Air Pump Oil	Cancelled
MIL-S-5458A-2	Sleeve; Spark Plug Terminal	Cancelled-Superseded by MIL-L-19844A
MIL-S-5459	Starting System; Installation of	Cancelled
MIL-V-5460A-1	Valve, Air Vacuum Regulating (Throttling)	Cancelled
MIL-C-5462D	Cover, Wing and Tail, Aircraft, Gen Spec for	Cancelled
MIL-S-5465	Shop, Field Maintenance, Airborne, Type A-1	Cancelled
MIL-P-5466	Plate; Location and Attachment of Identification and Modification	Superseded by MIL-P-8651A(ASG)
MIL-H-5467A-1	Handbook; Structural Repair (For Aircraft)	Cancelled Use MIL-M-9854

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-H-5469A-1	Handbook; Overhaul Instruction (For Aircraft Engine)	Cancelled Use MIL-M-81218(WP)
MIL-H-5471A(ASG)	Handbook; Operation and Maintenance Instuctions for Aircraft Equipment	Superseded by MIL-M-81260(WP)
MIL-H-5473A-1	Handbook; Maintenance Instructions (Aircraft)	Superseded by MIL-M-81260(Wep)
MIL-M-005474D(Wep)	Technical Manuals; General Preparation of	Cancelled, Use MIL-M-38784
MIL-H-5475B(Aer)	Handbook; Operation, Electronic, Electrical, Electro Hydraulic, and Electro-Mechanical Equipments, Systems, and Test Equipment	Superseded by MIL-M-81260(WP)
MIL-B-5478	Bill of Material; Aircraft and Aeronautical Equipment (Production Contract)	Cancelled
MIL-B-5479	Bill of Material; Aircraft and Aeronautical Equipment (Experimental Contracts)	Cancelled
MIL-D-5481-1	Drawings and Data Lists; Preparation of for Production Aircraft	Superseded by MIL-D-5028
MIL-I-5489C(Wep)	Indicator, Turn and Slip, Air Driven, 2 inch size and 3 inch size	Cancelled
MIL-B-5491A(Aer)	Bulb, Temperature, Cylinder Head, Electrical Resistance, Bayonet Type, Minus 50° to plus 300°	Cancelled use MIL-P-25732 MIL-P-83461
MIL-W-5492A(ASG)-1	Watches; Pocket, Navigation Master	Superseded by MIL-W-50717
MIL-T-5493	Thermocouple; Engine Cylinder Bayonet Type	Cancelled
MIL-S-5496	Stand; Propeller Regulator Test, Single Rotation Type F-1	Cancelled
MIL-C-5502A-1	Coupling; Aircraft Hydraulic Self-Sealing	Superseded by MIL-C-25427(ASG)
MIL-F-5506A-1	Fitting; Method of Testing Tube	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-H-5511A-2	Hose; Aircraft Hydraulic, Pneumatic, Fuel and Oil Resistant	Superseded by MIL-H-8794(ASG) and MIL-H-8795(ASG)
MIL-H-5512B	Hose Assembly Aircraft Hydraulic and Pneumatic High Pressure	Superseded by MIL-H-8788(ASG)
MIL-P-5516	Packing, Preformed, Petroleum Hydraulic Fluid Resistant	Cancelled use MIL-P-25732 or MIL-P-83461
MIL-P-5517B	Plastic Parts in Aircraft Hydraulic Equipment General Tests for	Cancelled
MIL-V-5523B(ASG)-1	Valve; Relief, Hydraulic Pressure	Cancelled
MIL-L-5533	Light Assembly, Seadrome Marker, Buoy Mounted Type FMF-6	Cancelled
MIL-A-5534A	Adhesive; High Temperature Setting Resin (Phenol, Melamine and Resorcinal Base)	Cancelled
MIL-A-5535A	Adhesive, Application of High-Temperature-Setting Resin (Phenol, Melamine and Resorcinal Base)	Cancelled
MIL-C-5536	Cedar; Aircraft Port Orford	Cancelled
MIL-C-5538A	Nitrocellulose, Technical, For Use in Organic Coatings	Superseded by TT-N-350A
MIL-A-5539A	Adhesive, Natural or Synthetic Natural Rubber	Cancelled Superseded by MMM-A-139
MIL-C-5543-2	Cleaning Compound, Washing Machine Aircraft Metal Parts	Cancelled
MIL-C-5546A-1	Compound; Engine Cleaning (Cresol Base)	Cancelled use P-C-111
MIL-D-5548	Decalcomanias, Aircraft	Superseded by MIL-D-8635(ASG)
MIL-D-5552A-1	Dope, Cellulose Nitrate, Colorless, Gloss for Aluminum	Cancelled use MIL-D-5551
MIL-D-5553A-2	Dope, Cellulose Nitrate, Clear	Cancelled Use MIL-D-5549
MIL-D-5554A-1	Dope, Cellulose Nitrate, Gloss	Cancelled use MIL-D-5551

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-D-5555-1	Dope, Cellulose Nitrate, Pigmented, Camouflage	Cancelled, Use MIL-D-5550
MIL-E-5556B-2	Enamel, Camouflage, Quick Drying	Superseded by TT-E-527C
MIL-E-5557-1	Enamel, Heat-Resisting, Glyceryl-Phthalate, Black	Superseded by TT-E-489
MIL-F-5560A	Fir; Aircraft Noble	Cancelled
MIL-F-5561A	Fir; Aircraft Douglas	Cancelled
MIL-F-5562B	Fluid; Bubble Sextant	Cancelled
MIL-C-5563-3	Cloth; Wool Pile	Superseded by MIL-C-483B
MIL-C-5565(Aer)	Control Panel; Radio, C-685/ARA-19	Cancelled
MIL-F-5566-3	Fluid; Anti-Icing (Isopropyl Alcohol)	Superseded by TT-I-735A
MIL-T-5568	Test Point; Requirements for (For Conventional Pulse Type, X-Band Radar)	Cancelled
MIL-W-5569-1	Wire; Insulated Antenna WS-5C/U	Superseded by MIL-W-6370B
MIL-C-5571A	Cloth, Acetate, Fluorescent	Cancelled
MIL-I-5573	Indicator; Tachometer 0-110 Percent RPM, 2-Inch Size	Cancelled
MIL-T-5574	Thermostats; Aircraft, General Specification	Cancelled
MIL-T-5575	Tape, Polyethylene, Antenna MX-723/U	Cancelled
MIL-B-5576	Breakdown, Electronic Equipment Parts	Superseded by MIL-B-5005A
MIL-F-5580	Filter; Photographic, Vignetting-Correction (6-Inch F/6.3 Lens)	Cancelled
MIL-H-5581B(ASG)-3	Hose; Rubber, Anti-G Suit, Altitude Suit	Cancelled
MIL-R-5582	Radar, X-Band, Airborne, Standard Beacon Provisions	Cancelled
MIL-I-5585A	Installation of Low Pressure Oxygen in Aircraft, General Spec for	Cancelled-Superseded by MIL-D-8683A
MIL-T-5586	Trainer; Flight Equipment, F-86 Hydraulic System, Mobile, Type U-174	Cancelled
MIL-F-5588-2	Frequency Changer; Rotating Type, (For Ground Use) General Specification	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-M-5590B(ASG)-1	Magazine; Aircraft Camera, Roll Film	Cancelled
MIL-D-5592	Dummies; Personnel Parachute Drop Test	Cancelled-Future Procurement Use AF 49E7075
MIL-S-5594/4	Switch, Toggle	Cancelled
MIL-S-5594/5	Switch, Toggle	Cancelled
MIL-S-5594/6	Switch, Toggle	Cancelled
MIL-M-5596	Mount, Vertical Camera General Specification for	Cancelled-Superseded by MIL-M-5401A
MIL-M-5597B(ASG)	Mask; Flying, Heavy Type P-1	Cancelled
MIL-I-5598(Aer)-1	Indicator; Turbine Time	Cancelled
MIL-I-5599A	Indicator; Wind Direction, Pitch, Synchro Style	Cancelled
MIL-F-5602	Fluid; Reference, Shear Stability	Cancelled
MIL-C-5603A(Aer)	Cloth; Nylon Face - Wool Back	Superseded by MIL-C-8797(ASG)
MIL-W-5605	Watch; Pocket, Naviational Master Time	Superseded by MIL-W-50717
MIL-S-5609	Syringe, Oil-Dispensing (Plastic)	Cancelled
MIL-T-5611	Tool, Deburring (Aircraft Tubing)	Cancelled
MIL-B-5612	Brush; Cleaning Aircraft	Superseded by MIL-B-23958A
MIL-C-5613A(Aer)	Cloth; Rayon Face - Wool Rack	Cancelled
MIL-F-5615	Filter; Tri-Color, Approach Light	Cancelled
MIL-A-5617	Antenna - Rectifier Assembly AS-168/AP	Cancelled
MIL-C-5620	Control Box-C-157/AP (For Use with AS-168/AP Antenna-Rectifier)	Cancelled
MIL-C-5623	Capacitor; Paper Foil, Power, 115 Volt Alternating Current, 400 to 2400 Cycles	Cancelled
MIL-B-5628	Bearings; Plain, Airframe	Superseded by MIL-B-8976(ASG)
MIL-B-5629	Bearing; Rod End, Plain, Airframe	Cancelled
MIL-P-5633-1	Packaging and Packing of Aircraft Material in Steel Shipping Containers	Superseded by MIL-P-7936
MIL-P-5639(Aer)	Pickups; Reluctance Type	Cancelled
MIL-P-5640(Aer)-1	Pickups; Strain Gage Type	Cancelled
MIL-P-5641	Propeller Hub; General Specification for Ground Adjustable and Controllable Pitch	Cancelled-Superseded by MIL-P-26366A

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-C-5642A	Cloth, Cellulose Acetate Butyrate Predoped Airplane	Cancelled
MIL-G-5643	Cloth; Cellulose Nitrate Predoped Airplane	Cancelled
MIL-C-5644	Cloth; High Tear Resisting Sateen Cotton	Cancelled
MIL-C-5645	Cloth; Cotton Back Rayon Twill	Cancelled
MIL-C-5647	Cloth; Tricot Knit Nylon	Cancelled
MIL-C-5648A	Cord; Braided Cotton (Aircraft Applications)	Cancelled Use T-C-571
MIL-C-5649B(ASG)-1	Cord; Cotton, Braided, Prewaxed	Cancelled, Use MIL-T-713
MIL-C-5650A-1	Cord; Elastic Exerciser	Superseded by MIL-C-5651B
MIL-W-5652C	Feathers and Down, Waterfowl	Cancelled
MIL-E-5653	Elastic: Parachute Pack Opening Flat	Cancelled
MIL-F-5654A	Fabric Process for Application of Aircraft Surface	Cancelled
MIL-F-5655	Felt; Wood Fibre	Cancelled
MIL-F-5656A	Felt; Wool (For Aircraft Application)	Cancelled BuAer Used C-F-206
MIL-L-5657	Label; Garment	Superseded by MIL-L-15040D
MIL-M-5658	Mildew Proofing of Fabrics, Threads and Cordages Copper Processes for	Superseded by MIL-M-46032
MIL-S-5659	Soundproofing and Insulating Materials	Cancelled
MIL-T-5660A(ASG)-1	Thread; Cotton, High Tenancy	Cancelled Use V-T-276
MIL-T-5662	Tape, Non-Elastic Cotton	Cancelled
MIL-T-5663A-1	Tape, Textile (Parachute Construction)	Superseded by MIL-T-6134
MIL-C-5668	Cutter; Aircraft Cable	Cancelled
MIL-L-5669	Lenses; Goggle, Flying	Cancelled - AF future Procurement Under MIL-G-635
MIL-C-5670(Aer)	Control Panel; C-739/ARC	Cancelled
MIL-C-5671(Aer)	Control; Transmitter, C-740/ART-13	Cancelled
MIL-G-5672	Gages, Fuel and Oil Quantity, Float Type, Aircraft, Gen Spec for	Cancelled
MIL-R-5674B-1	Rivets; Aluminum and Aluminum Alloy	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-T-5679A	Thermocouple Leads, Iron and Constantan Chromel and Alumel and Copper and Constantan, Installation of	Cancelled
MIL-F-5680A(Wep)	Flowmeter, Fuel	Cancelled
MIL-S-5681C(Aer)	Synchroscope, Aircraft Engines	Cancelled
MIL-T-5685C	Turnbuckles, Barrels, Forks, and Eyes	Cancelled, Use MIL-T-8878
MIL-P-5686	Pulleys; Grease-Lubricated Anti-Friction Bearing Control	Cancelled
MIL-R-5689A	Radio Set; AN/APN-1()	Cancelled
MIL-T-5690	Tubes; Pitot Static, Unheated, Aircraft	Cancelled
MIL-R-5691(Aer)	Rubber, Synthetic, Fabric Base; Sheet, Strip and Tape	Cancelled
MIL-S-5696A-2	Steel: Alloy, Bar and Rod, For Dies and Special Tools	Cancelled
MIL-B-5697A-2	Brass, Laminated (Shim Stock)	Cancelled Use MIL-S-22499A
MIL-C-5698	Castings; High Manganese Steel (For Arresting Hook Points)	Cancelled
MIL-R-5699	Rods; Nickel-Chromium-Boron Alloy Welding	Superseded by MIL-R-17131A
MIL-C-5715B(ASG)	Camera System, Recording, Radarscope Image	Cancelled
MIL-B-5716B(ASG)	Body, Radarscope Image Recording Camera, Type C-1A	Cancelled
MIL-M-5717B(ASG)	Magazine, Radarscope Image Recording Camera, Type C-1B	Cancelled
MIL-I-5719A-1	Intervalometer; Camera, Automatic Control, Type B-9A	Cancelled
MIL-I-5742A	Indicator, Indicated Air Speed, Pitot Static Type L-8	Cancelled
MIL-T-5744A(ASG)	Transmitter, Pressure, Manifold, Type L-3	Cancelled
MIL-A-5746A	Amplifier, Single Channel, Cylinder Head Temperature, Type A-10	Cancelled
MIL-I-5747A(ASG)-1	Indicator, Temperature, Electrical Resistance Cylinder Head, Type B-18	Cancelled
MIL-P-5753A	Pickup, Telemetering, Rate of Turn	Cancelled
MIL-M-5755B(ASG)	Mirror, Rearview, Nonmagnetic, General Requirements for Aeronautical Use	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-V-5774C-2	Valve, Oral Inflation	Cancelled
MIL-W-5787C	Webbing, Textile, Nylon, Heavy Duty	Cancelled
MIL-T-5790C(ASG)-1	Transmitter, Pressure, Oil, Synchro, 0-200 PSI Degree Movement, Single Phase 400 Cycle	Cancelled-Use MIL-T-7748 and MS-28131-25
MIL-C-5808J(AS)-2	Coverall, Flying, Anti-Exposure, Type R-1A	Cancelled
MIL-S-5817A	Sealant; Fuel Tank, Polysulfide Polymer, Solvent Type	Cancelled
MIL-M-5818A	Modification Kit MX-1131/ARC	Cancelled
MIL-R-5821A-1	Radio Indicator Control 10251( )/ARN	Cancelled
MIL-T-5844A(ASG)	Thermometer, Aircraft, Cylinder Head, Sensitive, Installation of	Cancelled
MIL-R-5847D-1	Rubber; Silicone, Low- and High-Temperature and Tear Resistant	Cancelled Use ZZ-R-765
MIL-D-5850D	Distillation Kits, Sea Water, Solar	Cancelled
MIL-M-5851B(ASG)	Mount System, Aircraft Camera, Gyroscopically Stabilized, Vertical	Cancelled
MIL-M-5870A	Mount, Tracking Computer, Type B-1	Cancelled
MIL-A-5878B(ASG)	Adapter, Pressure Fuel Servicing, Types A-1 and A-6	Cancelled
MIL-C-5891A(ASG)	Cylinder, Oxygen, Low Pressure, Type J-1	Cancelled Superseded by MIL-C-5886
MIL-I-5892A	Indicator, Temperature, Thermocouple Engine Exhause 0° to 1000°	Cancelled
MIL-L-5905A	Parachute, Ribbed Guide Surface, General Specification for Construction of	Cancelled
MIL-T-5911A	Tester, Fuel Quantity Gage, Variable Capacitance, Field Type 0-3	Superseded By MIL-T-8579
MIL-T-5913C(USAF)	Transmitter, Rate of Flow, Synchro, Type J-5	Cancelled
MIL-P-5915C	Parachute, Cargo, 100 Ft. Dia., Type G-11A	Cancelled
MIL-B-5924B(ASG)-3	Batting, Insulation, Glass Fibers	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-E-5926B-1	Extraction Kit, Aerial Delivery, Cargo, Tupe A-1A	Cancelled-Future Procurement Use AF Dwg. 66B38260
MIL-C-5937B(ASG)	Control Panel C-758()/A	Cancelled
MIL-C-5948C(ASG)-1	Control Keyer Group AN/ARA-26	Cancelled
MIL-A-5957A(ASG)	Amplifier, Electronic Control, Compass Signal, Type C-1	Cancelled
MIL-H-6000A	Hose; Ribber (Fuel, Oil, Coolant, Water and Alcohol)	Superseded by MIL-H-1344C
MIL-R-6003A	Regulator; Turbosupercharger General Specification	Inactive
MIL-P-6004	Regulator; Turbosupercharger, Electric, Discharge Pressure Controlling, Type C-11B	Cancelled
MIL-R-6005	Regulator; Turbosupercharger, Electric, Type C-6	Cancelled
MIL-R-6006	Regulator; Turbosupercharger, Electronic Type B09	Cancelled
MIL-R-6007	Regulator; Turbosupercharger, Electric Discharge Pressure Controlling, Type C-10	Cancelled
MIL-C-6008	Control; Automatic Engine, Type C-1	Cancelled
MIL-R-6009	Regulator, Turbosupercharger, Type C-2A (Electro-Mechanical)	Cancelled
MIL-T-6010-1	Turbosupercharger Regulator (Type B-Series)	Cancelled
MIL-N-6011	Nitrogen; Liquid and Gas	Cancelled Superseded by BB-N-411
MIL-E-6012	Electrodes; Welding (Covered, Manganese-Nickel-Silicon-Steel Alloy	Cancelled
MIL-T-6013A(Navy)	Tubing; Copper-Silicon-Manganese, Round, Seamless,Annealed, Hydraulic Systems	Cancelled
MIL-S-6014	Steel, Alloy (Special); Castings (Aircraft Use)	Cancelled
MIL-H-6017A	Hose Assembly; Low Pressure, for Breathing Oxygen	Cancelled Superseded by MIL-H-26626A

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-B-6020A-1	Belts; Gunners' Safety	Cancelled
MIL-R-6022(Aer)-1	Receiving Set, Radio AN/ARR-27A	Cancelled
MIL-W-6024(Aer)	Water Separator/Filter; Aviation Fuel	Superseded by MIL-F-8508
MIL-R-6025(Aer)	Radome; Model XSSM-N-6	Cancelled
MIL-G-6027A(ASG)-2	Generator; Tachometer, Two Pole, Aircraft	Cancelled
MIL-T-6029	Trainer; Captivair, F-51 Airplane, Type AB-3	Cancelled
MIL-B-6030(Aer)	Barrier-Material; Sprayable, Strippable, Protective for Aircraft Surfaces (Aluminized Type)	Cancelled
MIL-P-6031	Parachute, Experimental; Inspection Testing of	Cancelled-Superseded by MIL-STD-858
MIL-S-6033	Screws; Self-Topping Steel, Aircraft	Cancelled-Superseded by FF-S-107
MIL-N-6034B	Nuts, Hexagonal	Cancelled Superseded by FF-N-836
MIL-G-6035C(1)	Gage, Pressure, Dial Indicating Oxygen, High Pressure	Cancelled
MIL-O-6036	Oximeter (For Measurement of Arterial Oxygen Saturation)	Cancelled
MIL-S-6040A-1	Shoes; Flight Deck	Superseded by MIL-S-21984(Navy)
MIL-S-006040B(Wep)	Shoes, Flight Deck Crew	Cancelled Superseded by MIL-S-21984(Navy)
MIL-S-6041C	Soles and Heels, Rubber, Nonslip Tread	Cancelled Superseded by MIL-S-22777
MIL-S-6042	Bags, Sewage Disposal	Cancelled
MIL-S-6043	Shoes, Wading, Aviation	Cancelled
MIL-K-6046	Keyer, Beacon Light, Code and Period, Type D-1	Cancelled
MIL-L-6047B	Lacquer; aromatic Fuel-Resistant	Cancelled Use MIL-C-83019
MIL-B-6056A	Bags, Preservation and Packaging	Superseded by MIL-B-117A

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-C-6057A(ASG)-1	Crates and Boxes; Aircraft and Airframe Component Parts	Cancelled, Use MIL-C-104
MIL-L-6061	Lumber; Aircraft Propeller	Cancelled
MIL-P-6062A	Pine; Aircraft Eastern White	Cancelled
MIL-P-6064A-2	Packaging of Lightweight Aircraft Accessories	Superseded by MIL-P-7936
MIL-P-6065A	Packaging, Packing and Marking of Cloth and Fabric and Webbing	Superseded by MIL-P-3824 and PPP-P-51
MIL-?-6066	Packaging and Packing of Self-Sealing Fuel and Oil Cells in Reusable, Collapsible Boxes	Cancelled
MIL-P-6067A	Pine; Aircraft Sugar	Cancelled
MIL-P-6068A	Pine; Aircraft Western White	Cancelled
MIL-P-6069	Plywood; Aircraft Molded (Fluid Pressure)	Cancelled
MIL-P-6070	Plywood and Veneer; Aircraft Flat Panel	Cancelled
MIL-P-6071	Poplar; Aircraft Yellow	Cancelled
MIL-P-6072A	Preservation and Packaging of Turbosuperchargers	Cancelled
MIL-A-6075(Aer)	Altitude Injection Assembly; AN/APA-61	Cancelled
MIL-A-6078A(Aer)	Amplifiers, Gyro Flux Gate (P-1 Automatic Pilot)	Cancelled
MIL-I-6079A(Aer)	Indicators, Master Direction (P-1 Automatic Pilot)	Cancelled
MIL-T-6080A(Aer)	Transmitters; Gyro Flux Gate (P-1 Automatic Pilot) (P-3 Compass)	Cancelled
MIL-I-6087(Aer)	Indicators; Temperature, Ratio Type, Long Scale, minus 50° to plus 300°C	Cancelled
MIL-C-6089	Clamp; Heating Duct	Superseded by MIL-C-8783
MIL-A-6091C-1	Alcohol; Specially Denatured	Cancelled Use O-E760 Type III
MIL-V-6093A	Varnish; Decalcomania Adhesive	Cancelled, Use TT-V-109
MIL-T-6096A	Thinner; Cellulose Acetate Butyrate Dope	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-G-6099A(ASG)-1	Generators and Regulators Air-Cooled, A-C, Aircraft	Cancelled, Use MIL-G-21480
MIL-K-6102	Kits; Airplane Mooring	Cancelled
MIL-R-6103A(Aer)	Radar Sets AN/APS-31, AN/APS-31A AN/APS-31B and AN/APS-31C	Cancelled
MIL-P-6104(aer)	Pilot; Automatic, Type I	Cancelled
MIL-T-6105(Aer)	Testing and Inspection; Type I, Model G-3, Automatic	Cancelled
MIL-F-6107A(Aer)-1	Cloth, Coated; Vinyl Plastic, Cotton Base	Superseded by MIL-C-10799C
MIL-W-6108	Wood; Determination of Specific Gravity of	Cancelled
MIL-W-6109	Wood; Method for Kiln Drying	Cancelled
MIL-W-6110	Wood; Determination of Moisture Content of	Cancelled Superseded by MIL-STD-1363
MIL-I-6111A(Aer)	Indicator; Electric Tachometer, Sensitive Type	Cancelled
MIL-V-6112	Valve; Vacuum Restricter	Cancelled
MIL-F-6116	Filter; Turn and Bank Indicator Air	Cancelled
MIL-H-6118	Hooks; Arresting Gear, Chromium Plating of	Cancelled
MIL-H-6119	Hooks; Arresting Gear, Proof Loading of	Cancelled
MIL-T-6121-1	Tinting Paste; Zinc Chromate Primer	Cancelled
MIL-V-6123-1	Valve, Static, Pressure Selector	Cancelled
MIL-R-1624B	Rocket Engine, Liquid Propellant, Preparation for Storage and Shipment of	Cancelled
MIL-C-6126	Compass; Pilot's Card Type Magnetic	Cancelled
MIL-F-6128A	Filter, Pneumatic, Vacuum Operated Instruments, Gen Spec for	Cancelled
MIL-F-6128/1	Filters, Pneumatic, Vacuum Operated Instruments	Cancelled
MIL-C-6132	Compass; Astro	Cancelled
MIL-C-6135(Aer)	Compound; Cleaning, Steam	Cancelled, Use P-S-751
MIL-A-6137	Antenna Assembly AS-392/APG-5C	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-X-6141A(ASG)	X-Ray Laboratories; Procedure for the Certification of (For Inspection of Aircraft Components)	Superseded by MIL-STD-453
MIL-I-6142	Identification of Escape Hatches; Design Requirements for "Restricted"	Superseded by MIL-A-25165B(AS)
MIL-I-6143	Insignia and Markings for Search and Rescue Aircraft; Design Requirements for	Cancelled
MIL-B-6146-2	Batteries; Storage Shielded, General Specification for	Cancelled, Use MS18045, MIL-B-8565 and MIL-90448
MIL-B-6147	Battery; Storage, Shielded, 24 Volt 24 Ampere-Hour	Cancelled
MIL-B-6148	Battery; Storage, Shielded, 24 Volt 36 Ampere-Hour	Cancelled
MIL-D-6149D-1	Detecting Set; AN/ASQ-8	Cancelled
MIL-C-6151	Cadmium Oxide	Cancelled
MIL-S-6152A	Switches; Limit, Mach Number	Cancelled
MIL-S-6153	Searchlight Sets, AN/AVQ-2 Series	Cancelled
MIL-R-6158	Relay; Current, Type B-9A (Single Pole Double Throw, Time Delay)	Cancelled
MIL-R-6159(Aer)	Radar Set; AN/APC-30	Cancelled
MIL-T-6161(Aer)-1	Turret, Tail, Aero 11A-2	Cancelled
MIL-I-6165(Aer)-2	Indicators; Gyro Horizon, Non Tumbling Fast Erection Electric	Cancelled
MIL-M-6175	Machine, Swaging, Motor Driven (For 1/16" to 3/8" Cables)	Superseded by MIL-S-80035
MIL-M-6176	Machine, Swaging, Motor Driven (For 3/8" to 5/8" Cables)	Superseded by MIL-S-80035
MIL-M-6177	Machine, Swaging, Motor Driven (For 1/16" to 5/32" Cables)	Superseded by MIL-S-80035
MIL-I-6178(Aer)	Indicator, Temperature, Thermocouple, Single 0° to 1000°C	Cancelled
MIL-S-6179A	Switches; Differential Pressure	Cancelled
MIL-H-6182	Hemlock; Aircraft Western	Cancelled
MIL-T-6186A(ASG)	Trainer; Aircraft Navigational Plotter	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-T-6187A(ASG)	Trainer; Demonstrator, Electrical Thermometer Bulb	Cancelled
MIL-T-6188A(ASG)-1	Trainer; Demonstrator, Pressure Altitude, Correction	Cancelled
MIL-T-6190C(ASG)	Training Aid, Navigation, World Glove	Cancelled
MIL-T-6191A	Trainer, Mock-Up, Aneroid Instrument	Cancelled
MIL-T-6205A-1	Trainer, Electronic Circuit, Fundamental Electrical	Cancelled
MIL-C-6222A	Computer and Transmitter, Mach Number, Type B-1	Cancelled
MIL-G-6250B	Glasses, Sun	Cancelled
MIL-S-6252D	Specifications, Detail, Fixed Wing Aircraft, Preparation of	MIL-STD-832
MIL-R-6253A	Radio Receiver R-44 ()/ARR-5	Cancelled
MIL-H-6261A	Handbooks, Condensed; Operation Service and Repair Instructions (For Various Ground Equipment Items)	Superseded by MIL-M-81260(WP)
MIL-P-6264B-1	Plastic, Sheet and Film, Vinyl Copolymers	Cancelled
MIL-T-6272A	Tie Down, Cargo, Aircraft, Type B-1A	Cancelled
MIL-I-6329A-1	Indicator, Tachometer, Crankshaft Speed, Non-Sensitive, 3 1/4 Inch Size	Cancelled
MIL-T-6350C	Tester, Synchro Instruments Field, Type C-1	Cancelled
MIL-R-6351A-1	Regulator, Current Constant, Runway, Lighting, 240V Primary 15KW, Type C-3	Cancelled Replacement Item Is MIL-R-26627
MIL-F-6355A	Flowmeter System, Fuel, Remote Indicating, Installation of	Cancelled
MIL-P-6364A(ASG)	Parachute Aerial Cargo Delivery Type G-1A	Cancelled
MIL-C-6369A	Control Panel C-759()/A	Cancelled
MIL-L-6377A(ASG)	Ladder, Folding, Refueling	Superseded by MIL-L-6378B
MIL-E-6380A	Exciter, Voltage Regulating Variable Frequency, Type A-1	Cancelled
MIL-A-6381A(ASG)	Amplifier, Electronic Control, 1 Signal Channel Type A-9	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-L-6387A	Lubricating Oil, Synthetic Base	Cancelled
MIL-R-6402B-1	Regulator, Current, Constant, Taxiway Lighting, Type M-2	Cancelled
MIL-T-6426A	Transmission Line Copler Cu-231/U	Cancelled
MIL-F-6431A-1	Fire Detector, Thermocouple, Type F-3	Cancelled
MIL-S-6432A	Signal Assembly, Fuel Pressure Switch, Gen Spec for	Cancelled
MIL-A-6444A-1	Adapter, Pressure Fuel Servicing, Types A-2	
MIL-A-6445A(ASG)	Adapter, Pressure Fuel Servicing, Type A-3	Cancelled
MIL-A-6446A-1	Adapter, Pressure Fuel Servicing, Types A-4	MIL-R-6454A
MIL-A-6454A	Regulator, Voltage, Type N-2	Cancelled
MIL-S-6455C(ASG)	Suit, Flying, Pneumatic Anti-G, Type G-4B	Cancelled
MIL-R-6463A	Relay, Generator Equalizer Bus, Type A-1	Cancelled Superseded by MS25084
MIL-R-6467A-1	Relay, Solenoid 28V AMP DC, Type E-2	Cancelled
MIL-I-6470A-1	Indicator, Tachometer, 0-110 Percent RPM, 3-1/4 Inch Size	Cancelled
MIL-T-6476C	Transformer, Power Distribution, Overrun Lighting Type F-1	Cancelled
MIL-L-6477B	Lead, Electrical, Runway Lighting, 600V	Cancelled
MIL-T-6495A	Trainer, Instrument Flying, Ground Type, P-2	Cancelled
MIL-S-6504A	Signal Assembly, Fuel Pressure, Type C-3A	Cancelled
MIL-T-6522A	Tester, Tachometer, Field, Portable Type M-4	Cancelled
MIL-L-6531A(ASG)-1	Lens Cone, Aerial Camera, Type C-1 24 Inch F/6.0, 9- By 18 Inch Format	Cancelled
MIL-D-6535A(ASG)-1	De-Icing Shoes, Inflatable, General Specification for	Cancelled
MIL-H-6557A(ASG)-2	Handbooks, Service (Electronic, Electrical, Electro-Hydraulic and Electro-Mechanical Equipments, Systems, and Test Equipment), Preparation of	Superseded by MIL-M-81260(WP)

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-C-6561A(ASG)	Cylinder, Carbon Dioxide, 2-Ounce Capacity, Type A-1	Cancelled
	MIL-T-6567C	Transmitter, Pressure, Fuel, Synchronous, 0-35 PSI, Type E-1	Cancelled
	MIL-C-6570A(ASG)	Camera, Still Picture, Aircraft Reconnaissance, Type K-36	Cancelled
	MIL-L-6571A(ASG)	Lens Cone, Aerial, Camera, Type C-4, 24 Inch F/3.5 9 by 18 Inch Format	Cancelled
	MIL-C-6573A(ASG)	Camera, Still Picture, Aircraft Reconnaissance, Type K-47	Cancelled
	MIL-D-6579A	Drain, Lavatory, Aircraft	Superseded By MIL-L-38779
	MIL-M-6597C	Maintenance Platform Aircraft, Fixed Height, Type C-1	Cancelled
	MIL-V-6607A-1	Valve Oxygen Pressure Reduction	Superseded by MIL-V-18318A(ASG)
	MIL-V-6613A	Valve, Y, Urinal, Pressurized Aircraft	Cancelled
	MIL-I-6614A-1	Indicator, Temperature, Electrical Resistance, Heating Duct	Cancelled
	MIL-T-6616A(ASG)	Transformer, Voltage Adjusting Type C-1	Cancelled
	MIL-L-6620A-1	Light, Panel Type A-9	Cancelled
C	MIL-E-6626A(ASG)-2	Engines, Rocket, Liquid Propellant, Preliminary Flight Rating Test for	Cancelled
	MIL-P-6634B(ASG)-1	Parachute, Cargo, 500 Lb. Capacity Type G-13	Cancelled Superseded by MIL-P-7620B
	MIL-C-6635	Canopy, Parachute, Ribbon, General Specification for	Cancelled
	MIL-L-6637C(ASG)	Lens, Camera, Aerial Cartrographic 6-Inch, F/6.3, Planigon, 9 By 9 Inch Format	Cancelled
	MIL-G-6642A(ASG)	Gearbox, Aircraft Accessory Drive, Model Specification for (Outline and Instructions for Preparation)	Cancelled Superseded by MIL-G-6641B(ASG)
	MIL-C-6647A(ASG)	Coupling, Fluid Line, Drop Tank	Cancelled
	MIL-C-6650E(ASG)	Converter, Liquid To Gaseous Oxygen, Aircraft, Type A-2	Cancelled
	MIL-H-6653B(ASG)	Handbooks: Service Instructions (Aircraft Engines)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-P-6656A	Pump, Fuel Transfer, Hand Operated Type D-21	Cancelled
MIL-G-6663	Gloves, Flying, Anti-Exposure, Type	Cancelled
MIL-V-6679A(ASG)	Valves, Pressurizing, Oil Tank Barometrically Operated	Cancelled
MIL-R-6680B(ASG)	Raft, Pneumatic, Twenty Man, Type F-2A	Cancelled
MIL-I-6681	Indicator, Temperature	Cancelled
MIL-L-6691A(ASG)-1	Lens, Camera, Aerial Reconnaissance and Spotting 12 Inch, F/4, by 9 Inch Format	Cancelled
MIL-M-6697	Modulator Assembly AN/ARA-3	Cancelled
MIL-B-6703-1	Belt; Troop and Turrent Gunner's Safety	Cancelled, Use MIL-R-81729(AS)
MIL-T-6704A	Tester, Airspeed Indicator	Cancelled
MIL-O-6705A(Aer)	Oxygen Recharge Equipment (Power Drive)	Cancelled
MIL-T-6706A(Aer)-2	Trailer, Oxygen Servicing, Type No. 1	Cancelled
MIL-C-6707	Case, Aircraft Navigational Watch	Cancelled
MIL-C-6708	Compound; Exterior-Surface, Had-Film Corrosion-Preventive	Superseded by MIL-C-16173A and MIL-C-11796A
MIL-N-6710	Nickel-Chromium-Iron Alloy; Bars Rods and Forgings	Cancelled, Use ASTM B166 and ASTM B564
MIL-G-6711	Graphite, Lubricating	Cancelled
MIL-W-6714A-1	Wire; Drawn, Galvanized, Metal Stitching	Cancelled
MIL-S-6715-2	Springs; Helical, Aircraft	Cancelled
MIL-C-6716(Aer)-1	Control Unit, Power (Fast Erecting, Non-Tumbling Gryo Horizon Indicator	Cancelled
MIL-P-6717(Aer)-1	Pilot; Automatic, Model P-3	Cancelled
MIL-S-6718(Aer)	Starter; Engine, Air Turbine Type, Models A-1 through A-6	Cancelled
MIL-C-6720(Aer)	Clock: Aircraft, Elapsed Time, Civil Date, 24 Hour Dial, 2 3/4 Inch Dial	Cancelled
MIL-S-6721B-3	Steel, Corrosion-and-Heat-Resistant (Chemically Stabilized Plate, Sheet, and Strip)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-I-6722	Interference Limits; Propeller Systems Radio	Cancelled
MIL-L-6724A(ASG)	Light, Ultraviolet-Fluorescent Cockpit	Cancelled
MIL-L-6725	Lamps; Wing Position Light	Cancelled
MIL-D-6727-2	De-Icing Systems; Propeller, Fluid Type General Specification for	Superseded by MIL-P-26366A
MIL-L-6730	Lighting Equipment, Exterior, Installation of Aircraft, Gen Spec for	Cancelled use MIL-L-006730C(AS)
MIL-T-6731-1	Tubing; Chrome-Molybdenum (4130) Steel Welded	Superseded by MIL-T-6736B
MIL-T-6732-1	Tubing; Chrome-Nickel-Molybdenum (8630) Steel Seamless	Cancelled use AMS 6530
MIL-T-6733-1	Tubing; Chrome-Nickel-Molybdenum (8735) Steel Seamless	Cancelled
MIL-T-6734-1	Tubing; Chrome-Nickel-Molybdenum (8630) Steel Welded	Cancelled, Use MIL-T-6736
MIL-H-6738A	Handbooks; Overhaul Instructions with Parts Breakdown (For Relatively Simple Accessories and Equipment)	Cancelled
MIL-B-6739	Battery; 12-Volt, 17 Ampere-Hour, Shielded Storage	Cancelled
MIL-B-6740	Battery; 12 Volt, 34 Ampere Hour, Shielded Storage	Cancelled
MIL-B-6741	Battery; 24 Volt, 11 Ampere Hour, Shielded Storage	Cancelled Superseded by MIL-B-8565 and MS90448
MIL-R-6742	Relays; Aircraft, 115/200 Volts AC or 120 Volts DC, General Spec for	Superseded by MIL-R-6106A(ASG)
MIL-S-6743	Switches; Push Button and Limit	Superseded by MIL-S-8805
MIL-S-6744	Switch Assemblies and Actuators; Push Button and Limit	Cancelled Superseded by MIL-S-8805
MIL-S-6745-3	Switches; Aircraft Toggle	Superseded by MIL-S-3950

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-S-6746B	Switches, Rotary, Shielded, Aircraft Ignition	Cancelled
MIL-G-6747A(ASG)	Gaskets and Gasket Material Aircraft Lighting Equipment	Cancelled
MIL-J-6751	Jack; Tip, Voltmeter Test	Cancelled Superseded by MIL-C-39024/10
MIL-A-6752	Ammeters, Voltmeters and Loadmeters, Direct Current	Cancelled
MIL-H-6757A(ASG)-2	Handbooks, Service, (Electronic, Electric, Electrical, Electro-Hydraulic and Electro-Mechanical Equipment Systems, and Test Equipment) Preparation of	Superseded by MIL-M-81260(WP)
MIL-B-6759(Aer)	Beacon; Radar, AN/DPN-17B	Cancelled
MIL-A-6760A	Adapter, Sub-Caliber Rocket, Aero 1A	Cancelled
MIL-G-6761(WP)	Gages; Pressure, Brake, Mean Effective (BMEP)	Cancelled
MIL-S-6763	Shackle; Bomb, 2000 Pound, Type D-6A	Cancelled
MIL-A-6764	Adapter; Gun Mount, Type AN-E-10	Cancelled
MIL-S-6766	Shackle; Bomb, 4000 Pound, Type D-7A	Cancelled
MIL-S-6767	Sling; Bomb Hoist, Type A-2 (Capacity 2000 Pounds)	Cancelled
MIL-C-6768	Curtain; Gunfire Fragment-Resistant	Cancelled
MIL-L-6770	Luminescent Material, Fluorescent-Radio Active	Cancelled
MIL-C-6776	Cloth; Parachute, Saponfied-Acetate	Cancelled
MIL-C-6777	Cord, Silk	Cancelled
MIL-S-6778	Silk, Parachute	Cancelled
MIL-T-6779	Thread; Linen and Linen Hemp	Cancelled
MIL-C-6796	Castings; Protective (For Wood)	Cancelled
MIL-C-6797	Certification of Operators and Approval of Kiln Drying Equipment Process for	Cancelled
MIL-C-6798	Coating; Rust Inhibiting (For Metal Containers)	Cancelled
MIL-R-6800B	Resin Coating, Permanent, for Aircraft Engine Parts, Application of	Cancelled
MIL-C-6801	Cresol	Cancelled Use MIL-C-13246
MIL-E-6802	Enamel; Porcelain	Cancelled
MIL-G-6803A	Glue; Application of Cold Setting Resin (Urea Type)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-L-6805C	Lacquer; Camouflage	Superseded by TT-L-20
	MIL-L-6806	Lacquer; Clear, Aluminum Clad Aluminum Alloy Surfaces	Cancelled, Use TT-L-32
	MIL-R-6809	Regulator, Voltage, 30 Volt, Direct Current Generator, General Specification for	Cancelled
	MIL-B-6810B	Brightener Compound, Copper Oil Cooler	Cancelled
	MIL-H-6813	Handbooks; Overhaul Instructions (For Aircraft Accessories, Aircraft Engine Accessories, and Related Equipment)	Superseded by MIL-M-81260(WP)
	MIL-H-6814A(AS)	Handbooks, Overhaul (Electronic Electrical, Electro- and Test Equipment), Preparation of	Superseded by MIL-M-81260(WP)
	MIL-T-6816	Test Procedure for Aircraft Carbon Monoxide Detection and Control	Cancelled
	MIL-N-6817	Netting; Viscose Rayon, Coated	Cancelled
	MIL-C-6819C	Cloth, Laminated, and Tape, Coated Cloth, Natural Rubber on Cotton, Pneumatic Flotation Equipment	Cancelled
	MIL-C-6820D	Cloth, Cotton, Inflatable Equipment	Cancelled
	MIL-C-6822-1	Clamp, Mounting, 2 Inch Size Instrument, Installation of	Superseded by MIL-C-6390
	MIL-A-6824A	Adapter, Ammunition Chute, Box End, 20 MM, Type L-4	Cancelled
	MIL-A-6825A	Adapter, Ammunition Chute, Gun End, 20 MM Type L-3	Cancelled
	MIL-C-6827	Cable Assembly (For Type C-6 Bomb Hoist)	Cancelled
	MIL-C-6828	Computer; Ground Speed, Type N-1	Cancelled
	MIL-B-6830	Booster; Ammunition Electirc, 20MM 424 Gun, Type B-8	Cancelled
	MIL-S-6831	Sling, Bomb Hoist, Type A-4	Cancelled
C	MIL-R-6834(Aer)	Radar Set; AN/APG-36A	Cancelled
	MIL-T-6835A	Truck Lift Wheel, Type E-1	Cancelled
	MIL-P-6837A(Aer)	Pilot; Automatic Type P-1	Cancelled
	MIL-R-6838A(Aer)	Relays; Caging (P-1 Automatic Pilot)	Cancelled
	MIl-N-6840A	Nickel-Chromium-Iron Alloy; Plate, Sheet, and Strip	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-E-6844A-2	Electrodes; Welding, Corrosion and Heat Resisting Alloys	Superseded by MIL-E-16715B
C	MIL-R-6847(Aer)	Radar Set; AN/APQ-35A	Cancelled
	MIL-A-6848	Accelerometer, Aircraft	Cancelled
	MIL-H-6849A(Aer)-1	Heater Systems; Gun and Feed Mechanish, Electrical Aero 2A, Aero 3A, Aero 4A	Cancelled
	MIL-W-6850	Webbing; Heat-Resisting	Cancelled
	MIL-C-6854A	Computers, Air Navigation, Cruise Control	Cancelled
	MIL-P-6859	Plating, Nickel	BuAer Uses QQ-N-290
	MIL-W-6860	Welding, Aluminum and Magnesium Alloys Spot and Seam	Superseded by MIL-W-6858A
	MIL-H-6862B(ASG)	Hoisting Unit, Bomb, Aircraft Mounting, Aero 13B	Cancelled
	MIL-A-6863D-2	Altimeter: Pressure, 50,000 Fleet Type MB-1A	Cancelled
	MIL-I-6865B(ASG)-2	Inspection, Radiographic	Superseded by MIL-STD-453
	MIL-P-6871	Plating, Chromium	BuAer Uses QQ-C-320
	MIL-M-6874	Metal Spraying, Process for	Cancelled
	MIL-C-6876	Container, Signal Flare, Type A-5	Cancelled
	MIL-C-6877	Container, Signal Flare, Type A-6	Cancelled, Use MIL-C-6879
	MIL-C-6878	Container, Signal Flare, Type A-7	Cancelled, Use MIL-C-6879
	MIL-L-6880B(ASG)	Lubrication of Aircraft, General Specification for	Superseded by MIL-STD-838
	MIL-P-6883	Paint, Blended-Type, Coal-Tar Pitch Base Bituminous	Cancelled
	MIL-P-6885	Phenolic Sheet, Laminated Plastic Base, High Strength	Cancelled
	MIL-P-6886B(Aer)-1	Plastic Sheet Acrylic	Cancelled
	MIL-P-6890	Primer, Zinc-Chromate, Reclaimed, Blended	Cancelled
	MIL-R-6891	Rubber, Anodic	Cancelled
	MIL-S-6892	Stripper, Cleaner and Paint, for Ferrous Surfaces	Cancelled Superseded by TT-R-230
	MIL-V-6893-1	Varnish, Phenol-Formaldehyde Spar	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-V-6894A	Varnish, Oil Type, Glass Finish, Glyceryl Pythalate Base	Cancelled, Use TT-V-109
MIL-V-6895-1	Varnish, Wood Propeller	Cancelled
MIL-T-6896	Trainer; Flight Equipment, B-50 Hydraulic System Type U-124	Cancelled
MIL-T-6897	Trainer; Flight Equipment, B-50 Lubricating System, Mobile and Classroom, Type U-140	Cancelled
MIL-T-6898	Trainer; Flight Equipment, B-50 Fuel System, Type U-145	Cancelled
MIL-P-6905(Aer)-1	Power Plants, Electric General Specification for	Cancelled
MIL-P-6906A	Plates, Information and Identification	Cancelled
MIL-T-6907A(Aer)	Test Set, Radio AN/TRM-1	Cancelled
MIL-R-6908(Aer)	Radome CW-149/AP	Cancelled
MIL-R-6909(Aer)	Radome; Moel CW-22A/A	Cancelled
MIL-S-6910(Aer)	Stand-Test; Hydraulic Components	Cancelled
MIL-R-6911(Aer)	Radome; Model CW-22B/A	Cancelled
MIL-T-6920	Trainer, Flight Equipment, V-1710 Engine, Mobile, Type U-147	Cancelled
MIL-B-6937(Aer)	Battery Tester	Cancelled
MIL-D-6938A(Aer)	Dispenser; Sonobuoy Automatic Aero 1A	Cancelled
MIL-F-6943B	Flux, Magnesium Alloy Welding	Cancelled
MIL-T-6945	Tubing, Brass Seamless	Cancelled
MIL-B-6946	Bronze, Aluminum, Bar and Rod	Cancelled, Use QQ-B-679
MIL-T-6952	Trainer, Demonstrator, Localizer Indicator, Classroom, Type Q-192	Cancelled
MIL-T-6954	Trainer, Demonstrator, A-2 Machmeter Type Q-209	Cancelled
MIL-T-6955	Trainer, Demonstrator, L-4 Airspeed Indicator, Type Q-213	Cancelled
MIL-T-6970	Trainer, Demonstrator, Type M-4 Pressure Suit Regulating Valve, Type Q-86	Cancelled
MIL-T-6976	Trainer, Demonstrator, Engine Synchroscope Indicator, Classroom Q-156	Cancelled
MIL-T-6977	Trainer, Demonstrator, J-3 Attitude Gyro Indicator, Classroom Q-186	Cancelled
MIL-T-6978	Trainer Demonstrator, A-4 Flap Position Indicator Type Q-155	Cancelled
MIL-T-6980	Trainer, Demonstrator, Pilot Director Indicator, Classroom, Type Q-193	Cancelled

Source: https://assist.dla.mil -- Downloaded: 20261O-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-T-6981	Trainer, Demonstrator, Radio Compass Indicator, Classroom, Type Q-194	Cancelled
MIL-T-6982	Trainer, Flight Equipment, B-50 DC Generator System Type U-121	Cancelled
MIL-T-6983	Trainer, Demonstrator, K-7 Engine Exhaust Temperature Indicator, Classroom, Type Q-224	Cancelled
MIL-T-6984A(ASG)	Trainer, Demonstrator, Electrical Thermometer Indicator	Cancelled
MIL-W-6986-2	Washers, Tooth Lock	Cancelled
MIL-R-6987A(Aer)	Radar Set; AN/APS-42	Cancelled
MIL-S-6989	Superheat Meters	Cancelled
MIL-W-6990	Webbing, Elastic Nylon	Cancelled
MIL-T-6991C(ASG)	Training Aid, Map Projections	Superseded by MIL-T-24013A
MIL-M-6994	Mooring Hook	Cancelled
MIL-P-6997B(ASG)-1	Plastic; Working and Installation of Transparent Sheet (General Specification for)	Cancelled
MIL-H-7001(Aer)	Homing Equipment: Radar, AN/APA-70C	Cancelled
MIL-R-7002B(Wep)	Radar Set: AN/ARP-9B and AN/ARP-9C	Cancelled
MIL-A-7004A(Aer)-2	Antenna Group, OA493/APS-20	Cancelled
MIL-S-7005A	Switch, Inertia, SA-114/A	Cancelled
MIL-D-7006B(Wep)	Detecting Systems; Fire Aircraft, Continuous Type, Installation and Test of	Cancelled Superseded by MIL-F-7872B(Wep)
MIL-T-7007A(ASG)	Trainers, Astro Compass	Cancelled
MIL-R-7008A	Rope, Nylon, 7/16 Inch Diameter	Cancelled, Use MIL-R-17343C
MIL-S-7013B(ASG)	Selector, Bomb Group, Type AN-A1 (24 Volts Direct Current) 28.5	Cancelled
MIL-E-7017-1	Electrical Load Analysis, Method for Aircraft, DC	Cancelled
MIL-D-7018A(Wep)	Drawings; for Avionics Equipment Procurement of	Cancelled
MIL-R-7022(Aer)	Receiving Sets, Telemeter; AN/UKr-5, AN/UKr/5A and AN/UKr/5B	Cancelled
MIL-I-7023(Aer)	Indicators; Gyro Horizon, Non-Tumbling, Electric	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER		TITLE	REMARKS
	MIL-T-7025C(Wep)		Tube Assembly; Oxygen Breathing and Radio Connector to Regulator	Cancelled
	MIL-J-7026		Jacks; Tripod, Nose, Wing & Tail (e and 10 Tons)	Cancelled
	MIL-M-7027A(Aer)		Magnetic Compensator CN-191 ASQ-8 and Coil Assembly MX-136/ASQ-8	Superseded by MIL-D-6149D(Aer)
	MIL-S-7029(Aer)		Solenoid; Electrical, Aircraft General Specification for	Cancelled
	MIL-F-7031(Aer)		Flasher-Coder; Exterior Lights	Cancelled
	MIL-T-7042		Thermocouple; Chromel-Alumel, Range 0° to plus 1,000° Centigrade	Cancelled
	MIL-G-7044(Aer)		Gages; Pressure Manifold 1 7/8 Inch Dial	Cancelled
	MIL-T-7045C(Weps)		Target, Tow, Aerial Sleeve, MK 23	Cancelled
	MIL-C-7047B		Clock, Aircraft, Mechanical	Cancelled
	MIL-T-7048		Tester, Gage, Manifold Pressure	Cancelled
	MIL-V-7053-2		Valve, Oxygen, Mask Exhalation, Pressure Compensating	Cancelled
	MIL-C-7054A(Aer)-1		Catapult, Personnel Ejection, NAMC Type II and NAMC Type UII	Cancelled
C	MIL-R-7055(Aer)-1		Radar Set; AN/APQ-41	Cancelled
C	MIL-R-7056		Radar Set AN/APS-25	Cancelled
	MIL-T-7059A		Truck, Bomb, MK6 Mod 1	Cancelled
	MIL-I-7064A		Indicator, Position, Elevator Trim Tab	Cancelled
	MIL-I-7066		Indicator, Position, Flaps, 0-30 Degree Marking, 2-Inch Size	Cancelled
	MIL-I-7069A		Indicators, Tachometer, Electric Percent Speed Type Aircraft, Gen Spec for	Cancelled
C	MIL-R-7073(Aer)		Radar Set AN/APQ-44	Cancelled
	MIL-I-7074	Q	Indicator, Temperaure, Thermocouple Multi-Function, Minus 50 Degrees to Plus 300 Degrees C, 2-Inch Size	Cancelled
	MIL-I-7076B(Aer)		Indicator, Temperature, Thermocouple Engine Exhaust, 0° to 1000°C,	Cancelled
	MIL-C-7078/19(AS)		Cable, Electric	Cancelled
	MIL-C-7078/20(AS)		Cable, Electric	Cancelled
	MIL-C-7078/21(AS)		Cable, Electric	Cancelled
	MIL-C-7078/22(AS)		Cable, Electric	Cancelled
	MIL-H-7083A(Aer)		Hydraulic Fluid, Nonflammable, Aircraft Hydrolube	Cancelled
	MIL-G-7090-1		Gage Units, Engine (With Electric Therometer)	Cancelled
	MIL-T-7091A(ASG)		Trainer, Fuel Injection System Type Q-40	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-E-7093(Aer)	Engine; Rocket, Solid Propellant 15 Second Duration, 100 lbs. Thrust	Transferred to BuOrd
MIL-P-7094A	Plastic Parts, Aircraft Exterior, General Requirements and Test For Rain-errosion Protection Of	Cancelled
MIL-R-7095	Radome; CW-240/APS-4	Cancelled
MIL-L-7096-2	Leakage Test Kit, Oxygen Mask and Regulator	Cancelled
MIL-S-7097	Steel, Carbon (1018, 1020, or 1025) Bars and Forging Stock	Cancelled
MIL-I-7098A(ASG)	Indicators, Tachometer, Electric Magnetic Drag Type, Aircraft, General Specification	Cancelled
MIL-F-7100	Fluid; Hydraulic, Nonflammable, Aircraft	Cancelled
MIL-T-7101/1	Transmission, Power Constant Speed 60/25 KW	Cancelled
MIL-T-7101/7(Wep)	Transmission, Constant Speed, Hydraulic 20 KVA, S-E/EL Aircraft	Cancelled
MIL-H-7102A-1	Hook: Bomb Rack, Aero 2 Type	Cancelled
MIL-R-7103B(Aer)	Receiving Set; Radar, AN/APR-12	Cancelled
MIL-H-7107(Aer)	Handbooks, Operation Maintenance and Repair Instructions with Parts Breakdown (Special Versions of Naval Aircraft)	Cancelled
MIL-M-7109	Messengers, Target Release, Aero 10A and Aero 10B	Cancelled
MIL-B-7110(Aer)	Barrier Material; Water Vapor Proof (Extra Heavy Duty)	Cancelled
MIL-L-7111A	Lights, Runway Marker	Cancelled
MIL-T-7113-2	Transmitter, Pressure, Hydraulic 0-4,000 PSI	Cancelled
MIL-W-7114	Wrenches; Spark Plug Elbow Square Drive	Cancelled, Use GGG-C-1507
MIL-P-7116(Aer)	Power Plants; Self-Propelled: Electric Jet Starting Gen. Spec for	Cancelled
MIL-S-7117	Shearling, Sheep	Cancelled
MIL-G-7118	Grease; Aircraft Gear & Actuator Screw for Low and High Temperature	Superseded by MIL-G-23827
MIL-G-007118B(Wep)	Grease, Aircraft and Instrument Gear and Actuator Screw	Superseded by MIL-G-23827

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-I-7119	Indicators; Electric, Tachometer	Cancelled
C	MIL-R-7120(Aer)	Radar Set, AN/APQ-42	Cancelled
	MIL-R-7121(Aer)	Radio Set, AN/PRC-17	Cancelled
	MIL-C-7122(Aer)	Compound; Grease-Cleaning, Solvent Emulsion Type	Cancelled
	MIL-R-7123A(Aer)	Radar Sets; AN/APS-19B	Cancelled
	MIL-S-7126A	Sealing Compound, Synthetic Glass	Cancelled Superseded by MIL-S-7124 and MIL-S-11030
	MIL-C-7128A(Wep)	Compasses, G-2	Cancelled
	MIL-T-7129(Aer)-1	Test Stand, Aircraft Generator, General Specification for	Cancelled
	MIL-T-7130A(Aer)	Target; Aerial, Banner, Aero 25B	Superseded by MIL-T-18078(Aer)
	MIL-B-7131(Aer)	Boot, Flying Winter Heavy	Cancelled
	MIL-I-7132	Indicator, Position Nose Wheel Steering	Cancelled
	MIL-A-7133A	Ax, Pick Head, Rubber-Coated Grip	Cancelled
	MIL-D-7134	Dispersal Unit, Insecticide Aero 1B	Cancelled
	MIL-H-7138D-1	Hose Assemblies, Oxygen Breathing, Connector to Regulator	Cancelled, Use MIL-H-81581
	MIL-W-7139B-2	Wire, Electrical, Polytetra-Fluoroethylene Insulated, Copper, 600 Volt	Cancelled, Use MIL-W-22759
	MIL-C-B-7140(Aer)	Bomb Container Aero 5A	Cancelled
	MIL-G-7141A(Wep)-2	Generator, Signal, AN/URM-52A	Cancelled
	MIL-G-007142B-1	Generator, RF Signal TS-622/u	Cancelled
	MIL-G-7142A	Generator, RF Signal TS-622/u	Cancelled
	MIL-T-7143	Target, Tow, Aerial (Winged) Aero 22A	
	MIL-T-7144A(Aer)	Test Oscillator AN/UPM-46	Cancelled
	MIL-C-7145(Aer)	Cords, Headset, Protective Helmet	Cancelled
	MIL-L-7146(Aer)-1	Lacquer, Hydraulic Fluid Resistant (For Interior Aircraft Use)	Cancelled
	MIL-F-7147A(Aer)	Frequency Meter, TS-323/ur	Cancelled
	MIL-C-7148(Aer)-2	Camera, Radar Recording, 35MM, Type CRZ-6	Cancelled
C	MIL-C-7149A(Aer)-1	Computer, Interceptor Armament System Aero XIB	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-C-7150B(Aer)	Controller Gunsight Aero-2C, Aero-2C-0 Aero 2C-1	Cancelled
	MIL-H-7151A(Aer)	Helmets, Summer Flying	Cancelled
	MIL-I-7152	Indicator, Wind Direction Tetrahedral	Cancelled
	MIL-R-7153A	Receiver Mounting; Telephone (For Flying Helmets and Headsets)	Cancelled
	MIL-R-7154(Aer)	Radio Set, AN/ARW-3	Cancelled
	MIL-R-7155	Radar Set, AN/APS-51	Cancelled
	MIL-A-7157A(Weps)	Antenna AT-134/ARN	Cancelled
	MIL-T-7159	Trainer, Demonstrator, Gyroscope, Glassroom	Cancelled
	MIL-T-7160	Trainer, R-3350 Engine And Accessories, Type U-8	Cancelled
	MIL-T-7161A(ASG)	Trainer Gyro Instrument, Type O-12	Cancelled
	MIL-A-7162(Aer)-1	Amplifier-Relay Group AN/ASA-8	Cancelled
	MIL-T-7163A	Target-Carrier, Banner Aero 1A	Cancelled
C	MIL-R-7165(AER)-1	Radar Sets; AN/APS-44 And AN/APS-44A	Cancelled
	MIL-T-7167(Aer)	Turret, Nose, Aero 9C	Cancelled
	MIL-V-7173	Vibration Tests of Fuel, Oil and Miscellaneous Tanks; Process for	Cancelled, Use MIL-T-5578 and MIL-T-6396
	MIL-O-7174(AER)	Overhaul, Electronic Equipments, Gen Spec for	Cancelled
	MIL-T-7175(Aer)-1	Turret, System, Tail, Aero 21B	Cancelled
	MIL-C-7176	Carpet, Aircraft	Cancelled
	MIL-C-7177A(ASG)	Cabinet and Relay Assembly Runway Selector	Cancelled
	MIL-L-7178A-1	Lacquer; Cellulose Nitrate Gloss, For Aircraft Use	Superseded by TT-L-32
	MIL-H-7180(Aer)-1	Handbooks; Maintenance Instructions (Helicopters)	Cancelled
	MIL-T-7181A-72 Q	Tie Down, Cargo, Aircraft, Type A-1A	Cancelled
	MIL-R-7182(Aer)	Radar Identification Set AN/APX-6	Cancelled Superseded by MIL-R-7893A(Wep)
	MIL-A-7183(Aer)	Amplifier Assembly, AN/AIA-4A (Airborne Announcing System	Cancelled
	MIL-S-7184-1	Shaft, Tachometer Flexible Drive	Cancelled
	MIL-G-7187-1	Grease; Graphite, Aircraft Lubricating	Cancelled
	MIL-C-7188	Compasses, Pilot's Standby, Installation of	Cancelled, use MIL-C-7762

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-R-7189(Aer)	Radar Identification Set, AN/APX-6 Bench Preflight & Flight Test of	Cancelled
MIL-C-7192B(Aer)	Connectors; Cable; Plug and Receptacle, Molded and Connection Pins	Cancelled
MIL-K-7193(Aer)	Kit, Modification MK-1274/APS-20	Cancelled
MIL-F-7196	Fire Extinguishing Agent, Dry Chemical	Cancelled
MIL-F-7197-1	Fluid, Reference, Rubber Swell	Cancelled
MIL-T-7198(Aer)	Test Stand, Aircraft Generator 30 HP Cancelled	
MIL-T-7215A	Transmitter, Airspeed, Pitot Static Type-1	Cancelled
MIL-I-7232	Indicator, Mach Number, Synchro Repeater, Range 0.4 to 1.0	Cancelled
MIL-L-7236B(ASG)	Lens, Camera, Aerial Reconnaissance and Spotting, 12 Inch, F/6.3, 9 by 18 Inch Format	Cancelled
MIL-C-7244D(ASG)	Cap and Adapter Unit, Tank Filler	Cancelled - Superseded by MIL-C-38373
MIL-T-7278A	Trainer, Instrument Flying, Ground, 0-250 Knots, Type P-3	Cancelled
MIL-A-7280	Amplifier, Electronic Control, One-Signal Channel, Type A-13, Aircraft	Cancelled
MIL-J-7285C-1	Jack, Hydraulic, Aircraft, Type B-3C	Cancelled
MIL-I-7307A-2	Indicator, Pressure, Torque, Type A-10	Cancelled
MIL-T-7314C(ASG)	Tester, Fuel Flow Meter Field Type A-2A	Cancelled
MIL-T-7333A	Trailer, Generator Set, 4 Wheel, 2 Wheel, Steerable, Type D-1	Cancelled
MIL-C-7355A	Computer, and Transmitter, True Airspeed, Pitot Static, Type A-1, Range 100 - 450 Knots	Cancelled
MIL-I-7356B(ASG)	Indicator, True Airspeed,	
MIL-N-7364C-1	Nozzle, Oil Servicing, Pistol Grip, Non-Drip, Type A-3A	Cancelled
MIL-L-7367B(ASG)	Lens, Camera, Aerial, Cartographic, 6 Inch, F/6.3, 9 by 9 Inch Format	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-L-7368B(ASG)	Lens, Camera, Aerial, Reconnaissance and Spotting, 6 Inch F/6.3 9 by 9 Inch Format	Cancelled
MIL-L-7369A(ASG)-1	Light, Emergency Sea Rescue Marker, Type J-2	Cancelled
MIL-V-7374	Valve, Shut-Off Oil	Cancelled, Use MIL-V-25025
MIL-D-7379A(ASG)	Diaphragm Material Oxygen Regulator	Cancelled
MIL-C-7407E	Converter, Liquid to Gaseous Oxygen, Aircraft Type A-3	Cancelled
MIL-S-7419A	Servo-Motor, Automatic Pilot Radio Controlled Aerial Target Type D-8	Cancelled
MIL-G-7421B-1	Grease; Aircraft and Instrument Extreme Low Temperature	Superseded by MIL-G-23827A
MIL-C-7436A	Control, Roll and Pitch, Electrically Driven Vertical Gyro Operated, Type K-7	Cancelled
MIL-C-7439D	Coating System, Elastomeric, Rain Erosion Resistant and Rain Erosion Resistant with Antistatic Treatment, For Exterior Aircraft and Missile Plastic Parts	Cancelled, use MIL-C-83231
MIL-T-7440A(ASG)-1	Transmitter, Altitude, Synchro, Range, 1,000 to +80,000 Feet, Type S-1	Cancelled
MIL-T-7477A(ASG)-1	Transmitter, Rate of Flow, Fuel, Synchro, Individual and Totalizing, Type J-7	Cancelled
MIL-V-7484B(Aer)	Valve, Diverter, Lubricating Oil Tank	Cancelled
MIL-S-7493B	Steel Bars, Alloy, Carburizing, 4615 1617 And 4620, Aircraft Quality	Cancelled Use AMS 6290, 6292 & 6294
MIL-G-7496A(ASG)-1	Gloves, Flying, Leather, With Wool Insert Type MA-1	Cancelled use MIL-G-38227
MIL-S-7502C(ASG)-2	Sealing Compound, Integral Fuel Tanks and Fuel Cell Cavities High Adhesion Accelerator Required	Cancelled, use MIL-S-8802
MIL-T-7509A(ASG)	Tester, Tachometer, Field Portable, Type M-5	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-C-7514C(ASG)-1	Cloth, Coated, Vinyl on Nylon Modacrylic and Glass	Superseded by MIL-C-22787A
MIL-F-7516B	Flux, Welding, Corrosion and Heat Resistant Alloys	Cancelled
MIL-P-7520A(AGS)	Photographic, Supply Catalog and Identification, General Preparation of	Cancelled
MIL-C-7522B	Controller, Flight, Remote Flight Control System Type J-1	Cancelled
MIL-V-7553A(ASG)	Valve, Oxygen Mask, Inlet Check	Deleted BuAer Uses MIL-V-2170(Aer)
MIL-C-7561B(ASG)	Cup, Food Warming, Electrically Heated, Aircraft, Type B-1	Cancelled
MIL-S-7562A(ASG)	Synchroscope, Helicopter Rotor Type A-7	Cancelled
MIL-M-7585E	Mask, Oxygen	Cancelled, use MIL-M-27274
MIL-L-7591B(ASG)	Light, Marker, Emergency, Airfield Dry Battery Operated, Type MA-2	Cancelled
MIL-L-7606A(ASG)	Light, Landing, Controllable, 28V DC, Type MA-1	Cancelled
MIL-S-7607A(ASG)	Scale, Gradient, Wind	Cancelled
MIL-C-7615B(ASG)	Cup, Food Warming, Electrically Heated, Aircraft, Type A-1	Cancelled
MIL-W-7617B	Weight Kit, Electronic, Aircraft and Missile A/S 37M-2	Cancelled
MIL-W-7622B	Weapons Systems, Guided Missiles, Gen Spec for	Cancelled, Use MIL-E-5400
MIL-R-7643	Regulator, Current, Runway Lighting	Cancelled
MIL-C-7701	Certification of Magnetic Particle Inspection Personnel	Cancelled Superseded by MIL-STD-410
MIL-G-7702A(WP)-2	Generator Signal AN/USM-44	Cancelled
MIL-T-7704(Aer)	Testers; Line Maintenance (for Simmonds "Pacitor" Capacitance Type Fuel Quality Gages)	Cancelled Superseded by MIL-T-8579
MIL-H-7708(Aer)	Handbooks; Operation Instruction (Aircraft Accessories, Armament, Instruments, Electronic and Related Equipment	Superseded by MIL-H-5475B(Aer)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-G-7711A-1	Grease, Aircraft, General Purpose	Cancelled
	MIL-S-7714B(Aer)	Sonar Set AN/AQS-4C	Cancelled
	MIL-P-7715	Propeller Blades, General Specification for Steel	Superseded by MIL-P-26366A
	MIL-H-7716(Aer)	Harness; Cable, Linear Approach Light	Cancelled
	MIL-V-7717-1	Valve, Safety, Air Pump	Cancelled
C	MIL-R-7718(Aer)	Radar Set, AN/APS-52 and AN/APS-53	Cancelled
	MIL-C-7719A(Aer)-1	Cloth, Coated, Waterproof, High-Strength Synthetic Fiber	Superseded by MIL-C-20696
	MIL-R-7722B(WEP)1	Radar Set AN/APM-22	Cancelled
	MIL-R-7724A(Aer)	Radar Sets, AN/APS-33, A, C D & F	Cancelled
	MIL-R-7725A(ASG)	Repair and Treading Materials, Aircraft Pneumatic Tire	Superseded by ZZ-T-416C
	MIL-S-7727-1	Selector Units, Station Mark 2 Mod 0 Mark 2 Mod 1, Aero 1A and Aero 1B	Cancelled
	MIL-R-7728A-1	Regulator, Current Constant, Runway Lighting	Cancelled
	MIL-E-7729B	Enamel; Gloss	Cancelled
C	MIL-D-7730(Aer)	Director; Armament Control, Aero 1B	Cancelled
	MIL-C-7731	Charger, Gun Pneumatic, 20MM Aero 7A	Cancelled
	MIL-I-7732A(Aer)	Indicator Group AN/APA-91	Cancelled
	MIL-H-7733B	Helmets; Pilots' Protective Type H-3 (Outer Shell)	Cancelled
	MIL-J-7735A(Aer)	Junction Boxes; Power (P-1 Automatic Pilot)	Cancelled
	MIL-A-7736A(Aer)	Amplifiers; Servo (P-1 Automatic Pilot)	Cancelled
	MIL-O-7738(Aer)	Oscilloscope OS-4/AP	Cancelled
	MIL-P-7740B(ASG)	Pumps; Hydraulic, Power-Driven, Variable Delivery	Cancelled, Use MIL-P-19692(Aer)
	MIL-A-7741	Adapters, Bombsight (P-1 Automatic Pilot)	Cancelled
C	MIL-G-7744(Aer)	Gyro, Vertical, Aero 1A	Cancelled
C	MIL-P-7745(Aer)	Power Supply Adapter Aero 2A	Cancelled
	MIL-L-7747(Aer)	Light Watertight Portable, Fluorescent	Cancelled
	MIL-R-7751A-1	Remover Paint and Varnish (Silicate Type)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-C-7753(Wep)	Cleaning Compound, Engine, Sprayable	Cancelled
	MIL-T-7755C(AS)	Trainers, Naval Air Mobile (Maintenance) Equipment, and Services General Spec for	Superseded by MIL-T-81821
	MIL-D-7756(Aer)	Ducting: Air Flexible, Aircraft	Superseded by MIL-H-8796(ASG)
C	MIL-I-7757A(Aer)	Indicator Group AN/APA-88	Cancelled
	MIL-J-7758B(Aer)	Jackets, Flying Man's Very Light	Cancelled
	MIL-A-7760(Aer)	Adapter, Skid, Misc Stores, Aero 9B	Cancelled
	MIL-A-7761(Aer)	Adapter, Skid, Rocket Aero 8B	Cancelled
	MIL-C-7763(Aer)	Clamp, Strap Type, Electric Wire	Cancelled
	MIL-J-7764(Aer)	Jack, Tripod Nose (5 Ton)	Cancelled
C	MIL-R-7765A(Aer)	Radar Set AN/APS-37	Cancelled
	MIL-R-7766(Aer)	Recorder-Reproducer Set AN/ANQ-4	Cancelled
	MIL-G-7767A	Glass, Curved Laminated, Plain Edge Extended Plastic Edge and Extended Plastic Edge With Metal Reinforcement	Cancelled
	MIL-C-7769A	Cushioning Material, Uncompressed Bound Fiber for	Superseded by PPP-C-1120
C	MIL-R-7770	Radar Set AN/APQ-36 and Control Power Supply Group AN/APA-97	Cancelled
	MIL-A-7772B	Antenna Systems, Airborne; General Specification for the Design Location and Installation of	Cancelled
	MIL-J-7773	Joints, Oxygen Swivel, Low Pressure	Cancelled
	MIL-R-7774(Aer)	Radar Set AN/APQ-43	Cancelled
	MIL-T-7775(Aer)	Test Assembly, Electric Power Equipment, Aircraft, General Specification for	Cancelled
	MIL-T-7776(Aer)	Test Assembly, Electric Power Equipment, Aircraft, Three Phase, 18 KW AC: 500 AMP, 30 Volts, D. C.	Cancelled
	MIL-C-7777(Aer)	Control, Radio Set; C-1054/ARN-6	Cancelled
	MIL-R-7778	Release, Torpedo Nose Cap, Aero 1-A, Manufacture, Inspection and Testing of	Cancelled
	MIL-F-7779(Aer)-1	Flash Tube Unit Type F2A-2	Cancelled
	MIL-C-7781A(Aer)	Camera, Still Hand, Automatic General Utility 2- by 2-3/4 Inches Type KE-8	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

3 by 10 inch format Cancelled

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-W-7782	Wheels, Aircraft, Tail (Solid Rubber Tire)	Cancelled
MIL-I-7783A	Indicator, Angle of Attack	Cancelled
MIL-R-7784A(ASG)	Relay Assembly; Angle of Attack Indicator	Cancelled
MIL-T-7785B(Aer)	Transmitter; Angle of Attack or Sideslip Local	Cancelled
MIL-S-7787A(Aer)	Servos; Electric (P-1 Automatic Pilot)	Cancelled
MIL-G-7789B(WP)-1	Generator, Pulse AN/UPM-55(*)	Cancelled
MIL-T-7791-1	Towing and Mooring Gear, Seaplane, Flying Boat, and Amphibian, Design and Installation of	Cancelled
MIL-P-7795-1	Panels, Airport Lighting Control	Cancelled
MIL-C-7796	Cylinders, Breathing Oxygen and Carbon Dioxide Overhaul, and Storage of	Cancelled
MIL-D-7797(Aer)	Dispersal Unit; Insectile, Aero 1C	Cancelled
MIL-C-7799(Aer)	Camera, Acceleration (Bowen) Type CZR-1	Cancelled
MIL-C-7800C(ASG)-2	Coverall, Flying, Anti-Exposure, Continuous Wear MK-1	Cancelled, Use MIL-C-23484
MIL-I-7803A(Wep)	Indicators, Directional Gyro, Electric	Cancelled
MIL-I-7805A	Indicator, Turn and Slip, 4-Minute Turn	Cancelled Superseded by MIL-I-7626C
MIL-T-7807B-1	Thread, Nylon	Superseded by V-T-295
MIL-S-7809A	Steel, High-Strength, Low-Alloy, Bars, Shapes, Sheet, Strip, and Plate	Cancelled
MIL-S-7810(Aer)	Sandwich Construction Core Material; Aluminum Foil Honeycomb	Superseded by MIL-C-7438B
MIL-S-7811(Aer)	Sandwich Construction; Aluminum Alloy Faces, Aluminum Foil Honeycomb Core	Cancelled
MIL-C-7812C(Aer)	Cloth, Nylon, Ballistic	
MIL-P-7813(Aer)	Pilot; Automatic, Rotary Wing Aircraft	Cancelled
MIL-A-7814A(Aer)	Adapters; Amplifier (P-1 Automatic Pilot)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-P-7815	Posts, Aerial Camera Lens Focusing	Cancelled Use MS-27810
MIL-P-7816(Aer)	Plastic Laminate; Glass Fiber-Mat Base, Low Pressure	Cancelled
MIL-I-7819(Aer)	Indicators; Control, Gyro Horizon Type MB-3 (P-2 Automatic Pilot)	Cancelled
MIL-D-7820A(Aer)	Disconnector,Servo (P-1 Automatic Pilot)	Cancelled
MIL-J-7821(Aer)	Jacks, 3 Stage, Axle (12 Ton)	Cancelled
MIL-C-7824A(Aer)	Controller; Knob Type (P-1 Automatic Pilot)	Cancelled
MIL-C-7825A(Aer)	Controller; Stick Type (P-1 Automatic Pilot)	Cancelled
MIL-I-7826A(Aer)	Indicators; Control, Turn and Bank (P-1 Automatic Pilot)	Cancelled
MIL-S-7827A(Aer)	Switch; Clutch (P-1 Automatic Pilot)	Cancelled
MIL-M-7829	Mount, Gun Camera, Type C-1	Cancelled
MIL-S-7832A(Aer)	Seats, Pilots', Adjustable, Short Range Aircraft	Cancelled Superseded by MIL-S-81771(AS)
MIL-T-7833A(AER)	Indicator; Airspeed and Mach Number, Pitot Static, 80 to 650 Knots	Cancelled - Superseded by MIL-I-21735
MIL-C-7834	Compass Swinging Aircraft	Cancelled Superseded by MIL-STD-765
MIL-L-7835B(Wep)	Light, Marker Sealane, Dry Battery Powered, Relay Controlled, Type FMF-6C	Cancelled
MIL-I-7836(Aer)	Interval Multiplier, Aero 1A	Cancelled
MIL-O-7837(AER)-1	Overshoes, Molded All-Elastomer, Non Slip Sole	Cancelled
MIL-T-7840A	Tubing, Nickel-CHromium-1 Ron Alloy, Seamless or Welded (For Aircraft Applications)	Cancelled
MIL-B-7841(Aer)	Barrier Material; Water Vaporproof, Flexible	Cancelled use MIL-B-131
MIL-S-7842	Sodium Tristlicate, Soluble, Pondered	Cancelled
MIL-C-7843(Aer)	Cradle, Bomb, Aero 5A	Cancelled
MIL-B-7844(Aer)	Bomb Directing Set, Radio AN/ARB-2	Superseded By MIL-B-8631(Aer)
MIL-C-7845(Aer)	Cradle, Bomb, Aero 6A	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-P-7846(Aer)	Power Plants, A/C Auxiliary, Gas Turbine Type, Gen Spec For	Superseded by MIL-P-8686
MIL-F-7847B(Wep)-2	Frequency meter, AN/USM-26(*)	Cancelled
MIL-S-7848C(Aer)	Starter, Engine, Air Turbine Type, Gen Spec for	Cancelled
MIL-L-7849(Aer)	Line Test Equipment for Use With Turret System Tail, Aero 21B	Cancelled
MIL-I-7854A	Indicator Assemblies, Wind Cone, Unlighted and Externally Lighted	Cancelled
MIL-T-7856(Aer)	Test Stand, Aircraft Generator, 40-7-HP	Cancelled
MIL-L-7857	Light, Magneto Timing, Type B-1	Superseded By MIL-L-26703
MIL-C-7859A(Aer)	Camera System; Aircraft, Single Exposure,IMC, 70MM	Cancelled
MIL-L-7860A	Lens Bodies; for Camera System, Aircraft, Single Exposure IMC, 70MM Type CAX-12	Cancelled
MIL-M-7861	Magazine; For Camera System, Aircraft Single Exposure, IMC, 70MM, Type CAX-12	Cancelled
MIL-H-7863(Aer)-1	Handbooks and Breakdown; Title Pages; "A" Page and Revised Test Pages; Gen Spec for	Cancelled-Use MIL-M-38784
MIL-R-7864(Aer)	Release, Bomb Shackle, Aero 4A and Aero 4B	Cancelled
MIL-S-7867A	Servo Actuator, D-9	Cancelled
MIL-V-7868	Valves, Aircraft Hydraulic Lock	Cancelled
MIL-T-7869B(ASG)	Trainer, Aid Dead Reckoning Computer	Cancelled
MIL-I-7878	Impregnation of Porosity in Castings, Process for	Superseded by MIL-STD-276
MIL-A-7879A(Aer)	Antenna AT-141A/ARC	Cancelled
MIL-T-7880-2	Tubing, Flexible, Corrosion-Resistant and Heat-Resistant Steel	Superseded by WW-H-1053
MIL-I-7884-A-3	Indicator, Temperature, Thermocouple	Cancelled
MIL-S-7886/1(Wep) Notice No. 1	Spark Plug, Shielded, Aircraft Reciprocating Engine, Model A1/R3350A	Cancelled
MIL-S-7886/2	Spark Plug, Model P2/R3350B	Cancelled
MIL-S-7886/3	Spark Plug, Model C121/R3350C	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-S-7886/4(Wep) Notice No.1	Spark Plug, Shielded, Aircraft Reciprocating Engine, Model P5/R3350B	Cancelled
	MIL-S-7886/7	Spark Plug, Model H34/R1820C	Cancelled
	MIL-S-7886/8	Spark Plug, Shielded, Aircraft Reciprocating Engine, Model C117/R1820D	Cancelled
C	MIL-D-7895A(Aer)	Director; Armament Control, Aero 5B	Cancelled
	MIL-S-7886/10(Wep)	Spark Plug, Shielded, Aircraft Reciprocating Engine, Model H19/R1300A	Cancelled
	MIL-S-7886/12(Wep) Notice No.1	Spark Plug, Shielded, Aircraft Reciprocating Engine, Model C/R2800A-RFR	Cancelled
	MIL-S-7886/13(Wep) Notice No. 1	Spark Plug, Shielded, Aircraft Reciprocating Engine, Model B26/R2800B	Cancelled
	MIL-S-7886/14(Wep)	Spark Plug, Shielded, Aircraft Reciprocating Engine, Model H37/R2800C	Cancelled
	MIL-S-7886/15	Spark Plug, Model R2000A-6/6A	Cancelled
	MIL-S-7886/16A(AS)	Spark Plug	Cancelled
	MIL-S-7886/17(Wep) Notice No. 1	Spark Plug, Shielded, Aircraft Reciprocating Engine, Model H43/R1340A	Cancelled
	MIL-S-7886/18(Wep)Q	Spark Plug, Shielded Aircraft Reciprocating Engine, Model C45/R985A	Cancelled
	MIL-S-7886/19(Wep) Notice No. 1	Spark Plug, Shielded, Aircraft Reciprocating Engine, Model H25/R975A	Cancelled
	MIL-S-7886/21(Wep) Notice No. 1	Spark Plug, Shielded, Aircraft Reciprocating Engine, Model 0.0470B	Cancelled
	MIL-S-7886/23(Wep)	Spark Plug, (Model H13/0335A)	Cancelled
	MIL-S-7886/24(Wep)Q	Spark Plug, Shielded, Aircraft Reciprocating Engine, Model M36/0100A	Cancelled
	MIL-S-7886/25(Wep)Q	Spark Plug, Shielded, Aircraft Reciprocating Engine, Model M39/0150A	Cancelled
	MIL-S-7886/26	Spark Plug, Model R20008-4	Cancelled
	MIL-S-7886/27(AS)	Spark Plug, (Model C47/R1830-90C/D and 92A	Cancelled
	MIL-C-7887(Aer)	Compressors: Air, Gas Turbine Type, Model C-2, C-3	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-M-7888(AER)	Markers, Luminous, Radioactive (For Aircraft Use)	Superseded by MIL-M-3435
	MIL-R-7893(Wep)-2	Radar Identification Set AN/APX-6b	Cancelled
	MIL-E-7894A(ASG)	Electric Power, Aircraft	Cancelled
C	MIL-D-7895A(Aer)	Director: Armament Control, Aero-5B	Cancelled
C	MIL-U-7896A(Aer)	Unit; Flight Data Aero 2A	Cancelled
	MIL-U-7897(AER)	Unit, Signal Amplifier, Aero-1A	Cancelled
	MIL-A-7898-1	Adapter, Pressure Fuel Servicing Variable Configuration, Type A-5	
	MIL-S-7900C(Wep)	Sonar Set: AN/AQS-2	Cancelled
	MIL-R-7901(Aer)	Radar Set An/APS-57	Cancelled
	MIL-T-7902	Trainer, Star Recognition, Rude, Type MA-3	Cancelled
	MIL-V-7909-1	Valves, Hydraulic Pressure Reducer	Cancelled
	MIL-E-7910	Ethyl-Cellulose	Cancelled
	MIL-M-7911-1	Marking, Identification of Aeronautical Equipment, Assemblies, and Parts	Cancelled Superseded by MIL-STD-130
	MIL-B-7912A(AER)	Board, Data, MK 8	Cancelled
	MIL-B-7913(Aer)	Battery: Dry, 180 Volt "B" Sonobuoy	Cancelled
	MIL-F-7914(Aer)	Fuel, Aircraft Turbine and Jet Engine Grade JP-5	Superseded by MIL-F-5624B
	MIL-V-7915-2	Valves; Hydraulic, Driectional Control, Slide Selector	Cancelled
	MIL-L-7917(Aer)-3	Lens and Cone Assembly; Aircraft; Aircraft Camera, 6 Inch Type CII-1b	Cancelled
	MIL-L-7918(Aer)-3	Lens and Cone Assembly: Aircraft Camera, 12-Inch Type CIL-7	Cancelled
	MIL-L-7919(Aer)-3	Lens and Cone Assembly: Aircraft Camera, 24-Inch Type CII-12	Cancelled
	MIL-B-7920(Aer)-3	Body, Still Picture Aircraft Reconnaissance Camera Type CA-3-2b	Cancelled
	MIL-C-7921(Aer)-2	Camera, Aircraft Reconnaissance, With 24 and 36 Inch Lens Cones with AEC and Body CA-13a	Cancelled
	MIL-C-7922(Aer)-3	Camera, Aircraft Reconnaissance, wirh 24 and 36 Inch Lens Cone and Body 2A-13a	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-C-7923K(Aer)-3	Camera, Aircraft, Reconnaissance, With 6-Inch Lens Cone With Automatic Exposure Control and Body, Type C-3-2a	Cancelled
MIL-R-7924A(Aer)	Radio-Control Equipments, 400MC Radio Transmitting Set AN/ARW-55 Radio Receiving Sets AN/ARW-55 Radio Receiving Sets AN/ARW-56 and AN/ARW-59	Cancelled
MIL-S-7925(Aer)-2	Servo, Electric, Rate Gyro Controlled, Model 9-41A	Cancelled
MIL-C-7927(Aer)	Circuit Breakers; Trip-Free, Aircraft	Cancelled Use MIL-C-5809(ASG)
MIL-T-7928/3	Terminal, Lug, Splice, Conductor, Electric, (Permanent, Crimp Style, Copper, Insulated, Type II, Class I)	Cancelled, use MIL-S-7928/5
MIL-F-7929C(Wep)	Flashers; Light	Cancelled-Superseded by MIL-F-26301D
MIL-C-7931B	Conduit, Electrical, Flexible, Radio Frequency Shielding	Cancelled-See MIL-C-13909
MIL-C-7932B(Aer)	Camera System, Aircraft, Continuous Strip, Stereo Type CAS-2	Cancelled
MIL-M-7933A(Aer)	Magazine System, Aircraft Camera, Roll Film Image Motion Compensating, Type MA-10	Cancelled
MIL-J-7934(Aer)	Jet Assisted Take-Off Unit 1400 Second-1000 Lbs. Thrust	Cancelled
MIL-T-7935A	Towing Requirements and Provisions for Land and Carrier Type Military Aircraft	Superseded by MIL-STD-805
MIL-P-7936A	Parts and Equipment, Aeronautical Preparation for Delivery	Cancelled-Superseded by MIL-STD-794
MIL-P-007936B(Wep)	Parts & Equipment, Procedures for Packaging of	Superseded by MIL-STD-794
MIL-H-7937(AER)-1	Handbooks Operation and Service Instructions with Parts Breakdown for Target Drones (Class KD)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-C-7939B Q	Clocks, Aircraft, 1-7/8 Inch Dial	Cancelled
MIL-B-7941B(ASG)-1	Boots, Flying, Insulated Rubber, Type 4	Cancelled
MIL-I-7944A(ASG)-2	Indicators, Oxygen Flow	Cancelled
MIL-D-7946B(Wep) Notice 1	Deicing-Defrosting Fluid	Cancelled, use MIL-A-8243
MIL-P-7948	Pickup, Telemetering, General Specification for	Cancelled
MIL-G-7950(Aer)-1	Ground Position Indicator AN/APA-57B and AN/APA-57C	Cancelled
MIL-C-7951A(ASG)	Chamber, Altitude, Humidity, and Temperature Test	Cancelled-Superseded by MIL-STD-810
MIL-C-7953B(Wep)	Coder Group AN/APA-89(*)	Cancelled
MIL-T-7954	Trainer, F-80 Hydraulic and Landing Gear System, Trouble Shooting, Type U-250	Cancelled
MIL-T-7955(Aer)-2	Tracer; Dead-Reckoning, Mercator, Airborne	Cancelled
MIL-C-7956	Camera, Aircraft, Type CA-14	Cancelled
MIL-H-7960A(ASG)	Handbook, Operation and Service Instructions (Test Equipment and Support Equipment	Superseded by MIL-M-81260(WP)
MIL-H-7963(Aer)-1	Handbooks; Maintenance Instructions (Air Ships)	Cancelled
MIL-J-7964(Aer)-3	Jerseys, Cotton	Cancelled
MIL-C-7966B	Cloth, Coated Rubber Nylon Base	Cancelled
MIL-P-7967B	Paulins, Life Saving	Delete
MIL-L-7970A	Lumber, Hardwood, Mahogany, Aircraft Quality	Cancelled
MIL-R-7972(Aer)-2	Remote Pilot Kit, K-3 (System "B")	Cancelled
MIL-A-7975(Aer)	Analyzer, Ignition, Aircarft Engine, Oscilloscope Type	Cancelled
MIL-B-7977B(ASG)	Brief Case, Navigational	Cancelled
MIL-C-7980(Aer)	Computer Group, Rawin AN/SMA-3 (XN-2)	Cancelled
MIL-C-7981(Aer)	Cord; Nylon 750 Pound	Cancelled
MIL-H-7982(Aer)-1	Handbooks; Operation, Service and Overhual Instructions with Parts Breakdown (For Relatively Simple Aircraft Insturments and Acessorises	Superseded by MIL-M-81260 WP

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-V-7984(Aer)	Valve, Pneumatic, Aero 2A	Cancelled
MIL-H-7985	Handbooks: Overhaul Instructions (Liquid Propellant Rocket Engines)	Cancelled, Use MIL-M-25344
MIL-W-7986-2	Wire and Rod, Aluminum and Aluminum Alloy, For Die Heading	Superseded by QQ-A-430
MIL-C-7987(Aer)	Cloth, Nylon, Twill, 6-Ounce	Cancelled
MIL-T-7990B-1	Transmitter, Temperature, Electrical Resistance, -70° to + 300°C	Cancelled
MIL-C-7992	Compressors, Air, Gas Turbine Type, Model Specification for (Outline and Instruction for Preparation)	Cancelled
MIL-T-7993A	Titanium Sheet, Trip and Plate (Unalloyed)	Superseded by MIL-T-9046C
MIL-A-7994A(WP)	Analyzer Group, Signal AN/APA-74	Cancelled
MIL-L-7995A(Aer)	Lens Cones; Aerial Camera, Steroscopic	Cancelled
MIL-S-7996A(Aer)	Servo Power Unit, Type C3A-1B	Cancelled
MIL-I-7998A-2	Insulation Tape, Electrical/ Adhesive, Plastic	Superseded by HH-I-595a
MIL-D-7999(Aer)	Dispensing Set, Countermeasures, Chaff	Cancelled
MIL-C-8006A(ASG)	Cloth, Rayon, Parachute (NonPersonnel)	Cancelled
MIL-P-8013C-1	Plastic Materials, Polyester Resin, Glass Fiber Base, Low Pressure Laminated	Cancelled-Superseded by L-P-383
MIL-T-8018A(ASG)-1	Tester, Pressurized Cabin Leakage, Aircraft, Type V-4	Cancelled
MIL-C-8033B(ASG)	Converter, Oxygen, Aircraft, Liquid to Gaseous, Type MB-1	Cancelled
MIL-V-8057D(ASG)-1	Valve, Oxygne, Pressure Buildup and Vent	Cancelled
MIL-P-8059A-1	Plastic Material, Laminated, Thermo-Setting; Sheets and tubes, Asbestos Base,Phenolic Resin	Cancelled, Use L-P-509
MIL-T-8076B(ASG)	Pilot Static System, Field, Type MB-1 Test Set,	Cancelled
MIL-S-8085A(ASG)	Stabilizer, Binocular, Gyroscopic, Type MA-1	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-R-8091A-3	Receiver, Radio R-541( )/ARN-14D	Cancelled
MIL-T-8095C-2	Test Set, Electrical Power, 400 Cycle AC System, Type MA-1	Cancelled
MIL-V-8099(ASG)	Valve, Automatic Regulating, Pressure Anti "G" Type M-2	Cancelled
MIL-A-8118B	Aerial Delivery Kit Assembly, Cargo, General Specification for	Cancelled
MIL-M-8122C	Models, Aircraft, Recognition, Plastic	Cancelled
MIL-I-8138A(ASG)-1	Indicators, Pressure, Synchro, Dual, 0-35	Cancelled
MIL-C-8139A(ASG)-1	Computer, Air Navigation, Twilight, Type A-1	Cancelled
MIL-S-8143A(ASG)	Steel, Sheet and Strip, Uncoated, Carbon, (AISI 1070)	Cancelled
MIL-R-8147A(ASG)	Ramp, Loading, Aircraft, Type A-1	Cancelled
MIL-F-8158A(ASG)	Floodlight, Incandescent, Clamp on Type B-11	Cancelled
MIL-T-8163A(ASG)	Trainer, Muckup, Radial Engine, Type 0-58	Cancelled
MIL-T-8166C	Tray, Mess Disposable, In-Flight	Cancelled
MIL-S-8168A(ASG)	Semitrailer, Van, Photographic Equipment Air Transportable, Air Conditional, Type MC-2	Cancelled
MIL-I-8228A(ASG)	Indicator, Rate of Flow, Fuel, Single 200-3, 000 PPH Type MA-3	Cancelled
MIL-P-8257B(ASG)-1	Plastic, Sheet, Thermosetting, Transparent	Cancelled
MIL-S-8259A(ASG)	Stand, Test, Fuel Flowmeter, Type E-3	Cancelled
MIL-C-8291C(ASG)	Converter, Oxygen, Aircraft, Liquid to Gaseous, Type MB-2	Cancelled
MIL-C-8295A(ASG)-1	Indicator, Rate of Flow, Fuel Synchro S Type, Type MA-1	Cancelled
MIL-P-8296B	Plywood, Overlaid	Cancelled
MIL-T-8297A(ASG)	Indicator, Manifold-Pressure, Synchro S Type Dual, 10-75 Inches Mercury Type D-16	Cancelled
MIL-T-8307A	Tape, Rayon and Cotton Braided	Cancelled, Use MIL-B-371
MIL-C-8329A(ASG)	Control, Exposure Frequency, Radar Recording Camera, LD. 6 ()	Cancelled
MIL-L-8346A(ASG)-2	Light, Landing, Aircraft, Retractable	Cancelled, Use MIL-L-81174

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-G-8348H	Gage Assemblies, Air Pressure, Dial Indicating Chuck Type, Self-Contained	Cancelled
MIL-G-008348G(AS)-1	Gage Assemblies, Air Pressure, Dial Indicating Chuck Type	Cancelled
MIl-G-008348/1(AS)	Gage Element (Inflator Assembly)	Cancelled
MIL-C-8353B(ASG)	Cabinet Instrument Testing Altitude and Temperature, Type B-2	Cancelled
MIL-C-8384B-1	Connectors, Plug and Receptacle,(Molded Body); and Accessories Gen Spec for	Cancelled-Superseded by MIL-C-28748
MIL-C-8386A(ASG)	Camera System, Still Picture, Aircraft Reconnaissance	Cancelled
MIL-G-8402B-1	Gages, Pressure, Dial Indicating, General Spec For	Cancelled Use ANSI B40.1
MIL-A-8408A(ASG)	Altimeter, Pressure, Type MA-1	Cancelled
MIL-H-8446B-1	Hydraulic Fluid, Nonpetroleum Base, Aircraft	Cancelled
MIL-M-8488(ASG)	Mount, Camera, Aircraft, Vertical	Cancelled
MIL-M-8496A(ASG)	Magazine, Film, LA-12()	Cancelled
MIL-A-8497A(ASG)	Amplifier, Electronic Control, LA-13 ()	Cancelled
MIL-H-8502(Aer)	Hoist, Bomb, Electric, Aero 11A	Cancelled
MIL-F-8508A	Filter-Separators, Aviation and Motor Fuel Nonairborne, General Spec for	Superseded by MIL-F-8901
MIL-V-8509B	Voltage Stabilizers, Alternating Current, Aircraft, General Specification for	Cancelled
MIL-F-8511(Aer)	Filters, High Pass and Low Pass, F-212/u and F-213/u	Cancelled
MIL-D-8513-1	Drawings and Data Lists; Preparation of For Special Support Equipment (For Aeronautical and Associated Equipment)	Cancelled-Superseded by MIL-D-1000
MIL-C-8515(ASG)-1	Connection Assemblies, Demand Mask to Regulator Tube	Cancelled
MIL-H-8517(Aer)	Harness; Test Bench, for Radar Set AN/APN-9	Cancelled
MIL-H-8518(Aer)	Harness Test Bench, For Radio Compass AN/ARN-6	Cancelled
MIL-H-8519(Aer)	Harness; Test Bench, For Aircraft Radio Receiving Equipment ARB	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202640-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-H-8520(Aer)	Harness; Test Bench, For Wire Recorders 13-A-3J andlc/VRW-7	Cancelled
MIL-H-8521(Aer)	Harness; Test Bench, For AN/APS-4A Radar Equipment, Overhead Type	Cancelled
MIL-H-8522(Aer)	Harness, Test Bench, For Radar Assembly An/APA-16	Cancelled
MIL-H-8523(Aer)	Harness; Test Bench, For Electronic-Counter-Measures Type I Equip	Cancelled
MIL-H-8524(Aer)	Harness; Test Bench, For Interphone-Radio Control Assembly AN/AIA-2A	Cancelled
MIL-H-8525(Aer)	Harness; Test Bench for RL-9 Interphone Amplifier Equip	Cancelled
MIL-H-8526(Aer)	Harness, Test Bench, For Radio Set AN/ARR-15	Cancelled
MIL-H-8527(Aer)	Harness; Test Bench, For Radar Sets AN/APS-19 and AN/APS-19A	Cancelled
MIL-H-8528(aer)	Harness; Test Bench, For Radio Receiving Set AN/ARR-16B	Cancelled
MIL-H-8529(Aer)	Harness; Test Bench, For Radio Receiving Set AN/ARR-31	Cancelled
MIL-H-8530(Aer)	Harness; Test Bench, For Radio Transmitting Set AN/ART-26	Cancelled
MIL-H-8531(Aer)	Harness; Test Bench, For Radar Sets An/APX-13 and AN/APX-13A	Cancelled
MIL-H-8532(Aer)	Harness; Test Bench, For Radio Set AN/ARC-12	Cancelled
MIL-H-8533(Aer)	Harness; Test Bench, For Radio Transmitting Set AN/ART-13	Cancelled
MIL-H-8534(Aer)	Harness; Test Bench, For Bomb Director AN/ASG-10 and AN/ASG-10A Equipments	Cancelled
MIL-H-8535(Aer)	Harness; Test Bench, For Radio Receiving Set AN/ARR-11	Cancelled
MIL-H-8536(Aer)	Harness; Test Bench, For Radio Receiving Equip. AN/ARN-8	Cancelled
MIL-H-8537(Aer)	Harness Test Bench, For Radio Compass AN/ARN-7	Cancelled
MIL-H-8538(Aer)	Harness; Test Bench, For Radar Identification Set AN/APX-6	Cancelled
MIL-H-8539(Aer)	Harness; Test Bench, For AN/APS-4 Radar Centerline Type Equipment	Cancelled
MIL-H-8540(Aer)	Harness, Test Bench, for Radio Equipment AN/ARC-5, AN/ARC-5, AN/ARR-2, and AN/ARR-2A	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-H-8542(Aer)	Harness; Test Bench, For Radar Equipment An/APA-5A	Cancelled
	MIL-H-8543(Aer)	Harness; Test Bench, For Radar Navigation Equipment AN/APN-4	Cancelled
	MIL-H-8544(Aer)	Harness; Test Bench, For IFF Equipment AN/APX-1 and AN/APX-2	Cancelled
	MIL-H-8545(Aer)	Harness, Test Bench, For Radio Set AN/ARC-2	Cancelled
	MIL-H-8546(Aer)	Harness; Test Bench, For AN/ARC-1 Test Control Box Equipment	Cancelled
	MIL-H-8547(Aer)	Harness, Test Bench, For Radio Set AN/ARC-1	Cancelled
	MIL-H-8548(Aer)	Harness; Test Bench, For Radio Set AN/ARC-28	Cancelled
	MIL-C-8549A	Camera Set, Still Picture View 4 By 5 Inch KS (Model Number)	Cancelled
	MIL-C-8551	Container's; Aircraft Fire Extinguisher, Methyl Bromide, Charged	Cancelled
C	MIL-A-8553A(Aer)	Adapter, Range, Aero 2A	Cancelled
	MIL-C-8554A(ASG)-1	Cable; Ignition, High-Tension, Aircraft Quality	Superseded by MIL-C-3162A
	MIL-C-8556(AER)	Converter-Recorder CV-281 (XN-1)/SM	Cancelled
	MIL-R-8560(Aer)	Radar Test Set AN/UPM-9	Cancelled
	MIL-M-8561(ASG)	Mirror, Signalling, Mk. 4	Cancelled
	MIL-C-8562	Controller, Bailout, Ceramic, Flow	Cancelled
	MIL-A-8563A(Wep)	Adapter, G-2 Compass, Compensated, Type MA-1	Cancelled
	MIL-I-8569(Aer)	Indicator, Position Deviation ID-378/ASQ-8	Superseded by MIL-D-6149D
	MIL-G-8570(Aer)	Gyro: Vertical, Aero 2A	Cancelled
	MIL-R-8575(Aer)	Receiver, Radio R-570/ARW	Cancelled
	MIL-S-8577(Aer)-1	Searchlight Positive Carbon Control Modification Equipment for AN/AVR-2 and AN/AVQ-2A Sets	Cancelled
C	MIL-P-8578(Aer)-1	Pulse Analyzer Group AN/ALA-3	Cancelled
	MIL-T-8579-1	Tester, Fuel Quantity Gase, Variable Capacitance, Filled, Type MD-1	Cancelled
	MIL-E-8581(Aer)	Engine; Rocket, Solid Propellant, 5 Seconds Duration, 4500 lbs. Thrust	Transferred to BuOrd
	MIL-P-8582(Aer)-1	Printing and Binding of Aeronautical Techincal Manuals	Cancelled-Use MIL-P-38790

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-H-8583(Aer)	Handbooks: Inspection Requirements (Airships)	Superseded By MIL-H-18898(Aer)
	MIL-P-8585A-1	Primer, Coating, Zinc Chromate, Low Moisture Sensitivity	Superseded by TT-P-1757
	MIL-M-8589(Aer)-1	Modification Kit MK-141/APX-6	Cancelled
	MIL-I-8590A(Aer)	Indicators, Variation Setting (P-1 Automatic Pilot) (P-3 Compass)	Cancelled
	MIL-R-8592/2	Rescue Equipment, Helicopter, Crewman's Sling	Cancelled
	MIL-E-8594(ASG)	Engines, Aircraft, Turoprop Model Spec for (Outline and Instructions for Preparation)	Superseded By MIL-E-8593A
	MIL-E-8595(ASG)	Engines, Aircraft, Turoprop, Qualification for	Superseded by MIL-E-8593A
	MIL-E-8596(ASG)	Engines, Aircraft, Turpoprop, Acceptance Testsd AN/APS-19A	Cancelled
	MIL-E-8597(ASG)	Engines, Aircraft, Experimental Tuboprop Preliminary Flight Rating Tests for	
C	MIL-C-8601(Aer)-1	Control-Monitor Group AN/ALA-8	Cancelled
	MIL-G-8602A-2	Glass, Laminated, Flat, Aircraft	Cancelled-Use MIL-G-25871
	MIL-B-8607B-1	Belt, Safety, Passenger Type	Cancelled, Use MIL-R-81729(AS)
	MIL-R-8613(Aer)	Rocket Launcher, Package, Aircraft Aero 6A	Cancelled
	MIL-F-8616(ASG)	Fuel System Components; Model Specification for (Outline and Instructions for Preparation)	Cancelled Superseded by Appendix to MIL-F-8615A(ASG)
	MIL-S-8617(ASG)-1	Steel Bars, Carbon (1035) (Aircraft Quality)	Cancelled
	MIL-C-8618(Aer)	Coating System: Rain Erosion Resistant, For Plastic Laminates	Superseded by MIL-C-7439B
	MIL-V-8620A(Aer)	Check, Oxygen, High Pressure, Filler Valve Connection	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-A-8623A-1	Adhesive, Eposy Resin, Metal to Metal Structural Bonding	Cancelled use MMM-A-134
MIL-I-8624(Aer)	Indicator, Gyro Horizon, Fast Erecting, Electric, Type MB-2A	Cancelled
MIL-C-8627(Aer)	Computer Set, Latitude and Longitude, Airborne	Cancelled
MIL-V-8628(Aer)	Valve, Pneumatic Check	Cancelled
MIL-A-8629(Aer)	Airplane Strength and Rigidity	Superseded By MIL-A-8860 through MIL-A-8870(ASG)
MIL-W-8630D(WP)-1	Webbing, Textile, Nylon, Latex Impregnated	Cancelled, Use CLass L of MIL-W-27265 and MIL-W-4088
MIL-B-8631(Aer)	Bomb Directing Set, Radio AN/ARB-2A	Cancelled
MIL-C-8632(Aer)	Control Panel, Radio Set C-1285/ARN-6	Cancelled
MIL-R-8633A(Aer)-4	Remover, Paint, Non-Flammable, Water Rinsable	Cancelled-Superseded by TT-R-0024
MIL-D-8634B-3	Decal, Elastomeric Pigmented Film, For Use on Exterior Surfaces	Superseded-by MIL-M-43719
MIL-D-8635B-1	Declcomanias, For Use on Interior Surfaces of Aircraft	Cancelled-Superseded MIL-M-43719
MIL-T-8637	Tower and Extension, Aerial Navigation Beacon	Cancelled
MIL-C-8638-6	Cleaning Compound, Oxygen Systems	Cancelled-Superseded by MIL-C-81302
MIL-R-8639(Aer)	Regulator; Breathing Pressure Suit	Cancelled
MIL-P-8640A(Aer)	Pressure Suit; Control System, Seat Type	Cancelled
MIL-L-8641B(ASG)	Lacquer; Aluminized, Semiplamented, Brillant	Cancelled
MIL-B-8643A(Aer)-1	Belt; Aircraft Safety, Crewman's	Cancelled, use MIL-M-43719
MIL-L-8645A(ASG)	Lacquer, Cellulose Nitrate, For Aircraft Use, Application by Hot-Spray Progress	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-R-8647(Aer)	Radio Set AN/ARC-48	Cancelled
	MIL-C-8649(Aer)-2	Compasses; Remote Indicating Magnetic	Cancelled
	MIL-L-8653(Aer)	Life Preserver: Hood-Vest, Pneumatic	Cancelled
	MIL-T-8654A(AS)	Transformer, Current, Aircraft	Cancelled
	MIL-P-8655A-2	Plastic Material, Laminated, Thermosetting Sheets, Cotton-Fabric-Base, Post-Forming	Superseded by L-P-511
	MIL-L-8656(Aer)	Lens, Aerial Gun Camera, 17MM F/2,7 16MM Format	Cancelled
	MIL-S-8657(Aer)	Suit, Full Pressure, OMNI-Environment	Cancelled
	MIL-R-8658(Aer)-1	Raft, Packet, Model PR-2	Cancelled-Superseded by MIL-L-8664A(Aer)
	MIL-B-8659A(ASG)	Aircraft, Aircraft Engines, Propellers, and Aeronautical Equipments (Except Electronic Items)	Cancelled
	MIL-H-8661(Aer)	Hulls, Auxiliary Floats and Beaching Gear (Aircraft), Design and Construction of	Cancelled
	MIL-T-8663B(Wep)	Test Set, Radio AN/TRM-3	Cancelled
	MIL-L-8664B(WP)	Life Rafts, Inflatable, One Man	Cancelled, Use MIL-L-81542
	MIL-C-8666C	Calibrator, Crystal, TS-810(*)/u	Cancelled
	MIL-K-8668(Aer)	Kit, Air Droppable Survival Model ADSK-2	Cancelled
	MIL-E-8669(Aer)	Enclosure, Electromagnetic Shielding, Demountable, Prefabricated for Electronics Test Purposes	Superseded by MIL-E-4957A (ASG)
	MIL-I-8674(ASG)	Installation of Airbonre Smoke Screen Equipment	Cancelled
	MIL-T-8676(Aer)	Testing of Aricraft Rocket Launchers	Cancelled
	MIL-T-8681(AER)	Test Set, Detecting Set, AN/ASM-3	Cancelled
C	MIL-A-8682(Aer)	Antenna Group; OA-551/APA-69	Cancelled
	MIL-I-8687A(Aer)	Indicator, Turn and Slip, Air Driven Size,	Cancelled and Superseded by MIL-I-5489C(Wep) Notice 1
	MIL-T-8688(AER)	Tester, Engine Tachometer	Cancelled
	MIL-I-8692A	Indicator, Range, ID310(C)/ARN	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-S-8695(ASG)	Steel, Bars and Wire, Molybdenum (4047)	Cancelled, Use, AMS6300
MIL-S-8696(ASG)	Steel, Wire, Chrome-Vancdium, 6150 (Aircraft Quality)	Superseded by MIL-W-22826
MIL-S-8698(ASG)-1	Structural Design Requirements, Helicopters	Superseded by AR-56
MIL-A-8701(ASG)	Aluminum Alloy Sheet, (XC56S) and 8083 (LK183) Alloys	Superseded by MIL-A-17358 and MIL-A-19812
MIL-P-8704(ASG)	Pumps, Fuel Booster, Model Specifications for Outline and Instructions for Preparation	Superseded by MIL-P-5238B
MIL-A-8705(ASG)	Aluminum Alloy Bare and Alclad 2025(24S) Artificial Aging of	Superseded by MIL-H-6088B
MIL-S-8707A-1	Steel Bars and Forging Stock, Chrome-Nickel Molybdenum, 9840 Aircraft Quality	Cancelled
MIL-S-8709(ASG)	Strainer, Fuel, Model Specification for	Superseded by MIL-S-8710B
MIL-J-8711(ASG)-3	Jack Pads; Aircraft, Design and Installation of	Cancelled Superseded by MIL-STD-809
MIL-F-8799A(ASG)-4	Film, Elastomeric, Pigmented, For use in the Manufacture	Cancelled
MIL-V-8800B	Plugs, Venting, Gravity-Controlled, Electrolyte Access Hole, Cell, Aircraft Lead-Acid Storage Battery	Cancelled, Use MS25185
MIL-V-8807(ASG)	Valves, Oxygen Check, For Oxygen Converters	Cancelled, MIL-V-25513A(ASG) and MIL-V-25514A(ASG)
MIL-C-8811(ASG)	Chamber, Rain-Testing	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-F-8815/13A	Filter Elements, Noncleanable Fluid Pressure, Hydraulic Line, 5 Micron Absolute, F8 Aircraft, 1.5 Gpm	Cancelled
MIL-F-8815/14A	Filter Elements, Noncleanable Fluid Pressure, Hydraulic Line, 5 Micron Absolute, F8 Aircraft, 3.0 Gpm	Cancelled
MIL-F-8815/15A	Filter Elements, Noncleanable Fluid Pressure, Hydraulic Line, 5 Micron Absolute, F8 Aircraft, 12.0 Gpm	Cancelled
MIL-F-8815/16A	Filter Elements, Noncleanable Fluid Pressure, Hydraulic Line, 5 Micron Absolute, F8 Aircraft, 18.0 Gpm	Cancelled
MIL-C-8817(ASG)	Cable; Ignition; High-Tension, Aircraft Quality	Superseded by MIL-C-3702
MIL-L-8818A(WP)	Launcher, Racket, LAU-3A/A	Cancelled
MIL-A-8825(ASG)-2	Aluminum Alloy Bars and Shapes, Extruded	Superseded by QQ-A-200a
MIL-S-8829(Aer)	Spark Plug, Shielded, Aircraft Reciprocating Engine	Cancelled
MIL-A-8830(ASG)-1	Air Conditioners (28,000 to 140,000 BTU/HR) Trailerized Automatic, Self-Contained, Removable; General Spec for	Cancelled
MIL-P-8845A	Propellant, Ethylene Oxide	Cancelled
MIL-M-8857(ASG)-1	Microfilm of Engineering Drawings and Related Data/Requirements for	Superseded by MIL-M-9868A
MIL-B-8859	Bearings, Ball, Annular, Antifriction, Engine Accessories, Aircraft	Cancelled
MIL-A-8862(ASG)	Airplane Strength and Rididity Landplane Landing and Ground Handling Loads	Superseded by MIL-A-8863A for Navy Procurement
MIL-A-8864(ASG)	Airplane Strength and Rigidity Water and Handling Loads for Seaplanes	Cancelled
MIL-P-8872	Pump, Rotary, Power-Driven, Fuel, Aircraft General Speification for (Taper Threaded Parts)	Cancelled Superseded by MIL-P-25030A

Source: https://assist.dla.mil -- Downloaded: 202640-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-P-8873	Pump, Rotary, Power-Driven, Fuel Aircraft, 100 Cph (Taper Threaded Parts)	Superseded by MIL-P-25030A
MIL-P-8874	Pump, Rotary, Power-Driven, Fuel; Aircraft, 200 GPH (Taper Threaded Ports)	Cancelled Superseded by MIL-P-25030A
MIL-P-8875	Pump, Rotary, Power-Driven, Fuel, Aircraft, 400 GPH (Taper Threaded Ports)	Cancelled Superseded by MIL-P-25030
MIL-P-8876	Pump Rotary, Power-Driven, Fuel, Aircraft 700 GPH (Taper Threaded Parts)	Cancelled Superseded by MIL-P-25030A
MIL-A-8877A(ASG)	ALuminum Alloy Plats, 7079	Superseded by QQ-A-250b
MIL-P-8882A(ASG)-1	Aluminum Alloy, Plate and Sheet, 2020	Superseded by QQ-A-250b
MIL-T-8884(ASG)	Titanium Alloy, Sheet, Stripe, and Plate	Superseded by MIL-T-9046D
MIL-A-8902(ASG)	Aluminum Alloy Plate and Sheet, ALCLAD One Side 7075	Cancelled Superseded by AA-A-250b
MIL-M-8910-2	Manuals, Technical: Illustrated Parts Breakdown, Preparation of	Cancelled
MIL-R-8913-1	Ring, Wiper, Hydraulic and Pneumatic Piston Rod, Dirt	Cancelled
MIL-A-8920(ASG)-1	Aluminum Alloy Plate and Sheet, 2219	Cancelled, use AA-A-250/30
MIL-A-8923B	Aluminum Alloy Sheet AlClad 2079	Cancelled
MIl-S-8933	Switches Pressure, Aircraft, Absolute Types I and II, Class 1	Cancelled
MIL-S-8934	Switches, Pressure, Aircraft, Differ-ential, Types I and II Class 2	Cancelled
MIL-S-8935	Switches, Pressure, Aircraft, Gage, Types I and Ii, Class 3	Cancelled
MIL-S-8936	Switches, Pressure, Aircraft Approximate Gage, Types I and II	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MIL-I-8950B-2		Inspection, Ultrasonic, Wrought Metals, Process For	Cancelled, use MIL-STD-2154
MIL-F-8953(ASG)-1		Filters, Colored, Aircraft Marker Lights	Cancelled
MIL-E-8971/1A	Q	Electrode, Graphite, Disc Type	Cancelled
MIL-E-8971/2	Q	Electrode, Graphite, Rod Type	Cancelled
MIL-C-9002D(USAF)-1		Compressor, Power Driven, Air Electric Motor Drive, 15 CRM, 3,500 PSI, Type MB-1	Cancelled
MIL-C-9003B		Cylinder and Regulator, Oxygen, Portable	Cancelled
MIL-R-9030B(ASG)		Radio Range Attachment, Low-Frequency, C-11B Instrument-Flying Trainer, Type MA-1	Cancelled
MIL-V-9051B(ASG)		Valves, Oxygen, Aircraft, 70 PSIG Converter Relief	Superseded by MIL-V-25302 (ASG)
MIL-V-9052B(ASG)		Valve, Oxygen, Aircraft, 300 PSIG Converter, Relief	Superseded by MIL-V-25169
MIL-C-9082E(ASG)-1		Converter, Oxygen, Aircraft, Liquid to Gaseous, General Specification of	Cancelled for BuWep Use
MIL-G-9087A(ASG)-2		Gloves, Flying, Leather, Summer, Type B-3A	Cancelled-Superseded by MIL-G-38308
MIL-T-9107(USAF)-1		Test Reports, Preparation of	Cancelled Superseded by MIL-STD-831
MIL-F-9118A-1		Finish, For Glass Fabric	Cancelled
MIL-A-9153A(ASG)		Aerial Delivery System, Overhead Rail for Medium Cargo Aircraft, General Specification for	Cancelled
MIL-S-9160A		Starter, Drone, Direct Cranking, 24 Volt DC, Type J-5	Cancelled
MIL-A-9180A(ASG)-1		Aluminum Alloy Plate and Sheet, 7178	Superseded by QQ-A-250b
MIL-A-9183B(ASG)-1		Aluminum Alloy Plate and Sheet, Clad 7178	Cancelled Superseded by QQ-A-250/15C
MIL-A-9186B(ASG)-2		Aluminum Alloy Bars, Rods, and Shapes, Extruded, 7178	Cancelled Superseded by QQ-A-200/13

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-T-9188C	Tricresyl Phosphate, Aircraft Fuel Additive	Cancelled
MIL-A-9192A	Amplifier, 2 Channel, Integral, Automatic Pilot, Type B-7A	Cancelled
MIL-T-9197A(ASG)	Trainer, Demonstrator, Oil Buffer Tube M-2 50-Caliber Machinegun, Type Q-150	Cancelled
MIL-V-9209A(ASG)	Valve, Oxygen Check, For Oxygen Concerters	Superseded by MIL-V-8807(ASG)
MIL-H-9210B	Handbooks: Inspection Requirements (Guided Missiles)	Cancelled-Use MIL-M-5096
MIL-C-9282A	Container, Shipping, Metal, Reusable 5CU.FT.-50CU. FT Volume	Cancelled-Superseded by MIL-C-5584
MIL-T-9302C-1	Transmitter, Rate of Flow, 0-12,000 PPH, Type MA-2	Cancelled
MIL-I-9303B(ASG)	Indicator, Rate of Flow, Synchro Style 0-12,000 PPH, Type MA-5	Cancelled
MIL-F-9327A(ASG)	Filter Unit, Photographic Charting, 24-Inch, F/6.0 Lens Type A-9	Cancelled
MIL-E-9403A(ASG)	Erector Assembly, "AN" Gun Camera	Cancelled
MIL-D-9412D(USAF)	Data For Aerospace Ground Equipment	Cancelled
MIL-C-9435	Chamber, Explosive-Proof Testing	Cancelled
MIL-C-9436A(ASG)	Chamber, Sand and Dust Testing	Cancelled
MIL-C-9437	Crate, Wood, Open, Fuel Tank, External Assembled	Cancelled Use MIL-C-52950
MIL-S-9438A(ASG)	Sighting Unit, K-1r Gunsight, E-15 Aerial Gunnery Trainer, Type B-1	Cancelled
MIL-R-9441A-1	Record, Aircraft Inventory	Cancelled
MIL-I-9443/1(AV)	Indicator, Temperature, Thermocouple Engine, Type MJ-2A	Cancelled
MIL-S-9487B(ASG)	Switch, Trigger, Single Pole, Two Stage, Mometary	Cancelled
MIL-C-9495A(ASG)-2	Computer, Para Drop, Air Release Point, Type MB-3	Cancelled
MIL-I-9576A(ASG)	Interpretation Kit, Photograph BS-2 ( )	Cancelled
MIL-C-9857	Camera Still Picture, Identification (Sets KS-46 () and KS-47 ()	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-C-9878A-1	Cards, Aperture Copy Tabulating and Engineering Data Micro-Reproduction System, Preparation	Cancelled Superseded by MIL-M-38761
MIL-C-9878/1(WP)	Cards, Tabulating and Microfilm	Cancelled-Use MIL-M-36761/(AS)
MIL-T-9893A	Triangle, Photographic Tripod LM-64()	Cancelled
MIL-T-9936	Tester-Rater, Punch Board	Cancelled
MIL-L-10041A-1	Light, Fluorescent, Photographic	Cancelled
MIL-H-10050B	Hardware, Airborne Equipment	Cancelled, Use MIL-H-7195
MIL-L-10095A	Leather Dressing, Preservative and Mildew Preventive	Cancelled Use O-L-164a
MIL-C-10105A	Containers, Shipping (For Toxic Gas in Bottles or Tubes)	Cancelled
MIL-C-10123B	Container, Shipping Toxic Material Types	Cancelled
MIL-C-10148A	Cleaning Machine, Photographic Film	Cancelled
MIL-T-10151D-1	Test Set TS-538 (Test Set Radio)	Cancelled
MIL-R-10159E	Rawin Set AN/GMD-1()	Cancelled
MIL-H-10249	Heater, Immersion, PH-539/GF	Cancelled
MIL-L-10295B	Lubricating Oil, Internal-Combustion Engine, Sub-Zero	Cancelled
MIL-B-10377A	Box, Wood, Cleated, Veneer, Paper Overlaid	Cancelled, Use PPP-B-576
MIL-S-10379A-1	Suppression, Radio Interference General Requirements for Vehicles (and Vehicular Sub-Assemblies)	Superseded by MIL-STD-461
MIL-C-10477B	Camera, Still Picture, KE-4 and Camera Set, Still Picture, KS-6	Cancelled
MIL-P-10551A-2	Printer, Photographic Reduction Multiplex Mapping Equipment (With Case and Accessories Variable Ratio, 6-Inch Photography)	Cancelled
MIL-R-10639B	Rectifier, Projection Printing, Photogrammetric, with Chest	Cancelled
MIL-R-10683A	Resistors, Fixed (Compostion Film, Very High Frequency)	Cancelled-Use MIL-R-22684 and MIL-R-10509

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-E-10687B-1	Enamel, Lustreless, Quick Drying	Cancelled, Use TT-E-516
MIL-T-10695A	Test Sets, Shutter Speed (Camera TS-703( )/UF	Cancelled
MIL-P-10701	Packaging of Spare Parts and Accessories for Line Filing M3, and Pump, M2, mented, For use in the Manufacture	Cancelled
MIL-F-10763B	Frequency Meter TS-175 ()/U	Cancelled
MIL-P-10785A	Processing Machines, Photographic Film (35MM and 70MM, for Black and White Film)	Cancelled
MIL-C-10844A	Camera Sets, Still Picture, Identification	Cancelled
MIL-M-10851A	Methyl Methacrylate Polymer	Cancelled
MIL-R-11005B-1	Radiosonde Set (Radiosonde AN/AMT-3())	Cancelled
MIL-R-11108C	Rack PH147	Cancelled
MIL-R-11254	Rectifier, Projection Printing	Cancelled
MIL-S-11262F-1	Sunburn Preventive Preparation (Cream Paste)	Cancelled, Use, MIL-S-37800
MIL-T-11274A	Tripod, Photographic, LM-3()(Light Duty)	Cancelled, Use MIL-T-12020
MIL-E-11276	Engines, Diesel, Industrial Type, Gen Spec for	Cancelled
MIL-E-11366A	Ethyl Acetate, Technical	Cancelled
MIL-P-11411C	Projector, Vertical Reflecting, Photogrammetric (Auto-Focus)	Cancelled
MIL-T-11441A	Tripod Set, Photographic, Motion Picture Heavy Duty) LS-21()	Cancelled
MIL-S-11465A	Soap, Lubricating, 100 Per Cent Olive Oil Base, Oxygen Compressor	Cancelled
MIL-W-11559A	Wave Meter (Test Set TS-117/GP)	Cancelled
MIL-P-11590B	Printer, Contact, Photographic 4 x 5 to 8 x 10 Inch (Printer, EN-12()	Cancelled
MIL-P-11592B	Power Meter (TS-125()/AP)	Cancelled
MIL-D-11680C	Driers, Photographic Print	Cancelled
MIL-I-11683A	Interference Suppression, Radio Requirements For Engine Generators and Miscellaneous Engines	Cancelled
MIL-S-11687A	Splicer, Photographic Film, FM-121()	Cancelled
MIL-C-11693	Capacitor	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-S-12071A	Silver Nitrate, Technical	Cancelled
MIL-P-12080B	Potassium Hydroxide-Pyrogallol Solution, (Oxygen Absorbent for Gas Analysis)	Cancelled
MIL-C-12136B	Camera Set, Motion Picture KS-11()	Cancelled
MIL-C-12178B	Corrosion-Preventive Compound Trifluorovinyl Chloride, Oxygen Equipment for Use with	Cancelled
MIL-L-12198A-1	Lamp, Incandescent, Multiplex Projection Clear Bulb Single Contact Prefocus Base Tungsten Filament, 100 Watt, 20 Volt, G-161/2	Cancelled
MIL-C-12449B	Camera, Still Picture	Cancelled
MIL-B-12521A	Baloon ML-3((()/AM	Cancelled
MIL-C-12526A-1	Cloth, Glass, Vinyl Coated, Acid and Fuel Resistant	Cancelled
MIL-C-12593A	Crane, Tractor Mounting, Revolving For D7 and D8 Caterpillar Tractors	Cancelled
MIL-P-12670B	Packaging and Packing of Thread for Dome Domestic and Overseas Shipment	Cancelled Superseded by PPP-P-50
MIL-C-12795A	Container Assembly, Shipping, Toxic Gases, Type A	Cancelled
MIL-S-12883B-5	Sockets and Accessories for Plug-In Electronic Components, Gen. Spec. For	Cancelled
MIL-R-12956C	Rewinder, Photographic Film, (16 and 35MM)	Cancelled
MIL-C-12968(Ord)	Coatings, Phosphate, Protective (For Iron and Steel)	Superseded by MIL-P-16232B
MIL-P-13126A-1	Packing of Fiberboard Boxes, Knocked-Down Flat	Cancelled
MIL-G-13184A	Generator, Hydrogen ML-486()/UM	Cancelled
MIL-R-13185(AS)	Radiosonde Receptor AN/AMR-1()	Cancelled
MIL-A-13186E	Humidity Element, Resistance ML-476()/AMT	Cancelled
MIL-G-13214A	Generator, Signal (Square Wave Generator TS-583()/U)	Cancelled
MIL-B-13239	Barrier Material, Water Proofed Flexible all Temperature	Cancelled
MIL-C-13274	Calibrator, Frequency FR-B3()/U	Cancelled
MIL-S-13326B	Steel Alloy; Plate (Firebox Quality) and Sheet, High Strength, Heat Treated for Welded Structures	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-C-13335(Ord)-1	Coating for Magnesium and Magnesium Alloys	Cancelled
MIL-S-13433A	Steel Bars, Carbon (Leaded, High Sulfur)	Cancelled
MIL-C-13440A	Camera, Motion Picture KF-2	Cancelled
MIL-C-13597B	Cryptographic Equipment Destroyer, Incendiary, TH4 M2A1; Components for	Cancelled Use MIL-C-10244
MIL-R-13689A	Reflectorized Sheeting, Adhesive (Retro-Reflective)	Superseded by L-S-300
MIL-H-13859C	Honing Units, Cylindrical Bore, Portable (For Cylinder Correction)	Cancelled Use MIL-C-82069
MIL-L-13896D-3	Lathes, Engine, Gap, Sliding Bed	Cancelled
MIL-H-13910B-2	Hydraulic Fluid, Polar-Type Automotive Brake, All Weather	Cancelled, Superseded by MIL-B-46176
MIL-M-14077A-2	Molding, Plastic, Polyetrafluoroethylene TFE-Flyorcarbon Resin	Superseded by L-P-403a
MIL-H-14123	Height Finder	Cancelled
MIL-C-14157E-3	Capacitors, Fixed, Paper (Paper-Plastic) or Plastic Dielectric, Direct Current (Hermetically Sealed In Metal (Cases), Established Reliability, General Spec for	Cancelled Use MIL-C-19978
MIL-H-14410A-1	Humidity Indicating System Electrical Resistance, for Packaging	Cancelled
MIL-A-14443A	Adhesives; Glass-to-Metal (For Bonding of Lenses)	Cancelled, Use MMM-A-00131
MIL-C-14573B	Cleaning and Flushing Machine, Automotive Cooling System	Cancelled
MIL-B-15004(Aer)	Balloons, Aerological	Superseded by MIL-B-10743
MIL-D-15009A(Aer)	Degreaser; Vapor Type, Hand Operated	Superseded by MIL-D-26847A
MIL-F-15010(Aer)	Furnace; Electric, Box Type Universal	Cancelled
MIL-L-15016B	Lubricating Oil, General Purpose	Cancelled, Use MIL-L-17672 and MIL-L-17331

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-C-15061(Aer)	Cleaning Machine; Blast, Liquid-Air-Grit	Superseded by MIL-B-45022A
MIL-P-15068	Punch	Cancelled
MIL-S-15078(Aer)	Shear, Sheet Metal, Bench, Hand Operated	Cancelled
MIL-S-15079(Aer)	Shear, Sheet Metal, Bench Throatless	Superseded by MIL-S-4531A
MIL-T-15122(Aer)	Tubing Tools; Beading, Flaring and Lapping Hand	Cancelled BuAer Uses
MIL-P-15140(Aer)	Punch, Lightening Hole, Hand Operated	Cancelled
MIL-P-15151B(Navy)	Primer, Paint, Green, Zinc-Chromate, Alkyd Type (Formula No. 84/47G)	Cancelled
MIL-P-15159B(Navy)	Preservative Coating Canvas by TT-P-595	Cancelled-Superseded
MIL-S-15165(Aer)	Saw; Abrasive Cut-Off	Cancelled
MIL-N-15178B	Naphtha, Solvent	Cancelled, Use TT-N-97
MIL-T-15212A	Target, Radar (RR-32/AM)	Cancelled
MIL-L-15261(Aer)	Lathes, Precision, Tool-Room (Cone Head)	Cancelled
MIL-T-15262B	Table; Work	Superseded by PPP-P-1010
MIL-R-15264E	Rubber Gasket Material, 50 Durometer Hardness (Maximum)	Cancelled
MIL-R-15304(Aer)	Radiosonde AN/AMT-7()	Cancelled
MIL-T-15313A	Trainer, Standardized Circuit Demonstration Sets	Cancelled
MIL-W-0015331E(Ships)	Wattmeter AN/URM-43	Cancelled, Use MIL-W-23522
MIL-E-15354C	Electrical Test and Maintenance Tables, Table Tops, and Back Panel and Shelf Assemblies	Cancelled
MIL-R-15401A-2	Resistors, Fixed, Composition, Uninsulated	Cancelled Use MIL-R-11
MIL-P-15415(BuOrd)-4	Parachute-Cloth, Nylon	Cancelled, Use MIL-C-8021
MIL-H-15424E	Hand Tools; Packaging of	Superseded by PPP-P-40
MIL-C-15441A	Camera, Chromograph, 35MM Motion Picture	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-T-15453(Navy)	Test Set, Radar (Frequency-Power Meter TS-230()/AP)	Cancelled Information May be Obtained from BuShips Notice 13/18/66
MIL-G-15473D-3	Generator, Signal, AN/USM-27	Cancelled
MIL-A-15481A	Amplifier-Detector Group AN/UPA-1() for Use with Radar Synchroscope	Cancelled
MIL-A-15509(Ships)	Airship Fueling Station	Cancelled
MIL-H-15574(Aer)	Harness; Test Bench, Electronic for AN/APN-1 Equipment	Cancelled
MIL-E-15599C-5	Electrodes, Welding. Covered; Low and Medium-Carbon Steel	Cancelled - Superseded by QQ-E-450
MIL-M-15617A-1	Mats, Fibrous Glass, For Reinforcing Plastics	Superseded by MIL-M-43248A
MIL-M-15629D	Multimeter AN/USM-34()	Cancelled
MIL-P-15641A-1	Pump, Rotary (Aircraft Defueling)	Cancelled
MIL-D-15688B	Drier, Photographic Film or Plate	Cancelled
MIL-R-15718	Rope; 18 x 7 Non-Rotating Hoisting Wire	Cancelled
MIL-W-15759A-4	Welding Machines, Arc (Direct-Current Variable)	Superseded by MIL-W-80019
MIL-D-15770C-1	Disks, Abrasive (Aluminum-Oxide and Silicon-Carbide Coated Portable Sanding Machines)	Cancelled
MIL-G-15793	Grease Instrument	Superseded by MIL-G-23827
MIL-R-15823A-1	Receptor, Radiosonde AN/FMQ-2()	Cancelled
MIL-W-15841A(NOrd)	Wax, Desensitizing	Superseded by MIL-W-20553B
MIL-W-15854(Aer)	Welding Machines; Electrical Resistance, Roll Spot and Seam Press Type, Three Phase	Cancelled and Superseded by MIL-W-7973A
MIL-G-15888(Ships)	Glue; Marine, and Aviation Marine (Waterproof)	Superseded by MIL-G-413A
MIL-B-15906D	Boxes, Self-Locking, and Sleeve, Box (For Shipping Eam Cards)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-H-15923C	Hose and Hose Assemblies Rubber, Wrapped, and Braided, Water Service	Superseded by ZZ-H-601B
MIL-E-15925A	Embossing Machine, Hand-Operated	Cancelled, Use 00-E-491
MIL-V-15945A	"V" Blocks with Clamps	Cancelled Use GGG-V-191
MIL-G-15961B	Generator Signal TS-535()/66	Cancelled
MIL-P-15977B-1	Puller and Test Light, Fuse	Cancelled, Use W-P-796
MIL-M-15989A	Mandrels, Machine Solid	Cancelled BuAer Uses 00-M-251
MIL-B-16033(Wep)-2	Bronze, Aluminum; Castings	Cancelled - Superseded by QQ-C-390
MIl-E-16053L-2 Q	Electrodes, Welding, Bare, Aluminum Alloys (Use ANSI/AWS A5.10-80)	Cancelled
MIL-R-16060(Ships)	Rope, Manila and Substitutes	Cancelled Use T-R-605
MIL-B-16064B	Beacon, Radio (AN/FRN-17)	Cancelled
MIL-F-16082	Fan, Ventilating, Propeller, Electric Spray Booth Exhaust	Cancelled
MIL-W-16102	Wheels, Abrasive (Cutting Off)	Cancelled, Use ANSI B7.1, B74.2 & B74.13
MIL-F-16136B	Fluxes, Welding (for Copper-Base and Nickel-Base Alloys and Cast Iron)	Cancelled
MIL-H-16236B-1	Hose, Fire-Extinguisher (Portable 15 Pound, Carbon Dioxide)	Cancelled
MIL-B-16261A-2	Bronze, Bearing; Castings	Cancelled Superseded by QQ-C-390
MIL-S-16312A(NOrd)	Strand, Steel Wire, Zinc-Coated (For Nets)	Cancelled
MIL-B-16358A	Bronze, Copper-Lead-Phosphorus: Castings	Cancelled Superseded by QQ-C-390
MIL-P-16413(BuOrd)	Plastics; Methyl-Methacrylate, Molding Materials	Cancelled
MIL-P-16414(BuOrd)	Plastics; Cellulose Acetate Butyrate Molding Material Voltage	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-P-16416(BuOrd)	Plastics; Cellulose Acetate Molding Materials	Cancelled, Use L-P-397
MIL-B-16444(Wep)	Bronze, Hydraulic; (Ounce Metal) Castings	Cancelled Superseded by QQ-C-390
MIL-F-16454A-1	Filter, Liquid, Pressure (Fuel Oil, Diesel, 160 GPM)	Cancelled
MIL-Z-16460A	Zinc Base Alloy; Sand Castings	Cancelled
MIL-R-16503(BuOrd)	Rivet Rods and Rivets, Steel (For Torpedo Construction)	Cancelled
MIL-B-16522(BuOrd)	Bronze, Aluminum-Manganese:Castings	Cancelled, Use QQ-B-726
MIL-B-16540(Wep)	Bronze, Phosphor: Castings	Superseded by QQ-C-390
MIL-b-16542(BuOrd)	Bronze For Screw Pipe Fittings; Castings	Cancelled, Use QQ-L-225
MIL-C-16553A	Cleaning Solution, and Rinsing Solution-Watch, Waterless	Cancelled Superseded by O-C-435
MIL-W-16559A-1	Welding Machines; Metal-Arc, Inert Gas, Alternating Current (For Manual Operation)	Cancelled
MIL-G-16566	Guns, Lubricating, Pressure, Hand-Operated	Cancelled, Use MIL-G-3859
MIL-M-16576B(Wep)	Metal, Gun; Castings	Cancelled Superseded by QQ-C-390
MIL-P-16591D-1	Plastic Material, Cellular Polystyrene	Superseded by MIL-P-40619
MIL-W-16602(BuOrd)	Wire, Spring, Phosphor-Bronze	Cancelled, Use QQ-W-401
MIL-C-16638B	Cylinders, Nonliquefied Compressed Gas, Non-Shatterable	Cancelled, Use MIL-C-22491
MIL-W-16714A-1	Wheels, Abrasive, Snagging	Superseded by GGG-W-00290 (Navy-Ships)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-E-16715B-3	Electrode, Welding, Covered (Austenitic Chrome-Nickel Steel, For Corrosive and High Temperature Services)	Cancelled, Use MIL-E-22200/
MIL-G-16742(Ships)	Generator Sets, Diesel Engine (Direct and Alternating Current, Stationary) (Shore Use)	Cancelled
MIL-F-16853(Aer)-1	Flash-Head, Electronic, Photographic (For 4 x 5 Enlargers)	Cancelled
MIL-S-16900(BuOrd)	Steel, Alloy: Forgings (For Torpedo Air Flasks, Heads and Midship Shells)	Cancelled
MIL-G-16908(BuOrd)	Grease, Bearing (For General Ordnance Use)	Cancelled Superseded by MIL-G-7711
MIL-I-16910C (Ships)-3	Interference Measurement Electro-Magnetic, Methods and Limits	Cancelled Superseded by MIL-STD-461
MIL-R-16937(BuOrd)	Rings, Piston, Bronze	Cancelled
MIL-B-16955 (BuOrd)-2	Battery, Silver-Zinc,Secondary Type	Cancelled
MIL-P-16961B-1	Porcelain Enamel Coating for Steel Mufflers of Internal Combusion Engines	Cancelled
MIL-H-17007(BuOrd)	Head Sheels: Phosphor Bronze	Cancelled
MIL-S-17058 (Ships)-2	Sink, Photographic Processing Temperature Controlled with Refrigerated Storage Cabinet	Cancelled
MIL-S-17063A	Soda Lime; For Removal of Carbon Dioxide and Chlorine From Air and Other Gases	Cancelled
MIL-K-17073(Aer)	Kit, Packaged Chemicals, Photographic Navy Reexposure Reversal Process for 16MM Universal Film in Houston K-3a Machines	Cancelled
MIL-S-17078(BuOrd)	Servo Motors 2 Phase, 400 Cycle	Superseded by MIL-S-22432
MIL-P-17091B	Polyamide (Nylon) Plastic; Rigid Molded Parts, Rods and Flats	Cancelled Superseded by L-P-410a

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-C-17106A	Cloth, Cotton, Duck, Fire, Water Mildew and Water Resistant	Cancelled, Use CCC-C-428a
MIL-U-17148C	Undercutters, Armature Mica, Rotary Cutter	Cancelled
MIL-L-17186(BuOrd)	Lead Styphnate, Normal (Commercial Grade)	Superseded by MIL-L-757
MIL-R-17207	Repair Parts for Time Measuring Instruments	Cancelled
MIL-P-17234(Aer)	Paint; Trafffic, Reflectorized	Cancelled Superseded by TT-P-0087 (Navy-Aer)
MIL-W-17241A(Aer)	Wrislets and Waistbands, Knit	Superseded by MIL-C-3735A
MIL-M-17275B	Meters, Electrical Indicating, Direct Current 1 Inch	Cancelled
MIL-T-17320A-1	Tower, Airport Control, 50 Feet High	Cancelled
MIL-L-17353A(BuOrd)	Lubricating-Oil, Temperature, Special	Cancelled
MIL-A-17357B	Aluminum Alloy 5154 (A54S) Plates & Sheets	Cancelled Use MIL-A-21598
MIL-A-17358C-1	Aluminum Alloy Plates, and Sheet	Superseded by QQ-A-250B
MIL-J-17363D	Jugs, Vacuum	Cancelled, Use MIL-J-21750(S&A)
MIL-P-17411(BuOrd)	Propellant Grain (JATO) Mark 30 Mod 1	Cancelled
MIL-C-17435C	Cushioning Material, Fibrous Glass	Cancelled
MIL-S-17438C	Sink, Photographic, Processing, Darkroom	Cancelled
MIL-P-17457B(Aer)	Processor, Film, 70 MM, Continuous Spray, Photographic	Cancelled
MIL-T-17480B	Trailers, Platform, Warehouse, Caster Steer, 4,000 and 6,000 Pounds Capacity, Solid Rubber Tires	Cancelled
MIL-N-17506A(Navy)	Nickel-Copper Aluminum Alloy Wrought	Cancelled, Use QQ-N-286
MIL-C-17539A	Chock Padding, Rubber and Cork Composition Pressure Sensitive	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-P-17541(NOrd)	Propellant Grain (For JATO X202 EL	Cancelled
	MIL-G-17553(NOrd)-3	Gaskets, "O" Ring, For Rockets	Cancelled, Use MIL-P-5516
	MIL-L-17554(NOrd)	Lubricating Grease, Semi-Fluid (For Ordnance Use)	Cancelled
	MIL-T-17569A(ASG)-1	Thermometer, Indicating, Resistance (Vortex) MIL-471/AMQ-8; One Complete Channel of Aerograph Set AN/AMQ-8	Cancelled
	MIL-F-17609(Aer)	Furniture, Wood, Prefabricated, Knock-Down Type, For Advanced Bases	Cancelled Superseded by MIL-F-22839A
	MIL-I-17633(NOrd)	Igniter Mark 153 Mod 2	Cancelled
	MIL-W-17663B-1	Wheel, Abrasive, Mounted (Points)	Cancelled
	MIL-S-17643(NOrd)-1	Simulator, Antenna SM-60/ASB-1	Cancelled
	MIL-S-17644(NOrd)	Sinulator, Computer SM-61/ASB-1	Cancelled
	MIL-T-17645(NOrd)	Test Set, Circuit Continuity TS-786/ASB-1	Cancelled
	MIL-H-17654(Aer)-1	Humidity Element, Resistance (Humidity Element ML-379/AM)	Cancelled
	MIL-P-17664B(Navy)	Protector, Packing List	Cancelled Use PPP-P-700
	MIL-H-17673(Aer)	Heater-Cooler, Water, Photographic	Cancelled
	MIL-P-17721C-1	Plastic Sheet, Laminated, Thermoset-ting, Glass Mat, Melamine-Resin	Cancelled
	MIL-R-17725(Wp)	Reflector, Adjustable, Mark 8 Mod 0	Cancelled
	MIL-G-17731(NOrd)	Gyroscope CN-237/DPN-4	Cancelled
	MIL-G-17732(NOrd)	Gyroscope CN-238/DPN-4	Cancelled
	MIL-G-17740A(Navy)	Grease, Extreme Pressure	Cancelled
	MIL-E-17751(NOrd)	Electron Tubes for Guided Missiles Supplemental Requirement	Cancelled, Use MIL-E-1
	MIL-S-17780A	Springs, Steel	Cancelled
	MIL-N-17792B(AS)	Negatives For Reproduction, General Preparation of	Cancelled Use MIL-M-38790
C	MIL-D-17800(NOrd)	Director, Attack Mark 5 Mod 1	Cancelled
	MIL-S-17806(NOrd)	Servo Motor - Tachometer Generator 2 Phase, 400 Cycle	Superseded by MIL-S-22820A
	MIL-H-17812(NOrd)	Hygrometer, Indicating	Cancelled
	MIL-C-17844(Aer)	Control System, Pressure Suit; Back Type	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-D-17845A(Aer)	Disconnect: Composite, Pressure Suit	Cancelled
MIL-C-17850(WP)-3	Compass; Magnetic, Car, Pocket Type MC-1	Cancelled
MIL-P-17851(Aer)	Pressure Suit; Oxygen Regulator	Cancelled
MIL-Z-17871A	Zinc-Coating (Hot-Dip Galvanizing)	Cancelled Use ASTM A153
MIL-S-17880(Aer)	Stripper; Cable, Hand	Cancelled
MIL-S-17886(Aer)	Survival Kit, Personal, Type PSK-2	Cancelled, Use MIL-S-18229
MIL-M-17891(Aer)	Mock-Ups; Aircraft Engines Including Rocket Engines, Construction and Inspection of	Cancelled
MIL-L-17892(Aer)	Leggings, Survival, Type S1-1	Cancelled
MIL-V-17893A(Weps)	Vest, Survival Kit, Type SU-1	Cancelled
MIL-P-17900B(Aer)-1	Production Data Package	Cancelled
MIL-T-17904(Aer)	Titler, Aerial Roll Film Photographic	Cancelled
MIL-C-17909A(Navy)	Cutting Attachment, Commercial Welding Torch	Cancelled, Use MIL-C-18116
MIL-S-17911(Aer)	Scarf, Aviator's	Cancelled
MIL-H-17913(Aer)	Hook; Bomb Shackle, Aero 3A	Cancelled
MIL-S-17916(Aer)-1	Stoves, Galley Electric, Aircraft	Cancelled
MIL-S-17919(Navy)	Steel Strip and Flat Bar, Carbon and Alloy (For Springs)	Cancelled
MIL-W-17929B-1	Wheels, Abrasive, Precision	Cancelled, Use ANSI B7.1, ANSI B74.2 & ANSI B74.13
MIL-P-17942(Wep)A	Parachutes and Parachute Components, Personnel: General Specification for	Superseded by MIL-P-6645G
MIL-S-17950(WP)-1	Shackle; Bomb, Aero 20B	Cancelled
MIL-M-17953(Ships)	Molding Plastic, Silicone Resin Thermosetting, and Molded Thermosetting Plastic Parts	Cancelled
MIL-R-17955(Aer)	Radiosonde Receptor AN/SMQ-1	Cancelled
MIL-C-17957(Aer)-2	Calibrator, Frequency AN/USM-45	Cancelled
MIL-A-17960A-1	Aerograph Set AN/AMQ-8	Cancelled
MIL-T-17990(NOrd)-1	Tungsten and Tungsten Carbide Alloys; Powder Metal Parts	Cancelled
MIL-T-17991(Aer)	Tape; Wing Slot, Waterproof Non-Corrosive, Pressure Sensitive	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-G-17994A(WP)-1	Generator, Signal AN/URM-64	Cancelled
	MIL-G-17995B(Wp)	Generator, Signal; AN/URM-49A	Cancelled
	MIL-S-18002(Aer)	Survival Kit, Arctic, Air Droppable Type ADA-2	Cancelled
	MIL-B-18007C(Wep)	Batteries; Lead Acid, Aircraft Recessed Terminal, General Specfiication for	Cancelled
	MIL-B-18008(Aer)	Battery; Storage, Shielded, 24 Volt, 36 Ampere Hour	Cancelled Superseded By MS25210
	MIL-B-18009(Aer)	Battery; Storage, Shielded 24 Volt, 24 Ampere Hour	Superseded by MS25211
	MIL-B-18013A(ASG)	Batteries, Storage, Aircraft High Capacity, General Specification for	Cancelled
	MIL-W-18016	Wax, Floor, Water Emulsion, For Conductive Floors	Cancelled
	MIL-P-18017B(ASG)	Packings, 275°F Hydraulic Systems, Aircraft	Superseded by MIL-P-25732(A
	MIL-A-18018(AER)	Amplifier, Flowmeter, Total Rate and Totalizer	Cancelled
	MIL-I-18019(Aer)	Indicator, Total Fuel Flow Rate and Totalizer	Cancelled
C	MIL-R-18020B(WEPS)	Receiving Set, Countermeasures AN/ALR-3	Cancelled
	MIL-C-18023(Aer)-1	Compensator, Angle of Attack and Angle of Sideslip	Cancelled
	MIL-A-18025A(Aer)-1	Automatic Chaff Dispenser Set AN/ALQ-2	Cancelled
	MIL-F-18029A(ASG)-1	Foil, Wire Marking	Superseded by CC-T-25
	MIL-T-18031(Aer)	Turret, Deck, Aero 14A	Cancelled
	MIL-H-18035B(Wep)	Handbook, Supplemental;Special Stores	Superseded by MIL-M-81310B(
S)			
	MIL-C-18036(Aer)	Cap; Utility, Cotton	Cancelled
	MIL-E-18043(Aer)	Reflector, Rotating Radar,Aero 1A	Cancelled
	MIL-S-18044(Aer)	Skid; Reflector, Rotating Radar Aero 1A	Cancelled
	MIL-R-18046(Aer)	Reports, Armament Development Progress	Cancelled
	MIL-D-18047(Aer)-1	Design for Name Plates for Armament Equip.	Cancelled
	MIL-T-18049(Aer)	Test Bench Cable Kit, MK-128/ARC-27	Cancelled
	MIL-C-18054A(Aer)	Controller, Altitude (P-1 Automatic Pilot/Radar Set AN/APN-22)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-S-18056(Aer)	Steel; Rolled or Forged Bars, Billets, Slabs, and Rough Forgings (For Catapults and Arresting Gear Machinery)	Cancelled
	MIL-R-18059(AS)-4 Q	Regulators, Oxygen; Automatic Positive Pressure and Composite Diluter Demand	Cancelled
	MIL-T-18062(Aer)	Test Stand; Aircraft Hydraulic System Portable	Cancelled
	MIL-L-18070(Aer)	Launcher, 2.75 FFAR Training Aero 1A	Cancelled
	MIL-T-18078C(ASG)-1	Target, Aerial, Banner, Radar Reflective, Type Aero 26C	Cancelled
	MIL-C-18085(Aer)	Counter; Gun Rounds Aero 1A	Cancelled
C	MIL-R-18094A(Weps)	Receiving Set, Radar AN/APR-13	Cancelled
	MIL-I-18095A(ASG)	Indicator, Turn and Slip, 115V, 3 Phase 1 7/8 Size Types MD-3 and MD-5	Cancelled
	MIL-C-18097(Aer)-2	Cloth, Polyethylene, Aluminum Foil and Nylon Lend (Radar Reflective)	Cancelled
	MIL-P-18099	Periscope, MX-1295/ASB-1A	Cancelled
C	MIL-R-18126(Aer)	Radar Set AN/APQ-51	Cancelled
	MIL-S-18130	Shirts, Flight, Woolen	Cancelled Use MIL-S-17641
	MIL-H-18132(Aer)	Hook Point; Aircraft Arresting Forged (4340) Steel Design	Cancelled
	MIL-T-18133B(Aer)	Test Set, Radar AN/UPM-44	Cancelled
	MIL-R-18136D(AS)-1	Research and Engineering Report; Format and General Requirements	Cancelled
	MIL-A-18150(Aer)	Acoustical Noise Level in Naval Aircraft, General Spec for	Superseded by MIL-A-8806(AS
	MIL-T-18157A	Trailer, Oxygen Servicing, Type No. 2	Cancelled
	MIL-A-18169A(Aer)	Air Conditioning Unit, Mobile Trailer Mounted, Cooling	Cancelled
	MIL-R-18173B(Wep)	Radio Set, AN/ARC-38	Cancelled
	MIL-C-18191A(Wep)-3	Computer Group, Navigation AN/ASA-13 and AN/ASA-13A	Cancelled
	MIL-T-18196(Aer)	Voltmeter TS-375(*)/U	Cancelled
	MIL-T-18197B(Wep)	Test Set Signal Generator AN/URM-61A	Cancelled
	MIL-F-18198	Field Strength Meter, Ts-509(*)/UR	Cancelled
	MIL-T-18200(Aer)	Test Set, TS-59(*)/APN-1	Cancelled
	MIL-W-18207(Aer)	Washer, Spray, Roll Film Photographic	Cancelled
	MIL-G-18212(Aer)	Generator, Interference, AN/ALML	Cancelled
	MIL-C-18216(Aer)-1	Change, Aircraft Service, Preparation of	Cancelled Per BuWep Instr. 5215.8 1/30/63

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
C	MIL-G-18226(NOrd)-1	Gun Barrel; 3 Inch Mk 26 Mod 0	Superseded by MIL-G-21110/10(W p)
C	MIL-S-18227(Aer)	Solid Propellant Sustainer, Guided Missile 1.5 Seconds Burning Time, 12,000 Pounds Thrust	Cancelled
	MIL-E-0018239B (Aer)-1	Earphones: H-87B/U	Superseded by MIL-E-18239(Wep)
	MIL-S-18241(Aer)	Screw, Self Locking, 250°F	Superseded by MIL-F-18240A
	MIL-S-18247A	Studs, Plain, Steel, General Purpose	Cancelled Use FF-S-1362
	MIL-H-18248(Wep)-1	Handbooks; Maintenance Instructions (Aircraft)	Superseded by MIL-M-81260(WP)
	MIL-T-18267(Aer)	Trunks, Bathing, Garbardine, Cotton	Cancelled
	MIL-C-18268(Aer)-1	Colors, Interior, Aircraft; Requirements for	Superseded by MIL-C-8779(ASG)
	MIL-A-18269(Aer)	Arresting Hooks, Aircraft; Inspection and Overhaul Process for	Cancelled
	MIL-L-18270(Aer)	Load, Dummy TS338()/UP	Cancelled
	MIL-S-18271(Aer)	Slotted Section, Probe, TS-339( )/UP	Cancelled
	MIL-T-18273(Aer)	Test Load (Radar) TS-346(*)/UP	Cancelled
	MIL-R-18274(Aer)	Reflectometer, TS-377(*)/U	Cancelled
	MIL-T-18278(Aer)	AN/APM-73 Test Set, Radar	Cancelled
	MIL-I-18285(Aer)	Indicator Group AN/APA-113	Cancelled
	MIL-F-18287(Aer)	Fittings, Hose End, Detachable (For Self Sealing Fuel Hose)	Cancelled
	MIL-H-18288(Aer)	Hose and Hose Assemblies, Aircraft, Self Sealing, Aromatic Fuel	Cancelled
C	MIL-R-18289(Aer)-1	Radar Set AN/APS-62	Cancelled
	MIL-D-18290(WP)-1	Dryer, Cut Film, Table Top Photographic	Cancelled
	MIL-R-18301B(Weps)	Reports, Contractors, Engineering for Aircraft Avionics Equipment	Cancelled
	MIL-R-18302(Aer)	Reports; Contractors Progress (For Aircraft Electric & Electronic Equip)	Cancelled
	MIL-H-18304A(Aer)	Handbooks for Developmental Electronic Equipment, Preparation of	Cancelled
	MIL-D-18305(Aer)	"Dog" Equipment; Requirements Governing the Use of	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-T-18306A(Wep)-1	Test Equip & Test Bench Harness Requirements for Aircraft Electronic Equip & Guided Missile Contracts	Cancelled
	MIL-C-18308(Aer)	Control, Radio Set C-866/ARN-21	Cancelled
C	MIL-C-18310A	Countermeasures, Transmitting Set, AN/ALT-2	Cancelled
	MIL-C-18312E-2	Capacitors, Fixed Metallized (Paper, Paper Plastic, or Plastic Film) Dielectric Direct Current (Hermetically Sealed in Metal Cases), Gen Spec for	Cancelled Inactive Use MIL-C-39022
	MIL-M-18314(Aer)	Microphone; Carbon, Hand Held	Superseded by MIL-M-2714A
	MIL-D-18320(Aer)	Developed, Photographic, Powder, Rapid Processing Medium Contrast	Cancelled
	MIL-D-18322(Aer)	Developer, Photographic, Powder, Rapid Processing, High Contrast, Paper and Film	Cancelled
	MIL-S-18323(Aer)	Stabilizer, Photographic, Powder, Rapid Processing	Cancelled
	MIL-T-18328B	Test Stand, Diluter Demand Oxygen Regulator Flowmeter Type	Cancelled
	MIL-R-18332(Aer)	Rocket Launcher, Package Aircraft Aero 7B	Cancelled
C	MIL-B-18333(NOrd)	Bombs, Practice, Miniature	Cancelled
	MIL-S-18336(Aer)	Sealing Compound; Water Dispersed, Fillet Type For Integral Fuel Tanks	Cancelled
	MIL-P-18337(Aer)	Printer, Photographic, Contact Semi-Automatic, 9 by 18 Inch	Cancelled
	MIL-C-18340(Aer)	Cloth, Orlon, Knit	Cancelled
	MIL-S-18342C(Wep)-1	Suit, Flying, Winter (Jackets and Trousers)	Cancelled
	MIL-R-18353(Aer)	Receiver, Radio, R-23A ARC-5	Cancelled
	MIL-I-18356A(Wep)	Indicator; Oxygen Flow	Cancelled
	MIL-B-18364B(Wep)	Bulletins: Aircraft Power Plant, Propeller Auxiliary Power and Starting Unit; Preparation of	Cancelled Per BuWep Instr 5215.8 1/30/63

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-I-18368(Aer)	Inflation Equipment; Individual Life Raft	Cancelled Use MIL-L-8664, MIL-V-25492 and MIL-V-8883
	MIL-H-18374B(AS)-1	Hood, Winter, Flyer's	Cancelled
	MIL-A-18376A(Aer)-1	Antennas AT-121()/AP and AT-138() AP and Antenna Base AB-117()/AP	Cancelled
	MIL-C-18385(Aer)	Camera, Missile Scoring, High Speed, 16MM	Cancelled
	MIL-A-18386A(Aer)-1	Aerograph Set (Helicopter) AN/AMQ-11	Cancelled Superseded MIL-A-23584
	MIL-F-18399(Aer)	Filters; Antenna, F-78/ARC-1 and F-79/APX	Cancelled
	MIL-S-18411(Navy)	Steel Bars, Carbon, Cold Finished, Free Machining	Cancelled Use QQ-S-637
	MIL-S-18414(Aer)	Synchro Alignment Test Set	Cancelled
	MIL-P-18415(Aer)	Potentiometer Alignment Test Set For Use With Armament Control Director, Aero 5B Armament Control System, Aero 13 and Aero 21B Turret System	Cancelled
	MIL-H-18426(Aer)-1	Helmets, Flight Deck Crew	Cancelled, Use MIL-H-81735(AS)
C	MIL-R-18427(Aer)	Radio Transmitter, Telemetering Set; (12 Channel)	Cancelled
	MIL-T-18430B	Trainer, Ejection Seat	Cancelled
	MIL-S-18437A(Wep)	Stroboscope, Self Calierating TS-969(*)/U	Cancelled
	MIL-G-18441A(Aer)	Generator, Signal AN/ARM-24	Cancelled
	MIL-P-18452A(Aer)	Power Supply, PP-1063/DPN	Cancelled
	MIL-C-18459A(ASG)-1	Chain, Roller, Aircraft	Cancelled & Superseded by MIL-C-52058
	MIL-B-18461(Aer)-1	Belt; Aircraft Safety, Pilot's Automatic Release, Cartridge Operated	Cancelled Superseded by MIL-R-81729
	MIL-S-18471/1A(AS)	Tractor Rocket Aircrew Extraction Escape System	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-S-18471B/2A (AS)-1	T-28 Aircraft Ejectable Seat Aircrew Escape System	Cancelled
MIL-G-18502A(ASG)	Generator, Alternating Current, Synchronizing, Engine Analyzer, 2 Pole	Cancelled
MIL-D-18505(NOrd)	Detonator MK 43 Mod 0	Cancelled
MIL-T-18508(NOrd)	Thermit Burning Charge Mk1	Cancelled
MIL-W-18511(NOrd)	Webbing, Nylon	Cancelled
MIL-R-18529(Aer)	Radar Set; AN/APS-42B	Cancelled
MIL-F-18536(NOrd)-1	Flares, Aircraft Parachute, Mk 8 Mod 1 and 2	Cancelled
MIL-S-18548(Aer)-1	Seat, Ditching Aircraft	Cancelled
MIL-M-18550(Aer)-1	Meter, Frequency, RF, LM Series	Cancelled
MIL-R-18552(Aer)	Rubbing Compounds, Lacquer	Cancelled
MIL-R-18553A(AS)-1	Remover, Paint, Non-Inflammable, Water-Rinsable In contact With Synthetic Rubber Usable	Cancelled
MIL-H-18554(Aer)	Holster Kit, Pistol, Pocket, Shoulder Type	Cancelled
MIL-L-18570(Wep)	Lights, Float, Aircraft MK 6 Mods 2 and 3	Cancelled
MIL-I-18579B(AS)-5	Integrated Electronic Central AN/ASQ-17B	Cancelled
MIL-T-18585A	Serving Unit, Compressed Air or Nitrogen Portable, 6 Cylinder Capacity 3500 PSI	Cancelled
MIL-T-18587(Aer)	Truck, Bomb, Mark 6 Mod 0	Cancelled
MIL-H-18588(Aer)	Hoist, Bomb, Manual, Mark 8 Mod 0	Cancelled
MIL-C-18591(Aer)	Carbon Monoxide Elimination; Requirements for	Superseded by MIL-STD-800
MIL-J-18594(Aer)	Jack, Hand, Hydraulic (Axle)	Cancelled
MIL-J-18595(Aer)	Jack, Hand, Hydraulic (Tripod Wing)	Cancelled
MIL-C-18596(Aer)	Covers, Insulated, Airplane Engine	Cancelled
MIL-L-18597(NOrd)	Light, Float, Aircraft, MK5 Mod 0	Cancelled
MIL-C-18604(Aer)	Camera, Motion Picture, Strike Recording 16MM Type KB (Model Number to be Assigned)	Cancelled
MIL-D-18605A(ASG)	Dryer, Roll Film 70MM, Air Impingement	Cancelled
MIL-H-18609(Aer)	Heating and Ventilating Equipment Aircraft, Installation of	Superseded by MIL-H-18325A(Aer
MIL-S-18619(Aer)	Seats; Pilots' Adjustable	Cancelled Superseded by MIL-S-81771(AS)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER		TITLE	REMARKS
	MIL-I-18620(Aer)		Inspection, Magnetic Particle Requirements for	Cancelled
	MIL-G-18621A(AS)		Gages, Pressure (For Catapult Hydraulic Systems)	Cancelled
	MIL-S-18624(Aer)		Skid, Bomb and Torpedo, Mk 8 Mod 0	Cancelled
	MIL-S-18625(Aer)		Skid, Bomb, Mk 1 Mod 1 (Including 100 Pound Bomb Adapter)	Cancelled
	MIL-S-18626(Aer)		Skid, Aircraft Bomb, Mk7 Mod 0	Cancelled
	MIL-A-18628B(Aer)		Armor, Body, Fragmentation Protective	Cancelled
	MIL-P-18629(Aer)		Presses Arbor, Hand Operated (Hydraulic)	Cancelled
	MIL-P-18637A(AS)-1		Propellant Grain, 4.23 Inch, Cruciform, for Rocket Motors	Cancelled
	MIL-R-18638		Rings, Steel, Alloy, Flash-Butt Welded (Torpedoes)	Cancelled
	MIL-C-18644(Aer)		Computer Group, Navigational AN/ASA-13; Installation of	Cancelled
	MIL-T-18645(Aer)		Tracer, Dead-Reckoning, Mercator, Airborne AN/ASA-14 Installation and Test of	Cancelled
	MIL-D-18647(Wep)-1		Detonator Mark 53 Mod 0	Cancelled
	MIL-G-18649(NOrd)		Generator, Alternating Current, G-45/D	Cancelled
	MIL-R-18650(NOrd)		Regulator, Voltage, CN-243	Cancelled
	MIL-S-18651(NOrd)		Signal, Rocket, Pistol, MK3 Mod 0	Cancelled
	MIL-R-18656(WP)-2		Racks, Bomb, Mark 51 Mod 11, 12 and 14	Cancelled
	MIL-R-18657(AER)-2		Radiosonde Receptro AN/SMA-1(1)	Cancelled
	MIL-C-18675(NOrd)		Cloth; Wire; Wire Screen, Phosphor Bronze	Superseded by RR-W-360
	MIL-C-18687B(ASG)		Cleaning Compound, Biodegradable	Cancelled
	MIL-C-18688(Aer)		Cadmium Red (Paint Pigment)	Cancelled
	MIL-F-18697(NOrd)		Fuze, Nose, Mark 137 Mod 0, 1	Cancelled
	MIL-G-18709A(NAVY)-3Q		Grease, Ball and Roller	Cancelled, Use DOD-G-24508
	MIL-C-18718B		Cleaning Compound, Solvent	Cancelled
	MIL-W-18720(Aer)		Walkway Matting, Non-Slip Aircraft	Superseded by MIL-W-5044A
	MIL-W-18723D	Q	Wax, Aircraft, Waterproof, Solvent Type	Cancelled
C	MIL-T-18725(Aer)-1		Turret, Tail, Aero 11D-2	Cancelled
	MIL-C-18726(NOrd)		Cement, Vinyl Alcohol-Acetate	Cancelled
	MIL-S-18730(ASG)		Steel Alloy Plate, Sheet, and Strip (8735), Aircraft Quality	Cancelled Use MIL-S-18733A
	MIL-S-18731A		Steel, Alloy, Sheet and Strip, (6150), Aircraft Quality	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-S-18733A	Steel Plate, Sheet and Strip, Alloy (4135), Aircraft Quality	Cancelled
	MIL-S-18736(Nord)	Signal Float, Submarine Mk 2 Mod 2	Cancelled
	MIL-C-18747(Aer)	Camera System, Motion Picture 35MM, Fast Frame Rate Aircraft Reconnaissance	Cancelled
	MIL-C-18767B(ASG)	Cleaning and Polishing Compound, Transparent Plastic Aircraft Materials	Superseded by PP-P-560
C	MIL-F-18782(Nord)	Fuze, Time, MK250, Mod 0	Cancelled
	MIL-I-18783(Aer)	Installation of Self Sealing Fuel Tanks	Cancelled
	MIL-M-18794(Navy)	Molding Plastics and Molded Plastic Parts, Thermosetting, Diallyl Phthalate Resin	Cancelled Use MIL-M-14
	MIL-C-18805A(AER)	Catapulting, Landplane	Cancelled, use MIL-L-22589
C	MIL-C-18812(NOrd)	Torpedo, MK32 Mods 2 Proof Requirements	Cancelled
	MIL-D-18813(NOrd)	Depth Setting Mechanism Mark 6, Mod 0	Cancelled
	MIL-D-18825(NOrd)	Dummy Round 20 Millimeter	Cancelled
	MIL-M-18828A(AS)	Mockups; Construction of For Target Drones And Guided Missiles	Cancelled
	MIL-G-18835C(AS)	Cartridge, 20MM, For Aircraft Guns MK11 and MK12	Cancelled, Use MIL-C-85122(AS)
	MIL-O-18852D(Wep)	Oscillograph (For Torpedo Mark 37 Mod 0	Superseded by MIL-O-23560(Wep)
	MIL-M-18863(NOrd)	Motor, Rocket, Inert Parts	Cancelled
	MIL-D-18865(Aer)	Demonstration of Targets, Class KD General Specification for	Superseded by MIL-D-18243A(AS)
	MIL-C-18867A(Navy)	Connectors, "QDS" For Radio Frequency Cables	Cancelled
	MIL-M-18872(Aer)	Microfilming Engineering Drawings and Related Data Requirements for	Superseded by MIL-M-8857(ASG)
C	MIL-C-18880(NOrd)	Control Panel, Homing (For Torpedo MK 21 Mod 2)	Cancelled
	MIL-L-18894(WP)	Latch, Deep Arming (For the Depth Charge Pistol MK12 Type)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-H-18898(Aer)	Handbook, Aircraft Inspection Requirements	Superseded by MIL-M-23618
	MIL-F-18903(NOrd)	Flare, Trip Wire, MK1 Mod 0	Cancelled
	MIL-D-18910A(NOrd)	Depth Charge (Inert), Mark 15 All Mods General Specification for	Cancelled
	MIL-D-18910/1(NOrd)	Depth Charge (Inert) Mark 15 Mod 1 (Practice)	Cancelled
	MIL-D-18910/2(NOrd)	Depth Charge (Inert) Mark 15 Mod 2 (Practice)	Cancelled
	MIL-D-18910/3(NOrd)	Depth Charge (Inert) Mark 15 Mod 3	Cancelled
	MIL-D-18910/4(NOrd)	Depth Charge (Inert) Mark 15 Mod 4	Cancelled
	MIL-D-18910/5(NOrd)	Depth Charge (Inert) Mark 15 Mod 5	Cancelled
	MIL-D-18910/6(NOrd)	Depth Charge (Inert) Mark 15 Mod 6 (Practice)	Cancelled
	MIL-D-18910/7(NOrd)	Depth Charge (Inert) Mark 15 Mod 7 (Practice)	Cancelled
	MIL-D-18910/8(NOrd)	Depth Charge (Inert) Mark 15 Mod 8	Cancelled
	MIL-D-18910/9(NOrd)	Depth Charge (Inert) Mark 15 Mod 10	Cancelled
	MIL-D-18910/10 (NOrd)	Depth Charge (Inert) Mark 15 Mod 11 (Practice)	Cancelled
	MIL-D-18910/11 (NOrd)	Depth Charge (Inert) Mark 15 Mod 12	Cancelled
	MIL-K-18917B(WP)	Kit, Portable Test; Suit Pressurization System MK 1 Mod 1	Cancelled
	MIL-P-18919(NOrd)	Priming Caps (Mercuric)	Cancelled
	MIL-S-18922(NOrd)-1	Signal, Submarine Emergency Identification, Mark 3	Cancelled
	MIL-B-18926(NOrd)	Bombs, Practice, Sand-Water Fillable	Cancelled
	MIL-G-18928(Aer)	Grip, Ranging-Throttle Aero 4D	Cancelled
	MIL-T-18934A	Test Detecting Set, Cable AN/TSM-11()	Cancelled
C	MIL-P-18951(NOrd)	Projectiles, Armor Piercing	Cancelled
C	MIL-S-18952(NOrd)	Steel, Armor Plates, Wrought and Armored Structures, Naval Type	Cancelled
	MIL-I-18955(Aer)	Indicator, Range ID-388/APN	Cancelled
	MIL-H-18970(Aer)-2	Harness, Pilot's Shoulder Safety, Standard V Type	Cancelled Superseded by MIL-R-81729

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-H-18971(Aer)-2	Harness, Pilots' Shoulder Safety Standard Y Type	Cancelled, Use MIL-R-81729
	MIL-W-18972(Aer)	Webbing, Textile (For Aircraft Barriers) and Barricades	Superseded by MIL-W-4088E
	MIL-C-18976(NOrd)-1	Climb Angle Limiter For Torpedo Mk 21 Mod 2	Cancelled
	MIL-A-18989(Aer)-1	Airship Gas Pressure Control Instrument-Portable	Cancelled
	MIL-R-18990(Aer)-2	Radiosond AN/AMT-11	Cancelled
	MIL-W-19011(Wep)	Webbing, Textile, Nylon (Abrasion Resistant Low Temperature Pliable)	Superseded by MIL-W-4088E
	MIL-S-19019(NOrd)	Semi-Trailer MK 11 Mod 0 (Hydraulic Lift)	Superseded by MIL-S-45395A
	MIL-E-19021(NOrd)	Electron Tube Assembly (For Torpedo Mk 21 Mod 2)	Cancelled
	MIL-R-19022A(NOrd)	Recorder, Multielement (For Torpedo Mk 21 Mod 2)	Cancelled
	MIL-E-19042(Aer)	Engine, Rocket, Solid Propellant, 2.2 Second Duration 11,000 lbs. Thrust	Transferred to BuOrd
	MIL-E-19043(Aer)	Engine Rocket, Solid Propellant 2.2 Second Duration, 33,000 lbs. Thrust	Transferred to BuOrd
	MIL-T-19045(NOrd)	Timer, Cycler (For Torpedo Mk 21 Mod 2)	Cancelled
	MIL-C-19052(NOrd)	Cleaning and Protecting Interior Non-Machined Surfaces of Castings and Weldments	Cancelled
	MIL-G-19053C(Aer)	Gage, Aircraft, Capacitance, Liquid Oxygen Converter, General Specification for	Cancelled
C	MIL-H-19056(NOrd)-1	Hydrophone, Magnetostrictive, Twelve Tube (For Torpedo Mk 21 Mod 2)	Cancelled
	MIL-H-19066(Aer)	Hydraulic System Components (Type II Systems) Aircraft Gen Spec for	Cancelled
	MIL-A-19070A	Aluminum Alloy Plates and Sheets, 5086 (K186)	Superseded by QQ-A-250b

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-S-19073(NOrd)-1	Switch, Inertia (For Torpedo MK 21 Mod 2)	Cancelled
	MIL-P-19075(Aer)	Parachute, Back Type, 26 Foot, 22 Gore	Cancelled BuAer Uses MIL-P-17942(Aer)
	MIL-R-19079(Aer)	Receiver, Radio R-602/ARW	Cancelled
	MIL-T-19081(NOrd)	Tool Steel, Alloy (Manganese, Non-Deforming)	Cancelled
	MIL-I-19104(Aer)	Interval Selector Mark 1 Mod 0	Cancelled
	MIL-R-19121E(AS)	Regulator, Mask Mounted, 100 Percent Oxygen, Positive Pressure	Cancelled Use MIL-R-81553
	MIL-G-19125(NOrd)-3	Generator (For Torpedo MK 21 Mod 2)	Cancelled
	MIL-R-19128(Aer)	Radar Set; AN/APQ-33	Cancelled
	MIL-A-19129(Aer)	Analyzer, Engine, Airborne and Portable	Cancelled
	MIL-B-19132(NOrd)	Blanket, Thermal, Torpedo, Mk 2 Mod 0	Cancelled
	MIL-T-19133(NOrd)	Test Set, Circuit, MK 286 Mod 0 (T3000); and Spare Parts	Cancelled
	MIL-T-19134(NOrd)	Test Set, Circuit Mk 287 Mod 0 (T-3001) and Spare Parts	Cancelled
	MIL-F-19136(NOrd)	Fairing, Weapon, Mk 12 Mod 0	Cancelled
C	MIL-A-19137(NOrd)	Afterbody Mk 2 Mod 0	Cancelled
	MIL-D-19142B(Wep)-2	Detection Set, Magnetic; AN/ASQ-10A	Cancelled
	MIL-A-19144(Aer)-1	Air Conditioning Unit, Trailer Mounted Electrical Driven Heating and Cooling	Cancelled
	MIL-C-19163(NOrd)	Castings, Shell, Magnesium (Special)	Cancelled
C	MIL-F-19164(NOrd)	Fuze, Thermal, Mark 252 Mod 0	Cancelled
	MIL-R-19168(Aer)-2	Rocket Launcher, Package Aero 7B	Superseded by MIL-L-8818
	MIL-R-19182(Aer)	Radio Set AN/ARC-2 and AN/ARC-2A	Cancelled
	MIL-T-19203C(WP)	Test Set, Radio, AN/ARM-22	Cancelled
	MIL-F-19204A(Weps)	Frequency, Converter Group AN/USA-6	Cancelled
	MIL-T-19205A(Wep)-1	Test Bench, Cable Set; AN/ARM-31	Cancelled
	MIL-C-19208A(Aer)	Cloth, Coated, Vapor Permeable-Water Impermeable	Cancelled
	MIL-I-19213(NOrd)	Indicator Assembly ID-442/APG-46	Cancelled
	MIL-S-19234(NOrd)	Solder, Cadmium Silver	Cancelled
	MIL-C-19245A(Aer)	Computer Set, Navigational AN/ASN-21	Cancelled
	MIL-T-19250A (Weps)-1	Test Set, Radio, AN/ARM-26	Cancelled
	MIL-T-19251A(Wep)	Test Bench Cable Set, AN/ARM-29	Cancelled
	MIL-K-19252(Aer)	Kit, Accessory, MK-291/ARM	Cancelled
	MIL-T-19266A(Wep)	Test Set, Radar AN/UPM-26	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-C-19276(NOrd)-1	Controller, Steering (For Torpedo Mk 39 Mod 1)	Cancelled
	MIL-P-19277(NOrd)	Positioner, Step, (For Torpedo Mk 39 Mod 1)	Cancelled
	MIL-E-19278A(NOrd)	Enabler (For Torpedo Mk 39 Mod 1)	Cancelled
	MIL-C-19279(NOrd)A	Clutch, Magnetic (For Torpedo Mk 39 Mod 1)	Cancelled
	MIL-M-19280A(NOrd)	Motor, Direct Current (For Torpedo Mk 39 Mod 1)	Cancelled
	MIL-G-19281(NOrd)	Generator, Tachometer (For Torpedo Mk 39 Mod 1)	Cancelled
	MIL-B-19282(Wep)	Battery, Mk. 55 Mod 0 Secondary Type, Silver Zinc Alkali	Cancelled
	MIL-P-19289(Aer)	Periscope Assembly, For Radar Recording	Cancelled
	MIL-P-19290F Q	Pliers, Nonsparkling and Nonmagnetic	Cancelled
	MIL-C-19308(NOrd)-1	Converter, Gyro Pickoff (For Torpedo Mark 39 Mod 1)	Cancelled
	MIL-R-19309A(Wep)-1	Relay, Sensitive (For Torpedo MK 39 Mod 1)	Cancelled
	MIL-R-19312(NOrd)-1	Relay, Differential (For Torpedo Mk 39 Mod 1)	Cancelled
	MIL-R-19313(NOrd)-1	Relay, General Purpose (For Torpedo Mk 39 Mod 1)	Cancelled
	MIL-C-19316A(NOrd)	Control Unit, Depth (For Torpedo Mk 39 Mod 1)	Cancelled
C	MIL-T-19319(Aer)	Test Set, Sonar AN/AQM-2	Cancelled
	MIL-C-19327B(Aer)	Gage, Aircraft, Capacitance, Liquid Oxygen Converter, Type MC-5	Cancelled, Use MIL-I-81387(AS)
	MIL-P-19330A(NOrd)	Pendulum (For Torpedo Mk 39 Mod 1)	Cancelled
	MIL-T-19331(WP)-2	Test Set, Radar AN/UPM-8B	Cancelled
	MIL-T-19334A(NOrd)	Transmitting Set, Telemetric Data	Cancelled
	MIL-R-19353(Aer)	Rope, Nylon, 5/16 Inch Diameter	Cancelled
	MIL-I-19358C	Indicator, Tachometer, Electric Hermetrically Sealed Type ERU-7/A	Cancelled
	MIL-R-19360(Aer)	Radio Set, AN/PRC-32	Cancelled
C	MIL-A-19363(Aer)	Antenna AS-775/APA-69	Cancelled
	MIL-H-19366B(Wep)	Helmet; Pilots' Protective Type APH-5	Cancelled Superseded by MIL-H-22995(Wep)
	MIL-S-19376A(NOrd)	Switch Rotary (For Torpedo Mk 39 Mod 1)	Cancelled
	MIL-T-19383(NOrd)-1	Test Set, Synchro Synchro Transmitter Mk 312 Mod 0	Cancelled
	MIL-G-19385A(NOrd)	Gyroscope, Anti-Circular Run (For Torpedo Mk 39 Mod 1)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-A-19391(Aer)	Antenna, AS-473/ASB-1	Cancelled
MIL-H-19392(Aer)	Horn, Waveguide, for AS-473/ASB-1	Cancelled
MIL-S-19393(Aer)	Support, Waveguide Horn, For AS-473/ASB-1	Cancelled
MIL-R-19394(Aer)	Reflector, Antenna, For AS-473/ASB-1	Cancelled
MIL-C-19395(Aer)	Coupler, Transmission Line, Aximuth or Roll Rotary Joint, For AS-473/ASB-1	Cancelled
MIL-C-19396(Aer)	Coupler, Transmission Line, Pitch, Rotary Joint, For AS 473/ASB-1	Cancelled
MIL-D-19398(Aer)	Drive, Antenna, 25 Degree Scan, For AS-473/ASB-1	Cancelled
MIL-E-19400(Aer)-1	Electronic Equipment Airborne Sonar, General Specification for	Cancelled
MIL-S-19402(Aer)	Synchro Transmitter Group, Azimuth For AS-473/ASB-1	Cancelled
MIL-D-19404(Aer)	Drive Antenna Vertical Stabilization for AS 473/ASB-1	Cancelled
MIL-M-19405(Aer)	Motor, Alternating Current, For AS-473/ASB-1	Cancelled
MIL-T-19408B(Wep)	Test Set, Radar AN/UPM-32	Cancelled
MIL-R-19409A(Aer)	Radar Set AN/APS-33B	Cancelled
MIL-C-19412(Aer)-1	Control, Radio Set, C-865B/ARC-1	Cancelled
MIL-C-19413(Wep)	Capacitors, Fixed, Synchro 60 Cycle and 400 Cycle; General Specification for	Cancelled
MIL-C-19413/1(Wep)	Capacitor, Synchro	Cancelled
MIL-C-19413/2(Wep)	Capacitor, Synchro	Cancelled
MIL-C-19413/3(Wep)	Capacitor, Synchro	Cancelled
MIL-C-19413(Wep)	Capacitor, Synchro	Cancelled
MIL-C-19413/5(Wep)	Capacitor, Synchro	Cancelled
MIL-C-19413/6(Wep)	Capacitor, Synchro	Cancelled
MIL-C-19413/7(Wep)	Capacitor, Synchro	Cancelled
MIL-C-19413/8(Wep)	Box, Capacitor	Cancelled
MIL-C-19413/10(Wep)	Box, Capacitor	Cancelled
MIL-C-19413/11(Wep)	Box, Capacitor	Cancelled
MIL-C-19413/12(Wep)	Box, Capacitors	Cancelled
MIL-D-19418(Wep)A	Deicing-Defrosting Fluid, 10° to 32°F Range	Cancelled, Use MIL-A-8243
MIL-19420A(Ships)-1	Charger, Battery, Metallic Rectifier, Naval Shipboard General Service	Cancelled, Use MIL-P-15736/2 (Ships)
MIL-A-19422(NOrd)-1	Actuators: Elevatro: Rubber (For Torpedo MK. 39 Mod. 1)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-S-19424(Wep)-1	Silver Sheet, Strip, Wire and Rod	Cancelled and Superseded by MIL-S-13282A
	MIL-R-19430(Aer)	Receiving Set, Radio AN/FRW-3	Cancelled
	MIL-T-19431A(Wep)	Transmitting Set, Radio AN/FRW-2	Cancelled
	MIL-T-19432A(Wep)	Test Set, Magnetic Detector AN/ASM-6	Cancelled
	MIL-R-19438A(NOrd)	Resistor, Variable, Wire Wound, Precision	Cancelled
	MIL-T-19442(Aer)	Test Bench Cable Set AN/ALM-2	Cancelled
	MIL-C-19454(Wep)-1	Converters, Electric Power (For Ground Use) Gen Spec for	Cancelled
C	MIL-T-19455(Aer)	Transponder Sets, AN/DPN-37 and AN/DPN-38	Cancelled
	MIL-I-19456A(Aer)	Instructions, Operating for Special Photographic Equipment	Cancelled
	MIL-L-19494(Aer)-1	Launcher Training Adapter (Boar)Aero 2A	Cancelled
	MIL-R-19508(Aer)	Recorder, Signal Data RO-44(*)/ASH	Cancelled
	MIL-R-19509(Wep)	Reproducer, Signal Data RP-120(*)/USH	Cancelled
	MIL-G-19515(NOrd)	Gyro Mark 39 Mod. 0	Cancelled
	MIL-C-19524A(AS)-1	Cloth, Coated, Polyethylene Film, Pressed	Cancelled
	MIL-S-19525B(ASG)	Seals, Neck and Wrist, Exposure Coverall	Cancelled
	MIL-E-19529(WP)-1	Ejector, Aero 23A	Cancelled
	MIL-M-19536A(Navy)	Molding Plastic and Molded Plastic Parts Glass Fiber Filled Phenolic Resin	Superseded by MIL-M-14F
	MIL-T-19544B(ASG)	Thinner; Acrylic-Nitrocellulose Lacquer	Cancelled, Use TT-T-266
	MIL-C-19554(Aer)	Cloth, Coated, Dacron (Polyester Fiber) ZSG-4 Type Airship Envelope	Cancelled
	MIL-T-19560	Test Bench Cable Set, AN/ARM-23	Cancelled
	MIL-T-19561(Aer)	Test Set, Radio AN/ARM-27	Cancelled
	MIL-F-19563(Aer)-1	Fire Extinguishing Agent, Dry Chemical, Foam Compatible	Cancelled
	MIL-I-19570A(AER)	Indicator, Airspeed and Mach Number Pitot static 80 to 850 Knots Vapor-Barrier and Weather-Resistant	Cancelled
	MIL-C-19574(NOrd)-1	Chassis, Power Control For Torpedo Mk. 39 Mod 1	Cancelled
	MIL-P-19575(NOrd)-1	Power Supply, 400 Cycle for Torpedo Mk. 39 Mod. 1	Cancelled
	MIL-E-19577(Wep)-2	Enlarger, Photographic, 1:4 Fixed Ration, 70NM	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-T-19580A(Wep)	Transformer, Brightness Control Optical Landing System 240V Primary, 7 KW, Type TO-1	Cancelled
MIL-R-19584(Aer)	Receiving Set, Radio, AN/ARR-15A	Cancelled
MIL-M-19590C Interim AM 5 (Navy)	Marking of Commodities and Containers to Indicate Radioactive Material	Cancelled, Use MIL-STD-1458
MIL-E-19600A(Wep)	Electronic Modules, Aircraft Requirements for	Cancelled
MIL-E-19604(NOrd)	Enamel: Lustreless, Quick Drying (For Metal Containers)	Cancelled
MIL-R-19610(Aer)	Reliability of Productin Electronic Equipment General Specification for	Cancelled
MIL-R-19612(Aer)	Radio Control Transmitter 400 MC, FM Transmitter, Radio T-450/ARM-66	Cancelled
MIL-P-19613(Aer)	Coder, KY-133/ARW-66, Control, C-1395/ ARW-66, Control, C-1396/ARW-66	Cancelled
MIL-Q-19614(Aer)	Quality Assurance Provisions, Modules Electronic, For Use in Aircraft	Superseded by MIL-E-19600A(Weo
MIL-V-19615(Aer)	Vaporizer System, Liquid Oxygen to High Pressure Gaseous Oxygen, Skid Mounted	Cancelled
MIL-R-19628A(Aer)	Radar Set, AN/APS-70	Cancelled
MIL-T-19634(Aer)	Test Set, Radio AN/ARM-28	Cancelled
MIL-P-19640(Aer)	Processor, Film, Motion Picture Continuous, 16MM and 35MM Combination	Cancelled
MIL-C-19651(Aer)	Camera, Radarscope, Focusing, 35MM	Cancelled
MIL-H-19652(Aer)	Handbook; Operation, Service, and Repair Instructions With Parts Breakdown (Automotive Ground Equipment Items)	Cancelled Superseded by MIL-M-81919
MIL-T-19659(Aer)	Trailer, Oxygen Servicing Type No. 3	Cancelled
MIL-G-19660(Aer)	Generator, Signal SG-146 (*)/U	Cancelled
MIL-L-19662(Aer)	Light; Marker, Emergency, Airfield, Mercury Battery Operated, Type HE-1	Cancelled Superseded by MIL-L-10661A
MIL-B-19666A(Wep)	Bag, Carrying, Flying Helmet and Oxygen Mask	Cancelled
MIL-S-19671(Aer)	Suit, Flying, Summer	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-A-19679A(Wep)-2	Altimeter, Pressure, Counter-Pointer	Cancelled
	MIL-C-19694(Aer)	Coveralls, Wading	Cancelled
	MIL-L-19701(NOrd)	Lubricant, All-Weather, Semi-Fluid or Aircraft Ordnance	Cancelled
	MIL-D-19706(NOrd)	Dolly, Weapon Component Transfer, MK. 1 Mod. 0	Cancelled
	MIL-C-19707(NOrd)	Cradle, Stowage, Weapon Component, MK. 1 Mod. 0 and MK 2 Mod. 0	Cancelled
	MIL-S-19722A(WP)	Stencil, Marking, Paper, Pressure-Sensitive	Cancelled Superseded by UU-S-600B
	MIL-C-19723(Aer)-1	Coat, Aircraft Fire Fighters'	Cancelled
	MIL-U-19728B(Wep)	Unit Model CP5 Gas Turbine Driven Power Refrigeration Pod Enclosed, Airborne; General Requirements for	Cancelled
	MIL-D-19731(Aer)A-1	Data Sheet for Aviation Support Equipment	Cancelled
	MIL-B-19739(Aer)	Beacon, Radar AN/DPN-45	Cancelled
	MIL-M-19748(Wep)-2	Motor, Drive, Torpedo	Cancelled
	MIL-R-19750A(ASG)	Regulator; Voltage 28V, 120°C, 30 V Direct-Current Generator, General Specification for	Cancelled
	MIL-S-19752A(NOrd)	Sumulator, Altitude SM-100/DSM018	Cancelled
	MIL-T-19753C(YD)	Truck, AIrcraft, Fire Fighting, Foam and Water 600 Gallon Capacity	Cancelled
	MIL-C-19754(Aer)	Computer and Tabulator, Cruise Control	Cancelled Superseded by MIL-C-22591(W
p)			
	MIL-T-19756(NOrd)	Test Set, Cable, Mark 275 Mod 1	Cancelled
	MIL-S-19763B(WP)-1	Sonobuoy AN/SSQ-23B	Cancelled
	MIL-R-19764(Aer)	Radar Set AN/APS-86	Cancelled
	MIL-S-19786C (Navy)-2	Shields, Electron Tube, Heat Dissipating	Cancelled Superseded by MIL-S-24251
	MIL-G-19788(Nord)	Gold Plating (Electrodeposited)	Superseded by MIL-G-45204
C	MIL-C-19790(Aer)	Command Link for Model ASM-N-7 (Bullpup Guided Missile Weapons System)	Cancelled
	MIL-C-19801(Aer)	Converter, Oxygen, Aircraft, Liquid to Gaseous, Type MB-8	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-C-19802(Aer)	Converter, Oxygen, Aircraft, Liquid to Gaseous, Type MB-7	Cancelled
	MIL-G-19804(Aer)	Gage, Aircraft, Capacitance, Liquid Oxygen Converter, Type MC-6	Cancelled
	MIL-G-19805(Aer	Gage, Aircraft, Capacitance, Liquid Oxygen Converter, Type MC-7	Cancelled
	MIL-G-19806(Aer)	Gage, Aircraft, Capacitance, Liquid Oxygen Converter, Type MC-8	Cancelled
	MIL-G-19807(Aer)	Gage, Aircraft, Capacitance, Liquid Oxygen Quantity Indicator Repeaters, Types MC-5R, MC-6R, MC-7R, MC-8R	Cancelled-Use MIL-I-81388(AS)
C	MIL-E-19811(NOrd)	Exploder Mechanism (Less Arming Device) MK 19 Mod 8 (For Torpedo MK 21 MOd 2)	Cancelled
	MIL-M-19832A(Wep)	Meteorological Station, Semi-Automatic AN/GMQ-14	Cancelled
	MIL-P-19833B-1	Plastic Molding Material and Plastic Molded Parts, Glass Fiber Filled, Diallyl Phthalate Resin	Cancelled
	MIL-S-19866(Aer)	Scales, Plotting, Meterological, Plastic	Cancelled
C	MIL-R-19877C(Wep)	Receiver-Indicator R-976A/ALD-2 And Mounting MT-2284A/ALD-2(U)	Cancelled
	MIL-B-19880(Aer)	Boxes, Paperboard, Metal Stayed, Reusable	Transferred to Marine Corps
C	MIL-B-19881(Aer)	Bathythermograph Set AN/ASH-5	Cancelled
	MIL-D-19890A(WP)	Descriptive Plan for Item Identification	Cancelled
	MIL-S-19893A(ASG)	Switch-Pressure, Aircraft Pneumatics (Type 110)	Cancelled
	MIL-D-19895(Aer)	Dryer, Roll FIlm, Aerial 5 to 9 Inch	Cancelled
	MIL-L-19896E(Navy)	Labels, and Label Tape, Pressure Sensitive Adhesive, Paper, Water Resistant	Cancelled Use MIL-F-16377
	MIL-G-19919(Aer)	Gloves, Leather, Summer, Flying	Cancelled Superseded by MIL-G-81188(WP)
	MIL-L-19927(Aer)	Launcher Unit, Sonobuoy, Aero 1A	Cancelled
	MIL-B-19934(Aer)	Bulletins; Airship Envelopes; Preparation of	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-T-19938A(Aer)	Control, Directional, Electrically Driven Gyro S-2 Compass, and S-5 Automatic Pilot	Cancelled
	MIL-I-19943(Aer)	Inflator, Pneumatic Life Preserver, Automatic	Cancelled
	MIL-C-19952(NOrd)	Container, Separation-Timer, Mark 146 Mod 0	Cancelled
	MIL-T-19957NOrd)	Transmission Test Unit, Timer, Mark 55	Cancelled
	MIL-S-19958(NOrd)	Setter, TImer, Mark 1 Mod 0	Cancelled
C	MIL-S-19961(NOrd)	Separation-Timer Mark 1 Mod 0 (Unloaded)	Cancelled
	MIL-P-19963(NOrd)	Pyro Block Assembly For Separation-Timer Mark 1 Mod 0	Cancelled
	MIL-S-19964(NOrd)	Separation-Timer Arming Switch for Separation-Timer Mark 1 Mod 0	Cancelled
	MIL-T-19965(NOrd)	Test Set, Timer, Mark 322 Mod 0	Cancelled
C	MIL-D-19966(NOrd)	Director, Attack, Mk 7 Mod 0 for Fire Control System MK 110 and Mods	Cancelled
	MIL-C-19967A(NOrd)	Cumputer, Stabilization MK 114 Mod 0 For Fire Control System MK 110 and Mods	Cancelled
	MIL-C-19968A(NOrd)	Computer, Roll and Pitch, MK 115 Mod 0 For Fire Control System MK 110 and Mods	Cancelled
C	MIL-I-19969(NOrd)	Indicator, Range and Train, MK 70 Mod 0 for Fire Control System MK 110 and Mods	Cancelled
	MIL-P-19970A(NOrd)	Panel, Firing, MK 42 Mod 0 for Fire Control System MK 110 Mods	Cancelled
C	MIL-M-19972(NOrd)	Motor, Torpedo Booster, Mk 1 Mod 0	Cancelled
	MIL-I-19973(NOrd)	Igniter, Rocket, Motor, Mark 179 Mod 0	Cancelled
	MIL-I-19986(Aer)	Indicator, Pressure Torque, Synchro Sensitive, With Integral Amplifier	Cancelled
	MIL-L-19991(Aer)-1	Launcher, Torpedo, Aircraft, AerolA	Cancelled
	MIL-G-19996A(Wep)	Generator, Signal AN/USM-47(*)	Cancelled Use MIL-G-1799A
	MIL-G-19997(Aer)	Generator, Signal AN/USM-48(*)	Cancelled, Use MIL-G-17994
	MIL-C-20018B	Cloth, Cotton, Jungle	Cancelled
	MIL-C-20074	Crucibles (For Melting Aluminum)	Cancelled, Use MIL-C-20073

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-S-20093	Suits, Asbestos (Flameproof)	Cancelled
MIL-B-20151A(Navy)	Brass, Rolled, Plates (Admiralty Metal)	Cancelled
MIL-T-20214A	Triethanolamine, Technical	Superseded by MIL-E-50011
MIL-C-20217	Compounds, Carburizing	Cancelled
MIL-P-20311A	Paper, Kraft, Duplex, Waterproof, Wrapping (For Ammunition Containers)	Superseded by PPP-B-1055B
MIL-S-20379A	Scale, Plotting, Boxwood, Flat	Cancelled, Use GG-S-16K
MIL-T-20618-1	Treatment- Fire-, Laundry-, Dry-Cleaning-, and Mildew-Resistant (For Cotton Fabrics)	Cancelled, Use CCC-C-436
MIL-M-20693B-1 Q	Molding Plastic, Polyamide (Nylon), Rigid	Cancelled
MIL-A-20695-1	Aluminum Products, Preparation for Storage and Shipment of	Superseded by MIL-STD-649
MIL-T-20698	Truck, Fork Lift, Self-Side Loading, Gasoline	Cancelled
MIL-F-20707	Filter Elements, Fluid, Pressure; Oil, Full Flow	Cancelled Superseded by F-F-351C
MIL-S-20708/18A (NOrd)	Synchro, Transmitter, Type 15TX4b	Cancelled, Use MIL-S-20708/19
MIL-S-20708/37A (NOrd)	Synchro, Transmitter, Type 18TX6a	Cancelled, Use MIL-S-20708/35
MIL-S-20708/44A (NOrd)	Synchro, Transmitter, Type 23TX4b	Cancelled, Use MIL-S-20708/50
MIL-S-20708/51A (NOrd)	Synchro, Transmitter, Type 23TX6b	Cancelled, Use MIL-S-20708/56
MIL-S-20708/61A (Wep)	Synchro, Transmitter, Type 31TX4B	Cancelled, Use MIL-S-20708/62
MIL-S-20708/ 63A(Wep)	Synchro, Differential Receiver, Type 31TDR4b	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-S-20708/ 65A(Wep)	Syncyro, Transmitter, Type 31TX6b	Cancelled, Use MIL-S-20708/66
MIL-S-20708/69(Wep)	Synchro, Transmitter, Tupe 37TX4b	Cancelled, Use MIL-S-20708/70
MIL-S-20708/73(Wep)	Synchro, Transmitter, Type 37TX6b	Cancelled, Use MIL-S-20708/74
MIL-S-20708/83(Wep)	Synchro, Control Transformer, Type 11CT4d (Noiseless)	Cancelled
MIL-S-20708/84(WP)	Synchro, Transmitter, Type 15CX4c (Noiseless)	Cancelled
MIL-S-20708/85(Wep)	Synchro, Differential Transmitter, Type 15CX4c	Cancelled
MIL-S-20708/86(Wep)	Synchro, Control Transformer, Type 18CT6c (Noiseless)	Cancelled
MIL-S-20708/87(Wep)	Synchro, Transmitter, Type 23CX4c	Cancelled
MIL-S-20708/88(Wep)	Synchro, Receiver, Type 23TR4c (Noiseless)	Cancelled
MIL-S-20708/89(Wep)	Synchro, Receiver, Transmitter, Type 23TRX6b (Noiseless)	Cancelled
MIL-S-20708/90(Wep)	Synchro, Transmitter, Type 31TX4e (Noiseless)	Cancelled
MIL-S-20708/91(Wep)	Synchro, Receiver, Type 31TR6c	Cancelled
MIL-S-20708/92(Wep)	Synchro, Transmitter, Type 37TX6c (Noiseless)	Cancelled
MIL-S-0020708B/96 (Wep)	Synchro, Troque Transmitter Type 23TX6c	Cancelled, Use MIL-S-20708
MIL-S-0020708B/97 (Wep)	Synchro, Torque Receiver Type 23TR6a	Cancelled, Use MIL-S-20708
MIL-S-20708/99(Wep)	Synchro, Receiver, Type 5N, MK6 M004	Cancelled
MIL-S-20708/101(Wep)	Synchro, Receiver, Type 50B, Mod 2	Cancelled
MIL-S-0020708/114 (Wep)	Synchro, Receiver, Type 11TR4c	Cancelled, Use MIL-S-20708
MIL-S-0020708B/116 (Wep)	Synchro, Receiver Type 15R6b	Cancelled, Use MIL-S-20708
MIL-S-20708/140	Synchro, Type 37CX4a	Cancelled
MIL-S-20708/141	Synchro, Type 37CX6a	Cancelled
MIL-I-21007(Aer)	Indicator, Pressure, Manifold, Synchro, Single, 10 to 75 Inches of Mercury Absolute, Sealed	Cancelled
MIL-I-21008(Aer)	Indicator, Pressure, Manifold, Synchro, Dual, 10 to 75 Inches of Mercury Absolute, Sealed	Cancelled
MIL-T-21009(Aer)	Transmitter, Presssure, Manifold, Synchro, 10 to 75 Inches of Mercury Absolute, Sealed	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-T-21010B(Wep)	Transmitting Set, Radio AN/URW-14A	Cancelled
	MIL-C-21011A(WEP)	Control, Gun Firing, Aero 2A	Cancelled
C	MIL-R-21012B(Wep)	Recorder Group AN/ASA-20	Cancelled
	MIL-C-21013B(3)	Compass, Directional Reference System Magnetic Slaved, Direction Gyro, Roll Stabilized, 3 Deg/hr, Type Mf-1	Cancelled
	MIL-P-21018(Aer)	Preparation of Standrad Aircraft Characteristics Charts and Performance Data for Guided Missiles	Cancelled
	MIL-C-21019(Aer)	Clothing, Aviation, Precess for Reconditioning	Cancelled
	MIL-G-21021(WP)-1	Gun Rate Timer	Cancelled
	MIL-G-21022(WP)-1	Gunar Unit Tester	Cancelled
	MIL-G-21023B(AS)-3	Cabinet, Rescue Components	Cancelled
	MIL-F-21026(WP)-1	Fuze Computer Mark 113 Mod 0	Cancelled
	MIL-G-21027(WP)-1	Gun Director Mark 69 Mod 0	Cancelled
	MIL-G-21028(WP)-1	Gyro Unit Mark 1 MOd 1	Cancelled
	MIL-B-21034B(AS)-3	Bomb Arming Unit Assemblies, Aero 2A-1, 2A-2, 2A-3, 2A-4, 2B-1, 2B-2, and 2C	Cancelled
	MIL-D-21046(Aer)	Dispenser; Depth Charge, Aero 1A	Cancelled
	MIL-W-21052(Aer)	Washer, Spray, Aerial Roll film, 9.5	Cancelled
	MIL-P-21053A	Processing Set, Rewind, Roll, 16MM to 9" by 400 Feed, Photographic	Cancelled
	MIL-B-21056(Aer)	Butyl Stearate, Technical	Cancelled
	MIL-C-21072(Aer)	Cloth, Coated, Rubber, Nylon Base, Spray Shield	Superseded by MIL-C-7966A
	MIL-C-21074	Cleaner, Steam, Pressure Jet	Cancelled
	MIL-G-21075(AER)-1	Generating System, Single Generator, Constant Frequency, Alternating Current, Aircraft, Gen Spec For	Cancelled
	MIL-W-21081B	Wire, Steel, High Carbon, Round, Uncoated Valve Spring Quality	Cancelled, Use ASTM A-230
	MIL-L-21104(Aer)-1	Launcher, Guided Missile, Aero 4A	Cancelled
	MIL-P-21105-2	Plastic, Sheet Acrylic, Heat Resistant (Utility Grade)	Superseded by L-P-391B
	MIL-W-21112B	Weather Television System AN/GMQ-19	Cancelled
	MIL-T-21118(Aer)	Temperature-Wind Measuring Set AN/CMQ-15()	Cancelled
	MIL-R-21119A(Wep)	Radar Set, AN/APS-88	Cancelled
	MIL-T-21122(Aer)	Transformers, D.C. Electrical, Aircraft General Specification for	Cancelled
	MIL-R-21123(Aer)	Radio Set, AN/ARC-37	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-P-21130(WP)-1	Power Supply and Amplifier Cabinet for Gun Fire Control System Mark 69 Mod 1	Cancelled
	MIL-A-21134(WP)-1	Air Surface Control Unit for Gun Fire Control System Mark 69 Mod 2 and 3	Cancelled
	MIL-C-21136(WP)-1	Contractor, Motro-Generator for Gun Fire Control System MK 69 Mod 2 and 3	Cancelled
	MIL-C-21137(WP)-1	Gun Director MK 69 Mod 1 for Gun Fire Control System Mark 69 Mod 2 and Mod 3	Cancelled
	MIL-C-21138(WP)-1	Console, Power Mark 26 Mod 0 for Gun Fire Control System Mark 69 Mod 2 and 3	Cancelled
	MIL-C-21139(WP)-1	Console, Computer Mark 27 Mod 0 for Gun Fire Control System Mark 69 Mod 2	Cancelled
	MIL-P-21140(WP)-1	Power Transformer for Gun Fire Control System Mark 69 Mod 2 and 3	Cancelled
	MIL-C-21141(WP)-1	Console, Computer Mark 27 Mod 1 for Gun Fire Control System Mark 69 Mod 3	Cancelled
	MIL-T-21144(Aer)-1	Transmitter, Pressure, Oil Synchro 0-100 PSI, High Temperature	Cancelled & Superseded by MIL-T-7748A(A
C	MIL-C-21148A(Wep)	Countermeasures Set AN/ALQ-32, AN/ALQ-32A	Cancelled
	MIL-V-21158(NOrd)	Valve, Control (3000 PSI) For Exercise Head MK 65 Mod 0 (Torpedo MK 16 Mod 6)	Cancelled
	MIL-R-21159(Wep)-1	Reducer, Pneumatic Pressure for Exercise Head, Mark 65 Mod 0 (Torpedo MK 16 Mod 0)	Cancelled
	MIL-B-21160(Wep)-1	Bladder, Flotation, Mark 2 Mod 0	Cancelled
	MIL-M-21166(Aer)-1	Modification Kit MK(*)/UPM-8	Cancelled
	MIL-P-21169B(Wep)	Power Supply PP-2401/A and Power Supply (For Missile Launcher)	Cancelled
	MIL-A-21170A-1	Aluminum Alloy Bar, Rod, and Structural Shaped Sections Rolled or Extruded, 5456	Superseded by QQ-A-200a
	MIL-S-21178A	Support, Light, Market, Seadrome Runway	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-P-21179(NOrd)	Paint, Bullet Tipping	Cancelled
	MIL-C-21182(Aer)	Crane, Mobile, Multi-Purpose, Aircraft Crash Salvage, Type MB-1A	Cancelled Superseded by MIL-C-26006D
	MIL-T-21184(Aer)	Trousers; Aircraft Fire Fighters'	Cancelled
	MIL-C-21186(NOrd)	Computer, Stabilization Mark 104 Mod 1	Cancelled
	MIL-C-21189(Aer)-1	Cloth, Laminated, ZPG2 and ZPG2W Type Airship Envelope	Cancelled
	MIL-C-21191(WP)-1	Containers, Practice Bomb, Aero 8A	Cancelled
	MIL-P-21193(NOrd)	Printed Wiring, General Specification	Superseded by MIL-P-55110
	MIL-T-21200L	Test Equipment for Use with Electronic and Electrical Equipment, General Specification for	INACTIVE for New Design Use MIL-T-28800
	MIL-T-21205B(Wep)	Transmitter, Rate of Flow, Fuel; TRU-12/A (300-5000-15000 PPH)	Cancelled
	MIL-I-21206B(Wep)-1	Indicator, Rate of Flow, Fuel EFU-7/A (500 to 15000 PPH)	Cancelled
	MIL-A-21216(NOrd)	Analyzer Mk 7 Mod 4 for Fire Control System Mk 101 Mods 9, 10, 12, and 13	Cancelled
C	MIL-M-21229(Aer)	Missile Guidance Set AN/DJW-6	Cancelled
	MIL-C-21234A(AS)-2	Cartridges, Aircraft Ejection Seat Catapult	Cancelled
	MIL-V-21237(NOrd)	Value Engineering of Naval Ordnance Equipment	Cancelled
C	MIL-C-21253(Aer)	Countermeasures Set, AN/ALQ-19	Cancelled
	MIL-M-21255(Aer)	Modification Kit for Radar Sets AN/APS-38 and 38A	Cancelled
	MIL-R-21268A(Wep)-2	Radar Set, AN/APN-122(V) Navigation Set	Cancelled
	MIL-C-21269A(Wep)	Crane, Crash, Single Enginer, Truck Mounted, Capacities 25 Ton	Cancelled
	MIL-L-21274B(YD)	Loader, Aircraft, Hi-Lift (9-Ton Capacity) Type MC-2	Superseded by MIL-T-21274B(YD)
	MIL-T-21282(Aer)	Tank, Storage, Liquid Oxygen, 50 Gallon Capacity Trailer Mounted, Type No 4	Cancelled
	MIL-C-21286A(Wep)	Cloth, Dacron, Init	Cancelled
	MIL-H-21287(Aer)	Handbook; Maintenance Instructions (For Air-Launched Guided Missiles)	Superseded by MIL-M-81701(AS)

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-H-21288(Aer)	Handbook; Assembly and Checkout Instructions (For Air-Launched Guided Missiles)	Superseded by MIL-M-81701(AS)
C	MIL-M-21290B(Wep)	Modification Kit, Electronic Equipment MK 414/APG-30	Cancelled
	MIL-R-21293A(Weps)	Receiving Set, Radio: AN/ARW-67	Cancelled
	MIL-F-21297A	Frequency Changers, Electrical, Aircraft General Specification for	Cancelled
	MIL-P-21298(WP)-1	Power Supply Mark 60 Mod 1 for Gun Fire Control System Mark 69 Mod 1 and Gunar Systems Mark 1, 2, and 3 Mod 1	Cancelled
	MIL-R-21302(Wep)-1	Radio Set AN/ARC-55	Cancelled
	MIL-C-21312A(Wep)	Coveralls, Landing Signal Officers'	Cancelled
C	MIL-C-21316(Aer)	Countermeasures Set AN/ALQ-35	Cancelled Superseded by MIL-C-22510(W
	MIL-W-21328(NOrd)	Wire, Chronium-Vanadium Alloy Steel, Round, Uncoated For Mechanical Springs, (Valve Spring Quality)	Superseded by MIL-W-22826
	MIL-G-21339(Aer)	Generator, Signal SG-235/APS-67	Cancelled
	MIL-F-21344(Aer)	Frequency Comparator Set AN/USM-73(*)	Cancelled
C	MIL-D-21345B(Wep)	Data Display Group AN/ASA-25	Cancelled
	MIL-S-21348(Wep)-1	Stripe, Coveralls, Landing Signal Officer's	Cancelled
	MIL-H-21374(Aer)	Handbook; Loading and Unloading Instruction (For Air-Launched Guided Missiles)	Cancelled
	MIL-E-21384(Aer)	Electronic Control Amplifier for Searchlight Sets: AN/AVQ-2 Series	Cancelled
	MIL-T-21395B(AS)-2	Torsos, Mark IV High Altitude Full Pressure Suit	Cancelled
	MIL-M-21404(NOrd)	Malfunction Detection Unit for Exercise Head Mk 65 Mod 0 (Torpedo Mk 16 Mod 6)	Cancelled
	MIL-V-21405(NOrd)	Valve, Altitude For Exercise Head Mark 65 Mod 0 (For Torpedo Mark 16 Mod 0)	Cancelled
	MIL-B-21406(Wep)-3	Bag, Flotation for Exercise Head Mark 65 Mod 0 (For Torpedo Mk 16 Mod 6)	Cancelled
	MIL-R-21407(NOrd)	Relay, Time Delay (For Torpedo Mark 39 Mod 1)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
C	MIL-R-21411(Aer)	Receiving Set, Radio AN/DRW-9 for Bullpup (ASM-N-7) Guided Missile Weapon Systems	Cancelled
	MIL-G-21423(Aer)	Gun Firing Unit, Aero 3A	Cancelled
	MIL-R-21426(Aer)-1	Refueler, Aircraft, Semi-Trailer, Four Dual Tire Wheels, 5000 Gallon Capacity, Type ME-1A	Cancelled
	MIL-I-21429 (2)	Indicator, Compass Repeater, Rotating Dial, Type Mw-1	Cancelled
	MIL-O-21436A(Wep)	Oscillograph	Superseded by MIL-O-23560(Wep)
	MIL-S-21438(Wep)-2	Switches, Rotary, Solenoid Operated	Cancelled
	MIL-T-21443(Aer)-1	Tractor, Aircraft, Towing, Gasoline 5000 Pounds Drawbar Pull, Type ME-1A	Cancelled
	MIL-D-21447(NOrd)	Discharger, Battery	Cancelled
	MIL-E-21449(Aer)	Electronic Workbench (4 Foot) and Auxiliary Table (2 Ft)	Cancelled
	MIL-T-21453(NOrd)	Test Set Mark 128 Mod 1 and 2	Cancelled
	MIL-I-21456(NOrd)	Illustrated Parts Breakdown, Ordnance Equipment	Superseded by MIL-M-8910
	MIL-T-21463(Aer)	Test Set, Bathythermograhp AN/ASM-7	Cancelled
	MIL-P-21466(Aer)-1	Plastic Sheet, Laminated, Copper-Clad, Glass-Base Epoxy	Superseded by MIL-P-13949B
	MIL-R-21468(Aer)	Release, Parachute Ripcurd Automatic	Cancelled
	MIL-M-21470(NOrd)-1	Molding Plastic, Polychlorotri-fluoroethylene	Superseded in part by MIL-P-55028B
	MIL-G-21480/1A(AS)	Emergency Generator, Alternating Current 3.5 KVA, F-4 Aircraft	Cancelled
	MIL-G-21480/14(AS)	Generator System, 2.3 KVA, 400 Cycle, Alternating Current, Permanent Magnet Field Type	Cancelled
	MIL-G-21480/15(AS)	Emergency Generator, Alternating Current Brushless 3.5 KVA, F-4 Aircraft	Cancelled
	MIL-C-21482(Aer)-1	Cloth, Nylon, Plain Weave, 1.2 Ounce	Cancelled
	MIL-T-21485(Aer)	Tape, Coated Cloth, Airship Envelope	Cancelled
	MIL-P-21487(Aer)-1	Power Supply; Electrical, Missile, 28V, 150V, 300V, D.C. and 115/200 V.A.C. at 3200 CPS	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-G-21489(Aer)	Gun Test Prove Aero 1A	Cancelled
C	MIL-D-21490A-1	Detecting-Ranging Set, Sonar AN/AQS-10	Cancelled
	MIL-T-21492(Aer)	Test Harness, Radar Set AN/APM-90	Cancelled
	MIL-T-21498(Aer)	Transmitter, Rate of Flow, Fuel, TRU-13/A (500 to 24000 PPH)	Cancelled
	MIL-P-21511(Wep)	Panel, Control, Jettisoning MK, 250, Mod 0	Cancelled
	MIL-S-21515A(ASG)	Steel Bars, Plates, Sheets and Strips 4335, Modified Vacuum Melted	Cancelled
	MIL-P-21550(Weps)-2	Printer, Contact, Photographic Manual, 11 X 14 Inch	Cancelled
	MIL-T-21551(Aer)-1	Technical Content of Pilot's Pocket Check List (Aircraft)	Cancelled, Use MIL-M-81222
	MIL-P-21552(Aer)-1	Preparation, Printing and Binding of Pilot Check Lists for Aircraft	Cancelled, Use MIL-M-81222
	MIL-T-21554B(Wep)	Test Harness, Transmitting Set AN/URM-111A	Cancelled
	MIL-I-21559	Indicator, Attitude, ARU-5/A	Cancelled
	MIL-R-21561(Aer)-1	Reducers; Oxygen Pressure (Emergency Type)	Cancelled
	MIL-C-21565B-1	Clamp, Loop, Plastic, Wire Support	Cancelled Superseded by MIL-S-23190D
	MIL-C-21567(NOrd)	Compound, Silicone, Soft Film	Cancelled Superseded by MIL-S-8660B
	MIL-S-21568A	Silicone, Fluids, Dimethyl Polysiloxane	Cancelled Superseded by VV-D-1078A
C	MIL-D-21570(Aer)	Detecting Group, Infrared AN/AAA-3	Cancelled
	MIL-I-21573(Aer)	Indicator, Rate of Flow, Fuel Type EFU-8/A 500 to 23,000 PPH	Cancelled
	MIL-S-21588(NOrd)	Setter, Timer, Mark 2 Mod 0	Cancelled
	MIL-T-21589(NOrd)	Test Set, Timer MK 351 Mod 0	Cancelled
C	MIL-D-21590(NOrd)	Director, Attack, Mk 7 Mod 1 for Fire Control System Mk 110 and Mods	Cancelled
	MIL-A-21599A	Aluminum Alloy Bars, Rods, and Structural Shapes- Rolled or Extruded, 5454	Superseded by QQ-A-200a
	MIL-C-21605(Aer)	Compass, Magnetic, Remote Slaved Gyro, Type S-2	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-C-21606(Aer)	Compass, Magnetic, Remote Slaved 4 YRD, Type S-2 Installation of	Cancelled
C	MIL-D-21612A(Wep)	Dispensing Set, Countermeasures CHAFF, AN/ALE-18	Cancelled
	MIL-R-21611(Aer)	Range Unit Mk 25 Mod 2	Cancelled
	MIL-S-21633(Aer)	Shaper, Metal Cutting, Horizontal Universal Heavy Duty, 16 Inch Stroke	Cancelled Future Procurement Under MIL-S-23910
	MIL-T-21637(Aer)-1	Test Set, Guided Missile Launcher AN/ASM-11	Cancelled
	MIL-S-21639(Aer)	Sextant, Bubble AQU-1A	Cancelled
	MIL-G-21645(Aer)	Generator Pulse Delay AN/USM-92	Cancelled
	MIL-C-21658(Aer)	Carrier, Photographic-Negative	Cancelled
	MIL-C-21664(Aer)	Cable, Adapter Tachometer Indicator Electric	Cancelled
	MIL-E-21686(Aer)	Easel, PHotographic Projection Printing 11 by 14 Inch and 20 by 24 Inch	Cancelled
C	MIL-I-21687(Aer)-1	Indicator Group AN/AQA-3A	Cancelled Superseded by MIL-I-23241(Wep)
	MIL-L-21702(Aer)-1	Launcher, Guided Missiles, Aero 5A	Cancelled
	MIL-L-21703(Aer)	Light, Runway Identification	Cancelled
C	MIL-C-21716(Aer)	Command Link For Model ASM-N-7 Guided Missile Weapon System (Bullpup)	Cancelled
	MIL-H-21722(Aer)-2	Hooks, Thrust and Stabilizing, JATO04500 Pounds Nominal Thrust	Cancelled
	MIL-F-21725A(Wep)	Flight Circuit Tester Aero 13B and Accessory Cables	Cancelled
	MIL-T-21727(Aer)	Tractor, Aircraft, Towing, Diesel, 4,000 to 7,500 Pounds Drawbar Pull	Cancelled
C	MIL-W-21730(WEP)-1	Warhead, Guided Missile, MK 18 MOD 0 (Empty) (U)	Cancelled
	MIL-R-21738(Aer)	Refueling Unit, Aircraft, 3000-Gallon, Truck Mounted, Type MF-1	Cancelled
	MIL-C-21743(Aer)	Composite Electronic Components General Specifications	Cancelled
	MIL-R-21744(Aer)-1	Radio Set AN/ARD-75 and Control, Radio Set C-2736/AR	Cancelled
	MIL-R-21746A(WEP)	Refueling Unit, Aircraft, 2,000 Gallon	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-T-21747A(Wep)	Trailer, Bomb, 2200 Pound Capacity MK-7 Mod 2	Cancelled
MIL-R-21748(Aer)	Refueling Unit, Aircraft, 1200 Gallon, Truck Mounted Type MC-1	Cancelled
MIL-O-21749(Wep)-1	Oxygen Aviator's Breathing	Superseded by MIL-O-27210B(ASG)
MIL-B-21827B	Boxes, Consolidation	Cancelled
MIL-T-21863D	Truck, Lift, Fork, Gasoline, Pneumatic-Tired All Purpose 6000 Pound Capacity at 24 Inch Load Center	Cancelled, use MIL-T-52932
MIL-T-21855	Trucks, Forklift, Gasoline, Pneumatic-Tired Rough Terrain, 6000 and 10,000 Pound Capacity at 24-Inch Load Center	Cancelled Superseded by MIL-T-21863 & MIL-T-21864
MIL-D-21857A	Dunnage, Mattress, Pneumatic, Cargo Shoring	Cancelled
MIL-P-21873(Navy)	Provisioning, Initial Support, General Requirement for	Superseded by MIL-STD-1375(Navy)
MIL-A-21900A(Wep)-1	Aircraft Lubricating Oil Servicing Unit 500-Gallon Truck Mounted, 6 X 6 Chassis, Gasoline Engine Driven Type MA-1C	Superseded by MIL-T-21900B(YD)
MIL-S-21921(Aer)	Stamping Machine, Photographic, Aerial Roll Film 9- Inch	Cancelled
MIL-S-21923(NOrd)	Synthetic Rubber Compound, Butadiene-Styrene Type, Ozone Resistant, For Low Temperature Service	Cancelled
MIL-R-21925A	Refueler, Aircraft, Skid Mounted 400 Gallons per Minute Capacity Type MB-1	Cancelled
MIL-A-21926A(WP)-2	Adapter Computers MK 20 Mod 1, 2, 3 and 4	Cancelled
MIL-W-21927(NOrd)	Weapons; Handling and Preparation for	Cancelled-Superseded by WR-11
MIL-D-21928A(Wep)-1	Detecting-Ranging Set, Sonar AN/AQ-5(U)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-C-21948(AS)-4	Cartridge, Delay MK 4 Mod 1, MK 5 Mod 1, MK 6 Mod 1	Cancelled
	MIL-B-21954(NOrd)-1	Battery, Storage, Torpedo Mk 3 Mod 2 (For Torpedo Mk 28 Mods 2 and 3)	Cancelled
	MIL-B-21956(Wep)-1	Battery Mk 64 Mod 0	Cancelled
	MIL-T-21959(AS)	Transmitter, True Airspeed, Pitot Static 100 to 300 Knots, TRU-24/A	Cancelled
	MIL-C-21964(Aer)	Coupler Antenna CU-631/ARC	Cancelled
	MIL-P-21966(Wep)-2	Power Supply PP-2100/ARC and PP-2724/ARC	Cancelled
	MIL-I-21971(Wep)	Indicators, Pressure, Manifold, Sensitive	Cancelled
	MIL-R-21972A(WP)-2	Remover, Fluorescent Paint (Water-Rinsable Type)	Cancelled
	MIL-T-21974A(Wep)	Indicator, Rate of Flow, Fuel; EFU-9/A (200 to 3000 PPH)	Cancelled
	MIL-T-21975A(Wep)	Transmitter, Rate of Flow, Fuel; TRU-25/A (200 to 3000 PPH)	Cancelled
	MIL-R-21982A(Wep)-3	Rack, Bomb Ejector, Aircraft MAU-9/A And MAU-9A/A	Cancelled
	MIL-C-21983B(Wep)	Check Lists: Special Weapons Technical Content: Preparation of	Cancelled
	MIL-P-21984(Wep)-2	Preparation, Printing, and Binding of Check Lists for Special Stores	Cancelled
	MIL-V-21987(Aer)	Vacuum Cleaner, Air Operated	Cancelled
	MIL-T-21989(Aer)	Transmissometer Set AN/GMQ-10()	Cancelled Use MIL-T-4663B
	MIL-C-21997(NOrd)	Container and Handling Requirement for Nuclear Ordnance, General Requirements for	Cancelled
	MIL-A-21999(NOrd)	Aluminum Alloy Investment Casings	Cancelled
	MIL-S-22003(Aer)	Suspension Units, Individual, For Mobile Ground Support Equipment	Cancelled
	MIL-L-22021(Aer)-1	Launcher Guided Missile, Aero 3B	Cancelled
C	MIL-D-22022A(Wep)	Receiving Set, Countermeasures, AN/ALQ-28(*) (U)	Cancelled
	MIL-T-22030(Wep)-1	Transmitter, Rate of Flow, Fuel; TRU-26/A (300 to 10,000 PPH)	Cancelled
	MIL-P-22035-1	Plastic Sheets and Sheeting, Polyethylene	Cancelled Superseded by L-P-512a
C	MIL-T-22041(Aer)	Transponder Set, AN/DPN-49	Cancelled
	MIL-T-22042(Wep)-1	Transmitting Set, Coordinate Data AN/DRT-1	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-C-22043(Wep)	Covers, Coated, Nylon (For Naval Ordnance Equipment)	Cancelled
	MIL-T-22048(WP)-1	Test Set Mark 109 Mod 0	Cancelled
	MIL-H-22059(Wep)-1	Helmet: Pilot's Protective Type SPH-1	Cancelled
	MIL-H-22063A(AS)-4Q	Headset, H-173/AIC	Cancelled
	MIL-T-22065(Aer)	Test Set, Altimeter, TS-745(*)/APM-66	Cancelled
	MIL-C-22066(Aer)	Calibrator, Radar Altimeter, TS-746(*)/APM-66	Cancelled
	MIL-I-22068(Aer)	Indicator, Turn and Slip, Air-Driven, 2-Inch Case, ARU-8/A and ARU-9/A	Cancelled
C	MIL-D-22071A(Wep)	Direction Finder Group, AN/ALA-12(U)	Cancelled
C	MIL-G-22083(WEP)-2	Guidance-Control Section MK-1 MODS (For Guided Missile MK-2 MODS) (U)	Cancelled
	MIL-H-22098A(Wep)	Headset M-180/AIC	Cancelled
	MIL-T-22099(Aer)	Tracking Station, Traget Aircraft AN/URS-1	Cancelled
	MIL-E-22103(Aer)-1	Extinguisher, Fire "TMB" Protable	Cancelled
	MIL-E-22118(NOrd)	Enamel, Electrical-Insulating	Cancelled
	MIL-M-22123	Molding Plastic, Polystyrene, Glass filled; Fabricated Parts	Cancelled
	MIL-I-22125A(Wep)	Indicators, Pressure, Synchro, 2:1 Movement Ration	Cancelled
	MIL-R-22127(Aer)	Relay Box Mk 7 Mod 6	Cancelled
	MIL-C-22131(Aer)	Chaff, Meterological	Cancelled
	MIL-I-22139(Wep)-1	Indicators, Rate of Fuel Flow, Dual EFU-13/A and EFU/14-A	Cancelled
	MIL-S-22146(Wep)-1	Steel, Carbon, Investment Castings	Superseded by MIL-S-22141A
	MIL-T-22147(Wep)-1	Test Set, Computer AN.AWM-3	Cancelled
	MIL-I-22155A(AS)	Igniter, Gas Generator MK 244 Mod 0	Cancelled
	MIL-T-22157(Aer)	Target, Aerial, Banner Aero 35A	Cancelled
	MIL-H-22161(Wep)	Hook, Bomb Raack, Aero 15 Series	Cancelled
	MIL-H-22162(Aer)	Hook, Bomb Rack, Aero 65 A Series	Cancelled
	MIL-T-22163(Aer)	Test Harness, Radio Set AN/ARM028	Cancelled
	MIL-C-22166(WEP)-1	Controller, Compass, Roll Stabilized (Type MF-1 Compass)	Cancelled
	MIL-C-22167(Wep)-1	Controller, Roll Stabilization (Type MF-1 Compass)	Cancelled
	MIL-G-22168(WEP)-1	Gyro, Directional, Roll Stabilized (Type MF-1 Compass)	Cancelled
	MIL-I-22170(Wep)-2	Interconnection Unit, Compass, Roll Stabilized (Type MF-1 Compass)	Cancelled
	MIL-H-22172A(Wep)	Helmet, Flight Deck Crew, Sound Attenuating, Type FDH-1	Superseded by MIL-H-81735(AS)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-H-22174A(AS)	Human Factors Data for Aircraft and Missile System	Superseded by MIL-H-46855
	MIL-I-22175(NOrd)	Igniter MK 178 Mod 0	Cancelled
	MIL-C-22181(Wep)-1	Camera, Aerial Reconnaissance 4.5 by 4.5 Inch Format	Cancelled
	MIL-B-22182A-1	Brakes, Parking, Mobile Ground Support Equipment	Cancelled
	MIL-R-22188(Aer)	Radar Set, Meterological	Cancelled
	MIL-T-22190(Aer)	Tractor, Aircraft Towing Gasoline 7500 Pounds Drawbar Bull, Type MD-2	Cancelled
	MIL-C-22192(AS)-4	Cable Assembly, Special Purpose Electrical CX-4831/AR	Cancelled
C	MIL-W-22196(WEP)-2	Warhead, Guided Missile MK-19 MOD 0 (Empty) (U)	Cancelled
	MIL-S-22197(Aer)	System, Optical Landing, Fresnel Lens, Mk 5 Mod 0	Cancelled
	MIL-P-22203(Aer)	Performance Data Report For Standard Aircraft Characteristics Charts for Piloted Aircraft	Cancelled
	MIL-B-22205B	Bags, Transparent, Flexible, Heat Sealable for Packaging Application	Cancelled, Use MIL-B-117
	MIL-V-22206(Aer)	Viewer, Film, 70MM, Roll	Cancelled
	MIL-C-22207(Aer)-1	Cushion, Seat, Aircraft, Inflatable	Cancelled
	MIL-L-22208A(Wep)	Life Preserver, MK IV Test, Pneumatic, Full Pressure Suit	Cancelled Use MIL-L-81561(AS)
	MIL-H-22210(AS)-3	Headpiece MK IV, High Altitude Full Pressure Suit	Cancelled
C	MIL-C-22213A(Wep)	Countermeasures Set, AN/ALQ-23	Cancelled
	MIL-S-22216(NOrd)	Steel, Alloy, Corrosion Resistant; Investment Casing	Cancelled, Use MIL-S-81591
	MIL-L-22232A(Wep)	Light, Marker, Sealane, Cable Connected Buoy Mounted	Cancelled
	MIL-C-22235A-2	Corrosion Preventice Oil, Nonstaining	Cancelled
	MIL-T-22236(Aer)	Target Systems, Guided Missile, Class KD General Spec for	Cancelled
	MIL-I-22243(Wep)-1	Iron Casings, Spheroidal Graphite (Extra Tough)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202640-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-E-22246C(Wep)	Extinguisher: Fire, Dry Chemical, Protable Cartridge Operated	Cancelled
	MIL-R-22254A(Wep)	Refueling Unit, Aircraft, 5000-Gallon, Truck Mounted Gasoline Engine Drive, Type RF-50	Cancelled
	MIL-R-22256(Wep)-1	Reliability Requirements for Design of Electronic Equipment or Systems	Superseded by MIL-STD-785
	MIL-T-22259(Aer)	Tractor, Airfield Arresting Gear Diesel, 4 X 2, 32,000 Pounds Drawbar Pull	Cancelled
	MIL-T-22260(Wep)	Tape, Insulating, Electrical, Pressure Sensitive, Etched Polytetrafluoroethylene	Cancelled Superseded by MIL-T-2359(Wep)
	MIL-F-22261(Aer)	Fire Extinguishing Agnet, Liquid, Boron Type, For Metal Fires	Cancelled
C	MIL-B-22265(WEP)	Booster, Missile MK 6 MOD 0 (U)	Cancelled
	MIL-T-22269A(Wep)-1	Tester, Camera System, Aircraft	Cancelled
	MIL-L-22273(Wep)	Lubricant, solid Film, Dry	Cancelled Superseded by MIL-L-8937(ASG)
	MIL-G-22274A(Wep)-1	Generating Plant, Liquid Oxygen and Nitrogen, Electric Motor Driven, Skid Mounted	Cancelled
	MIL-R-22275(Wep)	Refueling Cell, Sea Pick Up, Hoistable, Airship, Inflight	Cancelled
	MIL-L-22276A(Wep)	Life Preserver, Inflatable, MK 3C	Cancelled, Use MIL-L-81561(AS)
	MIL-L-22277(Wep)-4	Landing System Optical, Protable	Cancelled
	MIL-T-22278A(Wep)	Transporter, Pilots, Wearing Full Pressure Suites	Cancelled
	MIL-B-22280A(Wep)	Battery, Mark 77 Mod 0 Primary Type, Silver-Zinc-Alkali	Cancelled
	MIL-C-22282A(Wep)-1	Conditioned Air Supply Unit, Special Purpose for Naval Flight Crews Wearing Full Pressure Suits, Skid Mounted	Cancelled
	MIL-C-22283(Wep)	Cable, Tow Target, Steel	Cancelled
	MIL-F-22287A(Wep)-1	Fire Extinguishing Agent, Potassium Dry Chemical	Delete-Transferred to Bu Ships

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-T-22292C(Wep)	Truck, Lift, Fork, Weapons Handling Electric Powered	Superseded by MIL-T-21869
	MIL-P-22294(Wep)	Pump Unit, Drain, Catapult	Cancelled
	MIL-T-22303(Wep)	Test Bench Cable Set AN/ARM-9	Cancelled
	MIL-L-22304(Wep)	Lacquer: Anti-Icing	Cancelled
	MIL-T-22306B(Wep)	Truck, Airfield Maintenance, and Line, Gasoline 4X2	Superseded by MIL-T-22306C(YD)
	MIL-C-22318(Wep)	Carrier, Mine, MK39 Mod 0	Cancelled
C	MIL-T-22321(Wep)	Test Set, Guided Missile AN/DSM-60	Cancelled
	MIL-T-22331(Wep)	Test Set, Radar AN/UPM-109(*)	Cancelled
	MIL-T-22333A	Truck, Bomb Service, Cargo Body, 16,000 Pounds GVW, 4 by 4 Gasoline-Engine-Driven, MJ-3A	Cancelled Superseded by MIL-T-81098B
	MIL-E-22345(Wep)-1	Extinguisher, Fire, Dry Chemical, Wheeled, 150-Pound Capacity	Superseded by O-E-00918(GSA-FSS)
	MIL-S-22347(Wep)	Synchros, Resolver, Data Transmisiion Ground Spec for	Cancelled-Use MIL-R-23417
C	MIL-I-22351(Wep)	Interference Blanker Group AN/AIA-13A(U)	Cancelled
	MIL-B-22355(WP)-1	Ballistic Elements MK 1 Mod 2, MK 2 Mod 3, MK 2 Mod 3, MK 3 Mod 2, and MK 3 Mod 3	Cancelled
	MIL-C-22359B	Camera, Herial, Hand Hold, 70MM	Cancelled
	MIL-I-22366A	Indicators, Vertical Velocity, Rapid Response, Acceleration Sensitive	Cancelled
C	MIL-C-22370A(Wep)-1	Countermeasures Set, AN/ALQ-51(U)	Cancelled
	MIL-T-22385A(WP)-2	Target Control System AN/SRW-4A and Suffix Letters "A" through "G"	Cancelled
	MIL-F-22394(Wep)	Fluxmeter, Photo-Electric Recording, Mark 2 Mods 4&5	Cancelled
	MIL-C-22400(Wep)-2	Circuit Breaker	Cancelled
	MIL-O-22406(Wep)-2	Oscillograph	Superseded by MIL-O-23560(Wep)
	MIL-E-22421(Wep)A	Exercise Head Mk 79 Mod 0	Cancelled
	MIL-A-22423(NOrd)	Aluminum Alloy Bars, Rods, Billets, Blooms, Slobs & Ingots (For Forging Before Heat Treatment)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MIL-R-22426(Wep)		Receiving Set, Radio AN/DRR-5	Cancelled
MIL-C-22427(Wep)		Cloth, Laminated, Rubber on Nylon, Inflatable	Cancelled
MIL-S-22432/7C	Q	Servomotor, Type 155M4C	Cancelled
MIL-I-22433(Wep)		Indicator, Turn and Slip, Air Driven 2-Inch Case, 20 Inclined Axis	Cancelled
MIL-A-22441(Aer)		Adapter, Missile MK-2T, for Sparrow and Sidewinder	Cancelled
MIL-L-22445(Wep)		Light, Beacon, Approach, Airport	Cancelled
MIL-A-22452(Wep)		Afterbody, Mark 4 Mod 0	Cancelled
MIL-H-22453(Wep)		Hull, Pressure Mark 2 Mod 0	Cancelled
MIL-S-22454(Wep)		Switch, Explosive Mark 46 Mod 0	Cancelled
MIL-C-22455(Wep)		Control, Rotary Switch Mark II Mod 0	Cancelled
MIL-S-22456(Wep)		Switch, Safety Manual Mark 45 Mod 0	Cancelled
MIL-T-22457(WP)-1		Timer, Electromechanical, Mark 10 Mod 0	Cancelled
MIL-S-22458(Wep)		Switch, Hydrostatic Mk 48 Mod 0	Cancelled
MIL-C-22459(Wep)		Connector, Weapon MK 21 Mod 0	Cancelled
MIL-S-22460(Wep)		Switch, Hydrostatic Mk 49 Mod 0	Cancelled
MIL-S-22461(Wep)		Switch, Hydrostatic Mk 50 Mod 0	Cancelled
MIL-T-22462(WP)-1		Terminal Board MK 34 Mod 0	Cancelled
MIL-T-22463(WP)-1		Terminal Panel Mark 196 Mod 0	Cancelled
MIL-C-22464(Wep)		Cable Assembly CF-3005	Cancelled
MIL-T-22465(WP)-1		Test Set, Connector, T-3020	Cancelled
MIL-T-22466(Wep)		Test Set, Hydrostatic Switch T-3021	Cancelled
MIL-T-22467(Wep)		Test Set, Monitor, T-3024	Cancelled
MIL-T-22469(Wep)		Test Set, Timer T-3025	Cancelled
MIL-S-22470(Wep)		Switch, Pressure, Mark 51 Mod 0	Cancelled
MIL-I-22472(Wep)		Indicators, Pressure, Synchro General Purpose 1 Inch	Cancelled
MIL-D-22474(Wep)		Dummy Connector, Weapon, Mark 23 Mod 0	Cancelled
MIL-C-22475(Wep)		Connector, Practice Weapon Mark 22, Mod 0	Cancelled
MIL-S-22476(Wep)		Switch, Manual, Practice Weapon, Mark 52 Mod 0	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-T-22477(Wep)	Transformer Assembly Mark 1 Mod 0	Cancelled
	MIL-H-22478(Wep)	Housing, Battery, Mark 1 Mod 0	Cancelled
C	MIL-B-22480(Wep)	Bomb, Depth MK 101 MOD 0 (Without Warhead)	Cancelled
	MIL-D-22481(Wep)	Dummy Bomb, Mark 108 Mod 0	Cancelled
	MIL-R-22483(Wep)	Range Unit Mk 26 Mod 1	Cancelled
	MIL-S-22485(Wep)	Sonobuoy AN/SSQ-28	Cancelled
	MIL-H-22486(Wep)	Hose Assemblies Oxygen Mask to Connector	Cancelled
	MIL-F-22488(Wep)	Flight Control Group OA-2816 SRW-4A	Cancelled
	MIL-H-22489(Wep)-1	Hose Assemblies, Low Pressure Breathing Oxygen and Air	Cancelled
	MIL-T-22490(Wep)	Target, Tow, Aerial, Radar Reflective, Type Aero 36A	Cancelled
	MIL-C-22492(Wep)	Cutter, Circle, Self-Centering	Cancelled
	MIL-T-22493(Wep)	Test Kit, Internal Combustion Engine In Service Oil Condition	Cancelled
	MIL-F-22496(Wep)	Full Pressure Suit Driving Locker Four Compartments	Cancelled
	MIL-C-22500(Wep)-1	Containers and Pallets Expendable for Bullpup B Missile Sections and	Cancelled
	MIL-L-22507(Wep)	Launcher Flare, Aircraft Aero 5A-1	Cancelled
	MIL-T-22508(Weps)	Test Harness, Indicator AN/ARM-6	Cancelled
C	MIL-C-22510(Wep)	Countermeasures Set, AN/ALQ-35(*)	Cancelled
C	MIL-C-22516A(Wep)-2	Countermeasures Set, AN/ALQ-41	Cancelled
	MIL-V-22517A	Valve, Aircraft Hydraulic Restrictor	Cancelled
	MIL-C-22520/8	Crimping Tool, Terminal, Hand, Wire Termination Tool Kit for MIL-C-22520/7 Crimping Tool and Positioners (Use MIL-C-22520/7 and MIL-C-22520/8	Cancelled
	MIL-C-22520/9	Crimping Tool, Terminal, Hand, Wire Termination Tool Kit for MIL-C-22420/5 Crimping Tool and Dies (MIL-T-83507/9 and MIL-C-22520/5)	Cancelled
	MIL-C-22520/11	Crimping Tool, Teminal, Hand, Wire Termination Tool Kit for ON089559, ON089561 Connectors (Superseded by MIL-T-83507/10)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-C-22520/13	Crimping Tool, Terinal, Hand or Power Actuated, Wire Termination, Tool Kit for F15 Aircraft Connectors (Superseded by MIL-T-83507/13 and MIL-T-83507/14 and MIL-T-83507/15)	Cancelled
	MIL-C-22520/14	Crimping Tool, Terminals, Hand or Power Actuated, Wire Termination Tool Kit for Pave Spike (Superseded by MIL-T-83507/12)	Cancelled
	MIL-C-22520/15	Crimping Tools, Terminal, Hand, Wire Termination Tool Kit for MIL-C-22520/1 Crimping Tool and Turrets	Cancelled, Superseded by MIL-T-83507
	MIL-T-22522(Wep)	Target, Aerial, Radar Reflective, Infrared, Aero 42	Cancelled
	MIL-C-22524B-1	Cloth, Coated: Fire, Water, Mildew and Weather Resistant	Cancelled, use MIL-C-43006
	MIL-R-22526(Wep)	Resistor, Variable	Cancelled
	MIL-C-25528E	Computer Set, Navigational AN/ASN-7A	Cancelled
	MIL-T-22530(Weps)	Test Harness Fire Control System AN/AWM-5	Cancelled
C	MIL-C-22540A(Wep)	Countermeasures System AN/ALQ-31A AND AN/ALQ-31B	Cancelled
C	MIL-C-22541A(Wep) NOTICE 2	Countermeasures Set, AN/ALQ-53(V)	Cancelled
	MIL-C-22543E	Cleaning Compound, Aircraft Surface (Alkaline-Organic Water Base Emulsion)	Superseded by MIL-C-43616
	MIL-M-22544	Molding Plastic, Acrylonitrile Butadiene Styrene, Rigid	Superseded by L-P-1183
	MIL-C-22550A-2	Cleaning Compound Waterless Aircraft Surface	Cancelled
	MIL-T-22555A(Wep)	Tubing, Steel Low Carbon, Annealed Pressure Type	Cancelled
	MIL-S-22556A	Signal Light Kit; Landing Signal Officers	Cancelled, use MIL-S-23341
	MIL-C-22557A-3	Conncectors, Coaxial, Radio Frequency Miniature (Screw on) Gen Spec for	Cancelled
	MIL-T-22566(Wep)	Test Harness, Radar AN/ARM 101	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-M-22570(Wep)	Mixer, Incendiary, Shipboard Mk 2 Mod 0	Cancelled
	MIL-V-22583(Weps)	Vertical Reference Group AN/AJA-3(+)	Cancelled
	MIL-S-22586(Wep)	Semitrailer, Flat Bed, Guided Missile Transporter, and Magazine Storage, 25 ton, 4-Wheel	Cancelled
	MIL-G-22588A	Grease Gun, Hand, Cartridge Type High-Pressure, Lever Operated	Cancelled
	MIL-C-22591(Wep)	Computer, Air Navigation Cruise Control (Rest)	Cancelled
	MIL-L-22609(Wep)	Launcher, Target, Aerial Type Aero 38	Cancelled
	MIL-A-22611(Wep)	Adhesives, for Polyvinylchloride Coated Cloth	Cancelled
	MIL-G-22615(Wep)	Grease, Lubricating, For Low and High Temperatures	Cancelled, use MIL-G-25013
	MIL-P-22621A(Wep)	Power Supply PP-2315(*)/A	Cancelled
	MIL-P-22629(Wep)	Printed Wiring Board	Cancelled
	MIL-R-22633A(Wep)	Radio Set, AN/PRC-49(*)	Cancelled
	MIL-I-22635(Wep)	Indicator, Frequency Channel ID-879 (*)/ARC	Cancelled
C	MIL-T-22638(Weps)	Transmitting Set, Countermeasures AN/ALT-17(*)	Cancelled
C	MIL-T-22639(Wep)	Transmitting Set, Counter Measures AN/ALT-18 (*)	Cancelled
C	MIL-T-22640(Weps)	Transmitting Set, Countermeasures AN/ALT-19(*)	Cancelled
	MIL-G-22642B(Wep)	Generator, Signal AN/URM 130	Cancelled
	MIL-S-22644B(Wep)	Simulator, Attitude SM-213 APA-83	Cancelled
	MIL-T-22646(Wep)-1	Test Set, Amplifier Control TS-1392A/APQ-83	Cancelled
	MIL-T-22649	Test Set, Alignment TS-1395/APQ-83	Cancelled
	MIL-C-22651B(AS)-2	Cartridge Separation Mk13 Mod 0	Cancelled
	MIL-W-22654	Wand, Taxi Guidance	Cancelled
	MIL-C-22657A(Wep)	Cartridge, Actuator, MK 26 Mod 0	Cancelled
	MIL-C-22660(Wep)	Computer, Aircraft Runway Distance	Cancelled
	MIL-T-22662(Wep)	Transmitting Set, RAdio AN/URW-15	Cancelled
	MIL-S-22666	Synchros, Resolver, Computing General Specification for	Cancelled, Use MIL-R-23417
	MIL-C-22671(Wep)	Control, Radio Set C-3146()/ASQ	Cancelled
	MIL-F-22676(Wep)-2	Flight Control Group AN/AJA-4(*)	Cancelled
	MIL-R-22677(WP)-2	Receiver-Transmitter, Radio RT-541()/ASQ and Decoder, Pulse KY-309()/ASQ	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-M-22683(WP)-1	Mine Test Set MK 130 Mod 1	Cancelled
	MIL-D-22688	Data Avionics Design Requirements for Developing Aviation Training Devices	Cancelled
	MIL-P-22693(Wep)	Plastic Laminates, Glass Fabric Base	Cancelled
	MIL-I-22694(Wep)	Indicator, Latitude-Longitude ID-887(*)/U	Cancelled
	MIL-C-22695(Wep)-1	Containers and Pallets, Expendable for Bullpup Missile Sections and Components	Cancelled
	MIL-C-22701(WP)-1	Control Box MK 35 Mod 4	Cancelled
	MIL-T-22703(Wep)	Technical Manual: Maintenance Instructions (For Surface-Launched Guided Missiles)	Cancelled, Use WS-4616
	MIL-T-22705(Wep)	Transmitter, Altitude Data, T-624()/APN-67	Cancelled
	MIL-R-22713(WP)-1	Rocket Motor, Forty Foot Drop Test	Cancelled Use MIL-STD-331
	MIL-I-22714(Wep)	Intervalometer, Ordnance Release TD-278()/A	Cancelled
	MIL-T-22716(Wep)	Trailer Facilities, Dressing, Briefing and Alert Room for Air Crew Members Wearing Full Pressure Suits	Cancelled
	MIL-F-22725(Wep)	Folding Table, Steel, Field Office	Cancelled
C	MIL-D-22726(Wep)	Digital Data Communication Set AN/ASW-13(*)	Cancelled
C	MIL-R-22728(Weps)	Receiving Set, Countermeasures, AN/ALR-13(*)/	Cancelled
C	MIL-S-22730(Wep)	Sonobuoy AN/SSQ-1 (U)	Cancelled
C	MIL-W-22734(Wep)	Warhead, Guided Missile, MK 11 MOD 0 (Empty)	Cancelled
	MIL-T-22742(Wep)	Tape, Insulating, Tetrafluoroethylene	Cancelled
C	MIL-E-22746A(Wp)	Energizer, Reserve MK 25 MOD 0	Cancelled
	MIL-P-22748A-1	Plastic, Polyethylene and Copolymers High Density Molding and Extrusion Material	Cancelled, Use L-P-390
	MIL-W-22759/24(AS)	Wire, Electric, Fluoropolymer-Insulated, Crosslinked ECTFE, Medium Weight, Tin-Coated Copper Conductor, 600 Volt	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-W-22759/25(AS)	Wire, Electric, Fluoropolymer-Insulated, Crosslinked ECTFE, Medium Weight, Silver-Coated High Strength Copper Alloy Conductor, 600 Volt	Cancelled
MIL-W-22759/26(AS)	Wire, Electric, Fluoropolymer-Insulated, Crosslinked ECTFE, Light Weigh, Tin-Coated Copper Conductor, 600 Volt	Cancelled
MIL-W-22759/27(AS)	Wire, Electric, Fluoropolymer-Insulated, Crosslinked ECTFE, Light Weight, Silver-Coated High Strength Copper Alloy Conductor, 600 Volt	Cancelled
MIL-W-22759/36A(AS)	Wire, Electric	Cancelled
MIL-W-22759/37A(AS)	Wire, Electric	Cancelled
MIL-W-22759/38	Wire, Electric	Cancelled
MIL-W-22759/39	Wire, Electric	Cancelled
MIL-W-22759/40	Wire, Electric	Cancelled
MIL-T-22788 (Navy)	Tape, Parchment Paper	Cancelled
MIL-S-22794(Wep)	Sonobuoy, AN/SSQ-23B	Cancelled
MIL-T-22800(Wep)	Technical Manual: Operational Instructions (For Surface-Launched Guided Missiles)	Cancelled
MIL-T-22801(Wep)	Technical Manuals: Service and Launching Instrucitons (For Surface-Launched Guided Missiles)	Cancelled
MIL-L-22803(Wep)-1	Lubricant, Wire Rope	Cancelled
MIL-C-22806A-1	Crates, Sheathed, Wood, Wirebound	Cancelled
MIL-P-22807(WP)-1	Plotting Instrument Set, 79MM Photoblique	Cancelled
MIL-P-22808A	Paint, Epoxy, Hydraulic Fluid Resistant	Cancelled, Use MIL-C-22750
MIL-M-22816(Wep)	Maintenance Kit, Electronic Equipment MK 495/APQ-72	Cancelled
MIL-C-22819(1)	Computer Mk 101 Mod 0 and Mod 1	Cancelled
MIL-S-22820/30(AS)	Servomotor-Tachometer Generator Type 26V-08SM-DG4a	Cancelled
MIL-S-22820/31(AS)	Servomotor-Tachometer Generator Type 26V-08SM-IN4a	Cancelled
MIL-S-22820/32(AS)	Servomotor-Tachometer Generator Type 11SM-DG4a	Cancelled
MIL-S-22820/33(AS)	Servometer-Tachometer Generator Type 11SM-IN4a	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-S-22820/300	Servometer-Tachometer Generator Type II SMRG4	Cancelled
	MIL-S-22820/301(AS)	Servometer-Tachometer Generator (Gearheaded), Type 26V-08SMDG4	Cancelled
	MIL-B-22822(Wep)	Blanket, Thermal Mark 3, Mod 0	Cancelled
	MIL-B-22823(Wep)	Blanket, Thermal, Mark 4, Mod 0	Cancelled
	MIL-W-22826-1	Wire, Steel (Chromium-Vanadium) Round, For Mechanical Springs, Valve Spring Quality	Cancelled
	MIL-C-22829(Wep)-1	Control Depth, Torpedo DCU-41/A	Cancelled
	MIL-T-22835A(WP)	Target Control System AN/SRW-4A and Suffix Letters "A" through "G"	Cancelled
	MIL-N-22840A(Wep)	Nickel, Iron Alloy (50 Percent Nickel) Strip, Bar and Rod for Magnetic Applications	Cancelled
	MIL-P-22841(WP)	Paper, Masking, Pressure-Sensitive, Adhesive Edged	Cancelled
	MIL-D-22844(Wep)-2	Decoder, Video KY-364()/APX	Cancelled
	MIL-M-22855(Wep)-1	Meters, Electrical Indicating Clamp, Mounting Aircraft, Gen Spec for	Cancelled
	MIL-C-22857(Navy)-2	Connectors, Electrical, Rectangular, Crimp Type Removable Contact (For Rack and Panel and other Applications), General Spec for	Cancelled, Use MIL-C-28748
	MIL-I-22859(Wep)-1	Indicator, Attitude Remote (Two Inch)	Cancelled
	MIL-G-22860(wep)-2	Gyroscope Assembly, Displacement	Cancelled
	MIL-R-22874A(Wep)	Recorder-Reproducer Set Signal Data AN/UNH-9(-)	Cancelled
	MIL-B-22883(WP)-2	Booster, Guided Missile, MK 12 Mod 0 (insert assembly)	Cancelled
C	MIL-D-22897(Wep)	Detecting Set, Infrared AN/AAS-15	Cancelled
C	MIL-M-22898(Wep)	Magnetic Airborne Detection Set (Towed) AN/ASQ-46	Cancelled
	MIL-C-22903(WP)-2	Control, Transmitter C-3314/SRW-4C and Pedestal, Transmitter Control MT2351/SRW-4C	Cancelled
	MIL-C-22904(Wep)-2	Coder, Audio Frequency KY-341/SRW-4C	Cancelled
	MIL-C-22905(Wep)-2	Contol, Transmitter C-3313/SRW-4C	Cancelled
	MIL-S-22906(Wep)	Sonobuoy AN/SSQ-38(U)	Cancelled
	MIL-B-22907(Wep)-1	Bulletins, Service; Catapult, Arresting Gear, Visual Landing Aids, and Catapult Deck Gear & Accessories; Preparation of	Cancelled, Use MIL-D-81992

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-C-22908(WP)-1	Changes, Service: Catapult, Arresting Gear, Visual Landing Aids, and Catapult Deck Gear and Accessories, Preparation of	Cancelled
MIL-T-22910C-1	Tools, Crimping, Hand, for Crimp Style Electric Terminals & Shielded Ferrules	Cancelled
MIL-T-22910/1C(ASG)	Kit Case, For 22910/2 and 22910/3 Crimping Tools and Dies	Cancelled
MIL-T-22910/2C(ASG)	Tool, Hand, Eight Tool w/Removable Dies for Two Piece Shield Terminating Ferrules	Cancelled
MIL-T-22910/3C(ASG)	Tool, Hand, Twelve Inch w/Removable Dies for Two Piece Shield Terminating Ferrules	Cancelled
MIL-T-22910/4B(ASG)	Gage, Inspection for M22910/2 Crimping Tool	Cancelled
MIL-T-22910/5B(ASG)	Gage, Inspection for M22910/3 Crimping Tool	Cancelled
MIL-T-22910/6(AS)	Kit Case for M22910/7 Crimping Tools and Dies	Cancelled
MIL-T-22910/7	Tool Hand, 10.75 Inch, With Removable Dies for Two Piece Shield Terminating Perrules	Cancelled, Superseded by MIL-C-22520/5
MIL-T-22910/8B	Gages Inspection for M22910/7 Crimping Tool	Cancelled
MIL-G-22926(Wep)	Generator, Signal AN/URM-129(*)	Cancelled
MIL-S-22929(Wep)	Cable, Electrical, Underwater, Seadrome Lighting	Cancelled
MIL-R-22930A	Radio Set AN/ARC-88	Cancelled
MIL-A-22932(Wep)	Adapter, Shackle to Depth Charge ADU-109/A	Cancelled
MIL-A-22936(Wep)	Abrasive; Glass Beads	Cancelled Superseded by MIL-G-9954A
MIL-C-22946(Wep)	Control, Receiver C-3537(*)/ASQ and Indicator, Channel ID-896(*)/ASQ	Cancelled
MIL-C-22947(Wep)	Control, Radio Set C-3536 (*)/ASQ and Indicator, Channel ID0897 (*) ASQ	Cancelled
MIL-R-22950A(Wep)	Receiving Set, Loran AN/APN-145(*)	Cancelled
MIL-S-22952(Wep)	Splicer, Film Photographic, 70MM	Cancelled
MIL-T-22953(Wep)	Tool Cabinet & Utility Work Bench Mobile	Cancelled, Use AA-C-0045
MIL-S-22961(Wep)	Sight Unit MK 11 MODS 4&7	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-R-22973(Wep)	Reliability Index Determination for Avionic Equipment Models, General Specification for	Cancelled
MIL-C-22979A(Wep)	Containers, and Pallets for Model ASM-N-7a (Bullpup)	Cancelled
MIL-M-22983	Meteorological, Measuring Set AN/pmq-5()	Cancelled
MIL-P-22985B	Plastic Molding and Extrustion Material, Ethyl Cellulose	Cancelled
MIL-G-22991(Wep)	Glass Cleaner	Cancelled- Use P-P-560
MIL-C-22996(AS)-2	Cartridge, Actuator, MK 39 Mod 0	Cancelled
MIL-D-23001/1(AS)	Electric Generating System, Two Generator Parallel System 120/150 KVA 400 Hz Alternating Current, VCSF Type	Cancelled
MIL-D-23001/2(AS)	Electric Generating Systems, Two Generator Synchronized System, 120/150 KVA 400 Hz Alternating Current, VCSF Type	Cancelled
MIL-L-23005A(Wep)	Loader, Gun 20MM MK 2 MOD 1	Cancelled
MIL-I-23043(Wep)	Indicator, Attitude, Two Inch Self-Contained Standby	Cancelled
MIL-A-23051(Wep) Notice No. 1	Anti-Icing Fluid, Freezing Rain	Cancelled, Use MIL-A-8243
MIL-M-23052(Wp)-2	Marker, Location, Submarine MK26 Mod 0	Cancelled
MIL-I-23053/9	Insulation Sleeving, Electrical, Heat Shrinkable, Fluorosilicone Rubber, Flexible	Cancelled
MIL-R-23056	Relay Assembly, Airport Series Lighting, 6.6 Amperes	Cancelled
MIL-B-23063-1	Bearing, Ball, Annular, Instrument Precision	Superseded by MIL-B-81793
MIL-S-23065(Wep)	Stabilization Computer MK 10B Mod 0	Cancelled
MIL-S-23066(Wep)	Stabilization Computer Mk 108 Mod 1	Cancelled
MIL-S-23067(Wep)	Stabilization Computer MK 110 Mod 0	Cancelled
MIL-M-23073A(AS)	Miss Distance Measuring System AN/DRQ-3A Transponder Unit	Cancelled
MIL-A-23079B	Actuator	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-G-23082A(WP)-1	Gyroscope, Displacement, Pitch and Roll	Superseded by MIL-G-23081B(AS)-
	MIL-I-23084A(WP)-1	Indicator, Attitude Remote 3" Case	MIL-G-23081B(AS)-
	MIL-I-23085A(WP)-1	Indicator, Attitude, Remote 5" Case	Superseded by MIL-G-23081B(AS)-
	MIL-M-23087(Wep)	Maintenance Kit, Electronic Equipment MK 578/APX	Cancelled
	MIL-R-23094A(Wep)	Reliability Assurance for Production Acceptance of Avionic Equipment, General Specification for	Superseded by MIL-STD-781A
	MIL-T-23099A-2	Tapping Kit for Servo-Mount Potentiometer Two-Inch Diameter	Cancelled
	MIL-M-23106A(OS)	Motor, Heel Trim (for Torpedo MK 22 Mod 0 & 1)	Cancelled
	MIL-P-23109B-5	Panel, Gyro Runout	Cancelled
	MIL-P-23113(Wep)	Pentaerythritol Actate Prinpionate (Peap)	Cancelled
	MIL-W-23116(Wep)-1	Wire Rope, Steel, Fiber Core, 6 X 25, High-Strength (For Aircraft Arresting)	Cancelled
	MIL-S-23117(Wep)	Sucrose Octa Acetate, Ordnance Use	Cancelled
	MIL-I-23130	Igniter	Cancelled
	MIL-I-23131	Igniter	Cancelled
	MIL-D-23143	Data, Technical Aircraft, for Design of Aviation Training Divices	Cancelled
	MIL-R-23148(Wep)	Reflector, Radar (Chaff) Package, for Personnel Parachutes	Cancelled
	MIL-I-23150(Wep)-1	Indicator, Sonic, Torpedo	Cancelled
	MIL-T-23154(Wep)	Tester, For Torque Controlled Power Tools	Cancelled
	MIL-G-23156A(Wep)	Generator, Power	Cancelled
	MIL-I-23158(Wep)-1	Indicator, Frequency Channel ID-997(*)ARC	Cancelled
	MIL-C-23176B(AS)	Computer-Display Set, Navigational AN/ASN-30A	Cancelled
	MIL-P-23180(Wep)	Plotter Mark 16 Mod 2	Cancelled
C	MIL-T-23184A(Wep)	Transmitting Set, Countermeasures AN/ALT-21A And AN/ALT-21A(X)	Cancelled
	MIL-T-23186(Wep)	Telemetric Data Receiving-Recording Scoring Set AN/SKQ-1	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-F-23188(Wep)	Fuel, Multipurpose, Antarctic; MP-1	Cancelled
MIL-T-23214(Wep)	Transmitter, Pressure, Aircraft, 320-Degree Movement, High Temperature (850°F)	Cancelled
MIL-C-23216	Contact, Electric, Connector, Gen Spec For	Cancelled, Use MIL-C-39029
MIL-C-23235(Wep)	Control, Depth, Torpedo DCU-67/A	Cancelled
MIL-R-23253(Wep)	Receiver Assembly, Nitrogen	Cancelled
MIL-V-23254B(AS)	Valve, Control	Cancelled
MIL-E-23271(WP)-1	Explosive Section, Underwater Sound Signal Mark 4 Mod 0 and Mark 8 Mod 0	Cancelled
MIL-A-23301(Wep)-1	Arming and Firing Mechanism Mark 31 Mod 0	Cancelled
MIL-P-23302(Wep)	Procurement Packages for Aeronautical Spare Parts, Requirements for	Cancelled
MIL-M-23313A(Ships)-1	Maintainability Requirements for Shipboard and Shore Electronic Equipment and Systems	Superseded by MIL-STD-470
MIL-I-23321A(AS)	Igniter Mark 173 Mods (Loaded Assembly)	Cancelled
MIL-G-23323(WP) Notice No. 1	Generator, Gas, MK 7 Mod 0	Cancelled
MIL-R-23332(Wep)-2	Radiosonde Baseline Check Set AN/UMM-1	Cancelled
MIL-T-23336(Wep)-1	Technical Directives (Letter Type) Preparation of	Superseded by AR-22
MIL-T-23352(Wep)	Test Set, Infrared AN/AAM-3	Cancelled
MIL-C-23353A	Connectors, Plug and Receptacle, Electrical, Polarized Shell, Established Reliability, and Shields, Electrical Connector-Gen Spec for	Cancelled, Use MIL-C-55302
MIL-B-23362(Wep)	Brazing of Aluminum and Aluminum Alloy	Cancelled Superseded by MIL-B-7883A
MIL-S-23372(Wep)-1	Steel Bar (4.2 Percent Silicon) Vacuum Melted (Electrical)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-R-23379A(Navy) Supplement-1	Resistors, Fixed, Wirewound, Precision Power Type, Wire Lead Terminal, General Specification for	Superseded by MIL-R-26D
	MIL-T-23382(WP)	Technical Manual, Safety Requirements, For Weapon Systems	Cancelled
	MIL-T-23383(WP)	Technical Manual, Safety Requirements, to Existing Weapon Systems Manual	Cancelled
	MIL-T-23384(WP)	Technical Manual, Safety Requirements, For Missile Complete Round	Cancelled
	MIL-T-23385(WP)	Technical Manual, Safety Requirements, Supplement to Existing Manual for Missile Complete Round	Cancelled
	MIL-T-23386(WP)	Technical Manual, Safety Requirements, Supplement for Missile Complete Round	Cancelled
	MIL-A-23395(Wep)	Altimeter, Pressure, Counter-Pointer Type MC-3 and MC-4	Cancelled
	MIL-S-23399(WP)-1	Signal, Underwater Sound Mark 57 Mod 0	Cancelled
	MIL-C-23403(Wep)	Compound; Soft Film, Corrosion-Preventive, Non-Staining	Cancelled
	MIL-R-23417/8(WP)	Resolver, Electrical MK 4 Mod 1	Cancelled
	MIL-R-23417/21(WP)	Resolver, Electrical MK 4 Mod 3	Cancelled
	MIL-R-23417/22A(AS)	Resolver, Transmitter Type 25V-11R2N2a	Cancelled
	MIL-R-23417/600(AS)	Resolver, Electrical Type 26V-08RGNB4	Cancelled
	MIL-A-23427(WP)-1	Arming and Firing Mechanism Mark 38 Mod 0	Cancelled
	MIL-E-23428(WP)-1	Explosive Section, Underwater Sound Signal MK 10 Mod 0 and MK 10 Mod 1	Cancelled
	MIL-S-23429(Wep)-1	Signal, Underwater Sound MK 59 Mod 0, MK 59 Mod 1	Cancelled
C	MIL-D-23456(Wep)	Digital Data Communications Set AN/ASW-21	Cancelled
	MIL-E-23476(Wep)	Ejector, Flare, Mark 1 Mod 0	Cancelled
	MIL-C-23484C	Coveralls, Flying, Anti-Exposure Mark 5A	Cancelled
	MIL-L-23485B(AS)	Liners, Coverall, Anti-Exposure Mark 5A, Insulating and Ventilating	Cancelled
	MIL-S-23496(Wep)	Scale Conditioning Compound, Alkaline, Hot Section	Cancelled, Use MIL-D-26549(USAF)
	MIL-F-23528(Wep)	Flood Light, Flight Deck Mounted	Cancelled - Future Procurement Under NAEL (SI) Drawing No. 609331

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-I-23533(Wep)	Indicator, Rate of Flow, Fuel EFU-21/A	Cancelled
	MIL-T-23544(Wep)	Test Set, Doppler Radar AN/APM-154	Cancelled
	MIL-F-23555(Wep)	Fire Extinguishing Agent, Multipurpose Phosphate Dry Chemical	Cancelled Superseded by O-D-1380
	MIL-K-23567A(2)	Kit, Conversion, Filter/separator, 225 Gpm	Cancelled
	MIL-T-23568A(YD)	Truck With Elevating Hydraulic Lift Platform, 3500 Pounds Capacity, Gasoline Engine Driven, Pneumating Rubber Tires, Type TEP-35	Delete - Superseded by MIL-T-23568A(YD)
	MIL-R-23574(AS)-2	Receiving Set, Radio AN/ARW-79	Cancelled
	MIL-N-23582(Wep)	Net, Cargo, Cable	Cancelled
	MIL-A-23584(AS)-2	Aerograph Set, Airplane AN/AMQ-17 and Aerograph Set, Helicopter AN/AMQ-18	Cancelled
	MIL-V-23585(Wep)	Viewer, Stereo, Scanning, Zoom Lenses, 5 Inch Film	Cancelled
C	MIL-D-23597C(AS)	Detecting - Ranging Set, Sonar AN/AQS-13(U)	Cancelled
	MIL-P-23598(Wep)	Purge Assembly, Electric Driven For Liquid Oxygen Tank	Cancelled
C	MIL-T-23600A(Wep)-3	Torpedo Mark 37 Mod 1 Main Assembly	Cancelled, Use MIL-T-82523(OS)
	MIL-S-23603(Wep)	System Readiness/Maintainability, Avionics Systems Design, General Specification for	Cancelled Superseded by MIL-STD-470
	MIL-D-23612(Wep)	Dryer, Full Pressure Flying Suit	Cancelled
	MIL-T-23617(Wep)	Television System, Pilot Landing Aid (Land Based)	Cancelled
	MIL-M-23619(Wep)	Manuals, Technical: Periodic Maintenance Requirements, Maintenance Requirements Cards, Sequency Control Charts, and Related Test Flight Check Lists, For Air Weapons Systems: Printing and Binding of	Cancelled Superseded by MIL-M-23618B
	MIL-C-23623(Wep)	Cleaning and Polishing Compound (For Painted Aircraft Surfaces)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-R-23642(WP)-4	Receiving Set, Radio AH/DRW-29	Cancelled
MIL-C-23675(WP)	Coating, Anti-Fouling, Hull Bottom for Weapons Systems	Cancelled
MIL-T-23682(1)	Transformer, Power, Isolation	Cancelled
MIL-A-23684(Wep)	Actuator, Explosive, MK 12 MOD 0	Cancelled
MIL-P-23686A-1	Propellant, Mixed Amine Fuel, MAF-3	Cancelled
MIL-R-23688(Wep)	Release, Explosive Destructor, MK 30 Mod 0	Cancelled
MIL-M-23695(Wep)	Manuals, Technical: Test Equipment, Calibration Procedures: Preparation of	Superseded by MIL-M-38793
MIL-M-23700(Navy) Supplement-1	Microelectronic Functional Devices General Specification for	Cancelled
MIL-T-23709(Wep)	Transmitting Set Assembly, Telemetric Data	Cancelled
MIL-W-23711	Wire, Steel, Carbon High Strength	Cancelled
MIL-F-23712(Wep)	Film, Transparent, Flexible, Heat Sealable, Waterproof, Greaseproof, for Packaging Applications	Cancelled
MIL-L-23713(Wep)	Light, Guide, Flight Deck	Cancelled
MIL-A-23717(Wep)	Adapter-Compensator, Compass MX-2488A/AJB-3	Cancelled
MIL-A-23718(Wep)	Amplifier-Power Supply AM-1931/AJB-3	Cancelled
MIL-D-23719(Wep)	Distribution Box J-1122/AJB-3A	Cancelled
MIL-C-23720(Wep)	Computer, Bomb Release Angle OP-410/AJB-3	Cancelled
MIL-C-23721(Wep)	Controller, Compass System C-2499A/AJB-3	Cancelled
MIL-G-23722(Wep)	Gyroscope Assembly, Displacement CN-494A/AJB-3	Cancelled
MIL-I-23724(Wep)	Indicator, Attitude ID-694/ AJB-3	Cancelled
MIL-I-23725(Wep)	Indicator-Programmer ID-695A/ AJB-3	Cancelled
MIL-T-23726(Wep)	Timer, Interval TD-236A/ AJB-3	Cancelled
MIL-A-23728(Wep)	Accelerometer, Aircraft MX-2911/AJB-3A	Cancelled
MIL-A-23729(Wep)	Adapter-Compensator, Compass MK-2826/AJB-3A	Cancelled
MIL-A-23730(Wep)	Adapter, Flight Director Signal MK-2912A/AJB-3A	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-C-23731(Wep)	Controller, Compass System C-2984/AJB-3A	Cancelled
	MIL-I-23732(Wep)	Indicator, Attitude-Director ID-811/AJB-3A	Cancelled
	MIL-C-23734(AS)-1	Cushioning Material Cellulosic, Tubular	Cancelled
	MIL-P-23841A-1	Propellant, Mixed Amine fuel, MAF-1	Cancelled
	MIL-R-23746(Wep)-1	Recharging System, Liquid Nitrogen, Skid Mounted	Cancelled
	MIL-L-23751(Wep)	Launcher, Rocket, Airborne, LAU-32A/A	Cancelled
	MIL-T-23753(Wep)-1	Test Bench Set, Indicator Group, AN/AQM-10 ( )	Cancelled
	MIL-L-23780(Wep)	Launcher, Rocket, Airborne, LAU-32/A	Cancelled
	MIL-T-23784B	Television System, Pilot Landing Signal Officer Landing Aid (Plat) (Shipboard)	Cancelled
	MIL-C-23789(Wep)	Connector, Single Conductor Cable, Plug and Receptacle, Kit Form For	Cancelled
	MIL-C-23790(WP)	Controller, Altitude Hold	Cancelled
	MIL-C-23791(Wep)	Controller System, System, Sequence-Flashing, Centerline Guide Light	Cancelled
	MIL-D-23795(Wep)	Dispensing Assembly, Fuel, Hand Driven, Contamination Removing	Cancelled
C	MIL-R-23741A-1	Rocket Motor, MK 39 MOD 0 For Shrike	Cancelled
	MIL-T-23804(WEP)-1	Time and Events Recorder MK 13 Mods 1 and 2	Cancelled
	MIL-L-23805(Wep)	Light Assembly, Goggle-Mounted	Cancelled
	MIL-T-23814A(AS)-1	Transmission, Power, Constant Speed for Use on A-4E/F Aircraft	Inactive
	MIL-P-23817(Wep)	Panels, Electroluminescent Illuminated Cockpit and Interior Controls	Cancelled
	MIL-S-23825(Wep)	System, Optical Landing, Fresnel Lens, MK 7 Mod 0	Cancelled
	MIL-G-23834	Grinding Machine, Cylindrical, Universal, Medium Duty	Cancelled, Use MIL-G-23823
	MIL-S-23839(Wep)	Switch Assembly, Dual Control, Portable	Cancelled
	MIL-S-23847B-1	Saw, Band, Cur Off, Horizontal, Manual Stock Feed, 12 x 12 Inch Capacity	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MIL-V-25025B		Valve, Shut Off, Turbine, Engine, Synthetic Oil, Electric Motor Operated	Cancelled
MIL-V-25029A(ASG)		Valves; Fuel Level Control, Integral Float-Operated, General Spec For	Cancelled - Superseded by MIL-V-38003
MIL-P-25030A	Q	Pump, Rotary, Power-Driven Fuel Aircraft	Cancelled
MIL-P-25031(ASG)		Pump; Fuel, Power Driven, 100-GPH	Cancelled Superseded by MIL-V-25030A
MIL-P-25032(ASG)		Pump; Fuel, Power-Driven, 200-GPH	Cancelled - Superseded by MIL-P-25030A
MIL-P-25033(ASG)		Pump; Fuel, Power-Driven, 400-GPH	Cancelled Superseded by MIL-P-25030A
MIL-P-25034(ASG)		Pump; Fuel, Power-Driven, 700-GPH	Cancelled Superseded by MIL-P-25030A
MIL-P-25035(ASG)		Pump; Fuel, Power-Driven, 1,200-GPH	Cancelled Superseded by MIL-P-25030A
MIL-L-25064(ASG)		Lamps; Red Incandescent	Cancelled
MIL-N-25076(ASG)-1		Nameplate, Identification, Metallic Foil, Adhesive-Backed	Superseded by MIL-P-19834A
MIL-T-25079A(ASG)		Trainer, Instrument Flying, Jet-Propelled Aircraft, Type C-11C	Cancelled
MIL-N-25087A(ASG)		Nipple, Emergency Oxygen Cylinder Valve, Breakoff	Cancelled Superseded by MIL-V-7560A
MIL-E-25111(ASG)		Engines, Aircraft, Reciprocating, Qualification Tests	Cancelled
MIL-V-25126B-1		Valve, Oxygen, Mask Exhalation	Cancelled, Use MIL-V-81552(AS)
MIL-T-25131A(ASG)		Transmitter, Pressure, Oil, 0-300 PSI, Type MM-1	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-M-23945(AS)-1	Methyl Aziridinyl Phosphate Oxide (MAPO)	Cancelled
MIL-C-23955B(AS)	Coveralls, Anti-G, Cutaway, MK 2A	Cancelled
MIL-P-23962(Wep)	Petroleum Distillate Solvent, High Flash Point	Cancelled
MIL-C-23974(WP)	Controller, Full Pressure Suit	Cancelled
MIL-R-23975(AS)	Regulators, Breathing, Full Pressure Suit	Cancelled
MIL-V-23976(Wep)	Valve, Check, Exhalation, Full Pressure Suit	Cancelled
MIL-V-23977(WP)	Valve, Anerold Make-Up, Suit Mounted Control System	Cancelled
MIL-G-23978(AS)-2	Gloves, Mark IV High Altitude Full Pressure Suit	Cancelled
MIL-A-23979(Wep)-1	Altimeter, High Altitude Full Pressure Suit	Cancelled
MIL-V-23980(Wep)	Valve, Relief, Full Pressure Suit	Cancelled
MIL-I-23985(Wep)	Indicator, Attitude-Director, Remote, 3 Inch Case	Cancelled
MIL-N-24007(WP)	Navigation Set, Electronic AN/APN-163(*)	Cancelled
MIL-C-24010A	Contactor, Electric Power Line, Aircraft, General Specification for	Cancelled
MIL-P-24014(Wep)-3	Preclusion of Hazards from Electromagnetic Radiation to Ordnance, General Requirement for	Cancelled - Superseded by MIL-STD-1385(Navy)
MIL-S-24020A(Wep)	Sonobouy AN/SSQ-48	Cancelled
MIL-C-24145A	Cable, Electrical, Special Purpose, For Shipboard Use	Cancelled, Use MIL-C-915
MIL-C-24237	Couplings, Quick-Disconnect For Abrasive Blasting Hose	Cancelled
MIL-S-24329A	Switches, Stepping, General Spec for	Cancelled
MIL-F-24385(Navy)-2	Fire Extinguishing Agent, Aqueous Film Forming Foam (AFFF) Liquid Concentrate, Six Percent, For Fresh and Sea Water	Cancelled
MIL-C-25019A(ASG)-1	Control Panel C-403 B/A	Cancelled
MIL-C-25021C(ASG)	Converter, Oxygen, Aircraft, Liquid to Gaseous, Type MA-1	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-V-25025B	Valve, Shut Off, Turbine, Engine, Synthetic Oil, Electric Motor Operated	Cancelled
MIL-V-25029A(ASG)	Valves; Fuel Level Control, Integral Float-Operated, General Spec For	Cancelled - Superseded by MIL-V-38003
MIL-P-25030A Q	Pump, Rotary, Power-Driven Fuel Aircraft	Cancelled
MIL-P-25031(ASG)	Pump; Fuel, Power Driven, 100-GPH	Cancelled Superseded by MIL-V-25030A
MIL-P-25032(ASG)	Pump; Fuel, Power-Driven, 200-GPH	Cancelled - Superseded by MIL-P-25030A
MIL-P-25033(ASG)	Pump; Fuel, Power-Driven, 400-GPH	Cancelled Superseded by MIL-P-25030A
MIL-P-25034(ASG)	Pump; Fuel, Power-Driven, 700-GPH	Cancelled Superseded by MIL-P-25030A
MIL-P-25035(ASG)	Pump; Fuel, Power-Driven, 1,200-GPH	Cancelled Superseded by MIL-P-25030A
MIL-L-25064(ASG)	Lamps; Red Incandescent	Cancelled
MIL-N-25076(ASG)-1	Nameplate, Identification, Metallic Foil, Adhesive-Backed	Superseded by MIL-P-19834A
MIL-T-25079A(ASG)	Trainer, Instrument Flying, Jet-Propelled Aircraft, Type C-11C	Cancelled
MIL-N-25087A(ASG)	Nipple, Emergency Oxygen Cylinder Valve, Breakoff	Cancelled Superseded by MIL-V-7560A
MIL-E-25111(ASG)	Engines, Aircraft, Reciprocating, Qualification Tests	Cancelled
MIL-V-25126B-1	Valve, Oxygen, Mask Exhalation	Cancelled, Use MIL-V-81552(AS)
MIL-T-25131A(ASG)	Transmitter, Pressure, Oil, 0-300 PSI, Type MM-1	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-V-25169(ASG)	Valves, Oxygen, Aircraft, 300-PSIG Converter, Relief	Cancelled, Use MIL-V-9050C(ASG)
MIL-L-25183A	Lavatories, Aircraft	Superseded by MIL-L-38779
MIL-L-25198(ASG)	Lamps, Incandescent, Sealed-Reflector	Cancelled BuAer Uses MIL-L-6363
MIL-V-25302(ASG)	Valves, Oxygen, Aircraft, 70-PSIG Converter, Relief	Cancelled, Use MIL-V-9050C
MIL-B-25305A	Boxes, Metal or Nonmetal, Shipping	Superseded by MIL-C-4150 MIL-C-5584
MIL-C-25314A(ASG)	Controller, Oxygen Flow, Bailout	Cancelled Superseded by MIL-V-7560A
MIL-W-25339A(ASG)	Webbing, Textile Polyester	Cancelled
MIL-E-25366D	Electrical and Electronic Equipment, Guided Missile Installation of, Gen Spec for	Cancelled
MIL-M-25431(ASG)	Mount, Resilient	Cancelled, Use MIL-C-172
MIL-T-25453A(ASG)-1	Test Points and Test Facilities, Airborne and Associated	Superseded by MIL-STD-415A
MIL-A-25457B	Adhesive, Air-Drying, Silicone Rubber	Cancelled
MIL-V-25469D(ASG)	Valves, Filler, Liquid Oxygen, Aircraft	Inactive for New Design Use MIL-V-25961
MIL-V-25492E(ASG)	Valve, Inflation, One-Man Liferaft	Cancelled
MIL-A-25493B	Aluminum Alloy Bars, Rods, and Shapes, Extruded, 6066	Superseded by QQ-A-200a
MIL-V-25513A(ASG)	Valve, Oxygen Check, For 300-PSI Oxygen Converters	Delete No NASC Interest
MIL-D-25521A(ASG)	Detector, Magnetic, Azimuth, DT-173/AJN	Cancelled - Use MIL-T-26503

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-C-25528E	Computer Set, Navigational AN/ASN-7A	Cancelled
MIL-I-25578C-1	Indicator, Pressure, Torque, 0-50 PSI Types MO-3 and EGU-17/A	Cancelled
MIL-I-25592C	Indicator, Attitude, Remote, Type MM-3A	Cancelled - Use MIL-I-27710(USAF
MIL-I-25593B	Indicator, Attitude, Remote, Type MM-4	Cancelled
MIL-C-25651B	Computer, Air Data, Central Type MG-3	Cancelled
MIL-F-25682A	Filter and Filter Element, Fluid Pressure, Hydraulic, Absolute, 25 Micron, -650° to 450°c and 600°F	Cancelled
MIL-G-25760A(ASG)-3	Grease, Aircraft; Ball and Roller Bearing, Wide Temperature Range	Cancelled Superseded by MIL-G-81322A
MIL-T-25783C(ASG)	Tank, Fuel, Aircraft and Missile Non-Self-Sealing High Temperature	Cancelled
MIL-C-25872A	Control, Radio Set C-1904/ARC-27	Cancelled
MIL-R-25897E-1	Rubber, Fluorocarbon Elastomer, High Temperature Fluid Resistant	Cancelled, Use MIL-R-83248
MIL-I-25943A(ASG)	Indicator, Vertical Velocity, AAU-4/A Integrally	Cancelled
MIL-S-25963E	Slings and Extraction Lines, Air Delivery	Cancelled, Use MIL-W-43342
MIL-L-25971B(ASG)	Light, Airport Traffic Control, SDU-4/U	Cancelled
MIL-G-25987A	Gages, Pressure, Dial Indicating, General Purpose, Aircraft Lighted, 0 to 35,000 FPM	Cancelled
MIL-D-26001C	Developer, Photographic, Rapid Process, High Contrast Armed Forces Developer No. 4	Cancelled
MIL-C-26006D	Crane-Semitractor, Type MB-1A (Crane Salvage, Aircraft, 100,000 lb Capacity, Type MB-1A)	Cancelled
MIL-R-26019A(ASG)	Regulator, Current, Airport Approach and Runway Lighting 37.5KW,Type MC-1	Cancelled
MIL-T-26140A(ASG)-2	Tester, Pressurized Cabin Leakage, Aircraft, AF/M24T-2	Cancelled, Use MIL-T-26139
MIL-W-26170A-1	Welding Machine, Resistance, AF/E24M-1, Metal Foil	Cancelled, Use MIL-W-80192
MIL-B-26241B-1	Boxes, Demountable	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-F-26386A	Film, Photographic, Motion Picture, Aerial, Black and White	Cancelled
MIL-R-26627	Regulator, Airport Lighting RGU-3/F, RGU-4/F, RGU-11F	Cancelled
MIL-C-26655B	Capacitors, Fixed, Solid Electrolyte, Tantalum, Gen Spec	Superceded by MIL-C-38779
MIL-M-26661	Magazine, Film LF-6 ( )	Cancelled
MIL-R-26667A(USAF)	Reliability and Longevity Requirements, Electronic Equipment, Gen Spec for	Cancelled, Use MIL-STD-781
MIL-P-26692	Plastic Tubes and Tubing, Polyethylene	Superseded by MIL-P-21922A
MIL-F-26862B	Fiberboard, Solid, Non-Corrosive, Fungi-Resistant for Interior Blocking Applications	Cancelled Use PPP-F-320
MIL-C-26885	Cubicle, Power Distribution Automatic Transfer, Airfield Lighting	Cancelled
MIL-T-26893A	Tester, Torque, Handle, Power Operated Type MN-1	Cancelled
MIL-R-26904A	Replenisher, Developer, Photographic, High Contrast Armed Forces Replenisher No 1R	Cancelled
MIL-L-27157C	Lighting System, Runway End Identifier Gen Requirements for	Cancelled
MIL-G-27343A(ASG)	Grease, Ball and Roller Bearing, for Temperatures Ranging from -- 100° to 400°F	Cancelled, Use MIL-G-25013D
MIL-P-27413	Propellant, Chlorine Pentafluoride	Cancelled
MIL-L-27488	Ladders, Fire-A-Folign Extension, 2 and 3 Section Combination	Cancelled, Use MIL-L-12197
MIL-P-27538A	Plastic Sheet, Fep-Fluorocarbon (Unfilled), Copper Clad (For Printed Wiring)	Cancelled
MIL-c-27687(USAF)	Camera System, Still Picture, Aircraft Reconnaissance KS-67A	Cancelled
MIl-L-27694A	Lubricating Oil, Instrument -65° to +400°F	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-T-27714C(ASG)	Tester, Liquid Oxygen Converter System, TTU-162/E	Cancelled
MIL-V-27852B(ASG)-1	Valve, Filler, Liquid Nitrogen, NRU-1/A	Cancelled
MIL-S-28705-1	Switches, Leaf Spring (Pile-Up Contacts) (Lever, Push, Tum) (Illuminated and Non-Illuminated) General Spec for	Cancelled
MIL-H-28719	Headers, Hermetically Sealed	Cancelled
MIL-S-28723	Switches, Crossbar (Manual) General Spec for	Cancelled
MIL-S-28756B	Switches, Air Flow, Sensing General Spec for	Cancelled
MIL-S-28761	Switches, Commutator General Specification for	Cancelled
MIL-P-30501	Prussian Blue Paste, Bearing Surface	Cancelled, Use TT-P-381E
MIL-S-38032	Static Line, Cargo Parchute, Type G-13	Superseded by MIL-S-43292
MIL-S-38130A-1	System Safety Engineering of Systems and Associated Subsystems and Equipment: General Specification for	Superseded by MIL-STD-882
MIL-V-38352	Value Engineering Program Requirements	Superseded by MIL-STD-1771
MIL-T-38354D(ASG)	Tank, Storage, Liquid Nitrogen TMU-35/E	Cancelled
MIL-C-38416A	Coveralls, Microwave Radiation, Protective CMU-6/P	Cancelled, Use MIL-C-82296
MIL-G-38426	Gasket Material, Tetrafluoroethylene Resin, Glass-Filled, Cryogenic Application	Cancelled
MIL-C-38747-1	Covering, Floor, Military Aircraft, Gen. Spec. For	Cancelled
MIL-P-38785	Provisioning, Phased	Superseded by MIL-STD-1517
MIL-C-39011-1	Capacitors, Feed Through, Radio-Interference Reduction, AC and DC, (Hermetically Sealed in Metallic Cases) Established Reliability General Specification for	Cancelled - Use MIL-C-11693

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-T-39013A	Transformers and Inductors (Audio and Power) Established Reliability, General Spec for	Cancelled
MIL-C-39020	Crystal Units, Quartz, Established Reliability, Gen Spec for	Cancelled
MIL-F-39025	Filters, High Pass, Low Pass, Band Pass, Band Suppression, and Dual Functioning, Established Reliability Gen Spec for	Cancelled
MIL-C-39029/41	Contact, Electrical Connector, Socket, Crimp Removable, Shielded	Cancelled
MIL-C-39029/42	Contact, Electrical Connector, Socket, Crimp Removable, Shielded	Cancelled
MIL-C-39029/43	Contact, Electrical Connector, Pin, Crimp Removable, Shielded	Cancelled
MIL-C-39029/65	Contact, Electrical Connector, Pin, Crimp Removable, Shielded Size 16	Cancelled
MIL-C-39029/66	Contact, Electrical Connector, Socket, Crimp Removable, Shielded, Size 16	Cancelled
MIL-C-39029/67	Contact, Electrical Connector, Socket, Crimp Removable, Shielded, Size 8	Cancelled
MIL-C-39029/68	Contact, Electrical Connector, Pin, Crimp Removable, Shielded, Size 8	Cancelled
MIL-B-40066C	Bar Assemblies, Extraction, Air-drop	Cancelled
MIL-C-41808B-1	Cloth, Duck, Cotton: Fire, Water, Weather, and Mildew Resistant, Light-dry Finish	Superseded by MIL-C-43627A
MIL-R-43003D	Release, Cargo Parachute, 5000-pound Capacity	Cancelled
MIL-P-43019A-2	Plate, Suspension, Wheel	Cancelled
MIL-L-43020A	Link, Extraction, Cargo Platform	Cancelled
MIL-B-43051B	Bracket Assemblies, Suspension, 2 ton trucks, M-35 and M-59, Airdrop	Cancelled
MIL-B-43074A-1	Block Assembly, Clevis, Airdrop	Cancelled
MIL-A-43075A	Adapter, Release Assembly, Air Delivery	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MIL-S-43078A		Static Line, With Release Knife and Clevis, Break-A-Way Type, Cargo Platform	Superseded by MIL-S-43292
MIL-T-43115		Tape, Pressure Sensitive Adhesive	Cancelled, Use MIL-T-22085
MIL-I-43121		Interference Reduction for Electric Hand Tools	Superseded by MIL-STD-461
MIL-B-43173A-1		Bag, Parachutist's Equipment	Cancelled
MIL-G-43349		Glass, X-Ray Protective	Cancelled
MIL-B-43363		Brushes, Dusting, Lens	Cancelled
MIL-G-43529		Adhesive, Fur Palletized Unit Loads	Cancelled
MIL-C-43600B		Cloth, Twill, Nylon, Non-Melting	Cancelled
MIL-P-43773		Paper, Kraft, Fire Resistant	Cancelled, Use UU-P-268
MIL-P-45021B	Q	Plastic Coating Compound, Strippable Cold Dipping (120°F)	Cancelled
MIL-I-45177A		Instruments, Tracer, Surface Roughness	Cancelled
MIL-P-45215C		Plastic Sheet, Transparent for Skin Packaging	Cancelled
MIL-P-45288		Projector, Motion Picture, Sound Rear and Front Screen Projection, Film Cartridge Type Super 8MM	Cancelled
MIL-P-45700A		Propellant Aniline-Furfuryl Alcohol	Cancelled
MIL-P-46076B		Plastic, Polyurethane, Flexible, Potting and Molding Compound	Cancelled, Use MIL-M-24041
MIL-W-46078		Wire, Steel, Spring, Corrosion Resistant (17-7PH) Solution Treated, Round, Cold Drawn or Precipitation Hardened	Cancelled
MIL-T-46098A		Tile, Ceramic, Alumina High Strength	Cancelled
MIL-C-46842A-1		Cushioning Material, Unicellular Polyethylene Foam (For Packaging Purposes)	Superseded by PPP-C-1752A
MIL-M-46849		Microfilming of Engineering and Related Documents, 16MM Requirements For	Cancelled
MIL-C-49055/3		Cables, Special Purpose, Electrical (Flexible, Flat, Unshielded), Round Conductor, Wire Size 20, 600 Volts, 105°C and 150°C	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-C-49055/4	Cable, Special Purpose, Electrical, (Flexible, Flat, Unshielded), (Round) Conductor), (Wire Size 22, 600 Volts, 105 Deg. C. and 150 Deg. C.)	Cancelled, Use MIL-C-49055/1
MIL-C-49055/5	Cable, Special Purpose, Electrical, (Flexible, Flat, Unshielded), (Round) Conductor), (Wire Size 24, 600 Volts, 105 Deg. C. and 150 Deg. C.)	Cancelled, Use MIL-C-49055/1
MIL-C-49055/6	Cable, Special Purpose, Electrical, (Flexible, Flat, Unshielded), (Round) Conductor), (Wire Size 26, 600 Volts, 105 Deg. C. and 150 Deg. C.)	Cancelled, Use MIL-C-49055/1
MIL-C-49055/7	Cable, Special Purpose, Electrical, (Flexible, Flat, Unshielded), (Round) Conductor), (Wire Size 28, 600 Volts, 105 Deg. C. and 150 Deg. C.)	Cancelled, Use MIL-C-49055/1
MIL-C-49055/8	Cable, Special Purpose, Electrical, (Flexible, Flat, Unshielded), (Round) Conductor), (Wire Size 30, 600 Volts, 105 Deg. C. and 150 Deg. C.)	Cancelled, Use MIL-C-49055/1
MIL-C-49055/9	Cable, Special Purpose, Electrical, (Flexible, Flat, Unshielded), (Round) Conductor), (Wire Size 28, 300 Volts, 105 Deg. C. and 150 Deg. C.)	Cancelled, Use MIL-C-49055/1
MIL-C-49055/10	Cable, Special Purpose, Electrical, (Flexible, Flat, Unshielded), (Round) Conductor), (Wire Size 30, 300 Volts, 105 Deg. C. and 150 Deg. C.)	Cancelled, Use MIL-C-49055/1
MIL-C-49068	Container Assembly, Single Core: For Processed 16MM Microfilm	Cancelled
MIL-D-51018A	Decontaminating Agent	Cancelled
MIL-C-51126B	Calculator Set, Nuclear, ABC-M28	Cancelled
MIL-A-52247A	Adhesive: Paper Label, Water Resistant, Watermulsion Type	Cancelled, Use MMM-A-179
MIL-B-55008A	Balloon, Meteorological M-542( )/UM	Cancelled
MIL-P-55028B	Plastic, Polychlorotrifluoroethylene and Extrusion Material Molding	Superseded by L-P-385a
MIL-S-55041A	Switches, Waveguide	Cancelled
MIL-V-55070A	Varnish, Lantern Slide	Cancelled
MIL-M-55088	Multimeter, Electronic	Cancelled
MIL-T-55102	Timer, Contrast, Variable, Photographic	Cancelled
MIL-C-55161	Clip, Photograph Film	Cancelled

Source: https://assist.dla.mil -- Downloaded: 20261O-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-O-55310	Oscillators, Crystal, General Specification For	Cancelled
MIL-G-55447A	Generator, Signal SG-321()U	Cancelled
MIL-L-55463	Lighting, Equipment, Portable, Motion Picture (Light, Photographic LF-9( ))	Cancelled
MIL-F-55561B	Foil, Copper, Cladding for Printed Wiring Boards	Cancelled
MIL-P-55617B-1	Plastic Sheet, Thin Laminate, Metal Clad (For Printed Wiring, Primarily for Multilayer)	Cancelled, Use MIL-P-13949
MIL-G-55636B-2	Glass Cloth, Resin Preimpregnated (B-Stage) (For Multilayer Printed Wiring Boards)	Cancelled, Use MIL-P-13949
MIL-P-55640A-2	Printed Wiring Boards Multilayer (Plated Through Hole)	Cancelled
MIL-N-58086	Nut, Self-Locking, Double Hexagon, 1200°	Cancelled
MIL-T-60723	Spray Tank, Defoliant, Airplane 80 Gallon M44	Cancelled
MIL-D-70327-2	Drawings, Engineering and Associated Lists	Cancelled Superseded by MIL-D-1000
MIL-G-80065B	Grinding Machine, Drill Point, Floor Mounted, Vertical Spindle, Automatic Cycle	Cancelled
MIL-G-80073B	Grinding Machine, Internal Chucking Universal	Cancelled
MIL-S-80074	Saw, Circular Blade, Metal Cutting Radial-Overarm	Cancelled
MIL-D-80077B	Drilling, Machines, Upright, Turret Head, Sliding Carrier, Bed Type, Numerically Controlled	Cancelled
MIL-D-80078B	Drilling Machines, Upright, Turret Head, Traveling Column, Numerically Controlled, Perforated Tape	Cancelled
MIL-S-80098	Sander, Single Disk, Woodworking	Cancelled, Use MIL-S-80020
MIL-P-80122	Punching, Shearing, Notching and Coping Machine, Metal, Hydraulic, Electric-Motor-Driven	Cancelled
MIL-W-80151	Welding Machine, Arc, Direct Current Combination Constant Current/Constant Voltage, Electric Motor Driven, Single Operator	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-W-80151	Welding Machine, Arc, Direct Current, Combination Constant Current/Constant Electric Motor Driven, Single Operator	Cancelled
MIl-W-80250	Welding Machine, Arc-DC Transformer Rectifier, Constant Voltge for Multi-Operator GMAW	Cancelled
MIL-S-81004(Wep)	Signal, Drillmine, MK 26 Mod 1 (Explosive Loaded)	Cancelled
MIL-A-81005(Wep)	Aircraft Modulator For ATM-12 Training Missile	Cancelled
MIL-C-81013(Wep)-1	Cushioning Materials, Transparent, Flexible, Cellular, Plastic Film, for Packaging Applications	Cancelled, Use PPP-C-795A
MIL-C-81016(Wep)	Chamber, Audiometric Testing, Single and Double Wall	Cancelled
MIL-A-81017A(AS)	Audiometer, Single or Group	Cancelled
MIL-P-81022(Wep)	Position Keeping Computer MK 143 Mods 0, 1, and 2 (For Fire Control Systems MK 102, 105, 111 & 114)	Cancelled
MIL-A-81024(Wep)	Arresting Gear, Aircraft,MK E-27	Cancelled
MIL-S-81026(Wep)	Shields, Inflatable, Aircraft Engine Intake and Exhaust	Cancelled
MIL-C-81027(AS)-2	Cartridge, Impulse, MK 85 Mod 0	Cancelled
MIL-C-81028(AS)-2	Cartridge, Impulse, MK 66 Mod 0	Cancelled
MIL-C-81029(AS)-2	Cartridge, Impulse, Mark 52 Mod 0 (Primary) and Mark 53 Mod 0 (Secondary)	Cancelled
MIL-R-81033(OS)	Recorder, Proximity MK 3 Mod 0	Cancelled
MIL-W-81044/1D	Wire, Electric	Cancelled, Use MIL-W-81044/6
MIL-W-81044/2C	Wire, Electric	Cancelled, Use MIL-W-81044/6
MIL-W-81044/3D	Wire, Electric	Cancelled, Use MIL-W-81044/6
MIL-W-81044/4C	Wire, Electric	Cancelled, Use MIL-W-81044/6
MIL-W-81044/5C	Wire, Electric	Cancelled, Use MIL-W-81044/6
MIL-W-81044/8C	Wire, Electric	Cancelled, Use MIL-W-81044/6
MIL-W-81044/11C(AS)	Wire, Electric	Cancelled, Use MIL-W-81044/6
MIL-W-81044/14B(AS)	Wire, Electric	Cancelled, Use MIL-W-81044/6

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-W-81044/15B(AS)	Wire, Electric	Cancelled, Use MIL-W-81044/6
MIL-W-81044/16B(AS)	Wire, Electric	Cancelled
MIL-W-81044/17B(AS)	Wire, Electric	Cancelled
MIL-W-81044/18B(AS)	Wire, Electric	Cancelled
MIL-W-81044/19A(AS)	Wire, Electric	Cancelled
MIL-W-81044/20A(AS)	Wire, Electric	Cancelled
MIL-W-81044/21A(AS)	Wire, Electric	Cancelled
MIL-W-81044/22A(AS)	Wire, Electric	Cancelled
MIL-W-81044/23A(AS)	Wire, Electric	Cancelled
MIL-W-81044/24A(AS)	Wire, Electric	Cancelled
MIL-W-81044/25A(AS)	Wire, Electric	Cancelled
MIL-W-81044/26A(AS)	Wire, Electric	Cancelled
MIL-W-81044/27A(AS)	Wire, Electric	Cancelled
MIL-W-81044/28A(AS)	Wire, Electric	Cancelled
MIL-W-81044/29A(AS)	Wire, Electric	Cancelled
MIL-T-81047(Wep)	Trucks, Pallet, Electric Powered, Non-Tiering, Stand-Up Rider Type	Cancelled, Use MIL-T-21866A
MIL-E-81050(Wep)-1	Encoder, Shaft Position to Digital, Brush Type, Gen Spec For	Cancelled, Use MIL-E-85082
MIL-P-81086A	Paper, Photographic, Instrument Recording	Cancelled
MIL-T-81088(Wep)-1	Thread, Polyamide, High Temperature Resistant	Superseded by MIL-T-43636
MIL-R-81090(Wep)	Rubber Electrically Conductive, Fuel Resistant	Cancelled
MIL-T-81096(Wep)	Test Bench Harness AN/ARM,LAU-32B/A	Cancelled
MIL-S-81101(Wep)	Switch, Hydrostatic	Cancelled
MIL-S-81102(Wep)	Pistol, Explosice Destructor MK 20 Mod 0	Cancelled
MIL-R-81106	Resistors, Variable, Wirewound, Precision, Long Life, Low Noise, General Specification For	Cancelled, Use MIL-R-12934
MIL-R-81106/1(AS)	Resistors, Variable, Wire Wound, Precision, Long Life, Low Noise Style RRP09	Cancelled, Use MIL-R-12934
MIL-R-81106/2(AS)	Resistors, Variable, Wire Wound, Precision, Long Life, Low Noise Style RRP10	Cancelled, Use MIL-R-12934

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-R-81106/3(AS)	Resistors, Variable, Wire Wound, Precision, Long Life, Low Noise Style RRP11	Cancelled, Use MIL-R-12934
MIL-R-81106/4(AS)	Resistors, Variable, Wire Wound, Precision, Long Life, Low Noise	Cancelled, Use MIL-R-12934
MIL-R-81106/5(AS)	Resistors, Variable, Wire Wound, Precision, Long Life, Low Noise Style RRP15	Cancelled, Use MIL-R-12934
MIL-R-81106/6(AS)	Resistors, Variable, Wire Wound, Precision, Long Life, Low Noise Style RRP16	Cancelled, Use MIL-R-12934
MIL-R-81106/7(AS)	Resistors, Variable, Wire Wound, Precision, Long Life, Low Noise Style RRP20	Cancelled, Use MIL-R-12934
MIL-R-81106/8(AS)	Resistors, Variable, Wire Wound, Precision, Long Life, Low Noise Style RRP21	Cancelled, Use MIL-R-12934
MIL-R-81106/9(AS)	Resistors, Variable, Wire Wound, Precision, Long Life, Low Noise Style RRP30	Cancelled, Use MIL-R-12934
MIL-S-81107(AS)	Serving Unit, Liquid Nitrogen Model Non-10	Cancelled
MIL-F-81108	Fairing Compound	Cancelled
MIL-C-81110(AS)-3	Cratridge, Delay MK 89 Mod 0	Cancelled
MIL-B-81112	Boots, Insulated, MK 5A Anti-Exposure Coveralls	Cancelled
MIL-R-81115(Wep)	Radar Augmenter for Aerial Targets	Cancelled
MIL-U-81117(Wep)	Unit, Adaptive Control for AGM-12B and AGM-12C Guided Missiles (BUllpup)	Cancelled
MIL-A-81120(Wep)	Attachment, Kit, Runway, Foaming-Nurse Truck, for Installation on Tanker	Cancelled
MIL-C-81140(Wep)	Comparator, Frequency AN/USM-144	Cancelled
MIL-C-81165(Wep)	Compressor, Reciprocating, Air Diesel Engine Driven, 15CFM, 5000 PSI	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-C-81175A(YD)	Crane, Carrier, Torpedo Handling, Diesel 3,500 to 12,500 Pound Capacity	Superseded by MIL-C-81175A(YD)
MIL-W-81178(1)	Wire Rope, Steel, 1-3/8 inch Dia, 6x25 Filler Wire, Fiber Core, Lang Round Strand, High Strength (For Aircraft Arresting)	Cancelled
MIL-I-81180(WP)	Inflation Assembly, Automatic, Life Preserver	Cancelled
MIL-T-81181(AS)	Test Bench Harness, Junction Box MX-6253(*)/APN-152(V)	Cancelled
MIL-M-81183	Mass Property Control System For Missiles and Space Vehicles	Cancelled
MIL-T-81189(AS)-1	Transformer, Power Isolation, Multiple Circuit, Airport Lighting	Cancelled
MIL-C-81192(Wep)	Cooler, Water, Recirculating, Photographic	Cancelled
MIL-D-81194(WP)A	Cimmet Control Panel, Solid-State, For Shipboard Applications	Cancelled
MIL-W-81199(Wep)	Wax, Projectile, Water Emulsion, Self-Polishing	Cancelled
MIL-B-81201(WP)	Battery Assembly for Exercise Head, Mark 7 Mod 2 and Exercise Head Kit, Mark 16 Mod 0	Cancelled
MIL-T-81206(WP)	Test Set Torpedo Mark 475 Mod 0	Cancelled
MIL-T-81215(Wep)	Test Set, Signal Data Converter AN/USM-153(*)	Cancelled
MIL-D-81216(WP)	Cimmer System, Flight Deck Lighting, Solid-State, For CVA, CVS, and LPH Type Vessels	Cancelled
MIL-S-81229B(AS)-1	Survival, Escape, and Evasion Individual, Airman's, Type Seek-1	Cancelled, Use MIL-S-81941(AS)
MIL-S-81242(WP)	Steel, Chrome-Molybdenum (4130 or 8630) Bars and Reforging Stock Aircraft Quality, Vaccum-Degassed	Cancelled
MIL-P-81262(WP)	Printer, Projection, Photographic	Cancelled
MIL-M-81273/9(WP)	Manuals, Technical, Users (Equipment Type)	Cancelled Superseded by MIL-M-81273/2
MIL-P-81279(AS)	Power Supply, Miniature, Gen Spec for	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-P-81279/1(AS)	Power Supply, Miniature, 3.0 volts, 2.0 AMPS	Cancelled
	MIL-P-81279/2(AS)	Power Supply, Miniature, 3.0 volts, DC, 5.0 AMPS	Cancelled
	MIL-P-81279/3(AS)	Power Supply, Miniature, 16.0 volts, DC, 2.0 AMPS	Cancelled
	MIL-P-81279/4(AS)	Power Supply, Miniature, 6.0 volts, DC, 5.0 AMPS	Cancelled
	MIL-P-81279/5(AS)	Power Supply, Miniature, 12.0 DC, 2.0 AMPS	Cancelled
	MIL-P-81279/6(AS)	Power Supply, Miniature, 12.0 DC, 5.0 AMPS	Cancelled
	MIL-P-81279/7(AS)	Power Supply, Voltage Regulator, Miniature, 1.5-6.0 volts, DC, 5.0 AMPS	Cancelled
	MIL-P-81279/8(AS)	Power Supply, Voltage Regulator Miniature, 3.0 volts DC, 5.0 AMPS	Cancelled
	MIL-P-81279/9(AS)	Power Supply, Voltage Regulator, Miniature, 6.0 volts DC, 15.0 AMPS	Cancelled
	MIL-P-81279/10(AS)	Power Supply, Voltage Regulator, Miniature, 6.0 DC, 15.0 AMPS	Cancelled
	MIL-P-81279/11(AS)	Power Supply, Voltage Regulator, Miniature, 12.0 volts DC, 5.0 AMPS	Cancelled
	MIL-P-81279/12(AS)	Power Supply, Prime Power Module, Miniature, Dual 28.0 volts DC, 2.5 AMPS	Cancelled
	MIL-T-81287(WP)-1	Tape, Pressure-Sensitive Adhesive, Aluminum Foil Backed, for High Temperature Application	Cancelled
C	MIL-C-81292(WP)	Control Unit (For Torpedo Mark 37 Mod 1)	Cancelled
	MIL-R-81297(WP)	Rubber, Synthetic: Shock Absorbing, High Compressive Strength, Oil Resistant	Cancelled
	MIL-A-81307/1	Amplifier Servo Motor, Type 2 Class 3 28V DC 10 Watts	Cancelled
	MIL-A-81307/2	Amplifier Servo Motor, Type 2 Class 2 28V DC 30 Watts	Cancelled
	MIL-T-91312	Trailer, Air Launched Weapons, Transporting/Loading, A/M 32K-3	Cancelled
	MIL-L-81314	Loader, Air Launched Weapons A/S 32K-1	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-E-81321(WP)	Encoder, Shaft Angle to Digital	Cancelled, Use MIL-E-85082
MIL-S-81323(WP)	Sealing Compound, Non-Curing, (-65°F to 350°F) Groove Injection (For Integral Fuel Tanks)	Cancelled
MIL-C-81328(WP)	Compensator Group, Magnetic: AN/ASA-60	Cancelled
MIL-C-81337(WP)	Coupling Assembly, Self-Sealing, Quick Disconnect, Hydraulic (Waterbased Hydraulic Fluid)	Cancelled
MIL-P-81338(WP)	Power Supplies, Transistorized	Cancelled
MIL-P-81338/1(WP)	Power Supply 28V 0.7 AMP Type 2C62	Cancelled
MIL-P-81338/2(WP)	Power Supply 28V 2.0 AMP Type 2C62	Cancelled
MIL-T-81339(WP)	Tractor, Expeditionary Aircraft Tow, Hydraulic Driven, Diesel Engine Powered FS/N VX-1730-912-3492	Cancelled
MIL-T-81363(WP)	Tank, Servicing and Storage, 50 Gallon Capacity, Liquid Oxygen or Nitrogen, Trailer Mounter, Model No-7	Cancelled
MIL-T-81368(WP)	Test Central, Indicator Group AN/ASM-35	Cancelled
MIL-B-81374B	Barrier Material, Greaseproof, Waterproof, Flexible, High Strength	Cancelled
MIL-S-81378(AS)	Steel, Bars, Plates and Reforging Stock Low Alloy, High Quality	Cancelled
MIL-W-81381/1	Wire, Electric	Cancelled
MIL-W-81381/2	Wire, Electric	Cancelled
MIL-W-81381/3	Wire, Electric	Cancelled
MIL-W-81381/4	Wire, Electric	Cancelled
MIL-W-81381/5	Wire, Electric	Cancelled
MIL-W-81381/6	Wire, Electric	Cancelled
MIL-X-81383	X-Ray Apparatus, Radiographic, Industrial Lightweight, Portable, 14 OKVP. Rating	Cancelled
MIL-C-81384(AS)	Coating, Sprayable, Clear, Weatherproof, for Protection of Fibrous Containers	Cancelled
MIL-M-81385A	Manifold Stem Assemblies, Life Preserver	Cancelled
MIL-C-81389(AS)	Cleaner, Steam, Pressure Jet, Wheel Mounted, Electrically Operated, Oil Fired	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-B-81391(AS)	Bag, Watervaporproof, One Face Transparent, For Interior Packaging	Cancelled, Use MIL-B-117
	MIL-S-81398A(AS)	Standardization Program Plans	Superseded by MIL-STD-680
	MIL-A-81402(AS)	Altimeter-Encoder AAU-20/A	Cancelled
	MIL-C-81406A(AS)	Coupler, Antenna CU-1536( )/SR and Mounting MT-3591( )/AR	Cancelled
C	MIL-D-81411(Wp)	Direction Finder Set AN/ALD-2B(U)	Cancelled
	MIL-I-81413B(AS)	Integrated Avionics System AN/ASQ-104	Cancelled
	MIL-C-81414(AS)	Controller, Bearing-Distance Heading-Indicator C-7165/ASQ-104	Cancelled
	MIL-C-81415(AS)-2	Converter, Synchro To Digital CV-2253/SQ-104	Cancelled
	MIL-C-81416(AS)-1	Converter, Digital to Synchro CV-2254/ASQ-104	Cancelled
	MIL-C-81417(AS)-2	Converter, Air Data CV-2255/ASQ-104	Cancelled
	MIL-P-81418(AS)-1	Plotter, Map Display PT-489/ ASQ-104	Cancelled
	MIL-R-81419(AS)-1	Receiver, Digital Data R-1456/ ASQ-104	Cancelled
	MIL-T-81420(AS)-1	Transmitter, Digital Data T-1044/ASQ-104	Cancelled
	MIL-C-81421(AS)-1	Computer Set, Navigation AN/ASN-77	Cancelled
	MIL-N-81422(AS)-1	Navigation Set, Electronic AN/APN-172	Cancelled
	MIL-R-81423(AS)-2	Attitude Heading Reference System AN/ASN-73	Cancelled
	MIL-I-81424B(1)	Integrated Avionics System AN/ASQ-105	Cancelled
	MIL-C-81425(AS)-1	Computer Set, Navigation AN/ASN-78	Cancelled
	MIL-T-81426(AS)	Test Set, Attitude Heading Reference AN/ASM-293	Cancelled
	MIL-T-81427(AS)	Test Set, Modules AN/ASM-294	Cancelled
	MIL-M-81428(AS)	Map Preparation Set, Navi-gational AN/GSO-109	Cancelled
	MIL-R-81432(AS)	Radio Set AN/URC-75(V)	Cancelled
	MIL-G-81440(AS)-1	Gyroscompass-Attitude Reference Set, Aircraft AN/ASN-57(*)	Cancelled
	MIL-H-81444(AS)	Human Factors Engineering Systems Analysis Data	Cancelled
	MIL-I-81447(1)	Interconnecting Box J-2715/AIC	Cancelled
	MIL-N-81451(AS)	Navigation Set, Electronic AN/APN-173	Cancelled
	MIL-N-81456	Navigational Set, Attitude Reference Bombing AN/ASN-83(*)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-R-81458(AS)	Recorder-Reproducer Set, Sound AN/AQH-2(V)	Cancelled
	MIL-C-81469(AS)	Coupler, Antenna CU-1753/AR and Mounting MT-3910/AR	Cancelled
C	MIL-D-81472A(AS)	Display, Telltale 10-1552( )/ASQ(U)	Cancelled
C	MIL-S-81473A(AS)	Selector, Monitor-Recorder, Aural SA-1604( )/, ASQ-123(V) (U)	Cancelled
	MIL-S-81474A(AS)	Selector, Monitor SA-1603( )/ ASQ-122(V)	Cancelled
	MIL-P-81475A(AS)	Panel, Supervisors's Display SB-3139 ( )/ASQ-122(V)	Cancelled
	MIL-C-81477A	Coupler, Antenna CU-1771( )/A	Cancelled
C	MIL-R-81480(AS)	Receiving-Monitoring-Transmitting Set, Acoustics AN/ASQ-122(V) (U)	Cancelled
C	MIL-R-81481(AS)	Receiving-Monitoring Set, Acoustics AN/ASQ-123(V) (U)	Cancelled
	MIL-A-81494(AS)	Altimeter, Pressure, AAU-24/A	Cancelled
	MIL-S-81506A(AS)	Steel Plate, Sheet, and Strip, 17-4 PH, Corrosion-Resistant, Precipitation Hardening	Cancelled, use AMS-5604
	MIL-C-81511/2	Connector, Electrical, High Density, Quick Disconnect, Environment Resisting, and Accessories, Receptacle, Solder Mount, Solder Type Contacts, Pins Only, Class B G and H (Series 2)	Cancelled, Use MIL-STD-1353
	MIL-C-81511/4	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting, and Accessories, Receptacle, Jam Nut Mount, Solder Type Contacts, Pins Only, Class B, G and H (Series 2)	Cancelled, Use MIL-STD-1353
	MIL-C-81511/7(Navy)	Connector, Receptacle, Flange Mount, Through Bulkhead Non-removable Contacts, Pins Only, Class H	Cancelled
	MIL-C-81511/8(Navy)	Insert Arrangement, Electric Connector, Shell Size 8	Cancelled, Use MS3425
	MIL-C-81511/9(Navy)	Insert Arrangement, Electric Connector Shell Size 10	Cancelled, Use MS-3426
	MIL-C-81511/ 10(Navy)	Insert Arrangement, Electric Connector, Shell Size 14	Cancelled, Use MS3428

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-C-81511/ 11E(Navy)	Insert Arrangement, Electric Connector, Shell Size 16	Cancelled, Use MS3429
MIL-C-81511/ 12D(Navy)	Insert Arrangement, Electric Connector, Shell Size 18	Cancelled, Use MS3430
MIL-C-81511/20	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting, and Accessories, Nut, Slotted Hexagon, Connector Mounting, for Series 1 and 2 Connectors	Cancelled, Use MIL-STD-1353
MIL-C-81511/22	Connector, Electrical, Circular High Density, Quick Disconnect, Environment Resisting, and Accessories, Receptacle, Solder Mount, Solder Type Contacts, Pins Only, Class B, G and H (Series 1)	Cancelled, Use MIL-STD-1353
MIL-C-81511/24	Connector, Electrical, Circular High Density, Quick Disconnect, Environment Resisting, and Accessories, Receptacle, Jam Nut Mount, Solder Type Contacts, Pins Only, Class B, G and H (Series 1)	Cancelled, Use MIL-STD-1353
MIL-C-81511/27	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting, and Accessories, Receptacle, Jam Nut Mount, Through Bulkhead, Nonremovable Contacts, Class B, G and H (Series 1)	Cancelled, Use MIL-STD-1353
MIL-C-81511/28	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting, and Accessories, Receptacle, Jam Nut Mount, Through Bulkhead, Nonremovable Contacts, Class B, G and H (Series 2)	Cancelled, Use MIL-STD-1353
MIL-C-81511/29	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting, and Accessories, Cover, Protective, Plug (Series 1)	Cancelled, Use MIL-STD-1353

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-C-81511/30	Connector, Electrical, Circular High Density, Quick Disconnect, Environment Resisting, and Accessories, Receptacle, Dummy Stowage, for Series 1 Connectors	Cancelled, Use MIL-STD-1353
MIL-C-81511/31	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting, and Accessories, Receptacle, Flange Mount, Crimp Type Contacts, Class C, T and P (Series 2)	Cancelled, Use MIL-STD-1353
MIL-C-81511/32	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting and Accessories, Receptacle, Jam Nut Mount, Crimp Type Contacts, Class C, T and P (Series 2)	Cancelled, Use MIL-STD-1353
MIL-C-81511/33	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting, and Accessories, Receptacle, Cable Connecting, Crimp Type Contacts, Class C, T and P (Series 2)	Cancelled, USE MIL-STD-1353
MIL-C-81511/34	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting, and Accessories, Ply, Crimp Type Contacts, Class C, T and P (Series 2)	Cancelled, Use MIL-STD-1353
MIL-C-81511/35	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting, and Accessories, Receptacie, Flange Mount, Crimp Type Contacts, Class C, T and P (Series 1)	Cancelled, Use MIL-STD-1353
MIL-C-81511/36	Connector, Electrical, Circular, High Density, Receptacle, Jam Nut Mount, Crimp Type Contacts, Class C, T and P (Series 1)	Cancelled, Use MIL-STD-1353
MIL-C-81511/37	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting, and Accessories, Receptacle, Cable Connecting, Crimp Type Contacts, Class C, T, and P (Series 1)	Cancelled, Use MIL-STD-1353

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-C-81511/38	Connector, Electrical, Cricular, High Density, Quick Disconnect, Environment Resisting, and Accessories, Plug, Crimp Type Connectors, Class C, T and P (Series 1)	Cancelled, Use MIL-STD-1353
MIL-C-0081511/39	Connectors	Cancelled
MIL-C-0081511/40	Connectors	Cancelled
MIL-C-0081511/42	Connectors	Cancelled
MIL-C-81511/43	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting, and Accessories, J Adapter, Non-rotatable, Type I, II, III (Series 1 or 2), For Attaching RFI and Non-rfi Cable to Connector	Cancelled, Use MIL-STD-1353
MIL-C-81511/ 44(Navy)	Insert Arrangements, Electric Connector, Shell Size 20	Cancelled, Use MS-3431
MIL-C-0081511/44	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting, Receptacle, Jam Nut Mount, Solder Type Contacts, Pin Only, Class D (Series 3)	Cancelled, Use MIL-STD-1353
MIL-C-81511 45 (Navy)	Insert Arrangements, Electric Connector, Shell Size 22	Cancelled, Use MS3432
MIL-C-81511/ 46(Navy)	Insert Arrangement, Electric Connector, Shell Size 24	Cancelled, Use MS-3433
MIL-C-0081511/47	Connector, Electrical, Circular High Density, Quick Disconnect, Environment Resisting, Receptacle, Solder Flange Mount, Crimp Type Contacts, Pin Only, Class L (Series 3)	Cancelled, Use MIL-STD-1353
MIL-C-0081511/48	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting, Receptacle, Jam Nut Mount, Crimp Type Contacts, Pins Only, Class L (Series 3)	Cancelled, Use MIL-STD-1353
MIL-C-81511/50A(Navy)	Connectors	Cancelled
MIL-C-0081511/50	Connectors	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MIL-C-0081511/52		Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting, Receptacle, Solder Mount, Solder Type Contacts, Pins Only, Class D (Series 4)	Cancelled, Use MIL-STD-1353
MIL-C-0081511/54		Connectors	Cancelled
MIL-C-0081511/57		Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting, Receptacle, Solder Flange Mount, Crimp Type Contacts, Pins Only, Class L (Series 4) (Use MIL-STD 1353)	Cancelled, Use MIL-STD-1353
MIL-D-81514/ 2A(ASG)		Device, Restraint Harness Take-Up, Inertial-Locking, Powered-Retracting	Cancelled
MIL-S-81515A(AS)		Support Equipment, AN/AWG-11 Missile Control System	Cancelled
MIL-S-81518A(AS)		Support Equipment, AN/AWG-12 Missile Control System	Cancelled
MIL-D-81538B(AS)		Data For Installation of Ground Support Equipment	Cancelled
MIL-R-81555(AS)		Rubber, Fluorocarbon; Sheet, Molded, and Extruded Shapes	Cancelled
MIL-B-81557(AS)		Brushes, Polypropylene Filament	Cancelled, Use MIL-B-23958
MIL-H-81566(AS)		Helmet, Aviator's Integrated Oxygen, HGU-20/P	Cancelled
MIL-I-81577(AS)		Ignition Element, Electric, Mark 17 Mod 0	Cancelled
MIL-T-81580(AS)		Test Set, Tacan, AN/ARM-(*)	Cancelled Superseded by MIL-T-81943
MIL-C-81582/3(Navy)		Insert Arrangement, Electric Connector	Cancelled, Use MIL-STD-1672
MIL-B-81584		Bomb, Practice, Universal, Full Scale	Cancelled
MIL-B-81586		Bomb, Practice, Miniature MK 106 MOD 4	Cancelled
MIL-B-81597		Rack, Bomb MAU-38/A	
MIL-P-81598A	Q	Plastic Sheets, Flexible, Weather Resistant, Heat Sealable, For Outdoor Storage Use	Cancelled
MIL-I-81606(AS)-1		Indicator, Attitude, Zinc ID-1617/A	Cancelled
MIL-S-81619/9		Switch, Solid State, Air Flow	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER		TITLE	REMARKS
	MIL-G-81620(AS)		Gyroscope Assembly, Displacement MS3392	Cancelled
	MIL-I-81625(AS)		Initiator, Destruct Igniter	Cancelled
	MIL-T-81642		Telephone Plyg U-384/U	Cancelled, Use MIL-P-642/ 4
	MIL-T-81643		Telephone Jack U-385/U	Cancelled, Use MIL-J-641/22
C	MIL-R-81646(AS)		Receiving-Transmitter, RT-985/GSO	Cancelled
C	MIL-R-81650(AS)		Receiving Set, Countermeasures AN/ALR-29() (U)	Cancelled
C	MIL-R-81651(AS)		Receiving Set, Countermeasures AN/ALR-30(U)	Cancelled
C	MIL-C-81652(AS)		Control-Indicator, Countermeasures C-7317()/AL (U)	Cancelled
	MIL-P-81653/2A(AS)		Power Controller, DC Loading Switching, SPST, Normal Open, 2 thru 7.5 Amperes	Cancelled
	MIL-P-81653/3A(AS)		Power Controller, DC Load Switching SPST, Normal Open, 15 thru 35 Amperes	Cancelled
	MIL-P-81653/4A(AS)		Power Controller, AC Load Switching SPST, Normal Open, 1 thru 10 Amperes	Cancelled
	MIL-P-81653/5A(AS)		Power Controller, AC Load Switching SPST, Normal Open, 15 thru 35 Amperes	Cancelled
	MIL-P-81653/6A(AS)		Power Controller, AC Bus Switching SPST, Normal Open, 10 Amperes	Cancelled
	MIL-P-81653/7A(AS)		Power Controller, AC Bus Switching Normal Open, 75 Amperes	Cancelled
	MIL-R-81654(AS)		Receiving Set, Countermeasures AN/ALR-28(*)	Cancelled
C	MIL-D-81656(AS)		Deployment Kit, Spikesid MK-1216/GSQ	Cancelled
C	MIL-D-81657(AS)		Deployment Kit, Shaid MK-1217/GSQ	Cancelled
C	MIL-D-81658(AS)		Deployment Kit, Canopy MK-1218/GSQ	Cancelled
	MIL-C-81659/1B(Navy)	Q	Crimp Contacts, General Spec For Connectors, Electrical, Rectangular, Plug, Environment Resistant, Crimp Contacts, Single Insert, Type II, Class I (-65°C to + 125°C) Series I	Cancelled
	MIL-C-81659/2B(Navy)	Q	Connectors, Electrical, Rectangular Plug, Environment, Crimp Contacts, Single Insert, Type II, Class 2 (-65° to + 200°C) Series I	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MIL-C-81659/3B(Navy)	Q	Connectors, Electrical, Rectangular Receptacle, Environment Resistant Crimp Contacts, Single Insert, Type II, Class I (-65° to + 125°C) Series I	Cancelled
MIL-C-81659/4B(Navy)	Q	Connectors, Electrical, Rectangular Receptacle, Environment Resistant Crimp Contacts, Single Insert, Type II, Class 2 (-65° to + 200°C) Series I	Cancelled
MIL-C-81659/5B(Navy)	Q	Connectors, Electrical, Rectangular Receptacle, Environment Resistant Crimp Contacts, Single Insert, Type I, Class I (-65° to + 125°C) Series I	Cancelled
MIL-C-81659/7B(Navy)	Q	Connectors, Electrical, Rectangular, Plug, Environment Resistant, Crimp Contacts, Double Insert, Type II, Class I (-65°C to + 125°C) Series I	Cancelled
MIL-C-81659/8B(Navy)	Q	Connectors, Electrical, Rectangular, Plug, Environment Resistant, Crimp Contacts, Double Insert, Type II, Class 2 (-65°C to + 200°C) Series I	Cancelled
MIL-C-81659/10B(Navy)	Q	Connectors, Electrical, Rectangular Receptacle, Environment Resistant Crimp Contacts, Double Insert, Type II, Class 2 (-65° to + 125°C) Series I	Cancelled
MIL-C-81659/11B(Navy)	Q	Connectors, Electrical, Rectangular Receptacle, Environment Resistant Crimp Contacts, Double Insert, Type I, Class I (-65° to + 125°C) Series I	Cancelled
MIL-C-81659/12B(Navy)	Q	Connectors, Electrical, Rectangular Receptacle, Environment Resistant Crimp Contacts, Double Insert, Type I, Class 2 (-65° to + 125°C) Series I	Cancelled
MIL-C-81659/13(Navy)		Connectors, Electrical	Cancelled
MIL-C-81659/14(Navy)		Connectors, Electrical	Cancelled, Use MIL-C-81659/8
MIL-C-81659/15(Navy)		Connectors, Electrical	Cancelled
MIL-C-81659/16(Navy)		Connectors, Electrical	Cancelled
MIL-C-81659/17(Navy)		Connectors, Electrical	Cancelled
MIL-C-81659/18(Navy)		Connectors, Electrical	Cancelled
MIL-C-81659/19(Navy)		Connectors, Electrical	Cancelled
MIL-C-81659/20(Navy)		Connectors, Electrical	Cancelled
MIL-C-81659/21B(Navy)	Q	Connectros, Electrical, Rectangular, Plug, Environment Resistant, Crimp Contacts, Double Insert, Type II Class I (-65°C to +125°C), Series 3	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

	I (-65°C to +125°C), Series 3	
MIL-C-81659/26B(Navy) Q	Connectros, Electrical, Rectangular, Plug, Environment Resistant, Crimp Contacts, Double Insert, Type II Class 2 (-65°C to +200°C), Series 3	Cancelled
MIL-C-81659/27B(Navy) Q	Connectros, Electrical, Rectangular, Plug, Environment Resistant, Crimp Contacts, Double Insert, Type I Class I (-65°C to +125°C), Series 3	Cancelled
MIL-C-81659/28B(Navy) Q	Connectros, Electrical, Rectangular, Plug, Environment Resistant, Crimp Contacts, Double Insert, Type I Class 2 (-65°C to +200°C), Series 3	Cancelled
MIL-C-81659/30	Connectors, Electrical	Cancelled
MIL-C-81659/32	Connectors, Electrical	Cancelled
MIL-C-81659/34	Connectors, Electrical	Cancelled
MIL-C-81659/36	Connectors, Electrical	Cancelled
MIL-C-81659/38	Connectors, Electrical	Cancelled
MIL-C-81659/40	Connectors, Electrical	Cancelled
MIL-C-81659/42	Connectors, Electrical	Cancelled
MIL-C-81659/44	Connectors, Electrical	Cancelled
MIL-C-81659/45	Connectors, Electrical	Cancelled
MIL-C-81659/46A (Navy)	Connector, Electrical, Rectangular, Plug, Environment Resistant, Crimp Contacts, Single Insert, Type II, Class 2 (-65°c to +200°c), Series 2, Shell Designator B	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-C-81659/47A (Navy)	Connectors, Electrical, Rectangular, Environment Resistant, Crimp Contacts, Single Insert, Type II, Class 1 (-65°c to +125°c), Series 2, Shell Designator B	Cancelled
	MIL-C-81659/48A (Navy)	Connector, Electrical, Rectangular, Receptacle, Environment Resistant, Crimp Contacts, Single Insert, Type II, Class 2 (-65°c to +200°c), Series 2, Shell Designator B	Cancelled
	MIL-C-81659/49A (Navy)	Connectors, Electrical Rectangular, Plug, Environment Resistant, Crimp Contacts, Dual Insert, Type II, Class 1 (-65°C to +125°C), Series 2, Shell Designator B	Cancelled
	MIL-C-81659/50A (Navy)	Connectors, Electrical, Rectangular, Plug, Environment Resistant, Crimp Contacts, Dual Insert, Type II Class 2 (-65°c to +200°c), Series 2, Shell Designator B	Cancelled
	MIL-C-81659/51A	Connector	Cancelled
	MIL-C-81659/52	Connector	Cancelled
	MIL-C-81659/54A	Connector	Cancelled
	MIL-C-81659/55A	Connector	Cancelled
	MIL-C-81659/59A	Connector	Cancelled
	MIL-C-81659/60A	Connector	Cancelled
C	MIL-D-81660(AS)	Detection Transmitting Set, Acoustic AN/GSQ-117E	Cancelled
c	MIL-D-81661(AS)	Detection Transmitting Set, Acoustic Seismic AN/GSQ-141A (Air Deployed Spike Unit)	Cancelled
C	MIL-D-81662(AS)	Detection Transmitter Set, Acoustic Seismic AN/GSQ-142A (Hand Emplaced Unit)	Cancelled
	MIL-I-81663(AS)	Indicators, Build-In-Test (Bit), Gen Spec For	Cancelled, Use MIL-I-83287D
	MIL-I-81663/1(AS)	Indicator (Solid Black/White Data Display	Cancelled, Use MIL-I-83287/1
	MIL-I-81663/2(AS)	Indicator (Solid Black/Black-White Segmented Display)	Cancelled, Use MIL-I-83287/1
C	MIL-S-81666B(AS)-1	Sonobuoy AN/SSQ-50(U)	Cancelled
	MIL-T-81714/13	Terminal Junction	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-G-81717(AS)	Photographic Laboratory, Mobile, Aerial Reconnaissance	Cancelled
MIL-M-81727(AS)	Manuals, Technical: Periodic Maintenance Requirements: Preparation of	Superseded by MIL-M-23618
MIL-T-81731(AS)	Trailer, Munitions Aero 51A1	Cancelled
MIL-B-81744/1	Barrier Coating Solution	Cancelled
MIL-C-81747(AS)	Container, Mark 493 Mod 0, Walleye Wings and Fins	Cancelled
MIL-T-81750(AS)	Test Set, Computer AN/ASM-342	Cancelled
MIL-T-81753(AS)	Test Set, Computer Signal and Circuitry AN/ASM-332A	Cancelled
MIL-B-81757/6	Battery, Storage, Aircraft, Nickel-Cadmium, Cover	Cancelled
MIL-C-81762A(AS)	Cleaner, Pressure, Cleaning Compound, Water, Foaming	Cancelled
MIL-S-81763A(AS)	System, Automatic, Parachute Release Life Vest and Raft Inflation Gen Spec for	Cancelled
MIL-C-81773C(2)	Coating, Polyurethane, Aliphatic, Weather Resistant	Cancelled, Use MIL-C-83286
MIL-L-81796(AS)-1	Launcher, Rocket, Airborne, LAU 69/A/A	Cancelled
MIL-M-81798(AS)	Manuals, Technical: Complete Engine Repair Requirements Cards and Sequence Control Charts for Preparation of	Cancelled, use MIL-M-81218
MIL-L-81799(AS)	Lift Raft, Inflatable, One Man, LRU-8/P	Cancelled
MIL-L-81800(AS)-1	Launcher, Rocket, Airborne, LAU 68A/A	Cancelled
MIL-T-81806(AS)	Test Set, Battery	Cancelled
MIL-C-81817(AS)	CLoth, Pcain Weave, Cotton Mildew Treated	Cancelled
MIL-W-81822/2(Navy)	Wire, Electrical	Cancelled
MIL-W-81822/9(Navy)	Wire, Electrical	Cancelled
MIL-W-81822/14 Navy	Wire Electrical	Cancelled
MIL-C-81823(AS)-1	Cushioning, Sheet Form, Low Density, Unicellular, Polyropropylene Foam	Cancelled Superseded by PPP-C-1797
MIL-C-81826(AS)	Container, Shipping and Storage, CNU-124/E, GM, Phoenix (AIM-54A)	Cancelled
MIL-F-81833(AS)	Filter Element	Cancelled
MIL-F-81833/1(AS)	Filter Element	Cancelled
MIL-F-81833/2(AS)	Filter Element	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-F-81833/3(AS)	Filter Element	Cancelled
MIL-F-81833/4(AS)	Filter Element	Cancelled
MIL-F-81833/5(AS)	Filter Element	Cancelled
MIL-C-81837	Camera Set, Still Picture, Copying Type KS-115AL)	Cancelled
MIL-B-81847A	Bag, Flexible, Electrostatic-Free Water-Vapor-Proof, Heat Sealable	Cancelled, Use MIL-B-117
MIL-D-81860	Drive, Tuning TG-213/A	Cancelled
MIL-C-81863(AS)	Cable Assembly, Special Purpose, Electrical CX-12974/AR	Cancelled, Use MIL-C-22422/21
MIL-C-81864(AS)-1	Cable Assembly, Special Purpose, Electrical CX-12972/AR	Cancelled, Use MIL-C-22422/19
MIL-C-81865(AS)	Cable Assembly, Special Purpose, Electrical CX-12973/AR	Cancelled, Use MIL-C-22422/20
MIL-C-81866(AS)-1	Cable Assembly, Special Purpose	Cancelled, Use MIL-C-22422/24
MIL-C-81867(AS)	Cord Assembly	Cancelled, Use MIL-C-22422/22
MIL-C-81894(AS)	Cord Assembly	Cancelled, Use MIL-C-22422/23
MIL-O-81900(AS)-1	Outer Shells, Fire Resistant, Coverall Assembly, Flyer's Anti-Exposure, CWU-33/P	Cancelled
MIL-I-81902(AS)	Innershells, Coverall Assembly, Flyers, Anti-Exposure CWU-33/P, Insulating and Ventilating Cellular Rubber	Cancelled
MIL-C-81908(AS)1	Coveralls, Flyer's, Summer High Temperature Resistant, CWU-42/P	Cancelled
MIL-M-81926(AS)	Microfilm Data Retrieval Equipment System	Cancelled
MIL-F-81948/1(AS)	Flashblindness Protection System, Photochromic A/P (Goggle Assembly, EEK-1/P-35P-1)	Cancelled
MIL-F-81948/2	Flashblindness Protection System, Photochromic A/P-35P	Cancelled
MIL-C-81960(AS)	Cutout Relay, D.C. for Transformer Rectifier (T/R)	Cnacelled
MIL-C-81960/1(AS)	Cutout Relay	Cancelled
MIL-I-81969/24	Installing and Removal Tool, Connector Electrical Contact, Type II, Class 2, Composition A or C	Cancelled
MIL-C-81981(AS)-1	Countermeasrues Set AN/DLQ-()	Cancelled
MIL-C-82254	Cloth, Coated, Glass, Chlororprene Coated	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-R-82259	Trousers, Fireman's (Proximity, Aluminized Asbestos/Cotton)	Cancelled, Use MIL-T-29146
MIL-C-82260	Coat, Fireman's (Proximity, Aluminized Asbestos/Cotton)	Cancelled, Use MIL-C-29145
MIL-H-82261	Hood, Fireman's (Proximity, Aluminized Asbestos/Cotton)	Cancelled, Use MIL-H-29144
MIL-G-82262	Gloves, Fireman's (Proximity, Aluminized Asbestos/Cotton)	Cancelled, Use MIL-G-29142
MIL-P-82486(OS)	Power Supply Assembly for Telemetering in Terrier Guided Missiles	Cancelled
MIL-M-83127	Manuals, Technical Sensor Exploitation	Cancelled
MIL-S-83129A(1)	Spectrometer, Fluid Analysis A/E35U-3	Cancelled
MIL-R-83214(USAF)	Radio Set AN/ARN-65(V)	Cancelled
MIL-B-83292	Bearing, Ball, Annular, Instrument, for Precision Rotating Components	Superseded by MIL-B-81793
MIL-G-83312-1	Generator Sets, Diesel, Engine	Cancelled, Use MIL-STD-633
MIL-W-83343	Wire Rope, Steel (Corrosion-Resisting) Nylon Coated	Superseded by MIL-W-83420
MIL-T-83508 SUPP 1	Tool, solderless Wrap, Hand or Power Actuated, Wire Termination, Gen Spec For	Cancelled
MIL-T-83508/1	Tool, Solderless Wrap, Hand or Power Acutated, Wire Termination, Type 2, For Wrapping	Cancelled
MIL-T-83508/2	Tool, Solderless Wrap, Hand or Power Actuated, Wire Termination Type 2, For Wrapping	Cancelled
MIL-T-83508/3	Tool, Solderless Wrap, Hand or Power Actuated, Wire Termination Type 2, For Wrapping	Cancelled
MIL-T-83508/4	Tool, Solderless Wrap, Hand or Power Actuated, Wire Termination Type 1, For Wrapping	Cancelled
MIL-T-83508/5	Tool, Solderless Wrap, Hand or Power Actuated, Wire Termination Type 1, For Wrapping	Cancelled
MIL-T-83508/6	Tool, Solderless Wrap, Hand or Power Actuated, Wire Termination Type 3, For Wrapping	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	MIL-T-83508/7	Tool, Solderless Wrap, Hand or Power Actuated, Wire Termination Type 4, For Wrapping	Cancelled
	MIL-T-83508/8	Tool, Solderless Wrap, Hand or Power Actuated, Wire Termination Type 5, For Wrapping	Cancelled
	MIL-T-83508/9	Tool, Solderless Wrap, Hand or Power Actuated, Wire Termination, Types 1, 2, 3 and 4 (Wrapping Bits), For Wrapping	Cancelled
	MIL-T-83508/10	Tool, Solderless Wrap, Hand or Power Actuated, Wire Termination, Types 1, 2, 3 and 4 (Wrap Sleeve), For Wrapping	Cancelled
	MIL-T-83508/11	Tool, Solderless Wrap, Hand or Power Actuated, Wire Termination, Type 5, For Unwrapping	Cancelled
	MIL-C-83724C	Connectors, Electrical	Cancelled, Use MIL-C-22520
	MIL-T-83727/400	Transolver, Type 11.8-0S45Y340	Cancelled
	MIL-T-83926A-1	Tires, Pneumatic: Special	Cancelled, See MIL-T-12459
	MIL-L-83966-1	Launcher, Guided Missile, AERO-3B	Cancelled
	MIL-P-84000C-2	Provisioning Screening Data to be Furnished by Government Suppliers	Cancelled
	MIL-C-85002/173	Chaff Package (Type RR-173/ALE)	Cancelled, Use MIL-C-85002/3
	MIL-C-85003/129(AS)	Chaff Cartridge (Type RR-129/ALE)	Cancelled, Use MIL-C-85003/1(AS
	MIL-C-85030(AS)	Test Set, Radio Set AN/ARM-165	Cancelled
	MIL-W-85035(AS)	Weight Control System For Engines	Cancelled
	MIL-M-85120(AS)	Manual, Technical, Source Data, Preparation For Automated System Input	Cancelled
C	MIL-T-85141	Test Set, AIM-9L Missile Guidance Control Section	Cancelled
	MIL-L-85147(AS)	Loop, Phase Lock, Narrow Band	Cancelled
	MIL-D-85148(AS)	Detector, Errors, Radar	Cancelled
	MIL-C-85149(AS)	Control, Gain, Preamp	Cancelled
	MIL-A-85150(AS)	Amplifier, Acquisition	Cancelled
	MIL-D-85151(AS)	Detector, I-q	Cancelled
	MIL-C-85152(AS)	Converter, Video Inject	Cancelled
	MIL-D-85153(AS)	Detector, Errors, Boresight	Cancelled
	MIL-G-85154(AS)	Generator, Pulse, Intercept Arm	Cancelled
	MIL-A-85156(AS)	Amplifier, Track	Cancelled
	MIL-O-85171(AS)	Oscillator, Voltage Controlled	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-D-85172(AS)	Detector, Interference Codeing	Cancelled
MIL-F-85173(AS)	Filter, 10 KHZ	Cancelled
MIL-P-85174(AS)	Processor, Digital Data, Micro A And Micro B	Cancelled
MIL-I-85175(AS)	If-agc, Track	Cancelled
MIL-A-85176(AS)	Amplifier, Rear IF	Cancelled
MIL-L-85177(AS)	Loop, Ranging Buckoff	Cancelled
MIL-D-85179(AS)	Detector, Wideband	Cancelled
MIL-D-85180(AS)	Detector, Illumination Coding	Cancelled
MIL-C-85181(AS)	Correlator, Quadrature	Cancelled
MIL-D-85183(AS)	Demodulator, Seeker	Cancelled
MIL-H-85184(AS)	Head Control, Pitch	Cancelled
MIL-D-85187(AS)	Driver, Gimbal Motors	Cancelled
MIL-R-85188(AS)	Riveted, Power, Pneumatic Hydraulic or Pneumatic Blind River Installation	Cancelled
MIL-A-85189(AS)	Amplifier, Pitch Gimbal Torquer	Cancelled
MIL-A-85190(AS)	Amplifier, Yaw Gimbal Torquer	Cancelled
MIL-A-85206(AS)	Antenna Group	Cancelled
MIL-N-85207(AS)	Network Assembly, Monopulse (Stripline)	Cancelled
MIL-M-85208(AS)	Microwave Receiver Assembly (Stripline)	Cancelled
MIL-C-85218(AS)	Controller, Temperature (Gyro, Heater)	Cancelled
MIL-C-85485/1(AS)	Cable, Electric	Cancelled
MIL-C-85485/2(AS)	Cable, Electric	Cancelled
MIL-C-85485/3(AS)	Cable, Electric	Cancelled
MIL-C-85485/4(AS)	Cable, Electric	Cancelled
JAN-P-3A	Packaging and Packing for Overseas Shipment of Valves, Fittings, and Flanges	Superseded by MIL-P-3B
JAN-I-7	Insulators, Glass-Bonded-Mica, Radio	Superseded by MIL-I-23264A
JAN-I-8-2	Insulators, Steatite, Radio	Superseded by MIL-I-23264A
JAN-I-9-3	Insulators, Glass, Radio	Superseded by MIL-I-23264A
JAN-I-10	Insulating Materials, Geramic Radio, Class L	Superseded by MIL-I-10A
JAN-C-17a-3	Cables, Coaxial and Twin Conductor for Radio Frequency	Superseded by MIL-C-17B
JAN-B-18a-3	Batteries, Dry	Superseded by MIL-B-18B
JAN-R-19-7	Resistors, Variable Wire-Wound (Low Operating Temperature	Superseded by MIL-R-19A

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
JAN-C-20a-7	Capacitors, Fixed, Ceramic-Dielectric (Temperature-Compensating)	Superseded by MIL-C-20B
JAN-I-21-2	Insulators, Porcelain, Radio	Superseded by MIL-I-23264A
JAN-S-23-3	Switches, Toggle (For Electronic and Communications Use)	Superseded by M-S-3950
JAN-S-28a-3	Sockets, Electron Tube and Accessories	Cancelled Superseded by MIL-S-19786(Navy
JAN-E-30a-1	Extinguishers, Fire; Water, Demountable, Nestable, Pump Type, 4-Gallon	Cancelled
JAN-F-33-2	Film, Photographic, Motion Picture	Superseded by L-F-333
JAN-W-41a	Welding of Armor (For Aircraft) 1 Metal-Arc, Manual	Superseded by MIL-W-41B
JAN-S-44	Shock-Testing-Mechanism for Electrical-Indicating Instruments (Two and One-Half and Three and One-Half Inch, Round, Flush-Mounting, Panel-Type)	Cancelled, Use Method 202 of MIL-STD-202
JAN-C-62-5	Capacitors, Dry-Electrolytic, Polarized	Superseded by MIL-C-62A
JAN-S-63-6	Switches, Sensitive	Superseded by MIL-S-8805
JAN-P-72	Primer, Synthetic, Lacquer-Resisting	Cancelled BuAer Uses TT-P-664
JAN-C-76-4	Cable (Hook-Up Wire) Electric, Insulated, Radio and	Superseded by MIL-W-76A
JAN-C-81-2	Capacitors, Ceramic-Dielectric, Variable	Superseded by MIL-C-81A
JAN-K-87	Kits, First Aid, For Life Rafts	Cancelled
JAN-C-91-3	Capacitors, Paper-Dielectric Fixed (Non-Metallic Cases)	Superseded by MIL-C-91A
JAN-C-92-6	Capacitors, Air-Dielectric, Variable (Trimmer Capacitors)	Superseded by MIL-C-92A

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
JAN-R-94-2	Resistors, Variable, Composition	Superseded by MIL-R-94A
JAN-P-100-1	Packaging and Packing for Overseas Shipment General Specification	Cancelled Use MIL-STD-1186
JAN-P-102	Packaging and Packing for Overseas Shipment Composition Topcoating Materials, Bituminous	Superseded by MIL-C-102A
JAN-P-103-2	Packaging and Packing for Overseas Shipment Boxes; Wood Cleated; Solid Fiberboard	Superseded by PPP-B-591
JAN-P-104-1	Packaging and Packing for Overseas Shipment Crates, Sheathed, Wood Nailed	Superseded by MIL-C-104A
JAN-P-105a-1	Packaging and Packing for Overseas Shipment Boxes, Wood, Cleated Plywood	Superseded by PPP-B-601
JAN-P-106a-1	Packaging and Packing for Overseas Shipment Boxes, Wood Nailed	Superseded by PPP-B-621
JAN-P-108	Packaging and Packing for Overseas Shipment Boxes, Fiberboard (V Board and W-Board) Exterior and Interior	Cancelled, Use PPP-B-636
JAN-P-109	Packaging and Packing for Overseas Shipment Barrels, Tight	Superseded by PPP-B-112
JAN-P-110-1	Packaging and Packing for Overseas Shipment Drums; Metal 55-Gallon (For Other than Petroleum Products)	Superseded by PPP-D-729 and PPP-D-700
JAN-D-111	Drums, Fiberboard (Overseas Type)	Superseded by PPP-D-723
JAN-P-113-2	Packaging and Packing for Overseas Shipment Bags, Shipping, Textile-and-Paper-Laminated	Cancelled, Use PPP-B-35

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
JAN-P-115-2	Packaging and Packing for Overseas Shipment Compound, Sealing, Dipcoating	Cancelled Superseded by VV-S-190
JAN-P-117-2	Packaging and Packing for Overseas Shipment Bags, Interior Packaging	Superseded by MIL-B-117A
JAN-P-118a-1	Packaging and Packing for Overseas Shipment Sacks, Paper, Shipping, Multiwall	Cancelled
JAN-P-120-1	Packaging and Packing for Overseas Shipment-Cargons, Folding, Paperboard	Superseded by PPP-B-566
JAN-P-125-1	Packaging and Packing for Overseas Shipment Barrier-Materials, Waterproof, Flexible	Cancelled, Use UU-P-271
JAN-P-127-3	Packaging and Packing for Overseas Shipment Tape, Adhesive, Pressure Sensitive, Water Resistant	Cancelled
JAN-P-132-1	Packaging and Packing for Overseas Shipment Crates; Unsheathed, Wood; Nailed	Superseded by MIL-C-132A-1
JAN-P-133	Packaging and Packing for Overseas Shipment Boxes, Set-Up Paperboard	Superseded by PPP-B-676
JAN-P-138-1	Packaging and Packing for Overseas Shipment Boxes, Wood, Fiberboard Lined	Superseded by MIL-P-138A
JAN-P-139-1	Packaging and Packing for Overseas Shipment Plywood, Container Grade	Cancelled, Use NN-P-515
JAN-C-149	Compound, Protective, Strippable (Hot-Dipping)	Superseded by MIL-P-149
JAN-T-152-1	Treatment, Moisture and Fungus Resistant of Communications, Electronic and Associated Electrical Equipment, General Process or	Superseded by MIL-T-152A

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
JAN-G-174-1	Glass, Optical	Superseded by MIL-G-174A
JAN-R-184	Resistors, Fixed, Wirewound (Low Power)	Cancelled
JAN-A-185-1	Adapters and Spacers (For Electrical Indicating Instruments)	Cancelled
JAN-D-195-1	Drums, Steel, Calcium Carbide (100-Pound Capacity)	Superseded by MIL-D-195A
JAN-P-196	Packaging and Packing for Overseas Shipment Engines, Ground, Air-Cooled (32-Horsepower and Under) Spare Parts for	Superseded by MIL-R-196A
JAN-P-207	Packaging and Packing for Domestic and Overseas	Superseded by MIL-P-207A
JAN-P-208a	Packaging and Packing for Overseas Shipment Batteries; Storage Automotive and Navy Portable (Exceeding 15 Pounds Weight)	Superseded by MIL-P-208B
JAN-P-224-2	Paper (Foiling)	Cancelled, Use MIL-P-60169
JAN-I-225	Interference Measurement, Radio, Methods of, 150 Kilocycles to 20 Megacycles (For Components and Complete Assemblies	Cancelled
JAN-N-244-2	Nitrocellulose (For Use in Explosives)	Superseded by MIL-N-244A
JAN-E-251	Electrical-Equip: Rotation, Connections, and Terminal Markings for	Superseded by MIL-STD-195
JAN-G-252a	Goggles, Variable-Density (For Lookouts)	Superseded by MIL-G-252B
JAN-S-259-3	Screen, Projection (Mounted on Spring Roller)	Cancelled Superseded by GG-S-172a
JAN-S-260	Screen, Projection, Folding (For Portable-Frame-Mounting)	Superseded by MIL-S-260A

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
JAN-S-261	Screen, Projection (For Auditorium-Frame Mounting)	Cancelled
JAN-A-264	Acid, Phosphoric, Technical	Cancelled
JAN-C-266-2	Charges; Fire-Extinguisher (Foam, Mechanical), Type 5	Cancelled, Use O-F-555
JAN-C-267-1	Charges, Fire-Extinguisher (Foam, Chemical)	Cancelled
JAN-K-280	Kit, First Aid, Camouflaged (Aviation Individual)	Cancelled
JAN-W-287-1	Wave-Guide-Assemblies, Flexible	Superseded by MIL-W-287A
JAN-T-295	Target, Antiaircraft, Mark 22, (Mod. 0, 1, and 2)	Cancelled
JAN-C-298	Cloth, Cotton, Uniform-Twill	Superseded by MIL-C-298A
JAN-C-300	Cloth, Cotton, Drill (Fully Shrunk)	Cancelled
JAN-G-336	Gradation Control Units, Aggregate Gasoline-Driven, 4ft. x 8ft. Screen	Cancelled
JAN-H-370-4	Hose, Gasoline, Synthetic-Rubber (Discharge Type)	Superseded by MIL-H-370A
JAN-3-377a	Elevators, Aggregate, Enclosed-Bucket	Cancelled
JAN-T-423	Tools; Metal-Drum-Head-Cutting and Metal Drum-Splitting	Superseded by MIL-B-423A
JAN-A-443	Aligners, Connecting-Rod, Universal (2 to 7-In. Pistons, 6-23 In. Rods)	Superseded by MIL-I-443a
JAN-C-444-1	Cloth, Acetate for Viscose Rayon, Wire-Bearing, Aerial Target	Superseded by MIL-C-444A
JAN-B-460	Bender, Tube, Spring Type, External	Cancelled, Use GGG-B-191
JAN-T-462	Tanks, Steel, Fuel-Oil, Horizontal, Storage-Type	Superseded by MIL-T-462A
JAN-P-469A	Pumps, Water, Gasoline Driven, Trailer-Mounted With Distributor Attachments	Superseded by MIL-P-469A
JAN-W-472	Wire, Low-Brass (Arming Wire)	Cancelled, Use QQ-W-321

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
JAN-G-475	Glasses, Sun, With Case	Superseded by MIL-G-475
JAN-H-481	Hoists, Gasoline-Driven, Double-Drum, 2 3/4-Ton Pull, With Boom Swinger	Superseded by MIL-H-481A
JAN-C-484	Cloth, Cotton, Wind-Resistant, Oxford	Superseded by MIL-C-484B
JAN-C-485	Cloth, Cotton, Sheeting	Cancelled, Use CCC-C-432
JAN-C-490	Cleaning and Preparation of Ferrous Metal Surfaces for Protective Coatings	Superseded by MIL-C-490A
JAN-D-504	Dyeing and Aftertreating Processes for Cotton Duck and Twill	Superseded by MIL-D-504C
JAN-N-514-1	Name Plate and Transportation Data Plate (For Con & Engr. Equip)	Superseded by MIL-P-514A
JAN-W-530-1	Webbing, Cotton, Natural or in Colors	Superseded by MIL-W-530A
JAN-C-537	Colors Standards, PH Determination	Superseded by MIL-D-537A
JAN-P-556	Pumps, Sump, Pneumatic	Superseded by MIL-P-556A
JAN-W-562A	Wire, Nickel-Alloy, Spring (Heat Resistant and Age-Hardenable)	Cancelled, Use QQ-W-390
JAN-F-573-1	Flashlight, Attachable	Superseded by MIL-L-573A
JAN-C-577	Cloth, Nylon, Twill, 1.6 Ounce White	Superseded by MIL-C-577A
JAN-C-601-1	Cylinder, Carbon Dioxide Filled (For Pneumatic Life Vests & Similar Use)	Superseded by MIL-C-601B
JAN-G-613	Grapnels	Superseded by MIL-G-613A
JAN-M-621	Magnesium Fluoride (Optical Use)	Cancelled
JAN-S-627	Solder; Low Melting Point	Cancelled
JAN-C-634	Case, Navigator's with Compass and Divider	Superseded by MIL-K-634A (Ships)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
JAN-C-635	Goggles, General Purpose and Flight	Superseded by MIL-G-635A
JAN-J-641-1	Jacks, Telephone	Superseded by MIL-J-641A
JAN-P-642-1	Plugs, Telephone	Superseded by MIL-P-642A
JAN-F-648-1	Film, Test 16MM 3,000 Cycle (For Determining Flutter Content)	Cancelled
JAN-F-649-1	Film, Test, 16MM Multi-Frequency (For Determining Frequency Response)	Cancelled
JAN-F-650-1	Film, Test, 16MM, 400 Cycle (For Determining Power Output)	Cancelled
JAN-F-651-1	Film, Test, 16MM, 5,000 or 7,000 Cycle for Scanning Beam Focusing and Azimuth Adjustment	Cancelled
JAN-F-652-1	Film, Test, 16MM Travel-Ghost (For Determining Freedom From Travel-Ghost)	Cancelled
JAN-F-653-1	Film, Test, 16MM, Buzz Track (For Determining Scanning Beam Position)	Cancelled
JAN-F-654-1	Film, Test, 16MM, Academy Excerpts (For Checking Projector Adjustments)	Cancelled
JAN-S-657	Strainers, Gasoline 25 Gallon Per Hour (For Engine Fuel Supply)	Cancelled
JAN-P-658-3	Packaging and Packing of Electrical Equipment and Spare Parts (Electronic, Electrical and Electromechanical)	Cancelled Superseded by MIL-E-17555
JAN-A-669	Anti-Seize Compound, White Lead Base, General Purpose (For Threaded Fittings)	Cancelled
JAN-F-675	Films, Reflection Reducing for Glass Optical Elements	Superseded by MIL-C-675A
JAN-C-679	Cutter, Rivet, Shear Type	Superseded by MIL-C-679A
JAN-C-689	Canteens, M-1910, Aluminum	Superseded by MIL-C-689A
JAN-P-690	Puller, Bushing, Bearing and Gear Installating and Removing	Cancelled BuAer Uses GGG-P-781

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
JAN-I-711	Incendiary Oils, Consistency of; Test Procedures	Cancelled, Use MIL-STD-1439
JAN-T-713-2	Twine, Lacing and Typing Electrical and Electronic Equipment	Superseded by MIL-T-713A
JAN-S-728	Saws, Circular, Woodworking, Over-Arm, Motor-Driven	Superseded GGG-S-58-1
JAN-F-730	Fire Resistant Cloth, Cotton	Cancelled
JAN-C-744-1	Cleaning-Compound, Spark-Plug, Ceramic	Superseded by MIL-C-744B
JAN-M-745	Moisture-Resistance, Test for Material Items Used In Electronic Communication and Electrical Equipment	Superseded by MIL-E-5272
JAN-F-751-2	Film, Test, 16MM, 1000 Cycle (For Determining Uniformity of Scanning Beam Illumination	Cancelled
JAN-F-752-2	Film, Test 16MM, 7000 Cycle (For Determining Azimuth Error)	Cancelled
JAN-F-766-3	Film, Test, 16MM Target (For Determining Picture Unsteadiness of Motion Picture Projector)	Cancelled
JAN-F-767-2	Film, Test, 16MM Warble Frequency (For Determining Acoustical Response)	Cancelled
JAN-T-781-3	Terminal; Cable, Steel (For Swaging)	Superseded by MIL-T-781A
JAN-H-785	Hoist, Gasoline-Driven, 1 Drum, 2 Ton Pull, Toboggan Mounted	Superseded by MIL-W-785A
JAN-H-792	Humidity Cabinet; Operation of	Cancelled
JAN-H-795-2	Holders, Sheet Metal Hole and Edge Grip	Superseded by MIL-H-795A
JAN-B-1083	Balls, Bearing, Steel	Superseded by MIL-B-1083A
JAN-C-1126-1	Cylinders; Compressed Air, Helium Hydrogen, Nitrogen or Oxygen Nonshatterable	Cancelled
JAN-R-1127	Rivets, Belt, Copper; and Burrs, Copper	Superseded by MIL-R-2583A

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
JAN-STD-1	General Drawing Practice	Superseded by MIL-STD-1A
MIL-STD-2C	Engineering Drawing Sizes and Formats	Cancelled
MIL-STD-3A	Format for Production Drawings	Superseded by MIL-STD-2B
JAN-STD-4	Format for Construction Drawings	Superseded by MIL-STD-2
MIL-STD-8C	Dimensioning and Toleraicing	Inactive Use USASI Y14.5-1966
MIL-STD-9A	Screw Thread Conventions and Methods of Specifying	Cancelled, Use ANSI Y14.6
JAN-STD-12	Abbreviation for Use ON Drawings	Superseded by MIL-STD-12A
JAN-STD-15	Electrical and Electronic Symbols	Superseded by MIL-STD-15
MIL-STD-15-3	Electrical Wiring Symbols for Architectural and Elctrical Layout Drawings Part III	Cancelled Superseded by ANSI-32.9 1972
MIL-STD-15A	Graphic Symbols for Electrical and Electronic Diagrams	Cancelled Superseded by USAS Y32.2.16-1
MIL-STD-16C	Electrical and Electronic Reference Designation	Superseded by ASA Y32.16-1965
MIL-STD-20	Welding Terms and Definitions	Cancelled
MIL-STD-24B	Revision of Drawings	Cancelled
H28 Part I, II & III	Screw-Thread Standards for Federal Services	Superseded by FED-STD-H28
MIL-STD-27	Designations For Electric Power Switchgear Devices And Industrial Control Devices	Cancelled, Use ANSI C37.20
MIL-STD-30A	Associated Lists List of Material, Data List, Index List	Cancelled
MIL-STD-31	Numbering and Coding of Engineering Drawings, Associated Lists and Documents	Cancelled
MIL-STD-32	Military Standard Status Notes of use on Military Sheet From Standards	Cancelled Use MIL-STD-962

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-STD-33	Lubrication Intructions, Preparation and Presentation of	Cancelled, Use MIL-M-63004
JAN-STD-102	Anti-Friction Bearing Identification Code	Superseded by MIL-STD-102A
MIL-STD-103	Abbreviations (For Electrical and Electronic Use)	Superseded by MIL-STD-12B
MIL-STD-106A	Mathematical Signs and Symbols for use in Physical Sciences and Technology	Cancelled Use ANSI Y 10, 20A-1975
MIL-STD-122	Color Code for Chasis Wiring for Electronic Equipment	Superseded by MIL-STD-681
MIL-STD-123A	Color Identification Marking of Covered Arc-Welding Electrodes	Cancelled
MIL-STD-124	Voltage of Electrical Systems in Tactical Vehicles	Cancelled
MIL-STD-125-1	Standard Guides for Preparation of Item Descriptions	Cancelled MIL-STD-105A
MIL-STD-131-1	Inspection Stamps	Cancelled
MIL-STD-152	General Environmental Requirements Testing Procedures and Sampling for Aerial Photographic Reconnaissance	Cancelled Use MIL-STD-810
MIL-STD-165	Wheels, Abrasive	Cancelled
MIL-STD-166	Visual Inspection Guide for Rubber Hose	Cancelled Use Fed STD-162
MIL-STD-167-1 (Ships)	Mechanical Vibrations of Shipboard Equipment (Type 1- Environmental and Type II Internally Excited)	Cancelled
MIL-STD-167-2 (Ships)	Mechanical Vibrations of Shipboard Equipment (Reciprocating Machinery and Propulsion System and Shafting) Types III, IV and V	Cancelled
MIL-STD-174	Colors for Coding Electronic Parts	Cancelled, Use MIL-STD-1285

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-STD-181	Preparation for Shipment and Storage of Assemblies, Subassemblies, and Spare Parts for Warehouse Materials Handling Equipment	Cancelled, Use MIL-P-14232
MIL-STD-182	Continuous Identification Marking Of Nickel and Nickel Base Alloys	Superseded by FED-STD-182
MIL-STD-183A	Continuous Identification Marking of Iron and Steel Products	Superseded by FED-STD-183
MIL-STD-184	Identification Marking of Aluminum Magnesium and Titanium	Superseded by FED-STD-184
MIL-STD-189 CH-2	Racks, Electrical Equipment, 19 Inch and Associated	Cancelled
MIL-STD-191A	Method And Procedure For Overall Calibration of Illuminometer For Use In Acceptance Testing of Pyrotechnic Illuminants	Cancelled
MIL-STD-192	Alloy and Temper Designation System for Wrought Aluminum	Cancelled Use MIL-STD-1285
MIL-STD-204A	Thickness of Sheet and Strip Metals	Cancelled
MIL-STD-207	Uniform Designation System for Piloted Aircraft	Cancelled
MIL-STD-208A	Part Numbering for Military Standards	Cancelled
MIL-STD-214	Amplifier, Audio Frequency General Purpose	Cancelled
MIL-STD-218-1	Part I General Outline for Technical Manuals	Cancelled
MIL-STD-218-2	Technical Manuals Part 2 Production or Procurement of Artwork for Technical Manuals	Cancelled Superseded by MIL-M-38784
MIL-STD-218-3	Technical Manuals Part 3 Preparation of Manuscript (Final Typed) For Technical Manuals	Cancelled Superseded by MIL-M-38784
MIL-STD-221D	Color Code for Resistors	Cancelled Use MIL-STD-1285
MIL-STD-227(Ships)	Press, Arbor, Hand Operated Classification of Defects for	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-STD-232(Ships)	Oiler, Hand Classification of Defects for	Cancelled
MIL-STD-233(Ships)	Cutters, Milling; Classification of Defects	Cancelled
MIL-STD-243A	Types and Definitions of Models for Communications-Electronics Equipment	Superseded by MIL-STD-280A
MIL-STD-249	Preparation for Storage, Cyclic Maintenance, Routine Testing and Processing of Materials Handling Powered Equipment	Superceded by MIL-STD-162C
MIL-STD-251A	Power Output Ratings for Electric Generators	Cancelled
MIL-STD-254(ASG)	Weight and Balance Data Reporting Forms for Aircraft	Cancelled and Superseded by MIL-STD-1374
MIL-STD-256	Test and Inspection of Truck, Lift Fork, Gasoline, Pneumatic Rubber Tires	Superseded By MIL-STD-268B
MIL-STD-257	Test and Inspection of Truck, Lift, Fork, Electric, Solid Rubber Tires	Superseded By MIL-STD-268B
MIL-STD-260	Test and Inspection of Tractor, Wheeled Warehouse, Electric, 4 Wheel Solid Rubber Tires	Superseded by MIL-STD-259B
MIL-STD-263	Test and Inspection, Truck, Hand, Lift, Pallet, Electric	Cancelled, Use MIL-T-17760
MIl-STD-268C CH-3	Test and Inspection of Trucks, Lift, Fork	Cancelled
MIL-STD-283	Letter Symbols For Electrical and Electronic Quantities	Cancelled
MIL-STD-412	Alloy Designation System for Titanium	Cancelled
MIL-STD-422	Chain, Roller, Power Transmission Flat Link Plates, Double Pitch, Single Strand and Connecting Links, Steel	Cancelled, Superseded by MIL-STD-423

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-STD-426	Chain, Detachable Link, Power Transmission and Conveyor, and Attachments, Malleable Iron	Cancelled
MIL-STD-429C	Printed Wiring and Printed-Circuits Terms and Definitions	Cancelled
MIL-STD-430A	Macrograph Standards for Steel Bars, Billets, and Blooms	Cancelled
MIL-STD-439B	Electronic Circuits	Cancelled
MIL-STD-441	Reliability of Military Electronic Equipment	Superseded by MIL-STD-785
MIL-STD-442B	Aerospace Telemetry Standards	Cancelled, Use MIL-STD-1572
MIL-STD-446B	Environmental Requirements for Electronic Parts	Cancelled
MIL-STD-447	Definition of Interchangeable Substitute and Replacement Items	Superseded by MIL-STD-721B
MIL-STD-451	Weight and Blaance Data Reporting Forms for Rotorcraft	Cancelled
MIL-STD-451 Part I	Summary Weight Statement Rotorcraft only	Superseded by MIL-STD-1374
MIL-STD-451 Part II	Detail Weight Statement Rotorcraft	Superseded by MIL-STD-1374
MIL-STD-451 Part III	Weight and Blaance Status Rotorcraft	Superseded by MIL-STD-1374
MIL-STD-456A	Electronic Parts, Data and Source Coding For	Cancelled, Use MIL-STD-1285
MIL-STD-473	Maintainability Verification/ Demonstration/Evaluation for Aeronautical Systems	Superseded by MIL-STD-471A
MIL-STD-625	Chain	Cancelled
MIL-STD-638	Terminology, Dimensions, and Materials of Explosive Components for Use in Fuzes	Superseded by MIL-STD-320
MIL-STD-654	Webbing, Packaging and Packing of	Superseded by MIL-W-43334
MIL-STD-675	Camera, Motion Picture, KF-2 () (35MM Film, Roll Type)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-STD-676	Camera, Motion Picture KF-3 () (16 MM Film, Roll Type)	Cancelled
MIL-STD-677A	Camera Set, Motion Picture KS-11 () (16 MM Film, Magazine Type)	Cancelled
MIL-STD-678	Printers, Projection, Photographic	Cancelled
MIL-STD-703	Viewer, Motion Picture Film 16 MM	Cancelled
MIL-STD-706	Power Supply Voltages, Regulated D.C. within Electronic Equipment	Cancelled
MIL-STD-707(NOrd)	Air Permeability Finess	Superseded by MIL-STD-1233
MIL-STD-725A(Wep)	Method of Marking Scales For Sights and Fire Control Instruments	Cancelled
MIL-STD-734(Wep)	Formula For Prim Composition III	Cancelled
MIL-STD-749B	Preparation and Submission of Data for Approval of Nonstandard Electronic Parts	Cancelled, Use MIL-STD-965
MIL-STD-755A	Labels Containing Symbols for Packages and containers for Hazardous Industrial Chemicals and Materials	Cancelled Superseded by MIL-STD-1341
MIL-STD-757	Reliability Evaluation From Demonstration Data	Cancelled
MIL-STD-768A Part I & 2	Instructions for Repair of Aircraft and Weapons Sandwich, Structures (Metal Construction) (Part I all Plastic Construction)	Cancelled
MIL-STD-775	X-Ray Standards (Welds)	Cancelled
MIL-STD-776	Data Storage	Cancelled
MIL-STD-778	Maintainability Terms and Definitions	Cancelled Superseded by MIL-STD-721
MIL-STD-779 Vol I	Reference Radiographs for Steel Welds	Cancelled
MIL-STD-779 Vol II	Reference Radiographs for Steel Welds	Cancelled
MIL-STD-779 Vol III	Reference Radiographs for Steel Welds	Cancelled
MIL-STD-793(WP)	Definitions, Letter Symbols, Color Code and Circuit Symbol For Devices Hall Effect Part I (Hall Elements) (Hall Generators)	Cancelled
MIL-STD-799(AS)	Tabulated Wiring Data Lists and Pictorial Wiring Diagrams	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-STD-803A(USAF)	Human Engineering Design Criteria For Aerospace Systems and Equipment (Aerospace System Ground Equipment)	Superseded by MIL-STD-1472
MIL-STD-832	Preparation of Detail Specifications for Aircraft (Fixed and Rotary Wing)	Inactive for Design Use MIL-STD-490
MIL-STD-855A	Assembly and Rigging, Procedures for Personnel Parachutes	Cancelled
MIL-STD-862	Test Procedures for Receiving Inspection of Aircraft Liquid Oxygen Equipment	Cancelled
MIL-STD-891(USAF)	Contractors Parts Control And Standardization Program	Cancelled, Use MIL-STD-965
MIL-STD-1238	Radiographic Inspection; Soundness Requirements for Steel Castings (For Small Arms Parts)	Cancelled, Use MIL-C-6021
MIL-STD-1266	Small Arms Accessories and Equipment	Cancelled
MIL-STD-1273	Vehicles, Wheeled, Definition of Terms	Cancelled
MIL-STD-1304A	Reliability Reports	Cancelled
MIL-STD-1305	Magnetoresistive Devices, Definitions, Letter Symbols, Color Code and Circuit Symbol for Part I	Cancelled
MIL-STD-1312/5	Fastener Test Methods, Metric Method 5, Stress Durability	Cancelled, Use MIL-STD-1312/105
DOD-STD-1312/8	Fastener Test Methods, Metric Method 8, Tensile Strength	Cancelled, Use MIL-STD-1312/107
DOD-STD-1312/9	Fastener Test Methods, Metric Method 9, Stress Corrosion	Cancelled
DOD-STD-1312/11	Fastener Test Methods, Metric Method 11, Tension Fatigue	Cancelled, Use MIL-STD-1312/111
DOD-STD-1312/13	Fastener Test Methods, Metric Method 13, Double Shear Test	Cancelled, Use MIL-STD-1312/113
MIL-STD-1313	Microelectronic Terms and Definitions	Cancelled, Use MIL-M-38510
MIL-STD-1314A(Navy)	Safety Precautions for Explosive Loaded Items	Cancelled Use DOD 4145.26M
MIL-STD-1341	Symbols	Cancelled, Use FED-STD-313
MIL-STD-1342(Navy)	Limited Shelf Life, Electronic Equipment and Parts, Preparation for Delivery of	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-STD-1354	Motion Picture Format, Super 8MM	Cancelled, Use FED-STD-364
MIL-STD-1495	Multilayer, Printed Wiring Boards for Electronic Equipment	Cancelled, Use MIL-STD-275
MIL-STD-1497	Cartridge, Projection Motion Picture Film, Super 8MM	Cancelled
MIL-STD-1512	Electroexplosive Subsystems, Electrically Initiated, Design Requirements and Test Methods	Superseded by, MIL-STD-833
MIL-STD-1572	Telemetry Standards	Cancelled
MIL-STD-1573	Test Methods Fcr Telemetry Systems And Subsystems	Cancelled
MIL-STD-1602	Progress Reports for Research and Development Equipment, Requiements For	Cancelled
MIL-STD-1631A(Navy)	Procedure for Selection of Electronic and Electrical Parts and Materials During Design of Military Items	Cancelled, Use MIL-STD-965
MIL-STD-1652(Navy)	Procedure for Prescreening of Nonstandard Mechanical Fasteners and Bearings during Design of Military Items	Cancelled, Use MIL-STD-965
MIL-STD-1675(AS)	Mass Properties and Design Data Reporting Forms For Turbine Engines	Cancelled Use MIL-STD-5007
MIL-STD-1850A	Motion Picture Format, Sound, 16 MM	Cancelled, Use FED-STD-362
MIL-STD-1851A	Film Slide, Projection 2 InchX2 Inch	Cancelled, Use FED-STD-365
MIL-STD-1854A	Film Strip, Photographic, Super 8 MM	Cancelled, Use FED-STD-363
MIL-STD-2070(AS)	Procedures for Performing a Failure Mode, Effects and Criticality Analysis For Aeronautical Equipment	Cancelled, use MIL-STD-1629

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MS-543	Formula for Tear Mixture-V	Cancelled
MS-548	Formula for Starter Mixture (Dry)	Cancelled
MS-550	Formula for Ignition Mixture-1 (W/Binder)	Cancelled
MS-551	Formula for Delay Mixture-1 (W/Binder)	Cancelled
MS-553	Formula for Fuel Mixture-2 (W/Binder)	Cancelled
MS-554	Formula for Starter Mixture-1X (W/Binder)	Cancelled
MS-557	Formula for Starter Mixture-X11 (W/Binder)	Cancelled
MS-558	Formula for Starter Mixture-XIII	Cancelled
MS-559	Formula for Starter Mixture-XIV (W/Binder)	Cancelled
MS-560	Formula for Starter Mixture-XIV (W/Binder)	Cancelled
MS-561	Formula for First Fire Mixture-III (W/Binder)	Cancelled
MS-562	Formula for Delay Mixture II (W/Binder)	Cancelled
MS-563	Formula for Ignition Mixture II (W/Binder)	Cancelled
MS-565	Formula for First Fire Mixture-IV (with Binder)	Cancelled
MS-566	Formula for Starter Mixture-XV (Granulated)	Cancelled
MS-568	Formula for Matchhead Mixture-II	Cancelled
MS-569	Formula for Matchhead Mixture-III	Cancelled
MS-570	Formula for Matchhead Mixture-IV	Cancelled
MS-571	Formula for Thermit, Plain, Incendiary	Cancelled
MS-572	Formula for Thermate, TH3(A)	Cancelled
MS-573	Formula for Incendiary Mixture-I	Cancelled
MS-574	Formula for Incendiary Pellet I	Cancelled
MS-575	Formula for Incendiary Mixture-II (Krause)	Cancelled
MS-576	Formula for on Tear Mixture-I	Cancelled
MS-577	Formula for CN-DM Irritant Mixture-I	Cancelled
MS-578	Formula for Tear Mixture-II	Cancelled
MS-579	Formula for Tear Mixture-III	Cancelled
MS-580	Formula for Tear Mixture-IV	Cancelled
MS-581	Formula for Scratcher Mixture-II	Cancelled
MS-583	Formula for Color Coating Composition (Incendiary)	Cancelled
MS-584	Formula for Dye Indicator Reagent	Cancelled
MS-585	Formula for Matchhead Mixture-V	Cancelled
MS-586	Formula for Incendiary Mixture-III	Cancelled
MS-588	Formula for Green Smoke-VI	Cancelled
MS-589	Formula for Red Smoke-VI	Cancelled
MS-590	Formula for Violet Smoke-VII	Cancelled
MS-591	Formula for Yellow Smoke-IX	Cancelled
MS-592	Formula for Starter Pellet-1 (With Binder)	Cancelled
MS-593	Formula for Red Smoke-VII	Cancelled
MS-594	Formula for First Fire Mixture (FF-31)	Cancelled
MS-596	Formula for Starter Mixture-XVI (With Binder)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS-597		Formula for Starter Mixture-XVII (With Binder)	Cancelled
MS-598		Formula for Matchhead Mixture-VI (With Binder)	Cancelled
MS-599		Formula for Incendiary Mixture-PTI, Type I	Cancelled
MS600		Formula for Incendiary Mixture-PTI, Type II	Cancelled
MS601		Formula for Starter Mixture-XVIII (Granulated)	Cancelled
MS-602		Formula for Test Solvent (For Fuel Thickness	Cancelled
MS-603		Formula for Fuze Thread Luting (For Special Ammunition Use)	Cancelled
MS-2549(Wep)	Rev.B	Cable Assemblies, Power, Electrical (AWG #18)	Cancelled, Use MS21993
MS-3156		Tool, Insertion and Removal, Contact, MIL-C-81659 Connectors (Series 2)	Cancelled
MS-3159		Tool, Extract, Unwired Contact, Electric Connector, Size 23, 22, 20, 26 and 12	Cancelled
MS-3160		Tool, Insert-Extract, Electric Connector Size 22, 20, 16 and 12	Cancelled
MS-3162(Navy)		Contacts, Pin, Electric Connector, Crimp Type, Size 0 Thru 16	Cancelled, Use MIL-C-39029/29
MS-3163(Navy)		Contacts, Socket, Electric Connector, Crimp Type, Size 0 Thru 16	Cancelled, Use MIL-C-39029/30
MS-3165		Removal Tools, Connector, Electrical Contact Size 16, 8, 4 and 0	Cancelled
MS-3166(Navy)	Rev.A	Tool, Contact Extraction, Electrical Connector, Size 16 & 12	Cancelled, Use MS-3447
MS-3167(Navy)	Rev.A	Tool, Contact Insertion Electrical Connector, Size 16 & 12	Cancelled, Use MS-3447
MS-3168		Contact, Electric, Coaxial, Pin, Crimpable, Size 1	Cancelled
MS-3169		Contact, Electric, Coaxial, Socket, Crimp, Size 1	Cancelled
MS-3170		Contacts, Electric, Coaxial, Pin, Crimp, Size 3	Cancelled
MS-3171		Contacts, Electric, Coaxial, Socket, Crimp, Size 3	Cancelled
MS-3172		Contacts, Electrical, Coaxial, Pin, Crimp, Size 8	Cancelled
MS-3173		Contacts, Electrical, Coaxial, Socket, Crimp, Size 5	Cancelled
MS-3174		Contacts, Electric, Coaxial, Pin, Crimp, Size 7	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

considered when DHP updates occur, these updates may invalidate parts of the BUL causing

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS-3175		Contacts, Electric, Coaxial, Socket, Crimp, Size 7	Cancelled
MS-3176		Contacts, Electric, Coaxial, Pin, Crimp, Size 9	Cancelled
MS-3177		Contacts, Electric, Coaxial, Socket, Crimp, Size 9	Cancelled
MS-3178(Navy)	Rev.A	Tools, Removal Coax Contact MIL-C-81659 Connector (Series 2)	Cancelled, Use MIL-I-81969/28
MS-3191		Tool, Hand, Crimp, Class 1	Cancelled, Use MIL-C-22520/1
MS-3192(Navy)		Contacts, Pin, Electric, Crimp, Removable	Cancelled, Use MIL-C-39029/31
MS-3193(Navy)		Contacts, Pin, Electric, Crimp, Removable	Cancelled, Use MIL-C-39029/32
MS-3195(Wep)	Rev.A	Indentor Configuration; Crimp Tools, For Contacts of Electric Connector	Cancelled, Use MIL-C-22520/1
MS-3196		Gage-In-Service Inspection for Contact Crimping Tool	Cancelled
MS-3198		Tool, Hand, Crimp, Miniature, Class 1 for Contacts of Electric Connectors	Cancelled
MS-3178(Navy)	Rev A	Tools, Removal Coax Contact MIL-C-81659 Connector (Series 2)	Cancelled, Use MIL-I-81969/28
MS-3199		Gage-In-Service Inspection for MS-3198 Contact Crimping Tool	Cancelled
MS-3313(Navy)	Rev.A	Tool Kit, Crimp, Miniature, For Contacts of Electric Connectors	Cancelled, Superseded by MIL-T-83507/17
MS-3316		Tool, Crimp, Hand, For MIL-T-7928 Insulated Terminals	Cancelled, Use MIL-C-22520/5
MS-3317	Rev A	Gage, In-service Inspection, for MS-3316 Terminal Crimping Tool	Cancelled
MS-3342	Rev.B	Tool, Removal, Pin Contact, Connector	Cancelled
MS-3343(Navy)		Contacts, Pin, Electric, Crimp, Removable	Cancelled, Use MIL-C-39029/33
MS-3344	Rev.B	Tool, Removal, Socket Contact, Connector Electric (MIL-C-81511)	Cancelled
MS-3362		Tool Case, Contact, Crimp Type Electric Connector	Cancelled
MS-3363		Tool Kit, Contact, Crimp Type Electric Connector (for H46/53 Helicopter)	Cancelled
MS-3366(AS)		Lamp, Incandescent, Par-64 Bulb, Screw Terminal Base transmissometer	Cancelled
MS-3371		Inverter, Class A 750 Va, Dual Output Voltage 115 and 28 Volts, Single Phase	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS-3375(AS)	Rev.A	Battery, Storage, Aircraft, Top-Ventilated, 7 Ampere-Hour, 24-Volt	Cancelled
MS-3378		Retread Tire-aircraft 18x4.4 (200 Mph) Type VII (Navy)	Cancelled
MS-3382		Retread Tire-aircraft 18x6.6 (200 Mph) Type VII (Navy)	Cancelled
MS-3386		Retread Tire-aircraft 36 x 11 (200 Mph) Type VII (Navy)	Cancelled
MS-3389		Retread Tire-aircraft 20.00-20 (200 Mph) Type VII (Navy)	Cancelled
MS-3397		Plug, Dehydrator	Cancelled
MS-3410(Navy)	Rev.A	Clamp, Cable, Electric Connector, AN Type	Cancelled, Use MS-3417
MS-3411(Navy)	Rev.A	Adapters, Sealing, Electric Connector to Cable, AN Type	Cancelled
MS-3413(Navy)	Rev.A	Connector Grommet Nut, AN Type	Cancelled
MS-3421(Navy)	Rev.B	Insert Arrangements, Electric Connector, Series 1	Cancelled, Use MS-3157
MS-3422(Navy)	Rev.A	Insert Arrangement, Electrical Connector, Series 2	Cancelled
MS-3423(Navy)	Rev.A	Insert Arrangement, Electrical Connector, Series 3	Cancelled, Use MS-3157
MS-3438(Navy)	Rev.B	Backshells, 90°, Cable Sealing and Shield Termination for Electric Connectors	Cancelled, Use MIL-C-85049
MS-3439(Navy)	Rev.B	Backshells, 45°, Cable Sealing and Shield Termination for Electric Connectors	Cancelled, Use MIL-C-85049
MS-3447		Tool, Insert-Extract, Wired Contact, Size 20, 16 and 12	Cancelled
MS-3448		Tool, Extract, Unwired Contact, Electric Connector Size 20, 16 and 12	Cancelled
MS-3483		Removal Tools, Connector, Contact Electrical Size 8, 4 and 0	Cancelled
MS-3487		Battery, Storage, Aircraft, Heavy Duty 18 Ampere-hour, 24 volt, Low Profile (Use MS 24498)	Cancelled
MS-3489(AS)	Rev.A	Batteries, Storage, Aircraft, Two-Part, Threaded-Post-Connected, Small	Cancelled
MS-3491		Batteries, Storage, Aircraft	Cancelled
MS-3492(AS)		Cells, Battery, Storage, Top-Venting Light and Heavy Duty, General Purpose Aircraft	Cancelled
MS-3496		Chaff, Countermeasure RR-124/AL	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS-9011(ASG)	Rev.D	Decal, Rubber Cure Date, Fuel	Cancelled, Use MS-9244(ASG)
MS-9012(ASG)	Rev.A	Ring-Retaining, External, Veryllium Copper	Superseded by MS16624
MS-9013(ASG)	Rev.B	Ring-Retaining, External, Steel	Superseded by MS16624
MS-9014(ASG)	Rev.A	Ring-Retaining Internal, Steel	Superseded by MS16625
MS-9047		Pin-Spring, Steel, Phosphate Finish	Cancelled
MS-9048		Pin-Spring, Steel, Cadmium Plated	Cancelled
MS-9161	Rev.A	Bolt-Machine, Steel, 12 Point Head, .4375-20, Black Oxide	Cancelled
MS-9168	Rev.B	Bracket - 90° Angle, AMS6350, .190 x .375 Bolt	Cancelled
MS-9229(ASG)	Rev.B	Bracket - 90° Angle, AMS 5504, .190 X .250 Bolt	Inactive, Use MS-9601
MS-9461(ASG)		Ball, Bearing-Precision Grade, AMS 7445	Cancelled, Use MS19060
MS-9484(ASG)	Rev.B	Ring-Back-Up, Boss Connection, AMS 3651	Cancelled, See DWG MS-9058
MS-9497	Rev.A	Bolt, Machine-Hexagon Head, Full Shank, AMS 5731, .750-16 UNJF-3A	Cancelled
MS-9499	Rev.A	Screw, Machine-Hexagon Head, Drilled, 1 Hole Full Shank, AMS 5731, .164-36 UNJF-3A	Cancelled
MS-9505	Rev.A	Bolt, Machined-Hexagon Head, Drilled, 1 Hole, Full Shank, AMS-5731, .500-20 UNJF-3A	Cancelled
MS-9506	Rev.A	Bolt, Machined-Hexagon Head, Drilled, 1 Hole, Full Shank, AMS 5731, .5625-18 UNJF-3A	Cancelled
MS-9507	Rev.A	Bolt, Machined-Hexagon Head, Drilled, 1 Hole, Full Shank, AMS 5731, .625-18 UNJF-3A	Cancelled
MS-9516		Screw, Machine Steel AMS 6322, Cadmium Plate, Hexagon Head, .138-40 UNJF-3A	Cancelled
MS-9517		Screw, Machine, Steel, AMS 6322	Cancelled
MS-9522		Bolt, Machine-Steel AMS 6322, Cadmium Plate, Hexagon Head, .4375-20 UNJF-3A	Cancelled
MS-9524		Bolt, Machine-Steel AMS 6322, Cadmium Plate, Hexagon Head, .5625-18 UNJF-3A	Cancelled
MS-9527		Screw, Machine-Steel AMS 6322, Cadmium Plate, Drilled, 1 Hole, Hexagon Head, .138-40 UNJF-3A	Cancelled
MS-9560	Rev.A	Bolt, Machine-Double Hexagon Extended Washer Head, PD Shank, AMS 5731, .4375-20 UNJF-3A	Cancelled
MS-9562	Rev.A	Bolt, Machine-Double Hexagon Extended Washer Head, PD Shank, AMS 5731, .5625-18 UNJF-3A	Cancelled
MS-9569	Rev.A	Bolt, Machine-Double Hexagon Extended Washer Head, Drilled, PD Shank, AMS 5731, .4375-20 UNJF-3A	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS-9570	Rev.A	Bolt, Machine-Double Hexagon Extended Washer Head, Drilled, PD Shank, AMS 5731, .500-20 UNJF-3A	Cancelled
MS-9572	Rev.A	Screw, Machine-Double Hexagon Extended Washer Head, Drilled, PD Shank, AMS 5731, Silver Plated, .138-40 UNJF-3A	Cancelled
MS-9576	Rev.A	Bolt, Machine-Double Hexagon Extended Washer Head, Drilled, PD Shank, AMS 5731, Silver Plated, .3125-24 UNJF-3A	Cancelled
MS-9578	Rev.A	Bolt, Machine-Double Hexagon Extended Washer Head, Drilled, PD Shank, AMS 5731, Silver Plated, .4375-20 UNJF-3A	Cancelled
MS-9579	Rev.A	Bolt, Machine-Double hexagon Extended Washer Head, Drilled, PD Shank, AMS 5731, Silver Plated, .500-20 UNJF-3A	Cancelled
MS-9580	Rev.A	Bolt, Machine-Double Hexagon Extended Washer Head, Drilled, PD Shank, AMS 5731, Silver Plated, .5625-18 UNJF-3A	Cancelled
MS-9588	Rev.A	Bolt, Machine-Hexagon Head, Drilled, 6 Holes, Full Shank, AMS 5731, .500-20 UNJF-3A	Cancelled
MS-9589	Rev.A	Bolt, Machine-Hexagon Head, Drilled, 6 Holes, Full Shank, AMS 5731, .5625-18 UNJF-3A	Cancelled
MS-9590	Rev.A	Bolt, Machine-Hexagon Head, Drilled, 6 Holes, Full Shank, AMS 5731, .625-18 UNJF-3A	Cancelled
MS-9624		Bolt, Machine-Hexagon Head, Drilled, 1 Hole, PD Shank, Titanium AMS 4967, .190-32 UNJF-3A	Cancelled
MS-9625		Bolt, Machine-Hexagon Head, Drilled, 1 Hole, PD Shank, Titanium AMS 4967, .250-28 UNJF-3A	Cancelled
MS-9626		Bolt, Machine-Hexagon Head, Drilled, 1 Hole, PD Shank, Titanium AMS 4967, .3125-24 UNJF-3A	Cancelled
MS-9627		Bolt, Machine-Hexagon Head, Drilled, 1 Hole, PD Shank, Titanium AMS 4967, .375-24 UNJF-3A	Cancelled
MS-9628		Bolt, Machine-Hexagon Head, Drilled, 1 Hole, PD Shank, Titanium AMS 4967, .4375-20 UNJF-3A	Cancelled
MS-9629		Bolt, Machine-Hexagon Head, Drilled, 1 Hole, PD Shank, Titanium AMS 4967, .500-20 UNJF-3A	Cancelled
MS-9630		Bolt, Machine-Hexagon Head, Drilled, 1 Hole, PD Shank, Titanium AMS 4967, .5625-18 UNJF-3A	Cancelled
MS-9631		Screw, Machine-Hexagon Head, PD Shank, Titanium AMS 4967, .138-40 UNJF-3A	Cancelled
MS-9634		Bolt, Machine-Hexagon Head, PD Shank, Titanium AMS 4967, .250-28 UNJF-3A	Cancelled
MS-9635		Bolt, Machine-Hexagon Head, PD Shank, Titanium AMS 4967, .3125-24 UNJF-3A	Cancelled
MS-9636		Bolt, Machine-Hexagon Head, PD Shank, Titanium AMS 4967, .375-24 UNJF-3A	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MS-9637	Bolt, Machine-Hexagon Head, PD Shank, Titanium AMS 4967, .4375-20 UNJF-3A	Cancelled
MS-9639	Bolt, Machine-Hexagon Head, PD Shank, Titanium AMS 4967, .5625-18 UNJF-3A	Cancelled
MS-9640	Screw, Machine-Hexagon Head, Drilled, 1 Hole, Full Shank, Titanium AMS 4967, .138-40 UNJF-3A	Cancelled
MS-9641	Screw, Machine-Hexagon Head, Drilled, 1 Hole, Full Shank, Titanium AMS 4967, .164-36 UNJF-3A	Cancelled
MS-9642	Bolt, Machine-Hexagon Head, Drilled, 1 Hole, Full Shank, Titanium AMS 4967, .190-32 UNJF-3A	Cancelled
MS-9643	Bolt, Machine-Hexagon Head, Drilled, 1 Hole, Full Shank, Titanium AMS 4967, .250-28 UNJF-3A	Cancelled
MS-9644	Bolt, Machine-Hexagon Head, Drilled, 1 Hole, Full Shank, Titanium AMS 4967, .3125-24 UNJF-3A	Cancelled
MS-9645	Bolt, Machine-Hexagon Head, Drilled, 1 Hole, Full Shank, Titanium AMS 4967, .375-24 UNJF-3A	Cancelled
MS-9646	Bolt, Machine-Hexagon Head, Drilled, 1 Hole, Full Shank, Titanium AMS 4967, .4375-20 UNJF-3A	Cancelled
MS-9647	Bolt, Machine-Hexagon Head, Drilled, 1 Hole, Full Shank, Titanium AMS 4967, .500-20 UNJF-3A	Cancelled
MS-9648	Bolt, Machine-Hexagon Head, Drilled, 1 Hole, Full Shank, Titanium AMS 4967, .5625-18 UNJF-3A	Cancelled
MS-9649	Screw, machine-Hexagon Head, Full Shank, Titanium AMS 4967, .138-40 UNJF-3A	Cancelled
MS-9650	Bolt, Machine-Hexagon Head, Full Shank, Titanium AMS 4967, .164-36 UNJF-3A	Cancelled
MS-9652	Bolt, Machine-Hexagon Head, Full Shank, Titanium AMS 4967, .250-28 UNJF-3A	Cancelled
MS-9653	Bolt, Machine-Hexagon Head, Full Shank, Titanium AMS 4967, .3125-24 UNJF-3A	Cancelled
MS-9654	Bolt, Machine-Hexagon Head, Full Shank, Titanium AMS 4967, .375-24 UNJF-3A	Cancelled
MS-9655	Bolt, Machine-Hexagon Head, Full Shank, Titanium AMS 4967, .4375-20 UNJF-3A	Cancelled
MS-9656	Bolt, Machine-Hexagon Head, Full Shank, Titanium AMS 4967, .500-20 UNJF-3A	Cancelled
MS-9657	Bolt, Machine-Hexagon Head, Full Shank, Titanium AMS 4967, .5625-18 UNJF-3A	Cancelled
MS-9677(ASG)	Bolt, Machine-Cres AMS 5731, Double Hexagon Extended Washer Head, Cup Washer Locked, .250-28 UNJF-3A	Cancelled
MS-9678(ASG)	Bolt, Machine-Cres AMS 5731, Double Hexagon Extended Washer Head, Cup Washer Locked, .3125-24 UNJF-3A	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS-9679(ASG)		Bolt, Machine-Crew AMS 5731, Double Hexagon Extended Washer Head, Cup Washer Locked, .375-24 UNJF-3A	Cancelled
MS-9680(ASG)		Bolt, Machine-Steel AMS 6322, Cadmium Plated, Double Hexagon Extended Washer Head, Cupwasher Locked, .190-32 UNJF-3A	Cancelled
MS-9681(ASG)		Bolt, Machine-Steel AMS 6322, Cadmium Plated, Double Hexagon Extended Washer Head, Cupwasher Locked, .250-28 UNJF-3A	Cancelled
MS-9682(ASG)		Bolt, Machine-Steel AMS 6322, Cadmium Plated, Double Hexagon Extended Washer Head, Cupwasher Locked, .3125-24 UNJF-3A	Cancelled
MS-9683(ASG)		Bolt, Machine-Steel AMS 6322, Cadmium Plated, Double Hexagon Extended Washer Head, Cupwasher Locked, .375-24 UNJF-3A	
MS-9707		Bolt, Machine-Double Hexagon Extended Washer Head, Drilled, AMS 5708, .3125-24 UNJF-3A	Cancelled
MS-9723	Rev.A	Bolt, Machine, Double Hexagon Extended Washer Head Close Tolerance Shank, AMS 5708, .190-32 UNJF-3A	Cancelled
MS-9725		Bolt, Machine, Double Hexagon Extended Washer Head, Close Tolerance Shank, AMS 5708, .3125-24 UNJF-3A	Cancelled
MS-9726		Bolt, Machine, Double Hexagon Extended Washer Head, Close Tolerance Shank, AMS 5708, .375-24 UNJF-3A	Cancelled
MS-9727		Bolt, Machine, Double Hexagon Extended Washer Head, Close Tolerance Shank, AMS 5708, .4375-20 UNJF-3A	Cancelled
MS-9728	Rev.A	Bolt, Machine, Double Hexagon Extended Washer Head, Close Tolerance Shank, AMS 5708, .500-20 UNJF-3A	Cancelled
MS-9729		Bolt, Machine, Double Hexagon Extended Washer Head, Close Tolerance Shank, AMS 5708, .5625-18 UNJF-3A	Cancelled
MS-9743(ASG)		Bolt, Machine-Double Hexagon Extended Washer Head, Drilled, PD Shank, Cres AMS 5643, .3125-24 UNJF-3A	Cancelled
MS-9767	Rev.B	Nut, Double Hexagon-Cupwasher Locked AMS6322, Cadmium Plated MIL-S-8879	Cancelled
MS-9768(ASG)		Washer, Flat-Cres AMS5525 or AMS5736, Countersunk	Cancelled
MS-9781		Screw, Machine-Hexagon Head, Full Shank, AMS 5643, .138-40 UNJF-3A	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MS-9782	Screw, Machine-Hexagon Head, Full Shank, AMS 5643, .164-36 UNJF-3A	Cancelled
MS-9787	Bolt, Machine-Hexagon Head, Full Shank, AMS 5643, .4375-20 UNJF-3A	Cancelled
MS-9789	Bolt, Machine-Hexagon Head, Full Shank, AMS 5643, .5625-18 UNJF-3A	Cancelled
MS-9791	Bolt, Machine-Hexagon Head, Full Shank, AMS 5643, .750-16 UNJF-3A	Cancelled
MS-9792	Screw, Machine-Hexagon Head, Drilled, 1 Hole, Full Shank, AMS 5643, .138-40 UNJF-3A	Cancelled
MS-9793	Screw, Machine-Hexagon Head, Drilled, 1 Hole, Full Shank, AMS 5643, .164-36 UNJF-3A	Cancelled
MS-9794	Bolt, Machine-Hexagon Head, Drilled, 1 Hole, Full Shank AMS 5643, .190-32 UNJF-3A	Cancelled
MS-9795	Bolt, Machine-Hexagon Head, Drilled, 1 Hole, Full Shank, AMS 5643, .250-28 UNJF-3A	Cancelled
MS-9796	Bolt, Machine-Hexagon Head, Drilled, 1 Hole, Full Shank, AMS 5643, .3125-24 UNJF-3A	Cancelled
MS-9797	Bolt, Machine-Hexagon Head, Drilled, 1 Hole, Full Shank, AMS 5643, .375-24 UNJF-3A	Cancelled
MS-9798	Bolt, Machine-Hexagon Head, Drilled, 1 Hole, Full Shank, AMS 5643, .4375-20 UNJF-3A	Cancelled
MS-9799	Bolt, Machine-Hexagon Head, Drilled, 1 Hole, Full Shank, AMS 5643, .500-20 UNJF-3A	Cancelled
MS-9800	Bolt, Machine-Hexagon Head, Drilled, 1 Hole, Full Shank, AMS 5643, .5625-18 UNJF-3A	Cancelled
MS-9801	Bolt, Machine-Hexagon Head, Drilled, 1 Hole, Full Shank, AMS 5643, .625-18 UNJF-3A	Cancelled
MS-9802	Bolt, Machine-Hexagon Head, Drilled, 1 Hole, Full Shank, AMS 5643, .750-16 UNJF-3A	Cancelled
MS-9803	Screw, Machine-Hexagon Head, PD Shank, AMS 5643, .138-40 UNJF-3A	Cancelled
MS-9804	Screw, Machine-Hexagon Head, PD Shank, AMS 5643, .164-36 UNJF-3A	Cancelled
MS-9805	Bolt, Machine-Hexagon Head, PD Shank, AMS 5643, .190-32 UNJF-3A	Cancelled
MS-9806	Bolt, Machine-Hexagon Head, PD Shank, AMS 5643, .250-28 UNJF-3A	Cancelled
MS-9807	Bolt, Machine-Hexagon Head, PD Shank, AMS 5643, .3125-24 UNJF-3A	Cancelled
MS-9809	Bolt, Machine-Hexagon Head, PD Shank, AMS 5643, .4375-20 UNJF-3A	Cancelled
MS-9810	Bolt, Machine-Hexagon Head, PD Shank, AMS 5643, .500-20 UNJF-3A	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202640-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS-9811		Bolt, Machine-Hexagon Head, PD Shank, AMS 5643, .5625-18 UNJF-3A	Cancelled
MS-9812		Bolt, Machine-Hexagon Head, PD Shank, AMS 5643, .625-18 UNJF-3A	Cancelled
MS-9813		Bolt, Machine-Hexagon Head, PD Shank, AMS 5643, .750-16 UNJF 3A	Cancelled
MS-9814		Screw, Machine-Hexagon Head, Drilled, 1 Hole, PD Shank, AMS 5643, .138-40 UNJF-3A	Cancelled
MS-9815		Screw, Machine-Hexagon Head, Drilled, 1 Hole, PD Shank, AMS 5643, .164-36 UNJF-3A	Cancelled
MS-9817		Bolt, Machine-Hexagon Head, Driled, 1 Hole, PD Shank, AMS 5643, .250-28 UNJF-3A	Cancelled
MS-9818		Bolt, Machine-Hexagon Head, Drilled, 1 Hole, PD Shank, AMD 5643, .3125-24 UNJF-3A	Cancelled
MS-9819		Bolt, Machine-Hexagon Head, Drilled, 1 Hole, PD Shank, AMS 5643, .375-24 UNJF-3A	Cancelled
MS-9820		Bolt, Machine-Hexagon Head, Drilled, 1 Hole, PD Shank, AMS 5643, .4375-20 UNJF-3A	Cancelled
MS-9822		Bolt, Machine-Hexagon Head, Drilled, 1 Hole, PD Shank, AMS 5643, .5625-18 UNJF-3A	Cancelled
MS-9823		Bolt, Machine-Hexagon Head, Drilled, 1 Hole, PD Shank, AMD 5643, .625-18 UNJF-3A	Cancelled
MS-9824		Bolt, Machine-Hexagon Head, Drilled, 1 Hole, PD Shank, AMS 5643, .750-16 UNJF-3A	Cancelled
MS-13855	Rev.B	Bearing, Sleeve: Engine, Plain 3-3/4"x2-27/32"	Cancelled
MS-14000(EC)		Switch, Toggle, Three Pole, Double Theon	Cancelled
MS-14028		Shield, Electrical Connector for Size 4, 7, 14, 20, 26, 34, 44, and 50 Contact Connector, For Use With Long Turnable Jackscrews	Cancelled
MS-14029	Rev.A	Jackscrew, Electrical, Connector Male & Female, Long, Turnable	Cancelled
MS-14030	Rev.A	Jackscrew, Electrical, Connector, Male & Female, Short Turnable	Cancelled
MS-14031	Rev.A	Jackscrew, Electrical, Connector, Male & Female, Fixed	Cancelled
MS-14032	Rev.A	Guide Pin, Electrical, Connector, Male & Female	Cancelled
MS-14036	Rev.A	Bit, Installing Tool, Contact, Electrical Connector	Cancelled
MS-14037(Navy)		Crimping Tool, Terminal Hand, Electrical Connector Contact, Class I	Cancelled, Use MIL-C-22520/4
MS-14053		Connector, Plug, Coaxial, Series LC	Cancelled
MS-14106(AS)	Rev.A	Switch, Toggle, One Pole, Sealed Toggle, Rotate to Pull	Cancelled
MS-14126(AS)	Rev.C	Rack, Turret Projected Top	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS-15010		Wrench, For Military Standard Cutting Torch	Cancelled
MS-15225		Screwdriver, Ratchet, Common, Straight	Cancelled
MS-15249	Rev.A	Fuse, Cartridge, Ferrule Contact, Style F60	Use MIL-F-15160/60
MS-15250	Rev.A	Fuse, Cartridge, Ferrule Contact, Style 61	Use MIL-F-15160/61
MS-15251	Rev.A	Fuse, Cartridge, Ferrule Contact, Style F62	Use MIL-F-15160/62
MS-15252	Rev.A	Fuse, Cartridge, Knife Blade Contact, Style F63	Use MIL-F-15160/63
MS-15253	Rev.A	Fuse, Cartridge, Knife Blade, Style, Style F64	Use MIL-F-160/64
MS-15254	Rev.A	Fuse, Cartridge, Knife Blade Contact, Style F65	Use MIL-F-15160/65
MS-15255	Rev.A	Fuse, Cartridge, Knife Blade Contact, Style F66	Use MIL-F-15160/66
MS-15256	Rev.A	Fuse, Cartridge, Knife Blade Contact, Style F67	Use MIL-F-15160/67
MS-15257	Rev.A	Fuse, Cartridge, Ferrule Contact, Style F70	Use MIL-F-15160/70
MS-15258	Rev.A	Fuse, Cartridge, Knife Blade Contact, Style F71	Use MIL-F-15160/71
MS-15259		Vises, Bench, Clamp Base, (Utility), Stationary Base	Cancelled
MS-15260		Vises, Bench, Clamp Base, (Utility), Swivel Base	Cancelled
MS-15261	Rev.A	Vises, Blacksmith's	Cancelled
MS-15262	Rev.A	Vise, Sheetmetal Worker's	Cancelled
MS-15263	Rev.A	Vises, Bench and Pipe, (Swivel Base, Stationary Jaw)	Cancelled
MS-15264	Rev.A	Vise, Hand, Combination Bench and Hand With Bench Clamp	Cancelled
MS-15266	Rev.A	Vises, Jeweler's, Swivel Base	Cancelled
MS-15268	Rev.A	Vises, Machinist's, Swivel Base, Stationary Jaw	Cancelled
MS-15269	Rev.A	Vises, Machinist's Swivel Base, Swivel Jaw	Cancelled
MS-15270	Rev.A	Vises, Patternmaker's	Cancelled
MS-15271	Rev.A	Vises, Pin, Metal Handle	Cancelled
MS-15272	Rev.A	Vises, Pip, Chain	Cancelled
MS-15273	Rev.A	Vises, Pipe, Hinged Jaw	Cancelled
MS-15274	Rev.A	Vises, Pipe, Open Side	Cancelled
MS-15275	Rev.A	Vises, Wire Rope Splicing	Cancelled
MS-15276	Rev.A	Vises, Handsaw Filing, With Filing Guide	Cancelled
MS-15277	Rev.A	Vises, Bandsaw Filing	Cancelled
MS-15278	Rev.A	Vise, Woodworker's Quick Acting	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS-15279	Rev.A	Vises, Bench and Machine Table	Cancelled, Use GGG-V-436
MS-15280	Rev.A	Vise, Machine Table, Toolmaker's Slotted Base	Cancelled, Use GGG-V-436 Type XVII
MS-15281	Rev.A	Vise, Machine Table, Drill, Quick Action	Cancelled, Use GGG-V-436
MS-15302		Stencil, Marking, Inspection & Acceptance	Cancelled
MS-15303		Die, Metal Stamping, Hand Inspection & Acceptance	Cancelled
MS-15304		Rubber Stamp, Fixed Type Inspection & Acceptance	Cancelled
MS-15305	Rev.B	Square, Combination, With Center Head and Protractor	Cancelled, Future Procurement GGG-S-656, Type VI
MS-15306	Rev.A	Square, Carpenter's Solid Steel	Use GGG-S-656 Type II
MS-15307		Square, Double, With Interchangeable Blades	Cancelled
MS-15308		Square, Thin Steel	Cancelled
MS-15309		Square, Try, Carpenter's	Cancelled
MS-15310	Rev.B	Square, Try, Machinist's	Cancelled, Future Procurement Use GGG-S-656, Type IX
MS-15370		Square, Combination, Try and Miter, Carpenter's	Cancelled, Use GGG-S-656
MS-15432		Screwdriver, Flat Tip, Common, Flared Sides, Plastic Handle, Design A, Shaped B	Cancelled
MS-15433		Screwdriver, Flat Tip, Common, Flared Sides, Plastic Handle, Design B, Shape B	Cancelled
MS-15434		Screwdriver, Screw-Holding Screw Slot Gripping, Metal Handle	Cancelled
MS-15435		Bit, Screwdriver, Cross Point, Reed and Prince For Ratchet, Double Spiral, Automatic Return	Cancelled
MS-15436		Bit, Screwdriver, Cross Point, Phillips for Ratchet, Double Spiral, Automatic Return	Cancelled
MS-15437		Bit, Screwdriver, Flat Tip, For, Ratchet, Double Spiral, Automatic Return	Cancelled
MS-15450		Screwdriver, Flat Tip, Cabinet, Straight Sides, Plastic Handle, Bolster, Forged	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS-15475		Press, Lead Seal, Hand, Inspection and Acceptance, Department of Defense	Cancelled Superseded by MIL-I-19709
MS-15485	Rev.A	Vise, Machine Table, Drill, Continuous Screw, Light Duty	Cancelled, Use GGG-V-436 Type XVII Class 2 Style B
MS-15502	Rev.B	Vises, Contour Gripping	Cancelled
MS-15506		Adapter, Connector UG-28A/U	Cancelled, Use MIL-A-55339/6
MS-15507		Adapter, Connector UG-57B/U	Cancelled, Use MIL-A-55339/5
MS-15627	Rev.A	Files, Hand, Barrette (Swiss Pattern)	Cancelled
MS-15628	Rev.A	Files, Hand, Crochet (Swiss Pattern)	Cancelled
MS-15629	Rev.A	Files, Hand, Crossing (Swiss Pattern)	Cancelled
MS-15630	Rev.A	Files, Hand, Equaling (Swiss Pattern)	Cancelled
MS-15631	Rev.A	Files, Hand, Half-Round (Swiss Pattern)	Cancelled
MS-15632	Rev.A	Files, Hand (Swiss Pattern)	Cancelled
MS-15633	Rev.A	Files, Hand, Joint (Swiss Pattern)	Cancelled
MS-15634	Rev.A	Files, Hand, Knife (Swiss Pattern)	Cancelled
MS-15635		Files, Hand, Pillar (Swiss Pattern)	Cancelled
MS-15636	Rev.A	Files, Hand, Pippin (Swiss Pattern)	Cancelled
MS-15637	Rev.A	Files, Hand, Round, Straight (Swiss Pattern)	Cancelled
MS-15640	Rev.A	File, Hand, Square (Swiss Pattern)	Cancelled
MS-15641	Rev.A	Files, Hand, Three-Square (Swiss Pattern)	Cancelled
MS-15642	Rev.A	Files, Hand, Warding (Swiss Pattern)	Cancelled
MS-15643	Rev.A	Files, Hand, Needle, Round (Swiss Pattern)	Cancelled
MS-15644	Rev.A	Files, Hand, Needle, Half-Round (Swiss Pattern)	Cancelled
MS-15645	Rev.A	Files, Hand, Needle, Three-Square (Swiss Pattern)	Cancelled
MS-15646	Rev.A	Files, Hand, Needle, Crossing (Swiss Pattern)	Cancelled
MS-15647	Rev.A	Files, Hand, Needle, Knife (Swiss Pattern)	Cancelled
MS-15648	Rev.A	Files, Hand, Needle, Flat (Swiss Pattern)	Cancelled
MS-15649	Rev.A	Files, Hand, Needle, Square (Swiss Pattern)	Cancelled
MS-15650	Rev.A	Files, Hand, Needle, Barrette (Swiss Pattern)	Cancelled
MS-15651	Rev.A	Files, Hand, Three-Square (Swiss Pattern)	Cancelled
MS-15652	Rev.A	Files, Hand, Needle, Equaling (Swiss Pattern)	Cancelled
MS-15653	Rev.A	Files, Hand, Needle, Slitting (Swiss Pattern)	Cancelled
MS-15654		Files, Hand, Needle, Marking, Half-Round (Swiss Pattern)	Cancelled
MS-15656	Rev.A	Files, Hand, Die Sinkers, Round (Swiss Pattern)	Cancelled
MS-15657		Files, Hand, Die Singers, Pippin or Oval One Sharp Edge (Swiss Pattern)	Cancelled
MS-15658	Rev.A	Files, Hand, Die Sinkers, Three-Square (Swiss Pattern)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS-15659	Rev.A	Files, Hand, Die Sinkers, Oval (Swiss Pattern)	Cancelled
MS-15660	Rev.A	Files, Hand, Die Sinkers, Knife (Swiss Pattern)	Cancelled
MS-15661	Rev.A	Files, Hand, Die Sinkers, Flat (Swiss Pattern)	Cancelled
MS-15662	Rev.A	Files, Hand, Die Sinkers, Auriform (Swiss Pattern)	Cancelled
MS-15663	Rev.A	Files, Hand, Die Sinkers, Square (Swiss Pattern)	Cancelled
MS-15664	Rev.B	Files, Hand, Die Sinkers, Flat, One Safe Edge (Swiss Pattern)	Cancelled
MS-15665	Rev.A	Files, Hand, Die Sinkers, Half-Round	Cancelled
MS-15666	Rev.A	Files, Hand, Die Sinkers, Crochet (Swiss Pattern)	Cancelled
MS-15667	Rev.A	Files, Hand, Die Sinkers, Lozenge (Swiss Pattern)	Cancelled
MS-15668		Files, Hand, Die Sinkers, Rifflers Regular, No. 1 Shape (Swiss Pattern)	Cancelled
MS-15669		Files, Hand, Die Sinkers Rifflers Regular, No. 2 Shape(Swiss Pattern)	Cancelled
MS-15670		Files, Hand, Die Sinkers Rifflers Regular, No. 3 Shape (Swiss Pattern)	Cancelled
MS-15671		Files, Hand, Die Sinkers Rifflers Regular, Shape No. 4 (Swiss Pattern)	Cancelled
MS-15672		Files, Hand, Die Sinkers Rifflers Regular, No. 5 Shape (Swiss Pattern)	Cancelled
MS-15673		Files, Hand, Die Sinkers Rifflers Regular, No. 6 Shape (Swiss Pattern)	Cancelled
MS-15674		Files, Hand, Die Sinkers Rifflers Regular, No. 7 Shape (Swiss Pattern)	Cancelled
MS-15675		Files, Hand, Die Sinkers Rifflers Regular, No. 8 Shape (Swiss Pattern)	Cancelled
MS-15676		Files, Hand, Die Sinkers Rifflers Regular, No. 9 Shape (Swiss Pattern)	Cancelled
MS-15677		Files, Hand, Die Sinkers Rifflers, Regular, No. 10 Shape (Swiss Pattern)	Cancelled
MS-15678		Files, Hand, Die Sinkers Rifflers Regular, No. 11, Shape, (Swiss Pattern)	Cancelled
MS-15679		Files, Hand, Die Sinkers Rifflers Regular, No. 12, Shape (Swiss Pattern)	Cancelled
MS-15680		Files, Hand, Die Sinkers Rifflers, Regular, No. 13, Shape (Swiss Pattern)	Cancelled
MS-15681		Files, Hand, Die Sinkers Rifflers, Regular, No. 14, Shape, (Swiss Pattern)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS-15682		Files, Hand, Die Sinkers Rifflers Regular, No. 15 Shape (Swiss Pattern)	Cancelled
MS-15683		Files, Hand, Die Sinkers Rifflers Regular, No. 16 Shape (Swiss Pattern)	Cancelled
MS-15684		Files, Hand, Die Sinkers Rifflers Regular, No. 17 Shape (Swiss Pattern)	Cancelled
MS-15685		Files, Hand, Die Sinkers Rifflers Regular, No. 18 Shape (Swiss Pattern)	Cancelled
MS-15686		Files, Hand, Contact Point (Swiss Pattern)	Cancelled
MS-15774		Square Drive End Standards, Hand Type (Male and Female) (For Use With Square Drive Sockets and Attachments)	Cancelled
MS-15775		Square Drive End Standards, Power Type (Male and Female) (For Use With Square Drive Socket Wrenches and Attachments)	Cancelled
MS-15785		Blades, Jeweler's Saw	Cancelled, Use GGG-W-660
MS-15786		Blades, Coping Saw, Pin End	Cancelled
MS-15790	Rev.A	Bevels, Sliding T, Wood Handle	Cancelled, Future Procurement Unde GGG-B211 Type 1 Class 1
MS-15801	Rev.A	Rule, Laboratory, Plastic	Cancelled, Use GGG-R-810 Class
MS-15812		Screwdriver, Flat Tip-Cross Tip, Close Quarter	Cancelled
MS-15984(Aer)		Screw-Self Locking 100 Flat Head, 250° F	Cancelled
MS-15985(Aer)		Screw-Machine, Self-Locking, Washer-Head, 250° F	Cancelled
MS-15986	Rev.A	Stud, Plain, Steel, Full Body, General Purpose	Cancelled
MS-15987	Rev.A	Stud, Plain, Brass, Full Body, General Purpose	Cancelled
MS-15988	Rev.A	Stud, Plain, Nickel Copper Alloy, Full Body, General Purpose	Cancelled
MS-15989	Rev.B	Stud, Plain, Steel, Reduced Body, General Purpose	Cancelled, Use MS51864
MS-15990	Rev.A	Stud, Plain, Brass, Reduced Body, General Purpose	Cancelled
MS-15991	Rev.A	Stud, Plain, Nickel Copper Alloy, Reduced Body, General	Cancelled
MS-15992(Aer) thru MS-16004(Aer)		Bolt-Self-Locking 250° F	Cancelled
MS-16033(Aer)	Rev.A	Terminal Block, Installation, Generator	Cancelled
MS-16034(Aer)	Rev.A	Cover, Terminal Block, Generator	Cancelled
MS-16056	Rev.A	Guard, Semi-Flush Runway Light	Cancelled
MS-16058(Wep)		Inverter, 250 VA, 3/1 Phase Class A	Cancelled, Superseded by MS21983C

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS-16060(AS)		Belt, Aircraft Safety, Crewman's	Cancelled & Superseded by MIL-R-81729
MS-16063		Converter, 50 Ampere, Aircraft Class B	Cancelled
MS-16064	Rev.E	Converter, 100 Ampere, Aircraft, Class B, Regulated, Fan Cooled	Cancelled
MS-16070(AS)	Rev.B	Belt, Aircraft Safety, Crewman's	Cancelled & Superseded by MIL-R-81729, Type 1, Class 4
MS-16071(Ships)	Rev.C	Attenuator, Fixed, CN-84A/U	Cancelled, Use MIL-A-3933/5-1
MS-16072(Ships)	Rev.D	Attenuator, Fixed, CN-85A/U	Cancelled, Use MIL-A-3933/5-2
MS-16073(Ships)	Rev.E	Attenuator, Fixed, CN-86A/U	Cancelled, Use MIL-A-3933/5-3
MS-16075(Navy)	Rev.C	Attenuator, Fixed, CN-110B/U	Cancelled, Use MIL-A-3933/2
MS-16076(Navy)	Rev.C	Attenuator, Fixed, CN-121A/U	Cancelled, Use MIL-A-3933/3
MS-16077(Navy)	Rev.C	Attenuator, Fixed, CN-158A/U	Cancelled, Use MIL-A-3933/3
MS-16078(Navy)	Rev.C	Attenuator, Fixed, CN-159A/U	Cancelled, Use MIL-A-3933/1
MS-16079(Navy)	Rev.C	Attenuator, Fixed, CN-160A/U	Cancelled, Use MIL-A-3933/3
MS-16080(Navy)	Rev.C	Attenuator, Fixed, CN-168A/U	Cancelled, Use MIL-A-3933/2
MS-16081(Navy)	Rev.C	Attenuator, Fixed, CN-169A/U	Cancelled, Use MIL-A-3933/2
MS-16082(Navy)	Rev.C	Attenuator, Fixed, CN-25/U	Cancelled, Use MIL-A-3933/1
MS-16083(Navy)	Rev.C	Attenuator, Fixed, CN-246/U	Cancelled, Use MIL-A-3933/1
MS-16084(Navy)	Rev.C	Attenuator, Fixed, CN-248/U	Cancelled, Use MIL-A-3933/1
MS-16085(Navy)	Rev.C	Attenuator, Fixed, CN-249/U	Cancelled, Use MIL-A-3933/1
MS-16086(Ships)	Rev.D	Attenuator, Fixed, CN-265/U	Cancelled, Use MIL-A-3933/5-4
MS-16087(Navy)	Rev.C	Attenuator, Fixed, CN-326/U	Cancelled, Use MIL-A-3933/5
MS-16088(Navy)	Rev.C	Attenuator, Fixed, CN-327/U	Cancelled, Use MIL-A-3933/5

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS-16089(Navy)	Rev.C	Attenuator, Fixed, CN-328/U	Cancelled, Use MIL-A-3933/5
MS-16090(Navy)	Rev.C	Attenuator, Fixed, CN-329/U	Cancelled, Use MIL-A-3933/7
MS-16091(Ships)	Rev.F	Attenuator, Fixed, CN-330/U	Cancelled, Use MIL-A-3933/3-5
MS-16092(Ships)	Rev.E	Attenuator, Fixed, CN-331/U	Cancelled, Use MIL-A-3033/3-6
MS-16093(Ships)	Rev.E	Attenuator, Fixed, CN-332/U	Cancelled, Use MIL-A-3933/3-7
MS-16094(Navy)	Rev.C	Attenuator, Fixed, CN-247/U	Cancelled, Use MIL-A-3933/1
MS-16097(Ships)	Rev.C	Capacitors, Fixed Ceramic Dielectric, Style CC90	Cancelled
MS-16101(WP)	Rev.C	Converter, Standard Types of	Cancelled
MS-16102(Aer)		Converter, Static	Cancelled
MS-16103		Converter, 200 Ampere, Aircraft, Class B	Cancelled
MS-16104		Converter, Battery Charger	Cancelled
MS-16106(Ships)	Rev.D	Switch, Sensitive, Auxiliary, Interlock type (Single Pole Double Throw) (Four Pole Double Throw) (Double Pole Double Throw) (Subminiature, Single Pole, Double Throw)	Cancelled Future Procurements Made Under MIL-S-8805/56
MS-16109(Ships)	Rev.D	Switch, Rotary Selector, Subminiature (Closed Construction; Single and Concentric Shaft Types)	Superseded by MIL-S-3786/4
MS-16110	Rev.B	Label, Volatile Corrosion Inhibitor	Cancelled
MS-16111	Rev.C	Coupler, Universal 14 and 18 Cu Yd Scraper	Cancelled
MS-16119		Capacitors, Fixed, Ceramic, Type CC90	Cancelled
MS-16120(Ships)	Rev.B	Capacitors, Fixed Ceramic Dielectric, Type CC70	Cancelled, Use MIL-C-20/25
MS-16122(Ships)	Rev.A	Choke, Radio Frequency Molded LT5K101 to LT5K114, Incl.	Cancelled
MS-16130		Block, Dolly, Sheet Metalworking General Purpose, High Crown	Cancelled
MS-16131		Block, Dolly, Sheet Metalworking, General Purpose, Low Crown	Cancelled
MS-16132		Block, Dolly, Sheet Metalworking General Purpose, Anvil	Cancelled
MS-16133		Block, Dolly, Sheet Metalworking, General	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
		Purpose, Rail	
MS-16134		Block, Dolly, Sheet Metalworking, Heel	Cancelled
MS-16135		Block, Dolly, Sheet Metalworking, Toe	Cancelled
MS-16136		Block, Dolly, Sheet Metalworking, Wedge	Cancelled
MS-16137		Block, Dolly, Sheet Metalworking, Body	Cancelled
MS-16138		Block, Dolly, Sheet Metalworking, Shrinking, with Trenching Grooves	Cancelled
MS-16139		Block, Dolly, Sheet Metalworking, Fender	Cancelled
MS-16140		Block, Dolly, Sheet Metalworking, Roughing	Cancelled
MS-16141		Block, Dolly, Sheet Metalworking, Thin High Crown	Cancelled
MS-16143		Fuel Oils	Cancelled
MS-16145		Wrench, Spanner, Adjustable Combination, Hydrant and Spanner	Cancelled
MS-16146	Rev.A	Wrenches, Spanner, Adjustable face Type	Cancelled
MS-16147	Rev.A	Wrenches, Spanner, Adjustable Hook Type, Fixed Pivot Point	Cancelled
MS-16148		Wrench, Spanner, Adjustable Hook Type, Sliding Jaw, Heavy Duty	Cancelled
MS-16149		Wrench, Spanner, Adjustable Hook Type, Variable Pivot Point	Cancelled
MS-16150		Wrench, Spanner, Hose Coupling Type, Double Eye	Cancelled
MS-16151		Wrenches, Spanner, Nonadjustable Face Type, Two-Pin	Cancelled
MS-16152		Wrench, Spanner, Universal Hose Coupling	Cancelled
MS-16153		Wrenches, Spanner, Pin Type, Hardened and Tempered Steel	Cancelled
MS-16180		Wrenches, Pipe, Heavy-Duty, Dro-Forged Steel or Cast Malleable Iron or Steel	Cancelled
MS-16181		Wrenches, Pipe, Heavy Duty, Forged Aluminum Alloy	Cancelled
MS-16182		Wrenches, Pipe, Chain	Cancelled
MS-16183		Wrenches, Pipe, Strap	Cancelled
MS-16184		Wrenches, Pipe, Angle Style	Cancelled
MS-16185		Wrenches, Basin	Cancelled
MS-16400	Rev.D	Transformer, Power, Step-Down and Step-Up, Type TF4RX03JB201	Cancelled
MS-16401(Ships)	Rev.C	Transformer, Power, Step-Down and Step-Up, Type TF4RX03JB222	Cancelled
MS-16402	Rev.D	Transformer, Power, Step-Down, Type TF4RX01GA203	Cancelled
MS-16404		Transformer, Power, Step-Down and Step-Up, Type TF4RX03KB223	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS-16405	Rev.D	Transformer, Power, Step-Down and Step-Up, Type TF4RX03MA202	Cancelled
MS-16406	Rev.D	Transformer, Power, Step-Down and Step-Up, Type TF4RX03KB224	Cancelled
MS-16417	Rev.C	Transformer, Power, Step-Down, Type TF4RX01FA201	Cancelled
MS-16419	Rev.C	Transformer, Power, Step-Down, Type TF4RX01JA204	Cancelled
MS-16420(Ships)	Rev.B	Inductor, (Reactor) Type TF4RX04LA010	Cancelled, Use MS75001
MS-16421(Ships)	Rev.C	Inductor, (Reactor) Type TF4RX04LB009	Cancelled, Use MS75000
MS-16422		Inductor, Power, Type TF4RX04GB201	Cancelled
MS-16425	Rev.C	Transformer, Power, Step-Down and Step-Up, Type TF4RX03FA203	Cancelled
MS-16426		Transformer, Power, Step-Down and Step-Up, Type TF4RX03HB204	Cancelled
MS-16427	Rev.D	Transformer, Power, Step-Down and Step-Up, Type TF4RX03GA205	Cancelled
MS-16428	Rev.C	Transformer, Power, Step-Down and Step-Up, Type TF4RX03HA206	Cancelled
MS-16429	Rev.C	Transformer, Power, Step-Down and Step-Up, Type TF4RX03JB207	Cancelled
MS-16430	Rev.C	Transformer, Power, Step-Down and Step-Up, Type TF4RX03JB208	Cancelled
MS-16431	Rev.C	Transformer, Power, Step-Down and Step-Up, Type TF4RX03KA209	Cancelled
MS-16432	Rev.C	Transformer, Power, Step-Down and Step-Up, Type TF4RX03KA210	Cancelled
MS-16433	Rev.D	Transformer, Power, Step-Down and Step-Up, Type TF4RX03LA211	Cancelled
MS-16434	Rev.C	Transformer, Power, Step-Down and Step-Up, Type TF4RX03JA212	Cancelled
MS-16435	Rev.D	Transformer, Power, Step-Down and Step-Up, Type TF4RX03LA213	Cancelled
MS-16436	Rev.D	Transformer, Power, Step-Down and Step-Up, Type TF4RX03MA214	Cancelled
MS-16437	Rev.D	Transformer, Power, Step-Down and Step-Up, Type TF4RX03NA215	Cancelled
MS-16438	Rev.D	Transformer, Power, Step-Down and Step-Up, Type TF4RX03NA216	Cancelled
MS-16439	Rev.C	Inductor, Power, Type TF4RX04EB204	Cancelled
MS-16448	Rev.C	Transformer, Power, Step-Down, Type TF4RX01HA205	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS-16449	Rev.C	Transformer, Power, Step-Down, Type TF4RX01LB202	Cancelled
MS-16451	Rev.C	Transformer, Power, Step-Down, Type TF4RX02JA201	Cancelled
MS-16452	Rev.C	Inductor, Power, Type TF4RX04FB203	Cancelled
MS-16453	Rev.C	Inductor, Power, Type TF4RX04GB202	Cancelled
MS-16455(Ships)	Rev.A	Inductor, (Reactor) Type TF4RX04HB001	Cancelled, Use MS90009
MS-16456(Ships)	Rev.B	Inductor, (Reactor) Type TF4RX04HA002	Cancelled, Use MS90010
MS-16457(Ships)	Rev.B	Inductor, (Reactor), Type TF4RX04HA003	Cancelled, Use MS90011
MS-16458(Ships)	Rev.B	Inductor, (Reactor), Type TF4RX04HA	Cancelled, Use MS90013
MS-16459(Ships)	Rev.B	Inductor, (Reactor), Type TF4RX04JB006	Cancelled, Use MS90014
MS-16460(Ships)	Rev.B	Inductor, (Reactor), Type TF4RX04KA007	Cancelled, Use MS90037
MS-16461(Ships)	Rev.B	Inductor, (Reactor), Type TF4RX04NB012	Cancelled, Use MS75002
MS-16462(Ships)	Rev.A	Inductor, (Reactor), Type TF4RX04NA013	Cancelled, Use MS75003
MS-16463	Rev.B	Inductor, Power, Type TF4RX04AJ205	Cancelled
MS-16464		Inductor	Cancelled
MS-16466	Rev.C	Inductor, Power, Type TF4RX04GB208	Cancelled
MS-16477	Rev.C	Inductor, Power, Type TF4SX04HA213	Cancelled
MS-16468	Rev.B	Inductor, Power, Type TF4RX04JA210	Cancelled
MS-16482	Rev.B	Transformer, Power, Step-Down and Step-Up, Type TF4SX03KA230	Cancelled
MS-16483	Rev.B	Trnasformer, Power, Step-Down and Step-Up, Type TF4SX03KB229	Cancelled
MS-16484	Rev.B	Transformer, Power, Step-Down and Step-Up, Type TF4SX03KB228	Cancelled
MS-16485	Rev.C	Transformer, Power, Step-Down and Step-Up, Type TF4SX03HA227	Cancelled
MS-16486	Rev.B	Transformer, Power, Step-Down and Step-Up, Type TF4SX03GB226	Cancelled
MS-16487	Rev.B	Transformer, Power, Step-Down and Step-Up, Type TF4SX03GB225	Cancelled
MS-16571(Ships)		Ballast, Lamp, Navy Fixture, 15 or 20 Watt	Cancelled, Use MIL-F-16377/44
MS-16572(Ships)		Ballast, Lamp, 6 or 8 Watt	Cancelled, Use MIL-F-16377/45
MS-16637		Screw, Shoulder, Socket Head, Hexagon Alloy Steel, Uncoated, UNC-3A	Cancelled, Use MS51975

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS-16638	Rev.A	Screw, Shoulder, Socket Head, Hexagon Alloy Steel,Cadmium or Zinc Plated, UNC-3A	Cancelled, Use MS51975
MS-16658		Connector	Cancelled
MS-16771		Indicator, Humidity, Envelope, Large (For use with Method II Packages)	Cancelled
MS-16811	Rev.A	Stop Baths, Photographic	Cancelled, Use MS 6750-32
MS-16812	Rev.A	Hardeners, Photographic	Cancelled, Use MS 6750-32
MS-16814	Rev.A	Intensifiers, Photographic	Cancelled, Use MS 6750-32
MS-16815	Rev.A	Towers, Photographic	Cancelled
MS-16816	Rev.A	Bleaches, Photographic	Cancelled
MS-16817	Rev.A	Chemical Kit, Photographic Color Processing	Cancelled, Use MS 6750-13
MS16818	Rev.A	Lacquers, Photographic Print and Varnishes, Lantern Slide	Cancelled, Use MS 6750-30
MS16819	Rev.A	Opaques, Photographic Film-Plate Retouching	Cancelled, Use MS 6750-27
MS16821	Rev.A	Chemicals, Photographic, Special Purpose	Cancelled, Use MS 6750-15
MS16837		Tape, Aircraft Tubing Identification Marker	Delete
MS16877		Supply Limitation Film, Photographic, Color, Aerial	Cancelled, Superseded by MS 6750-35
MS16878		Paper, Photographic, Sensitized, Variable Contract Sheen and Roll (Projection) Type IV	Cancelled
MS16884		Wire, Aluminum and Aluminum Alloy	Cancelled, Use MS9525-1
MS16970	Rev.A	Meter, Time Totalizing Electric, 4 Volts to 130 Volts, Direct Current	Cancelled, Use MIL-M-3971/1
MS16971	Rev.A	Meter, Time Totalizing, Electric, 120 Volts, 60 Cycles, Alternating Current	Cancelled, Use MIL-M-3971/2
MS16972	Rev.A	Meter, Time Totalizing, Electric, 120 Volts, 400 Cycles,Alternating Current	Cancelled
MS17121(AS)	Rev.D	Terminal, Stud, Single Turret	Cancelled, Use MIL-U-55155/29
MS17122(AS)	Rev.C	Terminal, Stud, Double Turret	Cancelled, Use MIL-Y-5515/30
MS17123(AS)	Rev.C	Terminal, Stud, Triple Turret	Cancelled, Use MIL-T-5515/31
MS17124	Rev.A	Brush Set, Artist's	Cancelled, Use MS 8020-1

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS17132	Rev.B	Bearing, Roller, Needle-Thick Outer Race, Without Inner Race	Cancelled
MS17158(Wep)	Rev.B	Terminal, Stud Fork Type	Cancelled, Use MIL-T-55155/B2
MS17160(Wep)	Rev.C	Clip, Spring, Tensions (For Cylindrical Electronic Component)	Cancelled, Use MIL-C-24066/2
MS17164	Rev.A	Lamp Incandescent Par-46, 12 Volt Headlamp 2 Contact Lugs	Cancelled, Use W-L-50
MS17167	Rev.A	Lamp Incandescent, Par-46, 24 Volt Spotlamp Mogul Red Prong Base	Cancelled, Use W-L-50
MS17230	Rev.A	Stand, Projector, Photographic	Cancelled
MS17247(Wep)	Rev.A	Lamps, Incondescent, Midget Inverted Flanged Base	Cancelled, Use MS-25237
MS17292		Lamp Incandescent, Par-14 12 Volt Spotlamp Mogul End Prong Base	Cancelled
MS17314(AS)	Rev.A	Switch, Toggle, 2 Pole, Lever-Lock; Armament Control	Cancelled, Use MS27408-7
MS17321	Rev.C	Meter	Cancelled, Use MIL-M-7793/5
MS17322	Rev.E	Meter	Cancelled, Use MIL-M-7793/6
MS17323	Rev.C	Meter, Time Totalizing Miniature Dial 115 Volt 400 Cycle	Cancelled
MS17324	Rev.C	Meter	Cancelled, Use MIL-M-7793/7
MS17325	Rev.C	Meter, Time Totalizing, Digital, 115 Volt, 60 or 400 Hertz	Cancelled, Use MIL-M-7793/8
MS17328(Wep)		Adapter, G-2 Compass	Cancelled
MS17331(AS)	Rev.A	Wire, Electric, TFE-Fluorocarbon Insulated, Abrasion Resistant, Asbestos Reinforce, Silver-Coated Copper	Cancelled
MS17332(AS)	Rev.A	Wire, Electric, TFE-Flurocarbon Insulated, Abrasion Resistant, Asbestos Reinforced, Nickel-Plated Copper	Cancelled
MS17354(WEP)		Nut-Plain, Hex Boss Connection, Aluminum (MIL-S-8879 Thread)	Cancelled
MS17373(Wep)		Indicator, Attitude, Two-Inch Self Contained	Cancelled
MS17379(Wep)		Computer, Bomb Release, Angle CP-410/AJB-3	Cancelled
MS17382(Wep)		Gyroscope	Cancelled
MS17385(Wep)		Indicator, Attitude	Cancelled
MS17386(Wep)		Indicator, Programmer	Cancelled
MS17387(Wep)		Adapter, Kit, Indicator-Programmer Mounting	Cancelled
MS17403(Wep)		Tire-Aircraft, 17.50X6.25-11 Type VI(Navy)	Cancelled
MS17407(Wep)	Rev.A	Inverter, Aircraft, 4000 Va, 3/1 Phase, 400 Cycle, Class B	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS17410(WP)	Rev.B	Wire, Electric, Fluorocarbon-Insulated, Type V, TFE, FEP and Fibrous Glass, Silver-Coated Copper	Cancelled, Use MS17411, MIL-W-7139 or MS90294
MS17411(AS)	Rev.C	Wire, Electric, Fluorocarbon-Insulated, Abrasion-Resistant, Extruded TFE, Silver-Coated Copper	Cancelled
MS17412(AS)	Rev.C	Wire, Electric, Fluorocarbon-Insulated, Abrasion-Resistant, Extruded TFE, Nickel-Coated Copper	Cancelled
MS17413(AS)	Rev.A	Packing, Preformed - AMS 7278, Fluorocarbon Rubber, "O" Ring	Cancelled
MS17420	Rev.C	Insert (Insulator, Rectangular Connector, Polarization Shell, Electrical, 18 Size 16 Crimp Removable) Contacts	Cancelled
MS17772	Rev.C	Insert (Insulator), Rectangular Connector, Dual Polarization Shell, Electrical, 162 (size 16 Crimp Removable) Contacts	Cancelled
MS17776		Crimping Tool, Terminal, Hand Lug Terminal and External Power Plug Socket Contacts, 20-10 Capacity	Cancelled, Use MIL-C-22524/24
MS17803	Rev.E	Contacts, Electric, Pin, Crimp Removable, Size 16 and 20	Cancelled, Use MIL-C-39029/34
MS17804	Rev.E	Contacts, Electric, Socket, Crimp Removable, Size 16 and 20	Cancelled, Use MIL-C-39029/35
MS17805		Installing Tool, Connector, Electrical Contact Size 16 Contact	Cancelled, Use MIL-I-81969/18
MS17806		Removal Tool, Connector, Electrical Contact Size 16 Contact	Cancelled, Use MIL-I-81969/20
MS17807	Rev.E	Contacts, Electric, Pin, Crimp Removable, Size 16	Cancelled, Use MIL-C-39029/36
MS17808	Rev.E	Contacts, Electric, Socket, Crimp Removable, Size 16	Cancelled, Use MIL-C-39029/37
MS17809(Wep)	Rev.A	Transmitter, Pressure, Aircraft, 320-Degree Movement, High Temperature (850°F)	Cancelled
MS17813(Wep)		Tube - Base Adapter, Runway Marker Light	Cancelled, Superseded by MS17814
MS17816(Wep)	Rev.B	Light-Guide, Carrier Deck	Cancelled
MS17817(Wep)	Rev.B	Lens, Guide Light, Carrier Deck	Cancelled
MS17818(Wep)		Guard, 360° Horizontal Distribution	Cancelled
MS17821	Rev.H	Strap, Cable, Adjustable, Self-Clinching, Plastic, Type I, Class 1	Cancelled
MS17822	Rev.H	Strap, Cable, Identification, Adjustable, Self-Clinching Plastic, Type II, Class 1	Cancelled, Use MS3368

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS17823	Rev.E	Tool, Hand, For Adjustable Plastic Cable Straps (Thin Type)	Cancelled, Use MS90387
MS17824	Rev.E	Tool, Hand, For Adjustable Plastic Cable Straps (Thick Type)	Cancelled, Use MS90387
MS17837(Wep)		Container, Pyrotechnic	Cancelled
MS17840(Wep)		Gasket-Spark Plug	Cancelled
MS17870(Wep)		Computer, Flight, Director, Aircraft	Cancelled
MS17871(Wep)		Transformer	Cancelled
MS17872(Wep)	Rev.A	Flight Deck Flood Light	Cancelled, Use NAEC DWG 609331
MS17963(WP)	Rev.A	Exhaust Port Full Pressure Suit	Cancelled
MS17964(WP)	Rev.A	Patch, Bleeder, Exhause Port	Cancelled
MS17972(WP)		Ventilation Fitting Assembly For Mark 5A Liner	Cancelled
MS17973(Wep)		Washer, Aircraft Generator Retaining Stud	Cancelled
MS17974(ASG)	Rev.B	Switch, Moistureproof Push - Push Action Maintained Two	Cancelled, Use MIL-S-8805/35
MS17975(ASG)	Rev.B	Switch, Moistureproof Push - Push Action Maintained 2 PDT	Cancelled
MS17991	Rev.A	Frequency Changer - 50 VA, 3 Phase 115/200 volts, 400 CPS, HI-Temp.	Cancelled
MS17992		Voltage Stabilizer, 500 VA, 3 Phase, 115/200 Volts, 400 CPS Hi-Temp	Cancelled
MS17993	Rev.A	Voltage Stablizer - 1500 VA, 3 Phase 115/200 Volts 400 Hi-Temp	Cancelled
MS18000(ASG)	Rev.C	Wire, Electric, Extruded TFE-Fluorocarbon-Insulated, Abrasion Resistant, Medium Weight, Silver-Coated Copper	Cancelled
MS18001(ASG)	Rev.C	Wire, Electric, Extruded TFE-Fluorocarbon-Insulated, Abrasion Resistant, Medium Weight, Nickel-Coated Copper	Cancelled
MS18017(Wep)		Decalomania, for Desiccated Pack	Cancelled
MS18025(Wep)	Rev.A	Label, Return, Unserviceable Item	Cancelled, Refer to NAVORD DWG2263123
MS18032(Wep)	Rev.A	Wire, Electric, Fused Laminate TFE - Fluorocarbon Insulated, Silver-Coated Copper	Cancelled, Use MS21985 and MS18113
MS18033(Wep)	Rev.A	Wire, Electric, Fused Laminate TFE - Fluorocarbon Insulated, Nickel Coated Copper	Cancelled, Use MS21986 and MS18114
MS18036(AS)	Rev.A	Hose Assembly, Detachable End Fitting, Medium Pressure	Cancelled, Use MS28741
MS18038(AS)	Rev.B	Inks, Marking (For Electronic Equipment)	Cancelled
MS18042(AS)	Rev.B	Battery Terminals Boxes, Aircraft Storage	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS18046(AS)	Rev.A	Plate, Plastic, Lighting For Interphone Control C-4948/AIC	Cancelled
MS18051(Wep)		Connector, Plug, Electrical, Polarized, Female, 2 Pole, 2 Wire, 20 Amperes, 250 Volts	Cancelled, Use W-C-596/67
MS18052(Wep)		Receptacle, Electrical, Twist Lock, Male, 2 Pole, 2 Wire, 20 Amperes, 250 Volts	Cancelled
MS18055(AS)	Rev.C	Flange, Mounting, Aircraft Engine-Driven Accessory, Round, 8-Inch	Cancelled, Use MS18056
MS18061(Wep)		Adapter, Two Channel, Roll and Pitch	Cancelled
MS18070	Rev.C	Insert Arrangement, Electrical Connector Size 40	Cancelled, Use MS33691
MS18071(AS)	Rev.F	Regulator-Voltage, Direct Current Generator, 28 Volts, Solid State	Cancelled
MS18072(WEPS)	Rev.C	Ring, Handling, Air Start Coupling	Cancelled, use MS14271
MS18091(Wep)	Rev.B	Fuseholder - Cartridge Extractor Post Style FNH46G	Cancelled, Use MIL-F-19207/30A
MS18092(Wep)	Rev.B	Fuseholder - Cartridge Extractor Post Style FHN47G	Cancelled, Use MIL-F-19207/31
MS18101(Wep)	Rev.A	Display, Tactical Navigation	Cancelled
MS18102(AS)	Rev.D	Batteries, Storage, Aircraft, Threaded-Post-Connected, Dimensions For	Cancelled
MS18104(AS)	Rev.C	Wire, Electric, Extruded-TFE-Fluorocarbon Insulated, Polyimide-Coated, Silver-Coated Copper	Cancelled
MS18105(AS)	Rev.C	Wire, Electric, Extruded-TFE-Fluorocarbon Insulated, Polyimide-Coated, Nickel-Coated Copper	Cancelled
MS18106(AS)	Rev.F	Batteries, Storage, Drone, Caseless	Cancelled
MS18113(AS)	Rev.B	Wire, Electric, Extruded TFE-Fluorocarbon-Insulated, Silver-Coated Copper, 1000-Volts	Cancelled
MS18114(AS)	Rev.B	Wire, Electric, Extruded TFE-Fluorocarbon-Insulated, Nickel-Coated Copper, 1000-Volts	Cancelled, Use MIL-W-22759/10
MS18115(ASG)	Rev.B	Bolts, Self-Retaining, Positive Locking	Cancelled
MS18117	Rev.A	Coils, Radiofrequency, Metal Encased, Types LT4K149 to LT4K157 Incl	Cancelled
MS18118	Rev.A	Coils, Radiofrequency, Metal Encased, Types LT4K131 to LT4K148, Incl.	Cancelled
MS18119(Wep)		Indicator, Attitude-Director, Remote, 3 Inch Case	Cancelled
MS18120	Rev.B	Connector, Plug, Male, Electric Power Utility - 120 Volt, 60-400 Cycles Per Second	Cancelled, Use MIL-C-3767/13

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS18122(AS)		Battery, Storage, Aircraft Vibration-Resistant, Light Dry, 40 Ampere-Hour 24 Volts	Cancelled
MS18123(Wep)		Contactor, Line; 3 Pole 115/200 Volts, 400 CPS, 3 Phase Latching Type, 120-360 Amps	Cancelled
MS18131	Rev.A	Coils, Radio Frequency, Plastic Encased, Types LT4K182 to LT4K199 Incl.	Cancelled
MS18132	Rev.A	Coils, Radiofrequency, Metal Encased, Types LT4K118 to LT4K130 Incl.	Cancelled
MS18133	Rev.A	Coils, Radiofrequency, Metal Encased, Types LT4K101 to LT4K117, Incl.	Cancelled
MS18191(Ships)		Shell, Assembly Electrical Connector, Receptacle	Cancelled
MS18201(Ships)		Plate, Polarization, Electrical Connector	Cancelled
MS18202(Ships)		Shell, Electrical, Connector, Plug, Rectangular Polarized	Cancelled
MS18206(Ships)		Eyelet, Metallic, Flat Head	Cancelled
MS18207(Ships)		Connector, Plug, Typical, Maximum Configuration	Cancelled, Use MIL-C-28748/3
MS18209		Lamp, Incandescent, Single Contact Midget Flanged Base (T 1 3/4 Bulb)	Cancelled, Use MS25237
MS18232(EC)	Rev.C	Contact, Electrical Connector, Pin, Crimp, Removable, Shielded	Cancelled, Use MIL-C-39029/40
MS18265(EC)	Rev.B	Contact, Electrical Connector, Socket, Crimp, Removable, Shielded	Cancelled, Use MIL-C-39029/42
MS18266(EC)	Rev.B	Contact, Electrical Connector, Pin, Crimp, Removable, Shielded	Cancelled, Use MIL-C-39029/43
MS20000	Rev.A	Turnbuckle Assembly-Pin Eye, Left and Right Hand	Cancelled, Use MS21251, MS21254 and MS21256
MS20047	Rev.H	Cap, Protective, Electrical Connector Receptacle Bayonet Coupling, Series 1	Cancelled, Use MS27502
MS20048	Rev.G	Cover, Protective, Electrical Connector Plug, Bayonet Coupling, Series 1	Cancelled
MS20049	Rev.E	Insert Arrangement, Electric Connector, Shell Size 9	Cancelled, Use MIL-STD-1560
MS20050	Rev.E	Insert Arrangement, Electric Connector, Shell Size 11	Cancelled, Use MIL-STD-1560
MS20051	Rev.C	Insert Arrangement, Electric Connector, Shell Size 13	Cancelled, Use MIL-STD-1560
MS20052	Rev.D	Insert Arrangement, Electric Connector, Shell Size 15	Cancelled, Use MIL-STD-1560
MS20053	Rev.D	Insert Arrangement, Electric Connector, Shell Size 17	Cancelled, Use MIL-STD-1560

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS20054	Rev.E	Insert Arrangement, Electric Connector, Shell Size 19	Cancelled, Use MIL-STD-1560
MS20055	Rev.E	Insert Arrangement, Electric Connector, Shell Size 21	Cancelled, Use MIL-STD-1560
MS20056	Rev.F	Insert Arrangement, Electric Connector, Shell Size 23	Cancelled, Use MIL-STD-1560
MS20057	Rev.J	Insert Arrangement, Electric Connector, Shell Size 25	Cancelled, Use MIL-STD-1560
MS20200	Rev.C	Bearing, Ball, Airframe, Anti-Friction Heavy Duty	Cancelled, Use MS27640
MS20201	Rev.B	Bearing, Ball, Airframe, Anti-Friction, Intemediate Duty	Cancelled, Use MS27641
MS20202	Rev.B	Bearing, Ball, Airframe, Anti-Friction, Extra Light Duty	Cancelled, Use MS27642
MS20206	Rev.C	Bearing, Ball, Airframe, Anti-Friction, Self-Aligning, Heavy Duty	Cancelled, Use MS27643
MS20207	Rev.C	Bearing, Ball, Airframe, Anti-Friction, Double Row, Heavy Duty	Cancelled, Use MS27644
MS20341	Rev.D	Nut, Plain, Hexagon, Electrical	Cancelled, Use MS35649 or MS35650
MS20364	Rev.C	Nut, Self-Locking, Thin, 250° F	Cancelled, Use MS21042
MS20365(ASG)	Rev.C	Nut, Self-Locking, 250° F	Superseded by MS21044 and MS21045
MS20435(ASG)		Rivet, Round Head, Steel, Monel and Copper	Inactive, Use MS20613 and MS20615
MS20602	Rev.C	Rivet, Blind	Cancelled
MS20603	Rev.B	Rivet, Blind	Cancelled
MS20606(ASG)	Rev.C	Rivet, Blind, Nonstructural Modified Truss Head, Class 3	Cancelled, Use MS20604
MS21035		Relay, 4 PDT Hermetically Sealed, 10 AMP 3 Phase	Cancelled
MS21036	Rev.A	Relay, 4 PDT Hermetically Sealed, 10 AMP 3 Phase	Cancelled
XMS21040(ASG)	Rev.A	Nut, Self-Locking, 500° F, Hexagonal	Cancelled, Use MS21042
MS21088	Rev.D	Nut, Self-Locking, Channel, Floating, Low Height, Cres, 125 KSI Ftu, 250° F	Cancelled, Use MS21065
MS21089	Rev.D	Nut, Self-Locking, Channel, 100 CSK, Floating, Low Height, Cres, 125 KSI Ftu, 250° F	Cancelled, Use MS21068

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS21104	Rev.B	Clamp, Loop, Cushioned, Wedge, Fuel Weather Resistant, 212°F, Type II Class A and B	Cancelled
MS21105	Rev.A	Clamp, Loop, Cushioned, Wedge, Fluid Resistant, 500°F, Cres, Type III Class B	Cancelled
MS21205(ASG)		Seal, Cover Bolt, Compression Type	Cancelled
MS21228	Rev.A	Indicator, Events, Miniature, Digital 28 VDC	Cancelled
MS21250	Rev.H	Bolt	Cancelled, Use MS21134
MS21261(ASG)		Key, Woodruff - Chamfered	Superseded by MS35756B
MS21262(ASG)	Rev.B	Screws, Self-Locking, 250°F, Cylindrical Head Hexagonal Wrenching Socket Alloy Steel, 160 KSI Ftu (Socket Head Cap Screws)	Cancelled
MS21265(Wep)		Grommet, Plastic, Split	Cancelled
MS21269	Rev.A	Screw, Instrument, Pan Head	Cancelled
MS21289(ASG)	Rev.B	Bolt, Machine-Steel, Drilled Double Hexagon, Extended Washer, .250-28 (MIL-S-8879 Thread)	Cancelled
MS21312	Rev.A	Handwheel-Revolving Handle, with Keyway	Cancelled
MS21314	Rev.A	Strap, Retaining, Two Hole, for Pipe Conduit and Cable	Cancelled
MS21315	Rev.A	Strap, Retaining, Two Hole, for Tubing	Cancelled
MS21321(USAF)		Switch, Sensitive, Sealed	Cancelled, Use MIL-S-8805/40
MS21327	Rev.B	Fastener Installation-Snapslide	Cancelled
MS21328		Bearing Jewel Bombe with Olive Hole	Cancelled
MS21329	Rev.A	Holder, Photographic Sheet Film Double Lock Rib	Cancelled, See MIL-H-3526
MS21917	Rev.B	Nut-Sleeve Coupling, Flareless	Cancelled, Use MS21921
MS21918	Rev.E	Sleeve-Coupling, Flareless	Inactive, Use MS21922
MS21948		Fitting End-Bolt Cluster Fitting Double Port Through Flare	Cancelled
MS21952(Aer)		Bolt-Cluster Fitting Double Port Through-Flare	Cancelled
MS21968(Wep)	Rev.A	Generator System, AC Integrally Excited 10 KVA-Aircraft	Cancelled
MS21982(Wep)	Rev.A	Lamps, Incandescent, 28-Volt, Small, Unbased	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS21985(AS)	Rev.D	Wire, Electric, Extruded TFE-Fluoro-carbon Insulated Silver-Coated Copper, 600-Volt	Cancelled
MS21986(AS)	Rev.D	Wire, Electric, Extruded TFE-Fluoro-carbon Insulated, Nickel-Coated Copper, 600-Volt	Cancelled
MS21987(ASG)	Rev.B	Relay, 1 to 5 AMP, 6 PDT, Class B8, Sealed	Cancelled
MS21989(Wep)		Loadmeter	Cancelled
MS21991(Wep)		Voltmeter	Cancelled
MS21992(Wep)		Ammeters	Cancelled
MS21993	Rev.C	Cable Assemblies	Cancelled, Use MS2548 or MS90384
MS21997(Wep)		Indicator, Repeater, G-2 Compass	Cancelled
MS21999(ASG)		Lamp, Incandescent, Par 36 Airport Lightin, Screw Terminal	Cancelled
MS22000		Indicator, Discharge, Manual, Fire Extinguishing Systems	Cancelled
MS22013(ASG)	Rev.A	Latch, Lap Safety Belt, Quick Release	Cancelled, Superseded by MS3488
MS22015(Aer)	Rev.B	Suit, Integrated Torso Harness	Cancelled
MS22023(Aer)	Rev.B	Cap, CO_2 Life Vest Inflator Teating	Cancelled
MS22028(ASG)	Rev.C	Hose Assembly, Oxygen, High Pressure	Cancelled
MS22029(ASG)	Rev.B	Hose Assembly, Oxygen, High Pressure	Cancelled
MS22030(Aer)	Rev.A	Hose Assembly, Oxygen, High Pressure	Cancelled
MS22031(ASG)	Rev.A	Shield, Life Raft, Model PK-2	Cancelled
MS22036(ASG)	Rev.B	Regulator, Oxygen, Diluter Demand, Automatic, Pressure Breathing	Cancelled, Use MS22062
MS22046	Rev.B	Ring - Parachute Harness "D"	NO NASC Interest
MS22049(Aer)	Rev.A	Carrying Case, Life Rafts, MK 4 and 7	Cancelled Superseded by BUWEPS DWG. NOS. 62A82H5 & 62A82H6
MS22050(Aer)	Rev.A	Container-Emergency Equipment	Cancelled Superseded by BUWEPS DWG. NO. 62A82D8
MS22051(Aer)	Rev.A	Poncho Assembly	Cancelled
MS22052	Rev.C	Hose Assembly-Oxygen Low Pressure	Cancelled, Use MS24548
MS22060(ASG)		Towing Ring	Cancelled
MS22070(ASG)		Gasket, Valve, Male	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS22071(ASG)		Valve, Inflation, Vented, One-Man Life Raft	Cancelled, Use MIL-V-81722
MS22072(AS)	Rev.B	Valve, Inflation, Non-Vented, One-Man Life Raft	Cancelled, Use MIL-V-81722
MS23001(ASG)		Cubicle, Power Distribution, Automatic Transfer, Airfield Lighting	Cancelled
MS24041	Rev.D	Connector, Plug Receptacle Electrical, Hexagonal 12 Contacts, Female, 7.5 AMPS	Cancelled
MS24045		Connector	Cancelled, Use MIL-C-28748/8
MS24046		Connector	Cancelled, Use MIL-C-28748/7
MS24049		Connector	Cancelled, Use MIL-C-28748/8
MS24050		Connector	Cancelled, Use MIL-C-28748/7
MS24114(ASG)	Rev.C	Relay, General Purpose, DC, 4 PDT, 2 AMP, Hermetically Sealed	Cancelled, Use MIL-R-5757/7
MS24115(USAF)		Relay, General Purpose DC, 6 PDT	Cancelled
MS24121(USAF)		Wiring Harness, Single Point Refueling	Cancelled, Use MIL-W-7974
MS24124(ASG)	Rev.A	Fuse, Enclosed Link, Type A	Cancelled, Use MS28937
MS24125(ASG)	Rev.A	Fuse, Enclosed Link, Type B	Cancelled, Use MS28937
MS24134(USAF)		Altimeter, Pressure, Station	Cancelled
MS24136(USAF)	Rev.A	Cable, Radio Frequency RG-178/U	Cancelled
MS24137(USAF)	Rev.A	Cable, Radio Frequency RG-179/U	Cancelled
MS24138(USAF)	Rev.A	Cable, Radio Frequency RG-180/U	Cancelled, Use MS24376
MS24144		Relay, 50 AMP, 3 PST, Class B	
MS24151(ASG)	Rev.B	Relay, 5 AMP, 3 PDT (Mechanically Interlocked), Normally Open, Class A5, Unsealed	Cancelled
MS24153(ASG)	Rev.C	Relay, 50 AMP, 3 PDT (Mechanically Interlocked), Normally Open Class A5, Unsealed	Cancelled
MS24155(ASG)	Rev.A	Relay, 25 AMP, 1 PDT (Mechanically Interlocked), Normally Open Class A5, Unsealed	Cancelled
MS24165(ASG)	Rev.B	Relay, 100 AMP, 3 PDT (Mechanically Interlocked), Normally Open, Class A5, Unsealed	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS24170(ASG)	Rev.A	Relay, 100-AMP, 2 PST Normally Open, Class A5, Unsealed	Cancelled
MS24174		Relay	Cancelled
MS24181		Relay, 50 Amp, 1 PST, N.O. Type-1 Hermetically Sealed	Cancelled, Use MS24140
MS24190(ASG)	Rev.B	Relay, 25 AMP, 3 PST, Normally Open, Class A8, Sealed	Cancelled
MS24194(ASG)	Rev.B	Relay, 100 AMP, 3 PST, Normally Open, Class A5, Unsealed	Cancelled
MS24195(ASG)	Rev.A	Relay, 100 AMP, 3 PST Normally Open, Class B8, Sealed	Cancelled
MS24199(ASG)	Rev.B	Relay, 50/25 AMP, 1 PDT, Class B8, 50 AMP NO. and 25 AMP NC	Cancelled
MS24201		Adapter, Loader	Cancelled
MS24202		Valve, Loader	Cancelled
MS24209		Drum, Metal-Shipping and Storage 20 and 30 Gallons	Cancelled, Use MS27683
MS24217		Cable Assembly Power Electrical, 28 Volt DC	Cancelled
MS24227(USAF)		Knobs, Control Braille, Plastic (Illuminated)	Cancelled
MS24228(USAF)		Knobs, Control Dial, Plastic	Cancelled
MS24229(USAF)		Knobs, Control, Plastic (Illuminated)	Cancelled
MS24254		Contact, Electrical Connector, Male	Cancelled
MS24256(USAF)	Rev.L	Tool-Contact Connector, Disassembly	Cancelled
MS24260	Rev.H	Insert Arrangement Size 10 & 14	Cancelled, Use MIL-STD-1554
MS24261	Rev.F	Insert Arrangement Size 16	Cancelled, Use MIL-STD-1554
MS24262	Rev.F	Insert Arrangement Size 18	Cancelled, Use MIL-STD-1554
MS24263	Rev.F	Insert Arrangement Size 22	Cancelled, Use MIL-STD-1554
MS24284(USAF)	Rev.B	Wire, Electrical - Polytetrafluoroethylene Insulated, Copper, 600-Volt	Cancelled, Use MS18114 and MS21986 for New Procurement
MS24319(ASG)	Rev.E	Boot, Toggle Switch, Three-Hole Mounting	Cancelled, Use MIL-B-5423/3
MS24313		Universal Joint	Cancelled
MS24314		Universal Joint	Cancelled
MS24320	Rev.B	Spool, Photographic Film, Standard 35mm (Use USAS PH1.35-61)	Cancelled
MS24331(ASG)	Rev.G	Switch, Sensitive, Sealed	Cancelled, Future Procurement Use MIL-S-8805/4

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS24336		Coupling Half, Hydraulic, Self-Sealing Hose, Attaching, Type A Flared Fitting	Cancelled
MS24337		Union Nut, Hydraulic Self-Sealing Coupling, Type A	Cancelled
MS24343	Rev.C	Spool, Aerial Roll Film, Standard, 70 MM	Cancelled, Use MS26565
MS24346	Rev.B	Drum, Metal-Shipping and Storage 9 and 12 Gallons	Cancelled, Use MS27684
MS24352		Valve, Aircraft, One-Way Filtered	Cancelled
MS24353		Valve, Aircraft, Two-Way Filtered	Cancelled
MS24371(ASG)	Rev.D	Boot, Dust and Moisture Seal, Toggle Switch, One Hole Mounting	Cancelled, Use MIL-B-5423/2
MS24382(USAF)	Rev.A	Gasket, Steel, Boss Type	Cancelled
MS24400	Rev.C	Nut, Plain, Hexagon-Bulkhead and Universal Fitting Mounting, Precision Type	Cancelled, Use AN924
MS24418		Valve, Aircraft, One-Way Unfiltered	Cancelled
MS24419		Valve, Aircraft, Two-Way Unfiltered	Cancelled
MS24420(ASG)	Rev.F	Switch, Sensitive, Rotary Actuated, Sealed	Cancelled, Future Procurement Use MIL-S-8805/49
MS24427		Filter, Fluid	Cancelled
MS24428		Filter, Fluid	Cancelled
MS24429		Filter, Fluid	Cancelled
MS24430		Filter, Fluid	Cancelled
MS24431		Filter, Element	Cancelled
MS24432		Filter, Element	Cancelled
MS24434(USAF)	Rev.A	Cable Installation - Static Ground	Cancelled
MS24436(USAF)	Rev.A	Engineer's Panel Arrangement - Paralleled A.C. Generator System	Cancelled
MS24438(USAF)	Rev.A	Wiring Diagram - 115/200V, 3 Phase Variable Frequency System, Manual Bus Selection, Schematic	Cancelled
MS24440(USAF)	Rev.A	Wiring Diagram - Bus System, D.C., Single Generator Schematic	Cancelled
MS24456(ASG)	Rev.D	Switch, Sensitive, Sealed, SPDT, Class A5 or B8	Cancelled, For Procurement Use MIL-S-8805/6
MS24471(USAF)		Spark Plug, Shielded, Aircraft Reciprocating Engine, 14MM, 5/8-24 Barrel Thread	Cancelled
MS24472(USAF)		Spark Plug, Shielded, Aircraft Reciprocating Engine, 18MM, 5/8-24 Barrel Thread	Cancelled
MS24473(USAF)		Spark Plug, Shielded, Aircraft Reciprocating Engine, 3/4-20 Barrel Thread	Cancelled
MS24477		Tube - Paper, Drift Meter Shipping	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS24483		Container, Locking Spindle	Cancelled
MS24486		Packing, Cushion Pad	Cancelled, Use MS24485
MS24500(Wep)	Rev.B	Tube, Pilot, Electrically Heated "L" Shaped, Inverted	Cancelled
MS24501(Wep)	Rev.B	Tube, Pitot, Electrically Heated	Cancelled
MS24511(USAF)		Battery, Storage, Aircraft, Nickel-Cadmium Type 24 Volt, 60 Ampere Hour, 27°C(80°F)	Cancelled, Use MIL-B-26026
MS24512		Gage, Pressure, General Purpose, Aircraft	Cancelled
MS24533(USAF)	Rev.B	Indicator, Engine, Pressure Ratio	Cancelled
MS24534(USAF)	Rev.C	Meter, Time Totalizing, Round (Indicator, Elapsed Time)	Cancelled, Use MS17321 and MS17322
MS24545(USAF)		Battery, Storage, Nickel-Cadmium, 100 Ampere Hour, 6 Volt	Cancelled
MS24546(USAF)		Battery, Storage, Nickel-Cadmium, 125 Ampere Hour, 6 Volt	Cancelled
MS24547(ASG)		Switch, Sensitive, Sub-Miniature	Cancelled, Use MIL-S-8805/4
MS24549(ASG)	Rev.C	Circuit Breaker - Aircraft, Trip-Free, Push-Pull, 3-Phase, 5 thru 60 AMP	Cancelled, Use MS21984
MS24564		Pump, Contrifugal-Fuel Booster, Aircraft Outline of	Cancelled
MS24567(ASG)		Relay - 60 AMP, 3 PDT, Sealed, Class B8	Cancelled
MS24584(USAF)	Rev.A	Screw, Machine-Pan Head, Cross-Recessed, Carbon Steel, Cadmium Plated	Cancelled, Use MS35206 and MS35207
MS24599	Rev.B	Inverter, Power, Static 15VA, Single Phase, Instrument	Cancelled
MS24600		Inverter, Power, Static 100 VA 3 Phase	Cancelled
MS24601		Inverter, Power, Static 250 VA 3/1 Phase	Cancelled
MS24602		Inverter, Power, Static 500 VA 3/1 Phase	Cancelled
MS24621		Screw, Tapping, Thread Forming Type B,	Cancelled, Use MS51861
MS24622		Screw, Tapping, Thread Forming Type B, Pan Head, Cross Recessed, Steel, Corrosion Resisting	Cancelled, Use MS51861
MS24653(USAF)		Elbow, Tube -45°, Bulkhead, Flared Tube Universal to Flareless Tube	Cancelled
MS24663(USAF)	Rev.A	Connector, Plug, Electrical - with Spring-Loaded Pivoted Grounding Blade, Polarized Pan Head, Cross Recessed, Steel (Carbon) Cadmium Plated	Cancelled, Superseded by MIL-C-3767/12
MS24675		Screw, Cap	Cancelled, Use MS24278

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS24676		Screw, Cap	Cancelled, Use MS24677
MS24881	Rev.B	Can, Photographic Film Storage, For Packing Aerial Film Outline of	Cancelled, Use MS26561
MS25005		Circuit Breaker, Trip-Free, Push-Pull, 5-50 AMP	Cancelled, Use MS25017
MS25009		Generator, Direct Current 200 AMP, 30V High Speed Ranged	Cancelled
MS25010	Rev.E	Light, Panel - Plastic Plate Lighting	Cancelled
MS25028	Rev.J	Switch, Toggle, One Pole, Lever Lock, Unsealed	Cancelled
MS25029	Rev.J	Switch, Toggle, Two Pole, Lever Lock, Unsealed	Cancelled
MS25000		Light Assembly-Landing, Electrically Retractable	Cancelled
MS25001	Rev.A	Bracket-Pilot, Voltage Regulator Base	Cancelled
MS25003	Rev.B	Circuit Breaker - Trip-Free, Switch Type, 5-50 AMP	Cancelled
MS25004		Circuit Breaker - Trip-Free Switch Type 60-125 AMP	Cancelled
MS25006	Rev.B	Circuit Breaker - Trip-Free, Push-Pull, 60-125 AMP	Cancelled
MS25007		Generator-Direct Current, 500 Ampere, 30 Volt, High Speed Range	Cancelled
MS25008(ASG)	Rev.B	Switch, Sensitive, DPDT, Plunger Type Actuator	Cancelled, Future Procurement Use MIL-S-8805/3
MS25011	Rev.E	Switch, Sensitive, Low Travel, Sealed	Cancelled, Use MIL-S-8805/47
MS25013(ASG)	Rev.B	Lamp, Incandescent, T-14 Bulb, Medium Prefocus Base	Cancelled
MS-25014(ASG)	Rev.A	Lamp, Incandescent, T-20 Bulb, Medium Prefocus Base	Cancelled
MS25016	Rev.C	Switch Assembly, Toggle Actuated, Center on Switch	Cancelled
MS25021	Rev.B	Terminal-Lug, Crimp Style, Straight Type; For Aluminum Aircraft Cable	Cancelled, Use MS25435
MS25022	Rev.A	Terminal-Lug, Crimp Style, Flag Type; For Aluminum Aircraft Cable	Cancelled, Use MS25438
MS25026		Switch, Sensitive, SPDT, Class A-5	Cancelled, Use MIL-S-8805/1
MS25037	Rev.E	Crimping Tool, Hand, Class One, For Copper Insulated Terminals, 26-10	Cancelled, Use MS90413

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS25039(ASG)	Rev.C	Switch, Microphone SA-47A/AIC	Cancelled, Use MIL-S-8805/55
MS25040	Rev.C	Switch, Sensitive, Sealed, 28 VDC, 15 AMP, 115 V AC, 10 AMP, Roller-Lever Actuated	Superseded by MIL-S-8805/50
MS25047	Rev.A	Stud, Electrical Terminal Block	Cancelled
MS25072	Rev.H	Switch, Toggle, One Pole Unsealed	Cancelled
MS25073(Aer)	Rev.E	Converter, 200 Ampere, Aircraft Class B	Cancelled, See MS28132
MS25080		Terminal, Stud	Cancelled
MS25085(ASG)	Rev.C	Switch, Sensitive, Sub-Miniature	Cancelled, Use MIL-S-8805/2
MS25086		Ring, Lock	Cancelled
MS25089(ASG)	Rev.E	Switch, Push, Moistureproof	Cancelled, Future Procurement Use MIL-S-8805/3
MS25091(ASG)	Rev.B	Inverter, 10 VA, 3/1 Phase, Class B	Cancelled
MS25092(ASG)	Rev.B	Inverter, 100 VA, 3/1 Phase, Class B	Cancelled, Use MS16057
MS25093	Rev.D	Inverter, 250 VA, 3/1 Phase, Class B	Cancelled, Use MS21983
MS25094(ASG)	Rev.A	Inverter, 500 VA, 3/1 Phase, Class B	Cancelled, Use MS17406
MS25095(ASG)	Rev.B	Inverter, 750 VA, 3/1 Phase, Class B	Cancelled, Use MS17406
MS25096(ASG)	Rev.C	Inverter, 1,500 VA, 3/1 Phase, Class B	Cancelled, Use MS17404
MS25097(ASG)	Rev.D	Inverter, 2,500 VA, 3/1 Phase, Class B	Cancelled, Use MS17404
MS25102	Rev.E	Switch, Toggle, One Pole, Unsealed	Cancelled
MS25103	Rev.D	Switch, Toggle, Two Pole, Unsealed	Cancelled
MS25104	Rev.E	Switch, Toggle, Four Pole, Unsealed	Cancelled
MS25105	Rev.D	Switch, Toggle, Three Pole, Unsealed	Cancelled
MS25106	Rev.E	Switch, Toggle, One Pole, Unsealed	Cancelled
MS25123(ASG)	Rev.E	Terminal Board, Electrical Assembly of	Cancelled, Superseded by MS27212
MS25124(ASG)		Terminal, Lug, Electrical, Crimp Style, Copper, Insulated for Wire Size 8 through 4/0	Cancelled, Use MS25036
MS25128	Rev.E	Switch, Toggle, One Pole, Unsealed	Cancelled
MS25129	Rev.C	Terminal Board, 5 Stud	Cancelled
MS25130(ASG)		Insert, Terminal Board	Cancelled,
MS25155(ASG)		Battery, Aircraft Storage, Silver-Zinc, 24 Volts 30-Ampere Hour, 80°F (27°C) to 0°F(-18°C)	Superseded by MS18045

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS25157(ASG)		Battery, Aircraft Storage, 50 Ampere Hour	Cancelled, Use MS18045
MS25158(ASG)		Battery, Aircraft Storage, 75 Ampere Hour	Cancelled, Use MS18045
MS25161(ASG)	Rev.B	Inverter, 1,500 Volt-Amperes, Single Phase, Class B	Cancelled
MS25162(ASG)	Rev.A	Inverter, 2,500 Volt-Amperes, Single Phase, Class B	Cancelled
MS25172(Aer)		AC Generator & Regulator, 15 KVA, 3 Phase, 320-480 cps, 4800-7200 RPM	Cancelled
MS25173		Inverter, 250 VA, 3/1 Phase, Class A	Cancelled
MS25174(ASG)	Rev.A	Inverter, 500 VA, 3/1 Phase, Class A	Cancelled,
MS25175(ASG)		Inverter, 750 VA, 3/1 Phase, Class A	Superseded by MS27331
MS25176(ASG)	Rev.C	Shaft, Control Knob	Cancelled, Use MS33742
MS25177		Cap, Plastic, Dust, AN Electric Connector, Plug	Cancelled, Use MS90376
MS25178	Rev.C	Cap, Plastic, Dust, AN Electric Connector, Receptacle	Cancelled, Use MS90376
MS25179(Aer)	Rev.B	Converter, 50 Ampere, Aircraft Class B	Cancelled, See MS28113
MS25180(Aer)	Rev.B	Converter, 100 Ampere, Aircraft Class B	Cancelled, See MS17335
MS25181	Rev.L	Splice, Electric, Permanent Crimp Style Copper, Insulated	Inactive, Use MIL-T-7928/3
MS25184(Aer)		Aircraft Electrical Ground Power Supply 2000 Amp, 28 VDC and 60 KVA, 400 cps Output -416/240 Volt 50 CPS Input- Trailer Mounted	Cancelled
MS25186(Aer)	Rev.A	Relay, 10 AMP, 4 PDT Connector Mounting, Class O	Cancelled, Use MIL-R-5423/16
MS25190(ASG)	Rev.C	Wire, Electric, 600 and 3000 Volt, Copper Aircraft, 105°C	Cancelled, Use MIL-W-4086/1
MS25191(Aer)		Wire, Electric, 600 Volt, Aluminum Aircraft	Cancelled
MS25192(WP)	Rev.D	Cable, Electric, Aerospace Vehicle, 105°C, Copper Shield	Cancelled, Use MIL-C-7078/2 MIL-C-7078/4 MIL-C-7078/6
MS25196(ASG)	Rev.D	Seal, Bushing, External	Cancelled, Use MIL-B-5423/16
MS25199	Rev.B	Connector, Receptacle, Female, Electric Power, Utility-120 Volts, 60 Hertz	Cancelled, Use W-C-596
MS25204(AS)	Rev.C	Adapter, Flasher, Aircraft Navigational Light	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS25210(AS)	Rev.F	Batteries, Storage, Aircraft, 24-Volt, Medium Duty	Cancelled, Use MS18045
MS25211(AS)	Rev.C	Battery, Storage, Aircraft, 24-Volt, Medium Duty, 20 Ampere Hour	Cancelled, Use MS18045
MS25217(AS)	Rev.G	Batteries, Storage, Aircraft, 24-Volt, Heavy Duty	Cancelled, Use MS18045
MS25218(AS)	Rev.D	Battery, Storage, Aircraft, 24-Volt, Heavy Duty, 34 Ampere Hour	Cancelled, Use MS18045
MS25220(Aer)	Rev.A	Regulator-Voltage, 120° Centigrade, Class Direct Current Generator, 28 Volts	Cancelled
MS25222(ASG)	Rev.C	Signal, Emergency Warning	Cancelled, Superseded by MIL-S-6904/2
MS25227(ASG)	Rev.E	Strip, Mounting Nut Insulating	Cancelled, Use MS3373
MS25228(Aer)	Rev.A	20KVA 3/4 Oil and Air Cooled Pad Standard	Cancelled
MS25229(Aer)	Rev.A	20KVA 3/4 Oil and Air Cooled Flange Standard	Cancelled
MS25230(ASG)	Rev.D	Relay, 50 AMP, 3 PDT (Mechanically Interlocked), Class B8, Sealed	Cancelled
MS25232(ASG)		Lamp, Incandescent, Single Contact Bayonet Candelabra Base, S-8 Bulb	Cancelled, Use MS35478
MS25233(ASG)	Rev.B	Lamp, Incandescent, Single-Contact Bayonet Candelabra Base, G-6 Bulb	Cancelled, Use MS15570
MS25234(ASG)	Rev.A	Lamp, Incandescent, Double Contact Bayonet Candelabra Base, S-8 Bulb	Cancelled
MS25240		Lamp, Incandescent, PAR-46 Bulb, Screw Terminal Base, Signaling	Cancelled
MS25245(ASG)		Connections, Input Power Airborne Electronic Equipment; 28 Volt DC, 115-Volt Single-Phase AC, or 115/220 Volt 3-Phase AC, or Combinations	Cancelled
MS25247		Generator, Direct Current, 400 Ampere Class A, 4000 to 8000 RPM	Cancelled
MS25252		Lamp Neon	Cancelled, Use MIL-L-15098/11
MS25253(ASG)	Rev.C	Switch, Class E, Limit	Cancelled, Use MIL-S-8805/27
MS25255(Aer)	Rev.A	Light, Indicator, Neon Lamp, Miniature 180° Distribution, with Test Switch	Cancelled
MS25256(ASG)	Rev.F	Light, Indicator-Hemispherical Distribution	Cancelled
MS25257(AS)	Rev.G	Light, Indicator, Neon Lamp, Miniature, Hemispherical Distribution	Cancelled by MIL-L-3661/6 and MIL-L-3661/13

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS25258(Wep)	Rev.E	Light, Indicator, With Test Switch (For Plastic Lighting Plate)	Cancelled
MS25263(Aer)		Supervisory Panel A.C., Aircraft Single Generator, Class C	Cancelled
MS25264(Aer)	Rev.A	Generator, With Air Inlet & Regulator, A.C. Aircraft Static Exciter, 20 KVA 3 Phase 380-420 CPS	Cancelled
MS25265(Aer)	Rev.A	Generator & Regulator, A.C. Aircraft, Static Exciter, Liquid Cooled; 20 KVA 3 Phase 380-420 CPS	Cancelled
MS25279		Relay	Cancelled
MS25285(Aer)	Rev.A	Generator and Regulator, A.C. Aircraft Ingegral Exciter; Class C. 20 KVA 3, 380-420CPS	Cancelled
MS25286(Aer)	Rev.A	Generator and Regulator AC, Aircraft, Static Exciter, 20 KVA, 3 Phase 380-420 CPS	Cancelled
MS25301(Aer)	Rev.A	Boot, Circuit Breaker, Toggle Type	Cancelled, Use MIL-B-5423/3
MS25311(ASG)	Rev.B	Ferrule, Shield Grounding, One Piece, Insulated, Class 1 For Coaxial and Shielded Cable	Cancelled, Use MS18121 and MS21981
MS25312(ASG)	Rev.B	Tool, Crimping, Hand, For Insulated Shield Grounding Ferrule	Cancelled
MS25313(WP)	Rev.D	Cable, Electric, Aerospace Vehicle, 105°C Copper Shield Nylon Jacket	Cancelled by MIL-C-7078/3 MIL-C-7078/5 and MIL-C-7078/7
MS25314(ASG)	Rev.B	Switch, Sensitive, Sealed, 15 AMP 28 Volt DC; 10 AMP 115 Volt AC Adjustable Roller-Lever Actuated	Cancelled, Use MIL-S-8805/51
MS25316(ASG)	Rev.B	Gauges for MS25312 Crimping Tool	Cancelled
MS25330(ASG)	Rev.D	Socket, Relay, Electrical 20 Contacts, 5 AMP	Cancelled, Use MIL-S-12883/22
MS25334(Wep)	Rev.D	Generator, system, 400 Cycle Alternation Current, Integrally Excited, 20 KVA	Cancelled
MS25335(Wep)	Rev.B	Generator System Alternating Current, Integrally Excited 20 KVA	Cancelled
MS25339		Indicator, Attitide, ARU-5/a	Cancelled
MS25340(Wep)	Rev.C	Gages-Inspection for MS25037 Crimping Tool, Electric Terminals	Cancelled
MS25341(Aer)	Rev.A	Transmission, Power, Constant Speed - 40 KVA	Cancelled
MS25342(ASG)	Rev.B	Switch, Sensitive-Momentary 10 AMP 2 Circuit, End Solder Terminal	Cancelled, Use MIL-S-8805/11

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS25343(ASG)	Rev.B	Switch, Sensitive-Momentary 10 AMP, 2 Circuit, Side Solder Terminal	Cancelled, Use MIL-S-8805/11
MS25344(ASG)	Rev.B	Switch, Sensitive-Momentary 10 AMP, 2 Circuit, End Screw Terminal	Cancelled, Use MIL-S-8805/11
MS25345(ASG)	Rev.B	Switch, Sensitive Maintained 10 AMP, 2 Circuit	Cancelled, For Procurement Use MIL-S-8805/14
MS25346(ASG)	Rev.B	Switch, Sensitive-Maintained 10 AMP, 2 Circuit, Side Solder Terminal	Cancelled, For Procurement Use MIL-S-8805/14
MS25347(ASG)	Rev.B	Switch, Sensitive-Maintained 10 AMP, 2 Circuit, End Screw Terminal	Cancelled
MS25348(ASG)	Rev.B	Switch, Sensitive-Momentary 15 AMP, 4 Circuit, End Solder Terminal	Cancelled, For Procurement Use MIL-S-8805/15
MS25349(ASG)	Rev.B	Switch, Sensitive-Momentary 15 AMP, 4 Circuit, Side Solder Terminal	Cancelled, For Procurement Use MIL-S-8805/15
MS25350(ASG)	Rev.B	Switch, Sensitive-Maintained 15 AMP, 4 Circuit, End Solder Terminal	Cancelled, For Procurement Use MIL-S-8805/5
MS25351(ASG)	Rev.B	Switch, Sensitive-Maintained 15 AMP, 4 Circuit, Side Solder Terminal	Cancelled, For Procurement Use MIL-S-8805/16
MS25352(ASG)	Rev.A	Switch, Sensitive-Momentary 15 AMP, 6 Circuit End Solder Terminal	Superseded by MIL-S-8805/33
MS25353(ASG)	Rev.B	Switch, Sensitive-Maintained 15 AMP, 6 Circuit, Side Solder Terminal	Cancelled, For Procurement Use MIL-S-8805/17
MS25354(ASG)	Rev.A	Switch, Sensitive-Maintained 30 AMP, 2 Circuit Side Solder Terminal	Superseded by MIL-S-8805/34A
MS25356(ASG)	Rev.B	Switch, Sensitive-Momentary 15 AMP, 6 Circuit, Side Solder Terminal	Cancelled, For Procurement Use MIL-S-8805/18
MS25357(ASG)	Rev.B	Switch, Sensitive-Momentary 30 AMP, 2 Circuit Side Solder Terminal	Cancelled, For Procurement Use MIL-S-8805/19
MS25363	Rev.A	Generator System, Alternating Current, Statically Excited, 20 DVA	Cancelled
MS25364(Aer)	Rev.A	Generator System, Alternating Current, Integrally Excited 30 KVA	Cancelled
MS25365(Aer)	Rev.A	Generator System Alternating Current, Statically Excited, 30 KVA	Cancelled
MS25366(Aer)	Rev.A	Generator System, Alternating Current, Integrally Excited, 40 KVA	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS25367(Aer)	Rev.A	Generator System, Alternating Current, Statically Excited 40 KVA	Cancelled
MS25369(Aer)	Rev.A	Generator System, Alternating Current Statically Excited, 60 KVA	Cancelled
MS25370(Aer)	Rev.A	Transmission, Power, Constant Speed, 8000 + 80 RPM, 20 KVA, 5" BC Pad 6.8 Offset 5" BC Flange, Hydraulic 3700-8000 RPM Range, 302°F	Cancelled
MS25373(ASG)	Rev.A	Circuit Breaker, Trip Free, Push-Pull, 3 to 50 AMPS	Cancelled
MS25375(Aer)		Transition, Power	Cancelled
MS25376(Wep)	Rev.F	Transmission, Power, Constant Speed, For F4B/F4C Aircraft	Cancelled, For Procurement Use MS90301
MS25378(Wep)		Circuit Breaker, Aircraft, Three Pole Trip Free, Push Pull, 5 Through 50 AMP	Cancelled, Use MS24549(ASG)
MS25379		Adapter, G-2 Compass	Cancelled
MS25380(Aer)	Rev.A	Switch, Sensitive, Sealed 28 VDC, 2 P.D.T. Rotary-Lever Actuated	Cancelled, For Procurement Use MIL-S-8805/52
MS25383(ASG)	Rev.B	Switch, Class D Limit	Cancelled, Future Procurement Use MIL-S-8805/29
MS25385		Amplifier, Control G-2 Compass	Cancelled
MS25386		Transmitter, Remote Compass G-2	Cancelled
MS25387		Indicator, Directional, Master, G-2	Cancelled
MS25388(ASG)	Rev.A	Cover - Relay	Cancelled
MS25394(ASG)	Rev.A	Relay, 3 AMP, 4 PDT, Sealed, Panel Mounting, Class 0	Cancelled
MS25397(Aer)		Light, Indicator, Neon or Incandescent Lamp, Miniature	Cancelled
MS25399		Generator, System	Cancelled, Use MS90304
MS25419(Aer)	Rev.A	Light Assembly - Trouble	Cancelled
MS25425(Wep)		Chassis, Modular Plug-in, For Electronic Modules	Cancelled
MS25440	Rev.B	Washer, For Use With Aircraft Aluminum Terminals	Cancelled
MS25443(ASG)		Light, Rotating Beacon, 24 Inch, Single	Cancelled
MS25445(AS)	Rev.A	Battery, Aircraft Storage, Silver-Zinc, 24 Volts 12 Ampere-Hours	Cancelled, Use MS18045/28
MS25446(Wep)	Rev.C	Lights, Indicator, Encapsulated, 6 Volt	Cancelled
MS25449		Indicator, Turn and Slip	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS25450(Wep)		Altimeter, Pressure, Counter-Pointer, Type MC-38 MC-4	Cancelled
MS25451(ASG)		Lamp, Incandescent, T-24 Bulb, Medium Bipost Base	Cancelled
MS25456A		Socket, Relay, Electrical, 10 Contacts, 5 Amps (Asg)	Cancelled
MS25460(ASG)	Rev.A	Socket, Relay, Electrical, 16 Contacts, 5 AMP	Superseded by MIL-S-12883/25A
MS25464A		Socket, Relay, Electrical, 22 Contacts 5 Amps (Asg)	Cancelled
MS25473(Wep)	Rev.A	Indicators, Turbine Time	Cancelled
MS25474(Wep)	Rev.B	Fuseholder, Cartridge Extractor Post, Style FHN28G	Cancelled, Use MIL-F-19207/17
MS25475(Wep)	Rev.B	Fuseholder, Cartridge Extractor Post, Style FHN41G	Cancelled, Use MIL-F-19207/25
MS25476(Wep)	Rev.B	Switch, Sensitive, Sub-Miniature Momentary 10 AMP 2 Circuit End Solder Terminal	Cancelled, For Procurement Use MIL-S-8805/7
MS25481(Wep)	Rev.A	Indicators, Pressure, Synchro, General Purpose, 1 Inch	Cancelled
MS25482(Wep)		Frequency Changer	Cancelled
MS25489(Wep)	Rev.C	Converter, 100 Ampere, Class A	Cancelled, Use MS17335/1
MS25494(Wep)	Rev.A	Tool, Manual, Hydraulic, For Crimping Electric Wire Terminals	Cancelled, See MS2544a Sheet 4
MS25495(Wep)		Indicator, Directional Gyro, Electric	Cancelled
MS25497(Wep)	Rev.A	Instrument, Pilot, Flight, Basic Standard Arrangement for Helicopter	Cancelled and Superseded by MS33572(AS)
MS25498B		Converter, 20 Ampere, Class B	Cancelled
MS25500(Wep)	Rev.A	Indicators, Pressure, Manifold, Sensitive	Cancelled
MS25918(AS)	Rev.D	Relay, 3 Amp, 6PDT, Sealed, Class B8	Cancelled
MS26500(Wep)	Rev.A	Target, Aerial Towed Sleeve, Mark 23	Cancelled, See
MS26501		Film, 70 MM Perforated and Unperforated	MS33525
MS26502	Rev.D	Insert, Metal Shipping Container, Crate Style	Delete
MS26503		Container, Spark Plug, Aircraft	Cancelled
MS26504(ASG)	No. 1	Plate - Anchor, Aircraft Troop Seat	Cancelled
MS26507	No. 1	Indicator Card, Desiccant Relative Humidity (8% 5%)	Cancelled
MS26508(ASG)	Rev.B	Bearing, Ball, Rod End, Solid Shank, Self-Aligning, Anti-Friction, Airframe	Cancelled, Use MS21150
MS26509(ASG)	Rev.A	Mount, Resilient, Cup Type, Specific Load, Class 1	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS26510(ASG)	Rev.A	Mount, Resilient, Cup Type Specific Load, Class 2	Cancelled
MS26511(ASG)	Rev.A	Mount, Resilient, Cup Type, Two to One Load Range, Class 1	Cancelled
MS26512(ASG)		Mount, Resilient, Cup Type, Two to One Load Range, Class B	Cancelled
MS26513		Mount, Resilient, Plate Type	Cancelled
MS26515(ASG)		Plate, Identification, Use Data	Cancelled
MS26530(Aer)	Rev.A	Tubes, Inner, Aircraft Pneumatic Tire, Type VII	Cancelled, See MIL-T-5014D
MS26531(ASG)		Vibration Test Rig	Cancelled
MS26534(ASG)		Chain, Roller, Aircraft	Cancelled
MS26536(Wep)	Rev.C	Tire/Casing - Aircraft, 30 x 7.7 Type VII (Navy)	Cancelled
MS26544		Microphone Boom	Cancelled
MS26554(ASG)	Rev.A	Ring, View Finder and Photocell Mounting	Cancelled
MS26555(ASG)	Rev.A	Drier, Photographic Film, 70 MM, Roll Film Outline	Cancelled
MS26559	Rev.A	Bearings, Ball-Annular, Antifriction, Engine Accessories Aircraft, Type I (Land) (Inner or Outer) Controlled Separator	Cancelled
MS26560	Rev.A	Bearings, Ball-Annular Antifriction, Engine Accessories, Aircraft, Type II (Ball Controlled Separators)	Cancelled
MS26561		Can, Photographic Film Storage, for	Cancelled, Use MS27575
MS26562(Aer)	Rev.A	Fire Extinguisher T.M.B. Portable	Cancelled
MS26564(AS)	Rev.A	Tire, Aircraft 26x6.6 - (200 MPH) Type VII (Navy)	Cancelled
MS26576(ASG)	Rev.B	Circuit Breaker-Trip-Free, Aircraft, Push-Pull, 5 Thru 35 AMPS, Type 1, Size C, Fast-Trip	Cancelled
MS26579		Light, Marker, Airport, Semi Flush, Open Grid	Cancelled
MS26580(ASG)	Rev.A	Cover, Airport Marker, Light Base, Blank	Cancelled
MS27032(USAF)	Rev.A	Meter, Time Totalizing, Square (Indicator, Elapsed Time)	Cancelled
MS27035	Rev.G	Connector, Receptacle, Electrical, Series BNC, UG-625 B/U	Cancelled, Use MIL-C-39012/ 21-0001
MS27036	Rev.C	Connector, Receptacle, Electrical, Series BNC, UG-1174/U	Cancelled, Use MIL-C-39012/ 23-0002
MS27079		Shoulder, Swivel Flange	Cancelled
MS27080		Shoulder, Swivel Nut	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS27081		Shoulder, Swivel Nut	Cancelled
MS27083		Elbow, Tube 90°	Cancelled
MS27085		Elbow, Tube 45°	Cancelled
MS27088		Nipple, Aluminum Alloy	Cancelled
MS27089		Nipple, Corrosion Resisting	Cancelled
MS27112	Rev.A	Washer, Key-Bent Tab, General Purpose	Cancelled, Use MS172271 thru MS172320
MS27117		Coupling-Clamp	Cancelled
MS27118(ASG)	Rev.B	Coupling-Clamp, Grooved, V-Band 24.250 to 40.250 Flange OD (-320°F to +1500°F)	Cancelled
MS27121(ASG)	Rev.A	Limiter, Current, Self-Indication, 10 to 60 Amperes, 125°C	Cancelled, Use MS28937
MS27125	Rev.C	Wire, Electrical - High Temperature and Fire Resistant	Cancelled, Use MIL-W-25038/1
MS27184		Contact, Electrical	Cancelled, Use MIL-C-39029/54
MS27185		Contact, Electrical	Cancelled, Use MIL-C-39029/55
MS27217(USAF)		Switch, Sensitive, Sub-Miniature Momentary 10 AMP, 2 Circuit Bottom Solder Terminal	Cancelled, Use MIL-S-8805/7
MS27218	Rev.B	Relay, 5 Amp, 4 PPT, Hermetically Sealed	Cancelled
MS27235	Rev.A	Elbow Tube, 45° (Used on MS27226 and MS 27230 Hose to Tube Adapters)	Cancelled
MS27239		Nipple, Adapter, Hose to Tube, Reusable, Hydraulic, Fuel and Oul Lines 1/4 through 3 Inch Tube Size	Cancelled
MS27250		Envelope, Engine Protective	Cancelled, Use MIL-E-6060/7
MS27261	Rev.D	Bearing, Ball, Airframe, Anti-Friction, Self-Aligning, Light and Heavy Duty	Cancelled, Use MS27645
MS27262	Rev.B	Valve, Fuel Drain, Self-Locking, Flush Type, Installation of	Cancelled
MS27281	Rev.A	Casters, Rigid and Swivel, Precision, Spring Mounted, Pneumatic Tired	Cancelled
MS27343	Rev.E	Insert Arrangement, Electric Connector, Shell Size 8	Cancelled, Use MIL-STD-1560
MS27344	Rev.B	Insert Arrangement, Electric Connector, Shell Size 10	Cancelled, Use MIL-STD-1560
MS27345	Rev.C	Insert Arrangement, Electric Connector, Shell Size 12	Cancelled, Use MIL-STD-1560
MS27346	Rev.C	Insert Arrangement, Electric Connector, Shell Size 14	Cancelled, Use MIL-STD-1560

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS27347	Rev.D	Insert Arrangement, Electric Connector, Shell Size 16	Cancelled, Use MIL-STD-1560
MS27348	Rev.E	Insert Arrangement, Electric Connector, Shell Size 18	Cancelled, Use MIL-STD-1560
MS27349	Rev.F	Insert Arrangement, Electric Connector, Shell Size 20	Cancelled, Use MIL-STD-1560
MS27350	Rev.E	Insert Arrangement, Electric Connector, Shell Size 22	Cancelled, Use MIL-STD-1560
MS27351	Rev.F	Insert Arrangement, Electric Connector, Shell Size 24	Cancelled, Use MIL-STD-1560
MS27352	Rev.D	Cap, Protective, Electrical Connector Plug, Bayonet Coupling, Series II	Cancelled, Use MS27510
MS27353	Rev.C	Cap, Protective, Electrical Connector Receptacle, Bayonet Coupling, Series II	Cancelled, Use MS27511
MS27375(USAF)	Rev.B	Starter, Engine, Electrical Type STD-24/A	Cancelled
MS27392		Shoulder, Swivel Nut	Cancelled
MS27393		Shoulder, Swivel Nut, Flareless Corrosion Resisting	Cancelled
MS27396		Support, Cable, Electrical	Cancelled
MS27397		Boot, Sealing, Coaxial Contacts	Cancelled, Use MIL-C-39029/54 or /55
MS27398		Sleeve, Sealing, Coaxial Cable	Cancelled, Use MIL-C-29029/54 or /55
MS27412	Rev.A	Label Tape, Pressure Sensitive Adhesive	Cancelled
MS27413	Rev.A	Label Tape, Pressure Sensitive Adhesive	Cancelled
MS27414	Rev.A	Label Tape, Pressure Sensitive Adhesive	Cancelled
MS27415	Rev.A	Label Tape, Pressure Sensitive Adhesive	Cancelled
MS27416	Rev.A	Label Tape, Pressure Sensitive Adhesive	Cancelled
MS27419		Indicator, Toggle Switch	Cancelled
MS27426	Rev.D	Tool Kit, Contact, Crimp Type, Multi-pin and Miniature Electrical Connector	Cancelled Use MIL-T-83507/
MS27450		Contact, Electrical	Cancelled, Use MIL-C-39029/55
MS27490		Contact, Electrical	Cancelled, Use MIL-C-39029/56
MS27492		Contact, Electrical	Cancelled, Use MIL-C-39029/57
MS27493		Contact, Electrical	Cancelled, Use MIL-C-39029/58
MS27494		Contact, Electrical	Cancelled, Use MIL-C-39029/58

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS27516	Rev.B	Insert Arrangement, Electric Connector, Shell Size 8	Cancelled, Use MIL-STD-1560
MS27517	Rev.B	Insert Arrangement, Electric Connector, Shell Size 10	Cancelled, Use MIL-STD-1560
MS27518	Rev.B	Insert Arrangement, Electric Connector, Shell Size 12	Cancelled, Use MIL-STD-1560
MS27519		Insert Arrangement	Cancelled, Use MIL-STD-1560
MS27520	Rev.B	Insert Arrangement, Electric Connector, Shell Size 16	Cancelled, Use MIL-STD-1560
MS27521	Rev.B	Insert Arrangement, Electric Connector, Shell Size 18	Cancelled, Use MIL-STD-1560
MS27522		Insert Arrangement	Cancelled, Use MIL-STD-1560
MS27523		Insert Arrangement	Cancelled, Use MIL-STD-1560
MS27524	Rev.B	Insert Arrangement, Electric Connector, Shell Size 24	Cancelled, Use MIL-STD-1560
MS27525	Rev.B	Insert Arrangement, Electric Connector, Shell Size 9	Cancelled, Use MIL-STD-1560
MS27526	Rev.B	Insert Arrangement, Electric Connector, Shell Size 11	Cancelled, Use MIL-STD-1560
MS27527	Rev.B	Insert Arrangement, Electric Connector, Shell Size 13	Cancelled, Use MIL-STD-1560
MS27528	Rev.B	Insert Arrangement, Electric Connector, Shell Size 15	Cancelled, Use MIL-STD-1560
MS27529	Rev.B	Insert Arrangement, Electric Connector, Shell Size 17	Cancelled, Use MIL-STD-1560
MS27530	Rev.B	Insert Arrangement, Electric Connector, Shell Size 19	Cancelled, Use MIL-STD-1560
MS27531	Rev.B	Insert Arrangement, Electric Connector, Shell Size 21	Cancelled, Use MIL-STD-1560
MS27532	Rev.B	Insert Arrangement, Electric Connector, Shell Size 23	Cancelled, Use MIL-STD-1560
MS27533	Rev.B	Insert Arrangement, Electric Connector, Shell Size 25	Cancelled, Use MIL-STD-1560
MS27535		Contact, Electrical	Cancelled, Use MIL-C-39029/59
MS27536		Contact, Electrical	Cancelled, Use MIL-C-39029/60
MS27582	Rev.A	Indexer, Angle of Attack	Cancelled
MS27654		Connector, Receptacle	Inactive For New Design, Use MS27656

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS27655		Contact, Electrical	Cancelled, Use MIL-C-39029/56
MS27665(USAF)	Rev.B	Connector, Plug, Electrical Rack and Panel Mounting, Crimp Type,	Cancelled
MS27666	Rev.A	Backshell, Connector, Electrical EMI, Series I & II	Cancelled
MS27712	Rev.B	Switch, Toggle Two Pole, Hermetic Sealed, Lever Lock	Cancelled, Use MIL-S-81551/1
MS27713	Rev.B	Switch, Toggle, Two Pole Hermetic Sealed	Cancelled, Use MIL-S-811551/2
MS27752	Rev.C	Guard, Switch, 3 Position	Cancelled
MS27753	Rev.C	Switch Toggle, Miniature, Double Pole, Toggle Seal	Cancelled
MS27754	Rev.C	Switch, Toggle, Miniature, Double Pole, Toggle Seal, Lever Lock	Cancelled
MS27810		Post, Aerial Camera, Lens Focusing	Cancelled
MS27821(USAF)	Rev.B	Tire-Pneumatic Rebuilt, Type VII 20x4.4/12 PR	Cancelled
MS27978	Rev.B	Fasteners, Snap, Style 1A (Small Curtain Type)	Cancelled
MS27991	Rev.A	Core, Film, Raw Stock Motion Picture 35 MM PH 22.37-1963	Cancelled, Use USASI
MS27998	Rev.A	Core, Film Raw Stock Motion Picture 16 MM PH 22.38	Cancelled, Use USAIS
MS28000(ASG)	Rev.A	Indicator Tachometer, 0-110 Percent RPM, 2-Inch Size	Cancelled, Use MIL-I-25623
MS28002(ASG)	Rev.A	Indicator, Position, Control Surfaces, 1-3/8 Inch Dial, 28 Volts DC	Cancelled, Use MS33638
MS28006(Aer)		Indicator, Temperature Engine Exhaust-Thermocouple Single Clamp-Mounted 0° to + 1000° Deg C 2 Inch	Cancelled, Use MIL-I-9343
MS28014		Connector, Receptacle, Instrument Electrical	Cancelled
MS28017	No. 1	Indicator-Position, Nose Wheel Steering, 2 Inch Size, 28 Volt DC	Cancelled
MS28019	Rev.B	Indicator-Wind Direction, Synchro Style	Cancelled
MS28020		Clock, Aircraft, Mechanical, 1-7/8 Inch Dial, Elapsed Time	Cancelled
MS28022(Aer)	Rev.A	Drift Meter - Type B-5	Cancelled
MS28026	Rev.A	Pickup-Telemetering, Rate of Turn	Cancelled
MS28029	No. 1	Indicator, Tachometer, Crankshaft Speed, Non-Sensitive, 3-1/4 Inch Size	Cancelled
MS28030		Switch, Differential Pressure	Cancelled
MS28031		Indicator-Indicated Air Speed, Pitot Static 100-850 Knots	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS28032	No. 1	Indicator-Temperature, Thermocouple, Engine Exhaust, 0° to 1000°C Range	Cancelled
MS28033	No. 1	Indicator-Tachometer, 0-110 Percent RPM 3-1/4 Inch Size	Cancelled
MS28035		Indicator, Angle of Attack, 28 Volt DC	Cancelled
MS28037(ASG)		Relay Assembly-Angle of Attack Indicator 28 Volt DC	Cancelled
MS28039		Indicator, Temperature	Cancelled
MS28040(Aer)	Rev.C	Transmitter-Angle of Attack or Sideslip, Local, 28 Volt DC	Cancelled, Use MS28066(We)
MS28044	Rev.E	Altimeter, Pressure, 50,000 Feet	Cancelled
MS28053		Meter	Cancelled, Use MIL-M-7793/9
MS28054(ASG)		Generator Tachometer Two Pole Aircraft	Cancelled, Use MS25038
MS28056(ASG)		Valve, Instrument, Vacuum Control	Cancelled
MS28060(ASG)		Indicator Turn and Slip 115 Volts 3 Phase 1-7.8 Inch Size	Cancelled
MS28062(AS)	Rev.C	Indicator, Angle of Attack, 2 3/4 Dial, 29 Volt D.C.	Cancelled, Use MS28067
MS28065(ASG)	Rev.A	Transmitter Pressure, Synchro Aircraft, Remote	Cancelled
MS28068		Indicator, Electric, Tachometer	Cancelled, Use MIL-I-19358(Aer)
MS28069		Indicator	Cancelled
MS28073(Aer)		Indicator, Control, Gyro Horizon, Type MB-3 (P-1 Automatic Pilot)	Cancelled
MS28074	Rev.B	Altimeter	Cancelled
MS28076(ASG)A		Watch, Pocket, Navigation, Master	Cancelled
MS28079(Aer)		Controller, S-2 Compass	Cancelled
MS28080(AER)		Amplifier, Two Channel, Integral, S-2 Compass and S-5 Automatic Pilot	Cancelled
MS28081(Wep)	Rev.B	Control, Directional, Electrically Driven Gyro, S-2 Compass System	Cancelled
MS28084		Indicator	Cancelled
MS28085		Gage	Cancelled
MS28087		Valve, Pressure Insulating	Cancelled
MS28090(WEP)	Rev.C	Indicator, Airspeed and Mach Number, Pitor Static, 80 to 650 Knots	Cancelled
MS28096		Indicator	Cancelled
MS28097		Indicator	Cancelled
MS28098		Indicator	Cancelled
MS28106(Wep)	Rev.B	Indicators, Pressure, Synchro, 2:1 Movement Ratio	Cancelled
MS28108		Junction Box, Power, P-3 Compass	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS28109(Wep)	Rev.A	Indicator Pressure-Aircraft-Remote (Dual 120° Dial)	Cancelled
MS28110(Wep)	Rev.A	Indicator Pressure-Aircraft-Remote (Single 120° Dial	Cancelled
MS28111(Wep)	Rev.A	Indicator Pressure-Aircraft-Remote (Dual 320° Dial)	Cancelled
MS28112		Instrument, Basic Standard Arrangement For Fixed Wing Aircraft	Cancelled
MS28113(AS)	Rev.B	Generator System, 10 KVA, 400 Cycle, Alternating Current, Integrally Excited, Brush Type, 8,000 RPM, AF-C Aircraft	Cancelled
MS28114		Generator System	Cancelled, Use MIL-G-21480/10
MS28115(Wep)	Rev.A	Generator System, Alternating Current, Integrally Excited, 20 KVA (F.8.U)	Cancelled
MS28116		Generator System	Cancelled, Use MS90304
MS28117(Wep)	Rev.A	Generator System, Alternating Current, Integrally Excited, 20 KVA	Cancelled
MS28118(Wep)	Rev.A	Generator System, Alternating Current, Integrally Excited, 10 KVA	Cancelled
MS28119(Wep)	Rev.E	Generator System, Alternating Current 60 KVA	Cancelled, Use MS90325 For Future Procurement
MS28120(AS)		Generator System, 42KVA, 400 Cycle Alternating Current, Integrally Excited Brushless Type, Oil Cooled 8000 RPM	Cancelled
MS28123(Wep)	Rev.A	Converter, 55 Ampere, CLC	Cancelled
MS28124(Wep)	Rev.C	Converter, 60 Ampere, CLA	Cancelled
MS28128(Wep)		Converter, 200 Ampere, CLA	Cancelled
MS28129	Rev.B	Converter, 100 Ampere Class A	Cancelled
MS28134(ASG)	Rev.C	Switch, Sensitive, Sub-Subminiature, SPDT	Cancelled, Use MIL-S-8805/28
MS28135(ASG)	Rev.B	Lamps, Incandescent, 28-Volt, Miniature, Unbased	Cancelled
MS28136(Wep)	Rev.D	Clip, Spring Tension, Single Slot (For Cylindrical Electronic Component)	Cancelled, Use MIL-C-24066/3
MS28137(Wep)	Rev.C	Clip, Spring Tension, Double Slot (For Cylindrical Electronic Component)	Cancelled, Use MIL-C-24066/4
MS28140(Wep)	Rev.A	Connector, Oxygen Mask to Regulator, Type MC-3A	Cancelled, Use MS22016(ASG)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS28740		Fitting Eng, Hydraulic Pneumatic, Fuel and Oil Hose	Cancelled, Use MS24587
MS28743	Rev.B	Fitting End-Hose, Swivel, Detachable Flanged, 3 Bolt, 45°	Cancelled
MS28745	Rev.B	Fitting End-Hose, Swivel, Detachable, Flanged, 4 Bolt, Straight	Cancelled
MS28748(ASG)	Rev.B	Connector, Swivel Flange, Reusable, Hose	Superseded by MS27232
MS28751(ASG)	Rev.D	Hose Assembly, Hydraulic and Pneumatic High Pressure, 3,000 PSI, Swivel Flareless Connections	Cancelled, Use MS28762
MS28752(Aer)		Fitting End, Self Sealing Fuel Hose, Swivel, Detachable	Cancelled
MS28753(Aer)		Fitting End, Self Sealing Fuel Hose, Swivel, Detachable, Flanged, Straight	Cancelled
MS28754		Fitting End, Self Sealing Fuel Hose, Swivel, Detachable, Flanged 45°	Cancelled
MS28755		Fitting End, Self Sealing Fuel Hose, Swivel, Detachable, Flanged, 90°	Cancelled
MS28784(ASG)	Rev.D	Packing "O" Ring, Hydraulic, -275°F	Cancelled, Use MS28775
MS28785		Gasket, "O" Ring, Hydraulic - 275°F	See MS28784
MS28798(Wep)		Lamp, Incandescent, Focused, Miniature Screw Base	Cancelled
MS28880		Valve	Cancelled
MS28883		Valve, Fuel Check, Low Pressure	Cancelled, Use MS28882
MS28885		Valve, Fuel Check, Type B	Cancelled, Use MS28884
MS28887(ASG)		Valve-Hydraulic Relief Cylindrical	Cancelled, Use MS28893
MS28888	Rev.A	Valve, Pneumatic Check	Cancelled
MS28891		Valve	Cancelled
MS28895B		Filter, Fluid, Pressure	Cancelled, Use MIL-F-8815I/1
MS28897B		Filter Element, Fluid	Cancelled, Use MIL-F-8815/3
MS28911		Starting System Wiring Diagram	Cancelled
MS28922(ASG)	Rev.A	Hose Assembly Rubber, Hydraulic, (3000 PSI), Elbow 45° to Elbow 45°, Flared Tube	Cancelled
MS28923(ASG)	Rev.A	Hose Assembly, Rubber, Hydraulic, (3,000 PSI) Elbow 45° to Elbow 45°, Flared Tube	Cancelled
MS28939(ASG)		Switch, Toggle, Momentary, Four Position ON, Center Off	Cancelled, Use MS27708(ASG)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS29500		Cover	Cancelled
MS29501		Cover	Cancelled
MS29502	Rev.B	Cover - Ventilatory, Induction Port, R-2600B Aircraft Engine	Cancelled
MS29503B		Cover-Ventilatory, Induction Port, R-2800 Aircraft Engine	Cancelled
MS29504B		Cover-Ventilatory, Induction Port, R-3350 Aircraft Engine	Cancelled
MS29505		Cover-Ventilatory, Induction Port, R-4360 Aircraft Engine	Cancelled
MS29506		Cover-Ventilatory, Induction Port, R-2800C Aircraft Engine	Cancelled
MS29507		Plug	Cancelled
MS29508		Cover, Ventilatory, Induction Port, R-2800B Aircraft Engine	Cancelled
MS29510		Plug, Ventilatory	Cancelled
MS29516(ASG)	Rev.C	Adapter, Pressure Fuel Servicing, Type A-2	Inactive, See MS24484
MS29517(ASG)	Rev.B	Adapter, Pressure Fuel Servicing, Type A-3	Inactive, See MS24484
MS29518(ASG)	Rev.C	Adapter, Pressure Fuel Servicing, Type A-4	Inactive, See MS24484
MS29519(ASG)	Rev.C	Adapter, Pressure Fuel Servicing, Variable Configuration, Type A-5	Inactive, See MS24484
MS29532(ASG)	Rev.A	Retainer, Cap, Outlet Fitting, Booster Pump	Cancelled
MS29539(ASG)	Rev.A	Valve, Fuel Level Control, Integral Float Operated, Bottom Filling	Cancelled
MS29540(ASG)	Rev.A	Fitting, Flared Tube, Low Pressure, 45° Internal Outlet,	Cancelled
MS29542 thru MS29546	Rev.C	Pump, Rotary, Power Driven, Fuel, Aircraft (Straight Threaded Ports)	Cancelled
MS29548	Rev.A	Valve, Fuel Level Control, Integral, Float Operated, Top Filling	Cancelled
MS29550	Rev.B	Flange, Attachment, Molded Tank, Flush Full Molded, Oval, 6 x 10	Cancelled
MS29551	Rev.B	Flange, Attachment, Molded Tank, Flush Full Molded, Rectangular, 12 x 18	Cancelled
MS29552	Rev.B	Flange, Attachment, Molded Tank, Flush and Recessed, Full Molded, Oval 8 x 10	Cancelled
MS29553	Rev.B	Cover, Access, Molded Tank, Oval, 8 x 10	Cancelled
MS29554	Rev.B	Flange, Attachment, Molded Tank, Flush Full Molded Rectangular, 8.38 x 14.50	Cancelled
MS29555	Rev.B	Cover, Access, Molded Tank, Rectangular 8.38 x 14.50	Cancelled

Source: https://assist.dla.mil -- Downloaded: 20260-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS29556	Rev.B	Flange, Attachment, Molded Tank, Flush and Recessed, Full Molded, Oval 10 x 16	Cancelled
MS29557	Rev.B	Cover, Access, Molded Tank, 10 x 16	Cancelled
MS29571	Rev.C	Valve, Fuel Drain, Self-Locking, Flush Type	Cancelled
MS29572	Rev.B	Cover, Access, Molded Tank, Rectangular 8.50 x 16.75	Cancelled
MS29573	Rev.B	Flange, Attachment, Molded Tank, Two Plane, Flush, Full Molded, Circular	Cancelled
MS29574	Rev.B	Flange, Attachment, Molded Tank, Recessed Full Molded, Oval, 6.00 x 10.00	Cancelled
MS29575	Rev.B	Flange, Attachment, Molded Tank, Recessed Full Molded, Rectangular, 8.50 x 16.75	Cancelled
MS29576	Rev.B	Flange, Attachment, Molded Tank, Flush and Recessed, Full Molded, Circular	Cnacelled
MS29577	Rev.B	Cover, Access, Molded Tank, Oval, 6.00 x 10.00	Cancelled
MS29578	Rev.B	Cover, Access, Molded Tank, Rectangular 12.00 x 18.00	Cancelled
MS29579	Rev.B	Flange, Attachment, Molded Tank, Recessed Two Plane, Circular	Cancelled
MS29580	Rev.B	Cover, Access, Molded Tank, Circular 5.12 DIA	Cancelled
MS29581	Rev.B	Flange, Attachment, Molded Tank, Flush and Recessed, Full Molded, Oval, 3.56 x 5.70 (Booster Pump)	Cancelled
MS29582	Rev.B	Flange, Attachment, Molded Tank, Recessed Full Molded, Rectangular 12.00 X 1800	Cancelled
MS33500	Rev.A	Wiring Diagram - Carbon Microphone Simulator, Schematic	Cancelled
MS33502	Rev.A	Knob, Control, Fuel Selector-Standard Shape For	Cancelled
MS33516		Case-Standard Dimensions for 3 1/4 Inch Size Instrument	Cancelled, Use MS33639
MS33520	Rev.A	Tolerances - Corrosion Resistant Steel Plate, Sheet and Strip	Cancelled, Use Fed. STD. 48
MS33521		Tolerances - Alloy Steel, Bars	Cancelled, Use Fed. Std. 48
MS33523	Rev.B	Film - Stand Dimensions for Nominal 5 Inch Width, Unperforated, Aerial	Cancelled
MS33524		Recommended Port Sizes For Hydraulic Pumps, Aircraft	Cancelled
MS33525		Film, Photographic, 70 MM Dimensions For	Cancelled
MS33526	No. 1	Support - Vertical Aerial Camera Mount	Cancelled
MS33527(ASG)	Rev.A	Criterier, Jet Electrical Starting System, DC	Superseded by MS17794

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS33529(ASG)		Tolerances, Seamless Steel Tubing, Aircraft Airframe, Round	Cancelled
MS33533(ASG)		Tolerances, Seamless, Corrosion-Resistant Steel Tubing Round	Cancelled
MS33536(ASG)	Rev.A	Tolerances, Seamless Steel Tubing, Mechanical, Round	Cancelled, Use AMS2253D
MS33544(ASG)		Inverter, Ba Aer-Air Force Standard Types of	Cancelled
MS33546	Rev.A	Color Code - Guided Missile Training Aids	Cancelled
MS33548		Case Instrument, 1-7/8 Dial Standard Dimensions For	Cancelled, Use MS33638
MS33549(ASG)	Rev.A	Case, Instrument, 2-3/4 Dial, with Sump, Standard Dimensions for	Superseded by MS27573
MS33550		Case, Instrument, 2-3/4 Dial without Sump, Standard Dimensions for	Cancelled, Use MS33638
MS33553		Fitting, Variable Configuration, Low Pressure, Internal Outlet, Booster Pump	Cancelled
MS33554		Case, Instrument, 1-1/2 Dial, Standard Dimensions for	Cancelled, Use MS33639
MS33555(ASG)		Discharge Ports, Standard Dimensions For Fuel Booster Pump	Cancelled
MS33560		Thermocouple Leads	Cancelled
MS33573		Dimensions, Clearance, Cockpit Fixed Wing Aircraft	Cancelled
MS33575	Rev.B	Dimensions, Basic, Cockpit, Helicopter	Cancelled, Use MIL-STD-1333
MS33576		Dimensions, Basic Cockpit, Wheel Controlled, Fixed Wing Aircraft	Cancelled, Use MIL-STD-1333
MS33578(ASG)		Recesses, Cross, Low Torque Drive Dimensions and Gage Dimensions for	Superseded by MS9006
MS33580		Case, Instrument, 1 Inch Dial, Standard Dimensions for	Cancelled, Use MS33639
MS33586(ASG)	Rev.A	Metals Definition of Dissimilar	Superseded by MIL-STD-889
MS33590		Circuit Breaker	Cancelled
MS33591(ASG)	Rev.A	Turnbuckles, Lock Wiring of	Superseded by MS33736(ASG)
MS33593(ASG)		Mounting Pads, Square, and Drives Motor Operation Through Spline-Pinion	Cancelled
MS33594(ASG)		Mounting Pads, Bomb and Drives Motor Operated Through Spline-Pinion	Cancelled
MS33595	Rev.B	Cover, Access, Molded Tank, Full Molded General Features of Construction	Cancelled
MS33598		Case, Aircraft, Instrument, 2-Inch Dial Standard Dimensions For	Cancelled, Use MS33639

Source: https://assist.dla.mil -- Downloaded: 20260-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS33599		Thermocouple Leads, Installation of	Cancelled
MS33630(ASG)	Rev.A	Switch, Toggle, Installation Of	Cancelled
MS33633		Inserts, Screw Threaded, Design and Use Limitation	Cancelled
MS33635(ASG)	Rev.B	Instrument, Flight, Basic, Standard Arrangement of	Cancelled For Navy Use MS28112(WEP)
MS33638(ASG)	Rev.B	Cases, Instrument, Flange-Mounted, Aircraft	Superseded by MS27572
MS33646	Rev.A	Insert, Screw, Threads, Helical Coil, Assembly and Hole, Dimensions For	Cancelled, Use MS33537
MS33648(ASG)		Elements, Self-Locking 250°F Externally Threaded Fastener Design Information for	Cancelled, Use Fig 1 MIL-F-1824
MS33680		Insert Arrangements, MIL-C-5015 Electric Connector, Size 8 and 10	Cancelled, Use MIL-STD-1651
MS33681		Insert Arrangements, MIL-C-5015 Electric Connector, Size 12	Cancelled, Use MIL-STD-1651
MS33682	Rev.B	Insert Arrangement	Cancelled, Use MIL-STD-1651
MS33683		Insert Arrangements, MIL-C-5015 Electric Connector, Size 16	Cancelled, Use MIL-STD-1651
MS33684		Insert Arrangements, MIL-C-5015 Electric Connector, Size 18	Cancelled, Use MIL-STD-1651
MS33685		Insert Arrangements, MIL-C-5015 Electric Connector, Size 20	Cancelled, Use MIL-STD-1651
MS33686		Insert Arrangements, MIL-C-5015 Electric Connector, Size 22	Cancelled, Use MIL-STD-1651
MS33687		Insert Arrnagements, MIL-C-5015 Electric Connector, Size 24	Cancelled, Use MIL-STD-1651
MS33688		Insert Arrangements, MIL-C-5015 Electric Connector, Size 28	Cancelled, Use MIL-STD-1651
MS33689		Insert Arrangements, MIL-C-5015 Electric Connector, Size 32	Cancelled, Use MIL-STD-1651
MS33690		Insert Arrangements, MIL-C-5015 Electric Connector, Size 36	Cancelled, Use MIL-STD-1651
MS33691		Insert Arrangements, MIL-C-5015 Electric Connector, Size 40	Cancelled, Use MIL-STD-1651
MS33692		Insert Arrangements, MIL-C-5015 Electric Connector, Size 44	Cancelled, Use MIL-STD-1651
MS33693		Insert Arrangements, MIL-C-5015 Electric Connector, Size 48	Cancelled, Use MIL-STD-1651
MS33696	Rev.A	Insert Arrangements, Electrical and Coaxial Connector Small Size 32	Cancelled, Use MS33689
MS33708(Navy)		Insert Arrangements, Size 8	Cancelled, Use MIL-STD-1669

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS33715(Navy)	Rev.F	Insert Arrangements, Electrical Connector, Shell Size 22	Cancelled, Use MIL-STD-1669
MS33735(ASG)		Wiring, Diagram, Position Transmitters and Single Pointer Indicator, 26	Cancelled
MS33747(ASG)		Wiring Diagram, Position Transmitters and Dual Power Indicators, 26	Cancelled
MS25004		Battery, Storage, Car Lighting and Air Conditioning	Cancelled
MS35005		Battery, Storage, Industrial, Locomotive and Marine	Cancelled
MS35006		Battery, Dry BA-279/U	Cancelled
MS35043	Rev.D	Resistors, Fixed, Composition (Insulated), Style RC20	Cancelled, Use MIL-R-11/3
MS35044	Rev.D	Resistors, Fixed, Composition (Insulated), Style RC32	Cancelled, Use MIL-R-11/6
MS35045	Rev.D	Resistors, Fixed, Composition (Insulated), Style RC42	Cancelled, Use MIL-R-11/7
MS35107		Battery, Dry BA-2015A/U	Cancelled
MS35108		Mask, Light (Slot)	Cancelled
MS35109		Mask, Light (Diamond)	Cancelled
MS35139		Grease Gun, Hand, 3 oz. Capacity High Pressure, Push Type Spring Primed	Cancelled
MS35141		Grease Gun, Hand, High Pressure, Lever Operated (15 oz & 21 oz Capacity)	Cancelled
MS35142		Head, Grease Gun (15 & 21 Oz)	Cancelled
MS35143		Spring, Helical	Cancelled
MS35144		Plug, Machine	Cancelled
MS35153		Cap, Grease Gun (15 & 21 Oz)	Cancelled
MS35155		Piston, Grease Gun (15 & 21 Oz)	Cancelled
MS35156	Rev.C	Waveguide Assemblies, 90° H-Plane Bend	Cancelled Superseded by MIL-W-3970/13
MS35157	Rev.C	Waveguide Assemblies, 45° E-Plane Bend	Cancelled Superseded by MIL-W-3970/5
MS35158	Rev.C	Waveguide Assemblies, 60° E-Plane Mitered Corner	Cancelled Superseded by MIL-W-3970/9
MS35159	Rev.C	Waveguide Assemblies, 45° E-Plane Mitered Corner	Cancelled Superseded by MIL-W-3970/8
MS35160	Rev.C	Waveguide Assemblies, 45° H-Plane Bend	Cancelled Superseded by MIL-W-3970/11

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS35162	Rev.C	Waveguide Assemblies, 60° H-Plane Bend	Cancelled Superseded by MIL-W-3970/12
MS35163	Rev.C	Waveguide Assemblies, 60° E-Plane Bend	Cancelled Superseded by MIL-W-3970/6
MS35164	Rev.C	Waveguide Assemblies, 90° H-Plane Mitered Corner	Cancelled Superseded by MIL-W-3970/16
MS35165	Rev.C	Waveguide Assemblies, 90° E-Plane Bend	Cancelled Superseded by MIL-W-3970/7
MS35166	Rev.C	Waveguide Assemblies, 60° H-Plane Mitered Corner	Cancelled Superseded by MIL-W-3970/15
MS35167	Rev.C	Waveguide Assemblies, 90° E-Plane Mitered Corner	Cancelled Superseded by MIL-W-3970/10
MS35168	Rev.G	Connector, Plug, Electrical, Series BNC, UG-88F/U	Cancelled, Use MIL-C-39012/ 16-0001
MS35169	Rev.D	Connector, Plug, Electrical, Series BNC, UG-89C/U	Cancelled, Use MIL-C-39012/ 17-001
MS35170	Rev.G	Connector, Plug, Electrical, Series BNC, UG-260E/U	Cancelled, Use MIL-C-39012/ 16-0002
MS35171	Rev.C	Connector, Plug, Electrical, Series BNC, UG-261C/U	Cancelled, Use MIL-C-39012/ 17-0002
MS35172	Rev.C	Connector, Plug, Electrical, Series BNC, UG-262C/U	Cancelled, Use MIL-C-39012/ 18-0001
MS35173		Adapter, Connector	Cancelled, Use MIL-A-55339/17
MS35174	Rev.C	Connector, Receptacle, Electrical, Series BNC, UG-1098A/U	Cancelled, Use MIL-C-39012/ 22-0001
MS35175	Rev.C	Connector, Receptacle, Electrical, Series BNC, UG-291C/U	Cancelled, Use MIL-C-39012/ 18-0002
MS35176		Adapter, Connector	Cancelled, Use MIL-A-55339/15
MS35177		Adapter, Connector	Cancelled, Use MIL-A-55339/13

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS35178	Rev.E	Connector, Receptacle, Electrical, Series BNC, UG-1098A/U	Cancelled, Use MIL-C-39012/ 23-0001
MS35179	Rev.G	Connector, Receptacle, Electrical, Series BNC, UG-1094A/U	Cancelled, Use MIL-C-39012/ 21-0002
MS35180	Rev.D	Connector, Plug, Electrical, Series BNC, UG-909B/U	Cancelled, Use MIL-C-39012/ 19-0001
MS35181	Rev.C	Connector, Plug, Electrical, Series BNC, UG-910B/U	Cancelled, Use MIL-C-39012/ 19-0002
MS35182	Rev.E	Connector, Receptacle, Electrical, Series BNC, UG-911A/U	Cancelled, Use MIL-C-39012/ 24-0001
MS35183	Rev.J	Connector, Receptacle, Electrical, Series BNC, UG-912A/U	Cancelled, Use MIL-C-39012/ 24-0002
MS35184		Adapter, Connector	Cancelled, Use MIL-A-55339/16
MS35185	Rev.C	Shield, Electrical Connector, Series BNC, MX-195A/U	Cancelled, Use MIL-C-39012/25
MS35186	Rev.C	Cover, Electrical Connectors, Series BNC, CW-123A/U	Cancelled, Use MIL-C-39012/25
MS35187	Rev.C	Cover, Electrical Connectors, Series BNC, CW-282/U	Cancelled, Use MIL-C-39012/25
MS35188		Screw, Machine, Flat Countersunk Head, Cross-Recessed, Carbon Steel, Plain Finish, NC-2A & UNC-2A Sizes #2 thru #8	Cancelled
MS35192		Screw, Machine Flat Countersunk Head, Cross-Recessed, Carbon Steel, Cadmium or Zinc Plates NC-2A & UNC-2A Sizes #2 thru #8	Cancelled
MS35193		Screw, Machine Flat CountersunkHead, Cross-Recessed, Carbon Steel, Cadmium or Zinc Plated NF-2A & UNF-2A Sizes #2 thru #8	Cancelled
MS35194		Screw, Machine	Cancelled
MS35195	Rev.A	Screw, Machine-Flat Countersunk Head, Cross-Recessed, Carbon Steel, Phosphate Coated, NJ-2A & UNF-2A	Cancelled
MS35196	Rev.A	Screw, Machine-Flat Countersunk Head, Cross-Recessed, Brass, Plain Finish, NC-2A & UNC-2A	Cancelled
MS35200	Rev.A	Screw, Machine, Flat Countersunk Head, Cross-Recessed, Corrosion Resisting Steel, Passivated, NC-2A and UNC-2A	Cancelled, Superseded by MS51959

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS35208	Rev.A	Screw, Machine, Pan Head Cross-Recessed, Carbon	Superseded by MS35206
MS35212		Screw, Machine, Pan Head, Cross-Recessed, Brass, Plain Finish, NC-2A & UNC-2A Sizes #2 thru #8	Cancelled
MS35213		Screw, Machine, Pan Head, Cross-Recessed, Brass, Plain Finish, NF-2A & UNF-2A	Cancelled
MS35216	Rev.A	Screw, Machine, Pan Head, Cross-Recessed, Corrosion Resisting Steel, Passivated, NC-2A and UNC-2A	Cancelled, Use MS51957
MS35217	Rev.A	Screw, Machine, Pan Head, Cross-Recessed, Corrosion Resisting Steel, Passivated NF-2A and UNF-2A	Cancelled, Use MS51958
MS35220	Rev.B	Waveguide Assemblies, Straight 90° Twist	Cancelled Superseded by MIL-W-3970/1
MS35221		Screw, Machine, Pan Head, Slotted, Carbon Steel, Plain Finish, NC-2A and UNC-2A	Cancelled
MS35222		Screw, Machine, Pan Head, Slotted, Carbon Steel, Plain Finish, NF-2A and UNF-2A	Cancelled
MS35224		Screw, Machine, Pan Head, Slotted, Carbon Steel, Cadmium Plated, NF-2A and UNF-2A	Cancelled
MS35225		Screw, Machine, Pan Head, Slotted, Carbon Steel, Cadmium or Zinc Plated, NC-2A and UNC-2A	Cancelled
MS35226		Screw, Machine, Pan Head, Slotted, Carbon Steel, Cadmium or Zinc Plated, NF-2A and UNF-2A	Cancelled
MS35227		Screw, Machine, Pan Head, Slotted, Carbon Steel Phosphate Coated, NC-2A and UNC-2A	Cancelled
MS35228		Screw, Machine, Pan Head, Slotted, Carbon Steel, Phosphate Coated, NF-2A and UNF-2A	Cancelled
MS35229	Rev.A	Screw, Machine, Pan Head, Slotted, Brass, Plain Finish NC-2A and UNC-2A	Cancelled, Use MS35214
MS35231		Screw, Machine, Pan Head, Slotted, Brass, Black Oxide Finish, NC-2A and UNC-2A	Cancelled
MS35232		Screw, Machine, Pan Head, Slotted, Brass, Black Oxide Finish, NF-2A and UNF-2A	Cancelled
MS35233		Screw, Machine, Pan Head, Slotted Corrosion Resisting Steel, Passivated, NC-2A and UNC-2A	Cancelled
MS35235		Screw, Machine, Pan Head, Slotted, Aluminum Alloy Anodized, NC-2A and UNC-2A	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS35236		Screw, Machine, Pan Head, Slotted, Aluminum Alloy Anodized, NF-2A and UNF-2A	Cancelled
MS35245	Rev.A	Screw, Machine, Flat Countersunk Head, Slotted, Brass, Plain Finish, NC-2A and UNC-2A	Cancelled
MS35246		Screw, Machine, Flat Countersunk Head, Slotted, Brass, Plain Finish, NF-2A and UNF-2A	Cancelled
MS35247		Screw, Machine, Flat Countersunk Head, Slotted, Brass Black Oxide Finish, NC-2A and UNC-2A	Cancelled
MS35248		Screw, Machine, Flat Countersunk Head, Slotted, Brass Black Oxide Finish, NF-2A and UNF-2A	Cancelled
MS35249	Rev.A	Screw, Machine, Flat Countersunk Head, Slotted Corrosion Resisting Steel, Passivated, NC-2A and UNC-2A	Cancelled, Use MS51959
MS35262		Screw, Machine, Flat Countersunk Head, Slotted, Aluminum Alloy, Anodized, NF-2A and UNC-2A	Cancelled
MS35264		Screw, Machine, Drilled Fillister Head, Slotted Carbon Steel, Plain Finish, NF-2A and UNF-2A	Cancelled
MS35269		Screw, Machine, Drilled Fillister Head, Slotted, Carbon Steel, Phosphate Coated, NC-2A and UNC-2A	Cancelled
MS35270		Screw, Machine, Drilled, Fillister Head, Slotted, Carbon Steel Phosphate Coated, NF-2A and UNF-2A	Cancelled
MS35271	Rev.A	Screw, Machine, Drilled Fillister Head, Slotted, Brass Plain Finish, NC-2A and UNC-2A	Cancelled, Use MS35273
MS35279	Rev.E	Connector, Receptacle, Electrical Series C, UG-631A/U	Cancelled Superseded by MIL-C-39012/9
MS35280	Rev.D	Connector, Plug, Electrical Series C, UG-626B/U	Cancelled Superseded by MIL-C-39012/6
MS35284	Rev.D	Connector, Receptacle, Electrical Series C, UG-630A/U	Cancelled Superseded by MIL-C-39012/1
MS35286	Rev.D	Connector, Plug, Electrical Series C, UG-627B/U	Cancelled Superseded by MIL-C-39012/15

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS35287		Adapter, Connector	Cancelled, Use MIL-A-55339/9
MS35288		Adapter, Connector	Cancelled, Use MIL-A-55339/8
MS35289	Rev.A	Screw, Cap, Hexagon Head (Finished Hexagon Bolt); Low Carbon Steel, Plain Finish, UNC-2A	Cancelled, Use MS90725
MS35290		Screw, Cap, Hexagon Head (Finished Hexagon Bolt), Low Carbon Steel, Plain Finish, UNF-2A	Cancelled
MS35291		Screw, Cap, Hexagon Head (Finished Hexagon Bolt), Low Carbon Steel, Cadmium or Zinc Finish, UNC-2A	Cancelled
MS35292		Screw, Cap, Hexagon Head (Finished Hexagon Bolt), Low Carbon Steel, Cadmium or Zinc Finish, UNF-2A	Cancelled
MS35293	Rev.A	Screw, Cap, Hexagon Head (Finished Hexagon Bolt), Low Carbon Steel, Phosphate Finish, UNC-2A	Cancelled, Use MS90725
MS35294	Rev.A	Screw, Cap, Hexagon Head (Finished Hexagon Bolt), Low Carbon Steel, Phosphate Finish, UNF-2A	Cancelled, Use MS90726
MS35295	Rev.B	Screw, Cap, Hexagon Head (Finished Hexagon Bolt), Medium Carbon Steel, Plain Finish, UNC/2A	Cancelled
MS35296	Rev.A	Screw, Cap, Hexagon Head (Finished Hexagon Bolt), Medium Carbon Steel, Plain Finish, UNF-2A	Cancelled, Use MS90726
MS35297	Rev.A	Screw, Cap, Hexagon Head (Finished Hexagon Bolt), Medium Carbon Steel, Cadmium or Zinc Finish, UNC-2A	Cancelled, Use MS90725
MS35298	Rev.A	Screw, Cap, Hexagon Head (Finished Hexagon Bolt), Medium Carbon Steel, Cadmium or Zinc Finish, UNF-2A	Cancelled, Use MS90726
MS35299	Rev.A	Screw, Cap, Hexagon Head (Finished Hexagon Bolt), Medium Carbon Steel, Phosphate Finish, UNC-2A	Cancelled, Use MS90725
MS35300	Rev.A	Screw, Cap, Hexagon Head (Finished Hexagon Bolt), Medium Carbon Steel, Phosphate Finish, UNF-2A	Cancelled, Use MS90726
MS35302	Rev.C	Screw, Cap, Hexagon Head (Finished Hexagon Bolt), Alloy Steel, Plain Finish, UNF-2A	Cancelled
MS35304	Rev.B	Screw, Cap, Hexagon Head (Finished Hexagon Bolt), Alloy Steel, Cadmium or Zinc Finish, UNF-2A	Cancelled, Use MS90727

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS35305		Screw, Cap, Hexagon Head (Finished Hexagon Bolt), Alloy Steel, Phosphate Finish, UNC-2A	Cancelled
MS35306	Rev.B	Screw, Cap, Hexagon Head (Finished Hexagon Bolt), Alloy Steel, Phosphate Finish, UNF-2A	Cancelled, Use MS90727
MS35313		Screw, Cap, Hexagon Head (Finished Hexagon Bolt), Aluminum Alloy, Anodized Finish, UNC-2A	Cancelled
MS35314	Rev.A	Screw, Cap, Hexagon Head (Finished Hexagon Bolt), Aluminum Alloy, Anodized Finish, UNF-2A	Cancelled, Use MS35219
MS35315	Rev.E	Connector, Plug, Electrical, Series C, UG-573B/U	Cancelled, Superseded by MIL-C-39012/6
MS35316	Rev.D	Connector, Receptacle, Electrical Series C, UG-571A/U	Cancelled, Superseded by MIL-C-39012/8
MS35317	Rev.D	Connector, Receptacle, Electrical, Series C, UG-570 A/U	Cancelled, Superseded by MIL-C-39012/1
MS35318	Rev.D	Connector, Plug, Electrical, Series C, UG-572A/U	Cancelled, Superseded by MIL-C-39012/7
MS35319	Rev.E	Connector, Receptacle, Electrical, Series C, UG-568/U	Cancelled, Superseded by MIL-C-39012/12
MS35320		Adapter, Connector	Cancelled, Use MIL-A-55339/1
MS35322		Adapter, Connector	Cancelled, Use MIL-A-55339/10
MS35323	Rev.E	Connector, Receptacle, Electrical, Series C, UG-569A/U	Cancelled, by MIL-C-39012/14
MS35325	Rev.E	Cover, Electrical Connector	Cancelled, Use MIL-C-39012/25
MS35326	Rev.E	Cover, Electrical Connector, Series C, MX-1143A/U	Cancelled, Use MIL-C-39012/25
MS35327	Rev.D	Shield, Electrical Connector, Series C, MX-1144/U	Cancelled, Use MIL-C-39012/25
MS35328	Rev.D	Connector, Plug, Electrical, Series C, UG-633A/U	Cancelled by MIL-C-39012/7
MS35330	Rev.E	Connector, Receptacle, Electrical, Series C, UG-629A/U	Cancelled by MIL-C-39012/8
MS35332	Sig. C	Resistors, Fixed, Wire Wound, (Power-Type) Style RW57	Cancelled, Use MIL-R-26/4

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS35337	Rev.B	Washer, Lock, Split, Helical, Light Series	Cancelled, Use MS35338
MS35339	Rev.B	Washer, Lock, Split, Helical, Heavy Series	Cancelled, Use MS35340
MS35350		Resistors Fixed Composition (Insulated), Style RC09	Cancelled
MS35354		Bolt, Machine, Square Head, (Unfinished) Steel, Uncoated, UNC-2A	Superseded by MS35355
MS35357		Screw, Machine, Round Head, Slotted	Cancelled
MS35358		Screw, Machine, Oval Head, Slotted	Cancelled
MS35359		Screw, Machine, Binding Head, Slotted	Cancelled
MS35360		Screw, Machine, Truss Head, Slotted	Cancelled
MS35361		Screw, Machine, Fillister Head, Slotted	Cancelled
MS35362		Screw, Machine, Round Head, Cross Recessed	Cancelled
MS35363		Screw, Machine, Oval Head, Cross Recessed	Cancelled
MS35364		Screw, Machine, Binding Head, Cross Recessed	Cancelled
MS35365		Screw, Machine, Truss Head, Cross Recessed	Cancelled
MS35366		Screw, Machine, Fillister Head, Cross Recessed	Cancelled
MS35367	Rev.D	Connector, Plug, Electrical, Series BNC, UG-913A/U	Cancelled, by MIL-C-39012/ 20-0001
MS35386		Pin, Lock	Cancelled, Use MIL-R-52243
MS35388A		Tire, Pneumatic, Passenger, Car, Truck, and Bus	Cancelled
MS35400		Rail, Tee, Railway	Cancelled
MS35401	Rev.A	Lamp, Incandescent, Projection Single Contact, Bayonet Base-Down	Cancelled, Use W-L-126
MS35402		Lamp, Incandescent, Projection Mogul Prefocus, Base-Down	Cancelled
MS35403	Rev.B	Lamp, Incandescent, Projection Medium Prefocus, Base Down, T-20 Bulb	Cancelled, Use W-L-126
MS35404	Rev.B	Lamp, Incandescent, Projection Medium Prefocus, Base Down	Cancelled, Use
MS35405	Rev.B	Lamp, Incandescent, Projection Double Contact, Med Prefocus Ring, Base-Up	Cancelled, Use W-L-126
MS35406		Lamp, Incandescent, Projection Special Prefocus, Base-Down	Cancelled
MS35413	Rev.A	Light, Indicator with Plain Short Screw Cap	Cancelled, Use MIL-L-3661
MS35414	Rev.A	Light, Indicator with Plain Short Screw Cap and Built-in Resistor	Cancelled, Use MIL-L-3661
MS35415	Rev.A	Light, Indicator, with Plain Convex Lens and Polaroid Dimmer	Cancelled, Use MIL-L-3661

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS35464		Spikes, Track, Square Shank, Railroad	Cancelled
MS35473		Joint Bar, Rail	Cancelled
MS35474	Rev.B	Bolt, Oval Neck, Track	Cancelled Use ANSI B18.10
MS35475	Rev.B	Nut, Plain, Square-Track	Cancelled, Use ANSI B18.10
MS35490	Rev.B	Grommet, Rubber-Split, General Purposes	Cancelled, Superseded by MS35489
MS35660		Adapter, Compressed Gas Cylinder Valve Connections	Cancelled, Use MIL-A-16288/16
MS35661		Adapter	Cancelled
MS35662	Rev.A	Adapter, Cylinder Valve; Brass, Class 550-590, Air, Argon, Nitrogen, Oil Pumped, 2200 PSI Working Pressure	Cancelled
MS35663	Rev.A	Adapter, Cylinder Valve; Brass, Class 590-550, Air, Argon, Nitrogen, Oil Pumped, 2200 PSI Working Pressure	Cancelled
MS35666	Rev.A	Adapter, Cylinder Valve; Brass, Class 350-590, Helium, Oil Pumped, 2200 PSI Working Pressure	Cancelled
MS35667	Rev.A	Adapter, Cylinder Valve; Brass, Class 590-350, Helium Oil Pumped, 2200 PSI Working Pressure	Cancelled
MS35668	Rev.A	Adapter, Cylinder Valve; Brass, Class 320-540, Medical Oxygen, 2200 PSI Working Pressure	Cancelled
MS35669	Rev.A	Adapter, Cylinder Valve; Brass, Class 540-320, Medical Oxygen, 2200 PSI Working Pressure	Cancelled
MS35690	Rev.C	Nut, Plain, Hexagon, UNC-2B and UNF-2B	Cancelled
MS35747		Holder, Spring, Air Brake Hose Coupling	Cancelled
MS35749		Spring, Helical, Compression, Air Brake Hose Coupling	Cancelled
MS35750		Plunger, Air Brake Hose Coupling	Cancelled
MS35800		Bolt, Lag, Gimlet Point Hot Galvanized (Pole-Line)	Cancelled, Use MS16992
MS35811		Sun and Industrial Goggles and Components	Superseded by MS-8400-1B
XMS35828	Rev.C	Hinge, Continuous, (Piano) .060 Thickness, .312 & .375 Pin DIA	Inactive
MS35839		Underware and Nighwear, Women's FSC Class 8425	Cancelled
MS35903	Rev.A	Piston, Internal Combustion Engine: 3-1/4 x 2-3/4	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS35912D		Insert, Screw Thread, Cutting	Cancelled
MS36031		Sodium Phosphate, Tribasic, Anhydrous, Technical ($Na_3 PO_4$)	Cancelled, Use MIL-STD-1208
MS36032		Ammonium Hydroxide	Cancelled, Use MIL-STD-612
MS39001		Adapter	Cancelled, Use MIL-A-16288/1
MS39002		Adapter	Cancelled, Use MIL-A-16288/2
MS39003		Adapter	Cancelled, Use MIL-A-16288/3
MS39004		Adapter	Cancelled, Use MIL-A-16288/4
MS39005		Adapter	Cancelled, Use MIL-A-16288/5
MS39006		Adapter	Cancelled, Use MIL-A-16288/6
MS39007		Adapter	Cancelled, Use MIL-A-16288/7
MS39008		Adapter	Cancelled, Use MIL-A-16288/8
MS39009		Adapter	Cancelled, Use MIL-A-16288/9
MS39010		Adapter	Cancelled, Use MIL-A-16288/10
MS39011		Adapter	Cancelled, Use MIL-A-16288/11
MS39012		Yoke, Compressed Gas Cylinder	Cancelled, Use MIL-A-16288/12
MS39082		Extinguisher, Fire, Water Back Pack, Pump Type, Hand, 5 Gal	Cancelled
MS39096	Rev.A	Markers, Self-Luminous; Type I - Personnel Marker	Cancelled
MS39097	Rev.A	Markers, Self-Luminous; Type III - Vehicle Marker	Cancelled
MS39098		Markers, Self-Luminous; Type V, Aircraft Exit Marker (Plain)	Cancelled
MS39099		Markers, Self-Luminous; Type VI, Aircraft Exit Markers (With Arrow)	Cancelled
MS39100		Markers, Self-Luminous; Type VII, Aircraft Exit Marker (Stud Mounted) Class A & BT	Cancelled
MS39101		Markers, Self-Luminous, Type VIII, Aircraft Marker (Sign) "Emergency Exit"	Cancelled
MS39129		Wire Fabric - Insect Screening	Cancelled
MS39220		Adapter	Cancelled, Use MIL-A-16288/10

Source: https://assist.dla.mil -- Downloaded: 20261O-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS39221		Adapter	Cancelled, Use MIL-A-16288/14
MS39222		Adapter	Cancelled, Use MIL-A-16288/15
MS39223		Adapter	Cancelled
MS39224	Rev.A	Cylinder, Compressed Gas: Dot Spec 3AA	Cancelled
MS39225	Rev.A	Cylinder, Compressed Gas: Carbon Dioxide Dot Spec 3AA2015	Cancelled
MS39226	Rev.A	Cylinder, Compressed Gas, Dot Spec 3AAZ015 Medical Gases	Cancelled
MS39228	Rev.A	Cylinder, Compressed Gas: Dot Spec 4BA and 4E	Cancelled
MS39229	Rev.B	Cylinder, Compressed Gas: Dot Spec 4BAZ40, for Liquified Petroleum	Cancelled
MS51093		Screw, Cap, Hexagon Head (Finished Hexagon Bolt), Head Drilled for Locking Wire, Steel, Grade 5, Plain Finish UNC-2A	Cancelled, Superseded by MS51095
MS51097	Rev.A	Screw, Cap, Hexagon Head (Finished Hexagon Bolt), Head Drilled for Locking Wire, Alloy Steel Grade 8, Phosphate Coated, UNC-2A	Superseded by MS18154
MS51098	Rev.A	Screw, Cap, Hexagon Head (Finished Hexagon Bolt), Head Drilled for Locking Wire, Alloy Steel, Grade 8, Phosphate Coated, UNF-2A	Superseded by MS18153
MS51103		Screw, Cap, Hexagon Head (Finished Hexagon Bolt), Shank Drilled for Cotter Pin Steel, Grade 5, Plain Finish, UNC-2A	Superseded by MS51105
MS51104		Screw, Cap, Hexagon Head (Finished Hexagon Bolt), Shank Drilled for Cotter Pin, Steel, Grade 5, Plain Finish, UNF-2A	Superseded by MS51106
MS51357		Valve	Cancelled
MS51358		Valve	Cancelled
MS51360		Valve	Cancelled
MS51362		Valve	Cancelled
MS51363		Valve	Cancelled
MS51364		Valve	Cancelled
MS51365		Valve, Pneumatic Tire, Inner Tube: Repair, Screw-On, Std. Bore Straight, Vehicular	Cancelled
MS51366		Valve	Cancelled
MS51367		Valve	Cancelled
MS51368		Valve	Cancelled
MS51369		Valve	Cancelled
MS51370		Valve	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS51371		Valve, Pneumatic Tire: Air-Water, Tubeless, Clamp-In Off-The-Road, Large Bore, Bent, Vehicular	Cancelled
MS51372		Valve	Cancelled
MS51373		Valve	Cancelled
MS51375		Cap	Cancelled
MS51376		Cap	Cancelled
MS51377		Valve Core	Cancelled
MS51378		Valve Core	Cancelled
MS51828	Rev.B	Snaphooks, Fixed Loop	Cancelled, Use MIL-A-43770
MS51962	Rev.B	Race, Bearing, Inner: Needle Bearing	Cancelled
MS53005	Rev.A	Air Cleaner, Intake Compressor	Cancelled
MS53082		Valve Assembly	Cancelled, Use 22-V-25
MS53083B		Valve Assembly, Pneumatic Tire (Vehicular)	Cancelled
MS53084A		Valve Stem, Pneumatic Tire (Vehicular)	Cancelled
MS53096	Rev.A	Semitrailer, Van-Supply, 12 Ton, 4 Wheel M129AIC	Cancelled and Superseded by MS500098
MS53226		Transformer, Audio Frequency	Cancelled, Use MIL-T-27/144
MS53227		Transformer, Audio Frequency, Sub Miniature Type TF 5 R2 122	Cancelled, Use MIL-T-27/103
MS53228		Transformer, Audio Frequency	Cancelled, Use MIL-T-27/172
MS63034	Rev.C	Eyelets, Metallic, Rolled Shallow Flange, with Washer Style B	Cancelled, Use MIL-E-20652/1
MS63047		Drum, Metal, 3 Gallons	Cancelled, Use MS27684
MS63048		Drum, Metal, 4, 7 and 8 Gallons	Cancelled, Use MS27684
MS63049		Drum, Metal, 6 and 8 Gallons	Cancelled, Use MS27684
MS63050	Rev.B	Drum, Metal-Shipping and Storage 3 and 4 Gallons	Cancelled, Use MS27684
MS63051	Rev.B	Drum, Metal-Shipping and Storage 6, 7 and 8 Gallons	Cancelled, Use MS27684
MS63052		Drum, Metal, 9 and 12 Gallons	Cancelled Use MS27684
MS63053		Drum, Metal, 16 and 19 Gallons	Cancelled, Use MS27683
MS63054		Drum, Metal 22, 27, 38, 45, 57 and 61 Gallons	Cancelled, Use MS27683

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS63055		Drum, Metal, 30 60 and 80 Gallons	Cancelled, Use MS27683
MS63058		Drum, Metal, 29, 39, 58 and 77 Gallons	Cancelled, Use MS27683
MS70104		Grip, Parachute Harness, Friction	Cancelled, Superseded by MS22040
MS70111	Rev.A	Snaphooks, Side Retaining	Cancelled, Use MIL-S-43770
MS75036		Magazine, Film Processing Machine	Cancelled
MS75053	Rev.B	Coils, Radiofrequency, Molded, Types LT4K059 to LT4KD63, Incl.	Cancelled, Use MS14048
MS75054	Rev.B	Coils, Radiofrequency, Molded Types LT4K058 to LT4K068 Incl.	Cancelled, Use MS14049
MS75055	Rev.B	Coils, Radiofrequency, Molded, Types LT4K069 to LT4K073 Incl.	Cancelled, Use MS14050
MS75056	Rev.A	Coils, Radiofrequency, Plastic Encased Types LT4K158 LT4K181 Incl.	Cancelled
MS75065	Rev.A	Adapter, Camera, Fingerprint LE-20 ()	Cancelled
MS80111	Rev.A	Snaphooks, Side Retaining	Cancelled, Use MIL-S-43770
MS87016	Rev.A	Nut, Self-Locking, Double Hexagon, 1200°F, 160 KSI Ftu	Cancelled
MS90008	Rev.D	Transformer, Audio Frequency, Type TF4RX13AJ005	Cancelled, Use MIL-T-27/11
MS90010	Rev.B	Inductor, Power, Type TF4RX04GA002	Cancelled
MS90011	Rev.B	Inductor, Power, Type TF4RX04HA003	Cancelled
MS90014	Rev.B	Inductor, Power, Type TF4RX04JB006	Cancelled
MS90035	Rev.E	Waveguides, Rigid, Rectangular; Standard Sizes	Cancelled Superseded by MIL-W-85/1
MS90037	Rev.B	Inductor, Power, Type TF4RX04KA007	Cancelled
MS90039		Tube, Current-Regulating, Type TJ791K01	Superseded by MIL-T-3080/1
MS90040		Tube, Current-Regulating, Type TJ601K01	Superseded by MIL-T-3080/2
MS90044	Rev.D	Flanges, Waveguide, Choke, UG-54B/U and UG-585A/U	Cancelled, Use MIL-F-3922/61
MS90045	Rev.B	Flanges, Waveguide, Cover, UG-53/U and UG-584/U	Cancelled, Use MIL-F-3922/56
MS90046	Rev.D	Flanges, Waveguide, Choke, UG-406B/U	Cancelled, Use MIL-F-3922/62
MS90047	Rev.B	Flanges, Waveguide, Cover UG-149A/U and UG-407/U	Cancelled, Use MIL-F-3922/57

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS90048	Rev.E	Flanges, Waveguide, Choke UG-343B/U and UG440B/U	Cancelled, Use MIL-F-3922/60
MS90049	Rev.B	Flanges, Waveguide, Cover, UG-344/U and UG-441/U	Cancelled, Use MIL-F-3922/55
MS90050	Rev.F	Flanges, Waveguide, Cover UG-383/U, UG-385/U and UG-387/U	Cancelled Future Procurement Under MIL-F-3922/67, A
MS90051	Rev.B	Flanges, Waveguide, Contact, UG-533/U and UG-554/U	Cancelled, Use MIL-F-3922/58
MS90052	Rev.B	Flanges, Waveguide, Contact, UG-417A/U and UG-418A/U	Cancelled, Use MIL-F-3922/58
MS90053	Rev.B	Flanges, Waveguide, Contact UG-435A/U and UG-437A/U	Cancelled, Use MIL-F-3922/58
MS90054	Rev.D	Flanges, Waveguide, Choke, UG-596A/U and UG-598A/U	Cancelled, Use MIL-F-3922/59
MS90055	Rev.E	Flanges, Waveguide, Choke, UG-600A/U	Cancelled, Use MIL-F-3922/59
MS90056	Rev.B	Flanges, Waveguide, Cover, UG-595/U and UG-597/U	Cancelled, Use MIL-F-3922/54
MS90057	Rev.B	Flanges, Waveguide, Cover, UG-599/U	Cancelled, Use MIL-F-3922/54
MS90058	Rev.D	Flanges, Waveguide, Choke, UG-40B/U and UG-136B/U	Cancelled, Use MIL-F-3922/59
MS90059	Rev.B	Flanges, Waveguide, Cover, UG-39/U and UG-135/U	Cancelled, Use MIL-F-3922/53
MS90060	Rev.D	Flanges, Waveguide, Choke, UG-52B/U and UG-137B/U	Cancelled, Use MIL-F-3922/59
MS90061	Rev.B	Flanges, Waveguide, Cover, UG-51/U and UG-138/U	Cancelled, Use MIL-F-3922/53
MS90062	Rev.D	Flanges, Waveguide, Choke, UG-541/U	Cancelled, Use MIL-P-3922/59
MS90063	Rev.B	Flanges, Waveguide, Cover, UG-419/U	Cancelled, Use MIL-F-3922/53
MS90066		Gasket, Metal, Spring Finger MX-1106/U	Cancelled
MS90067		Gasket, Metal, Spring Finger MX-1107/C	Cancelled
MS90068		Gasket, Metal, Spring Finger, MX-1108/U	Cancelled
MS90069		Gasket, Metal, Spring Finger, MX-1109/U	Cancelled
MS90070		Gasket, Metal, Spring Finger, MX-1110/U	Cancelled
MS90071		Gasket, Metal, Spring Finger, MX-1111/U	Cancelled
MS90072		Gasket, Metal, Spring Finger, MX-1223/U	Cancelled
MS90073		Gasket, Metal, Spring Finger, MX-1230/U	Cancelled
MS90074		Gasket, Metal, Spring Finger, MX-1231/U	Cancelled
MS90075		Gasket, Metal, Spring Finger, MX-1232/U	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS90077	Rev.A	Fuses, Style F01	Cancelled, Use MIL-F-15160/1
MS90078	Rev.A	Fuses, Style F02	Cancelled, Use MIL-F-15160/02
MS90079	Rev.A	Fuses, Style F03	Cancelled, Use MIL-F-15160/03
MS90081	Rev.A	Fuses, Style F05	Cancelled, Use MIL-F-15160/05
MS90082	Rev.A	Fuses, Style F06	Cancelled, Use MIL-F-15160/06
MS90083	Rev.A	Fuses, Style F07	Cancelled, Use MIL-F-15160/07
MS90084		Fuses, Style F08	Cancelled, Use MIL-F-15160/08
MS90085	Rev.A	Fuses, Style F09	Cancelled, Use MIL-F-15160/09
MS90086	Rev.A	Fuses, Style F11	Cancelled, Use MIL-F-15160/11
MS90087	Rev.A	Fuses, Style F14	Cancelled, Use MIL-F-15160/14
MS90088	Rev.A	Fuses, Style F15	Cancelled, Use MIL-F-15160/15
MS90089	Rev.A	Fuses, Style F16	Cancelled, Use MIL-F-15160/16
MS90090	Rev.A	Fuses, Style F19	Cancelled, Use MIL-F-15160/19
MS90091	Rev.A	Fuses, Style F20	Cancelled, Use MIL-F-15160/20
MS90092	Rev.A	Fuses, Style F21	Cancelled
MS90093	Rev.A	Fuses, Style F22	Cancelled, Use MIL-F-15160/22
MS90094	Rev.A	Fuses, Style F27	Cancelled, Use MIL-F-15160/27
MS90095	Rev.A	Fuses, Style F28	Cancelled, Use MIL-F-15160/28
MS90096	Rev.A	Fuses, Style F29	Cancelled, Use MIL-F-15160/29
MS90097		Fuses, Style F30	Cancelled, Use MIL-F-15160/30
MS90098	Rev.A	Fuses, Style F36	Cancelled, Use MIL-F-15160/36
MS90099	Rev.A	Fuses, Style F37	Cancelled, Use MIL-F-15160/37
MS90100	Rev.A	Fuses, Style F38	Cancelled, Use MIL-F-15160/38

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS90101	Rev.A	Fuses, Style F39	Cancelled, Use MIL-F-15160/39
MS90102	Rev.A	Fuses, Style F40	Cancelled
MS90103	Rev.A	Fuses, Style F50	Cancelled, Use MIL-F-15160/50
MS90104	Rev.A	Fuses, Style F51	Cancelled, Use MIL-F-15160/51
MS90110	Rev.B	Battery, Storage, Lead-Acid, Portable, BB-256/U (Class 6V-SBM-100AH, Navy)	Cancelled, Use MIL-B-15072/5
MS90111	Rev.C	Battery, Storage, Lead-Acid Portable, BB-257/U (Class 6V-SBMD-130AH, Navy)	Cancelled, Use MIL-B-15072/6
MS90112	Rev.B	Battery, Storage, Lead-Acid, Portable, BB-258/U (Class 6V-SBM-200AH, Navy)	Cancelled, Use MIL-B-15072/7
MS90113	Rev.A	Fuses, Style F52	Cancelled, Use MIL-F-15160/52
MS90114	Rev.B	Battery, Storage, Lead-Acid, Portable, BB-259/U (Class 6V-SBM-300-AH, Navy)	Cancelled, Use MIL-B-15072/8
MS90115	Rev.A	Relay, Armature, Type RY1000A3	Cancelled, Use MIL-R-5757C
MS90125	Rev.B	Capacitors, Fixed, Ceramic-Dielectric (General Purpose), Style CK22 (Insulated)	Cancelled, Use MIL-C-11015/2
MS90126	Rev.B	Capacitors, Fixed, Ceramic-Dielectric (General Purpose) Style CK27 (Insulated)	Cancelled, Use MIL-C-11015/4
MS90127	Rev.B	Capacitors, Fixed, Ceramic-Dielectr (General Purpose), Style CK37 (Insulated)	Cancelled, Use MIL-C-11015/7
MS90132		Nut, Hex; Use with R. F. Coaxial Connectors	Cancelled
MS90136	Rev.A	Washer, Spring Tension; Series N Connectors	Cancelled Superseded by Navy Dwg Rea 10035
MS90139	Rev.B	Washer, Shouldered and Recessed; Series N Connectors	Cancelled Superseded by Navy Dwg Reb 10065
MS90140	Rev.A	Switch (Coaxial), Radio Frequency Transmission Line, Type SA-273/U; Manual Control (Rotary), 2 Positions, Series "N" Connectors	Cancelled, Use MIL-S-3928/2
MS90141		Switch (Coaxial) Radio Frequency Transmission Line Type SA-274/U Manual Control (Rotary), 4 Positions Series "N" Connectors	Cancelled, Use MIL-S-3928/3
MS90142	Rev.B	Switch (Coaxial), Radio Frequency Transmission Line, Type SA-275/U; Manual Control (Rotary), 6 Positions, Series "N" Connectors	Cancelled, Use MIL-S-3928/4

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS90156		Adapter	Cancelled, Use MIL-A-55339/3
MS90157	Rev.A	Nut, Coupling; Series N Connectors	Cancelled Superseded by Navy Dwg REB 10026
MS90158	Rev.B	Contact, Electrical; Series N Connectors	Cancelled Superseded by Navy Dwg REB 10016
MS90159		Adapter	Cancelled, Use MIL-A-55339/4
MS90160	Rev.B	Clamp, Electrical Cable; Series N Connectors	Cancelled Superseded By Navy Dwg REB 10031
MS90162	Rev.B	Insulator, Bushing; Series N Connectors	Cancelled Superseded by Navy Dwg REB 10022
MS90163	Rev.B	Contact, Electrical; Series N Connectors	Cancelled Superseded by Navy Dwg REB 10082
MS90164	Rev.A	Washer, Flat; Series N Connectors	Cancelled Superseded by Navy Dwg REB 10036
MS90166	Rev.B	Contact, Electrical; Series N Connectors	Cancelled Superseded by Navy Dwg REB 10006
MS90169	Rev.A	Resistors, Fixed Film (High Stability), Standards Resistance Values for 10 to 10 Decade	Superseded by MIL-R-10509/1
MS90170		Resistors, Fixed, Film (High Stability), Style RN10, 1/4 Watt	Cancelled
MS90171		Resistors, Fixed Film (High Stability), Style RN15, 1/2 Watt	Cancelled
MS90172		Resistors, Fixed, Film (High Stability), Style RN20, 1/2 Watt	Cancelled
MS90173		Resistors, Fixed Film (High Stability), Style RN25, 1 Watt	Cancelled
MS90174		Resistors, Fixed, Film (High Stability), Style RN30, 2 Watt	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS90194		Resistors, Fixed Composition (Insulated) Style RC30	Cancelled
MS90212	Rev.B	Meters, Electrical	Cancelled, Use MIL-M-17275/1 thru 4
MS90214	Rev.E	Connector, Plug	Cancelled, Use MIL-C-39012/15
MS90215		Bushing, Clamp; Part of R.F. Coaxial Connectors	Cancelled
MS90216		Insulator, Part of Series C Connectors	Cancelled
MS90217	Rev.A	Washer, Spring, Part of RF Coaxial Connectors	Delete
MS90218	Rev.B	Contact, Outer: Part of Series C Connectors	Cancelled
MS90219	Rev.D	Washers, Shouldered and Recessed; Part of RF Coaxial Connectors	Cancelled Superseded by Navy Dwg REB 10065
MS90222	Rev.B	Contact, Male, Series C Connectors	Cancelled
MS90224	Rev.B	Body, Male; Part of Series C Connectors	Cancelled
MS90225	Rev.D	Clamps, Electrical Cable; Part of RF Coaxial Connectors	Cancelled Superseded by Navy Dwg REB 10031
MS90226	Rev.B	Shell, Electrical Connector; Part of RF Coaxial Connectors	Cancelled Superseded by MS90554
MS90227	Rev.D	Connector, Receptacle	Cancelled, Use MIL-C-39012/9
MS90229		Insulator; Part of Series C Connector	Cancelled
MS90231	Rev.E	Connector, Plug	Cancelled, Use MIL-C-39012/9
MS90232		Flange; Part of Series C Connectors	Cancelled
MS90233	Rev.E	Connector, Plug	Cancelled, Use MIL-C-39012/6
MS90235	Rev.E	Washer, Brass, Holding; Part of RF Coaxial Connectors	Cancelled Superseded by Navy Dwg REB10038
MS90236	Rev.A	Insulator, Part of Series C Connectors	Cancelled
MS90237	Rev.D	Connector, Plug	Cancelled, Use MIL-C-39012/10
MS90238	Rev.A	Insulator; Part of Series C Connectors	Cancelled
MS90239	Rev.A	Contact, Part of Series C Connectors	Cancelled
MS90240	Rev.A	Body, Cube; Part of RF Coaxial Connectors	Cancelled
MS90241	Rev.A	Insulators; Part of Series C Connectors	Cancelled

Source: https://assist.dla.mil -- Downloaded: 20261O-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS90242	Rev.B	Washer, Copper, Holding; Part of RF Coaxial Connectors	Cancelled Superseded by Navy Dwg REB 10036
MS90243	Rev.B	Clamp Shell; Part of Series C Connectors	Cancelled
MS90244	Rev.D	Connector, Plug, Electrical, Series C, UG-711B/U	Cancelled Superseded by MIL-C-39012/16
MS90245	Rev.A	Body, Series C Connectors	Cancelled
MS90246	Rev.A	Insulator; Part of Series C Connectors	Cancelled
MS90247	Rev.D	Connector, Plug, Electrical, Series C, UG-708B/U	Cancelled Superseded by MIL-C-39012/6
MS90248	Rev.C	Connector, Receptacle, Electrical, Series C, UG-706A/U	Cancelled Superseded by MIL-C-39012/13
MS90249	Rev.B	Body; Part of Series C Connectors	Cancelled
MS90250		Insulator; Part of Series C Connectors	Cancelled
MS90251		Contact; Part of Series C Connectors	Cancelled
MS90252		Sleeve; Part of R.F. Coaxial Connectors	Cancelled
MS90256	Rev.A	Insulator, Bushing, Part of R. F. Coaxial Connectors	Cancelled
MS90257	Rev.A	Spring; Part of R.F. Coaxial Connectors	Cancelled
MS90259		Insulator	Cancelled
MS90262	Rev.A	Body, Series HN Connectors	Cancelled
MS90266	Rev.B	Adapter	Cancelled, Use MIL-A-5539/12
MS90267		Body; Part of Series C Connectors	Cancelled
MS90269		Contact; Part of Series C Connectors	Cancelled
MS90270		Insulator; Part of Series C Connectors	Cancelled
MS90271		Insulator; Part of Series C Connectors	Cancelled
MS90272		Terminal, Glass; Part of Series C Connectors	Cancelled
MS90273	Rev.C	Connector, Receptacle, Electrical Series C,	UG-705A/U by MIL-C-39012/1
MS90274		Terminal, Glass; Part of Series C Connectors	Cancelled
MS90275		Flange; Part of Series C Connectors	Cancelled
MS90276		Insulator; Part of Series C Connectors	Cancelled
MS90277	Rev.C	Armor Clamp MX-1286/u: For Use With RG-10/U Size RF Cables	Cancelled Superseded by MIL-C-39012/25
MS90282	Rev.C	Lampholder Bracket Mounting with Soldering Terminals, Styles LH18, LH20 and LH22	Cancelled
MS90283	Rev.A	Lampholders, Miniature, Bayonet Base, Bracket Mount, Styles 24 and 26	Cancelled, Use MIL-L-3661

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS90284	Rev.A	Lights, Indicator, Styles LH40 and LH41	Cancelled, Use MIL-L-3661
MS90285		Lights, Indicators, Style LH50	Use MIL-L-3661
MS90286		Lights, Indicator Style LH60, LH61 and LH63	Use MIL-L-3661
MS90287	Rev.D	Lights, Indicator, Miniature, Bayonet Base, Incandescent and Neon, Styles 62 and 64	Superseded by MIL-L-3661/7 MIL-L-3661/8, MIL-L-3661/9 MIL-L-3661/14, MIL-L-3661/15, MIL-L-3661/19, and MIL-L-3661/20
MS90288	Rev.C	Lights, Indicator, Miniature, Bayonet Base, Incandescent and Neon Dimmable, Styles 66 and 68	Cancelled
MS90289	Rev.B	Light, Indicator, Style LH70	Cancelled
MS90290		Lampholder, Style LH71	Cancelled, Use MIL-L-3661
MS90291		Lampholder, Style LH72	Cancelled, Use MIL-L-3661
MS90292	Rev.C	Connector, Receptacle, Electrical, Series N. UG-935C/U; and Connector and Connector, Plug, Electrical,	Cancelled, Superseded by MIL-C- Series N. /19, and MIL-L-3661/2
MS90293	Rev.E	Connector, Plug, Electrical, Series N. UG-941C/U	Cancelled, Superseded by MIL-C-39012/1 and MIL-C-39012/25
MS90294(AS)	Rev.D	Wire, Electric, Fluorocarbon-Insulated, TFE-Glass-Fep, Medium Weight, Silver-Coated Copper, 600 Volt	Cancelled
MS90300(AS)	Rev.A	Indicator, Oxygen Flow	Cancelled
MS90303(Weps)		Lampholders, Par 46 and Par 64, Aviation Lighting	Cancelled
MS90306(Weps)	Rev.A	Inductor, 28V DC, Laboratory Test	Cancelled, Use MIL-81023
MS90349	Rev.B	Batteries, Storage, Drone, Caseless Light Duty	Cancelled
MS90351(AS)	Rev.A	Circuit Breaker, Trip Free, Push-Pull, 3 Phase, 5 thru 50 AMP, Type One	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS90352(AS)	Rev.A	Converter, 120 Ampere, Aircraft for AN/AVQ-26 Carbon Arc Searchlight	Cancelled
MS90358(WP)	Rev.A	Receptacle, Fuel Nozzle Jumper Plug	Cancelled, Use MS90298
MS90361A		Circuit Breaker-aircraft, Trip-free Push-pull, 3-Phase, 5 thru 50 Amp Type 1	Cancelled
MS90364(AS)	Rev.B	Batteries, Storage, Tow Target, Caseless	Cancelled
MS90365		Batteries, Storage, Aircraft, Heavy Duty, 16 Ampere Hour, 24 Volt	Cancelled, Use MIL-B-81757/8
MS90368		Belt, Safety, Passenger Type	Cancelled
MS90372(AS)	Rev.A	Internal Thread Allowance Dimensions, Design Standard For	Cancelled
MS90377(AS)	Rev.J	Battery, Storage, Aircraft, Vibration Resisting, Heavy Duty, 16 Ampere Hour, 24 Volt	Cancelled
MS90378(AS)	Rev.E	Batteries, Storage, Aircraft, Two-Part, Pin-Connected	Cancelled
MS90381	Rev.A	Sling, Crewman's Rescue	Cancelled
MS90385		Coupling Assembly, Self Sealing, Quick Disconnect, Hydraulic (Water Based) Hydraulic Fluid)	Cancelled
MS90388(Navy)	Rev.A	Tool Kit, Contact, Crimp Type, Electrical Connector	Superseded by MIL-C-22520/15 (Navy)
MS90410		Indicators, Temperature Thermocouple	Cancelled
MS90411(AS)	Rev.C	Battery, Storage, Heavy Duty, 0.18 Ampere-Hour, 12.63 Volt, Portable Equipment	Cancelled
MS90413		Tool, Crimp, Hand, For MIL-T-7928 Insulated Terminals, 26-14	Cancelled, Use MIL-C-22520/5
MS90414	Rev.B	Gage, In-Service Inspection, for MS90413 Terminal Crimping Tool	Cancelled
MS90440(AS)A		Generator Alternating Current System Integrally Excited Brushless, Aircraft 10KVA A-4	Cancelled
MS90445	Rev.A	Meter, Time	Cancelled
MS90446		Wrenching Configuration, 12-Point, Design Standard For	Cancelled
MS90447(AS)	Rev.F	Battery, Storage, Aircraft, Heavy Duty, 6 Ampere-Hour, 22.74 Volt	Cancelled
MS90448(AS)	Rev.C	Batteries, Storage, Aircraft, 24 Volt, 10 Ampere-Hour, Medium Duty	Cancelled
MS90449(AS)	Rev.C	Battery, Storage, Aircraft, 24-Volt, 11 Ampere-Hour, Light Duty	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

SUPERSEDING

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS90453(Navy)		Contacts	Cancelled, Use MIL-C-39029/44
MS90454(Navy)		Contacts	Cancelled, Use MIL-C-39029/45
MS90455(Navy)		Installing Tool	Cancelled, Use MIL-I-81969/17
MS90456(Navy)		Removal Tool	Cancellec, Use MIL-I-81969
MS90458	Rev.C	Tool, Removal, Contact, Connector, Electric	Cancelled, Use MS3342 & MS3344
MS90459	Rev.C	Tool, Insertion, Contact, Connector, Electric	Cancelled, Use MS3312
MS90460(Navy)	Rev.E	Contacts, Socket, Electric, Crimp, Removable	Cancelled, Use MIL-C-39029/46
MS90461(Navy)		Contacts	Cancelled, Use MIL-C-39029/47
MS90462(AS)	Rev.A	Clock, Aircraft, Mechanical	Cancelled
MS90487		Tool, Crimp, Hand	Cancelled, Use MIL-C-22520/5
MS90488		Gage, In Service Inspection, For MS90487 Shielded Contact Crimping Tool	Cancelled
MS90490(AS)		Packaging System for Electrical Contact Bruch Assembly	Cancelled
MS90491(AS)	Rev.A	Case Assembly for use in AN/ALE-29A Chaff Dispenser	Cancelled
MS90492		Regulator Voltage, Direct Current Generator 28 Volts (Solid State O Plug in With Overvoltage Protection	Cancelled, Use MS18071
MS90493	Rev.A	Meter	Cancelled, Use MIL-M-7793/11
MS90529		Battery Dry, BA-1278/U	Cancelled
MS90533	Rev.B	Connector, Plug, Electrical, Series DNC, UG-1033 B/U	Cancelled Superseded by MIL-C-39012/16-0003
MS90544	Rev.A	Coils, Radiofrequency, Molded, Variable, Powdered Iron Core (Chassis MT'G) Types LT10V032 to LT10V062 Incl.	Cancelled, Use MS90543
MS90545	Rev.A	Coils, Radiofrequency, Molded, Variable, Ferrite Core (Chassis MT'G) Types LT10V063 to LT10V093, Incl	Cancelled, Use MS90546
MS90548	Rev.A	Inductor, Power, Type TF4RX04EA300	Cancelled
MS90549	Rev.A	Inductor, Power, Type TF4RX04HA301	Cancelled
MS90550	Rev.A	Inductor, Power, Type TF4RX04MA302	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS90551	Rev.A	Inductor, Power, Type TF4RX04AJ303	Cancelled
MS90552	Rev.A	Inductor, Power, Type TF4RX04FB304	Cancelled
MS90553	Rev.A	Transformer, Power, Step-Down and Step-Up Type TF4RX03HA305	Cancelled
MS90559	Rev.E	Contact, Electrical, Pin, Circuit Breaking Insertable (Class L)	Cancelled, Use MIL-C-39029/48
MS90560	Rev.E	Contact, Electrical, Socket, Circuit Breaking, Insertable (Class L)	Cancelled, Use MIL-C-39029/49
MS90562		Tool, Contact, Connector, Disassembly (Class L)	Cancelled, Use MIL-I-81969/27
MS90566		Insert Arrangements, Electrical Connector	Cancelled
MS90576		Adapter	Cancelled, Use MIL-A-55339/7
MS90704	Rev.A	Attenuator, Fixed (Coaxial-Line), CN-84/U	Cancelled, Use MIL-A-3933/5
MS90901	Rev.G	Battery, Storage, Lead-Acid Portable, DD-49 W-B-00131 (Type 1H1)	Cancelled
MS90905	Rev.B	Battery, Storage, Lead-Acid, Portable, BB-252/U (Class 6V-SBM-50AH, Navy)	Cancelled, Use MIL-B-15072/1
MS90906	Rev.B	Battery, Storage, Lead-Acid, Portable BB-253/U (Class 6V-SBMD-205AH, Navy)	Cancelled, Use MIL-B-15072/2
MS91102	Rev.A	Capacitor, Fixed, MICA-Dielectric, Button Style, Style CB11	Cancelled, Use MIL-C-10950/1
MS91103	Rev.A	Capacitor, Fixed, Mica-Dielectic Button Style, Style CB13	Cancelled, Use MIL-C-10950/1
MS91104	Rev.A	Capacitor, Fixed, Mica-Dielectric, Button Style, Style CB 13	Cancelled, Use MIL-C-10950/1
MS91105		Capacitor, Fixed, Mica-Dielectric, Button Style, Style CB21	Cancelled, Use MIL-C-10950/2
MS91108	Rev.A	Resistors, Fixed, Composition, Uninsulated, Style RZ-15, 1/4 watt	Cancelled, Use MIL-R-11
MS91164	Rev.C	Adapter, Battery Terminal	Cancelled Superseded by MS75004
MS91166	Rev.B	Connector, Plug, Electrical (Power, Two-Wire, Polarized, Twist Locking Type), Type UP102M	Cancelled Superseded by MIL-C-3767/2
MS91173	Rev.A	Capacitor, Feed Through, Radio-Interference Reduction, Paper Dielectric, AC and DC, (Hermetically Sealed in Metallic Cases), Style CZ42	Cancelled, Use MIL-C-11693/13
MS91174	Rev.A	Capacitors, Feed Through, Radio-Interference Reduction, Paper Dielectric, AC and DC (Hermetically Sealed in Metallic Cases) Style CZ24	Cancelled, Use MIL-C-11693/7

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS91175	Rev.A	Capacitors, Feed Through, Radio-Interference Reduction, Paper Dielectric, AV and DC (Hermetically Sealed in Metallic Cases) Style CZ23	Cancelled, Use MIL-C-11693/7
MS91184	Rev.A	Connector, Plug, Electrical (Power, Nonpolarized, Parallel-Bladed), Type UP120M	Cancelled Superseded by MIL-C-3767/3
MS91185		Connector, Plug, Electrical (Power, Three-Wire, Grounding Type), Type UP121M	Cancelled
MS91216	Rev.A	Capacitors, Fixed, Ceramic-Dielectric (General Purpose), Style CK21 (Insulated)	Cancelled, Use MIL-C-11015/1
MS91217	Rev.A	Capacitors, Fixed, Ceramic-Dielectric (General Purpose)	Cancelled, Use MIL-C-11015/3
MS91232	Rev.C	Shell, Male, Electrical Connector; Series N Connectors	Cancelled Superseded by Navy Dwg REB 10299
MS91231	Rev.C	Connector, Plug, Electrical, Series N, UG-18E/U	Cancelled Superseded by MIL-C-39012/1
MS91233	Rev.E	Connector, Receptacle, Electrical, Series N, UG-19E/U; and Connector, Plug, Electrical, Series N. UG-20E/U	Cancelled Superseded by MIL-C-39012/2
MS91234	Rev.B	Shell, Female, Electrical Connector, Series N Connectors	Cancelled Superseded by Navy Dwg Reb 10318
MS91235	Rev.A	Panel, Mounting; Series N Connectors	Cancelled Superseded by Navy Dwg REB 10054
MS91236	Rev.E	Connector, Plug, Electrical, Series N, UG-216/U	Cancelled Superseded by MIL-C-39012/1
MS91237	Rev.D	Connector, Receptacle, Electrical Series N, UG-22F/U, and Connector, Plug, Electrical, Series N, UG-23F/U	Cancelled Superseded by MIL-C-39012/2
MS91238	Rev.D	Connector, Plug, Electrical, Series N, UG-204D/U	Cancelled Superseded by MIL-C-39012/1
MS91239	Rev.D	Connector, Plug, Electrical, Series N, UG-167F/U	Cancelled Superseded by MIL-C-39012/1

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS91312	Rev.A	Battery, Storage, Lead-Acid, Portable, BB-55	Cancelled, Use MS35001
MS91313	Rev.A	Battery, Storage, Lead-Acid, Portable, DD-57 MS35001/9	Cancelled
MS91316	Rev.A	Battery, Storage, Lead-Acid, Portable, BB-221/U	Cancelled, Use MS35001
MS91317	Rev.A	Battery, Storage, Lead-Acid, Portable, BB-223/U	Cancelled, Use MS35001
MS91328		Battery, Storage	Cancelled, Use MS90901
MS91374		Resistors, Fixed, Composition, (Insulated) Standard	Cancelled, Use MIL-R-11
MS91407		Resistors, Fixed, Wirewound (Accurate), Style RB15	Cancelled
MS91408		Resistors, Fixed, Wirewound (Accurate), Style RB16	Cancelled
MS91409		Resistors, Fixed, Wirewound (Accurate), Style RB17	Cancelled
MS91410		Resistors, Fixed, Wirewound (Accurate), Style RB18	Cancelled
MS91411		Resistors, Fixed, Wirewound (Accurate), Style RB19	Cancelled
MS91412		Resistors, Fixed, Wirewound (Accurate), Style RB43	Cancelled
MS91413		Resistors, Fixed, Wirewound (Accurate), Style RB44	Cancelled
MS91414		Resistors, Fixed, Wirewound (Accurate), Style RB45	Cancelled
MS91418	Rev.C	Mounts, Vibration, Cup-Type, Classes A & B, Coarse Thread (For Use With Electronic Equipment In Aircraft)	Cancelled
MS91428		Resistors, Variable, (Wirewound, Power-Type) Style RP11, 12.5 Watts	Cancelled, Use MIL-R-22/4
MS91429		Resistors, Variable, (Wirewound, Power-Type) Style NP15, 50 watts	Cancelled, Use MIL-R-22/5
MS91430	Rev.A	Resistors, Variable, (Wirewound, Power-Type) Style RP16, 25 Watts	Cancelled, Use MIL-R-22/6
MS91431		Resistors, Variable, (Wirewound, Power-Type) Style RP20, 75 Watts	Cancelled, Use MIL-R-22/7
MS91432		Resistors, Variable, (Wirewound, Power-Type) Style RP 25. 100 Watts	Cancelled, Use MIL-R-22/8
MS91433		Resistors, Variable, (Wirewound, Power-Type) Style RP 30. 150 Watts	Cancelled, Use MIL-R-22/9
MS91434	Rev.A	Resistors, Variable (Wirewound, Power-Type), Style RP 35, 225 Watts	Cancelled, Use MIL-R-22/10

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
MS91435	Rev.B	Resistors, Variable (Wirewound, Power-Type), Style RP40, 300 Watts	Cancelled, Use MIL-R-22/11
MS91436	Rev.B	Resistors, Variable (Wirewound, Power-Type) Style RP 45, 500 Watts	Cancelled, Use MIL-R-22/12
MS91437	Rev.A	Resistors, Variable (Wirewound, Power-Type), Style RP 50, 750 Watts	Cancelled, Use MIL-R-22/13
MS91438	Rev.B	Resistors, Variable (Wirewound, Power-Type), Style RP 55, 1000 Watts	Cancelled, Use MIL-R-22/14
MS91597		Shell, Electrical Connector	Cancelled
MS91600		Nut, Tube Coupling	Cancelled
MS91601		Bushing, Electrical Conductor; Series LC Connectors	Cancelled, Use MIL-C-11693/13
MS91602	Rev.B	Contact, Electrical; Series LC Connectors	Cancelled
MS91603	Rev.A	Contact, Electrical; Series LC Connectors	Cancelled
MS91605		Bushing, Electrical Conductor; Series LC Connectors	Cancelled, Use MIL-C-11693/13
MS91606		Bushing, Electrical Conductor; Series LC Connectors	Cancelled, Use MIL-11693/13
MS91608	Rev.A	Gasket; Series LC Connectors	Cancelled, Use BuShips Drawing REB 1002
MS91609	Rev.A	Gasket, Series LC Connectors	Cancelled, Use BuShips Drawing REA 10019
MS91718	Rev.A	Couplers, Directional (Coaxial)	Cancelled, Use MIL-C-15370/1
MS91719	Rev.A	Couplers, Directional (Waveguide)	Cancelled, Use MIL-C-15370/2
MS91829		Resistors, Fixed, Film (Power Type), Standard Resistance Values for 10 to 100 Decade	Cancelled, Use MIL-R-11804
MS100009		Gasket-Type XX Engine Accessory Drive	Cancelled, Use MS9144
MS134351(ASG) thru MS134400(ASG)	Rev.B	Ball-Corrosion Resistant Steel, Pricision Grade	Superseded by MS9461(ASG)
MS150451(ASG) thru MS150500(ASG)		Ball Steel, Grade One	Cancelled, Use MS19059
MS500087	Rev.A	Bearing, Roller, Needle: Assembly (Thin Outer Race)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
C-B-191C	Beewax, Technical - Crude Grade	Cancelled
C-G-456	Glue; Casein-Type, Water Resistant	Superseded by MMM-A-125
C-G-496-2	Glue; Resin-Type, Liquid and Powder	Superseded by MMM-A-188
G-J-10	Jackets (Preservers), Photographic Negative, Paper	Superseded by G-E-550
J-C-98	Cable and Wire, Insulated: Methods of Sampling and Testing	Superseded by Fed Test Method STD 22B
J-C-138B	Cable and Wire, Power Electrical; Varnished-Clotn-Insulated, (0- to 5000- Volt Service)	Cancelled and Superseded by J-C-30
L-A-499	Allyl Plastic Sheets, Rods and Tubes	Cancelled
L-C-169-1	Cellulose Acetate Plastic Sheets	Superseded by L-P-504
L-E-210a	Ethyl Cellulose Molded Plastics	Cancelled-Use ASTM D287
L-F-330-2	Film, Photographic, Black and White, General Specification for	Cancelled-Future Proc. Under FED-STD-170
L-F-335A	Film, Photographic, Roll, Sheet and Pack, Black and White	Cancelled
L-F-00336A-2	Film, Photographic	Cancelled
L-F-1175	Film, Photographic, Sheet Black and White	Cancelled
L-M-191	Methacrylate Plastic Sheets, Rods, and Tubes	Superseded by L-P-391
L-M-500a	Molding Plastic, Methacylate	Cancelled and Superseded by L-P-380a
L-M-505-3	Molding Plastic, Cellulose Acetate	Cancelled and Superseded by L-P-397a
L-M-520-3	Molding Plastic, Polystyrene	Cancelled and Superseded by L-P-396
L-M-525	Molding Plastic, Polystyrene, Modified	Superseded by L-P-398 and L-P-399
L-M-530b	Molding Plastic, Polyvinyl Chloride Rigid	Cancelled and Superseded by L-P-1035
L-P-310	Phenolic Molded Plastics	Cancelled Superseded by L-P-1125

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
L-P-344	Plastic; Cellulose Acetate, Molded	Superseded by L-M-505
L-P-351-3 (Interim Ships)	Vinyl Chloride Polymer and Copolymer Rigid Sheets	Cancelled and Superseded by L-P-535a
L-P-365	Plastic; Cellulose Nitrate (Pyroxylin) Sheets, Rods and Tubes	Cancelled
L-P-401A-3	Plastic Molding Material, Urea-Formaldehyde	Cancelled
L-P-403	Plastic Molding Material, Polytetrafluoroethylene (TFE-Fluocarbon)	Cancelled Use ASTM-D1457
L-P-406B-1	Plastics, Organic; General Specification, Test Methods	Superseded by FED-TEST-Method STD-406
L-P-501	Plastic; Polyvinylidene Chloride (Saran), Molded	Cancelled and Superseded by L-P-1041
L-P-510a	Plastic Sheet, Polyvinylchloride, Rigid Heat Impact	Cancelled and Superseded by L-P-510b
L-P-515	Plastic Sheet; Polystryrene, Modified	Cancelled and Superseded by L-P-526a and L-P-527a
L-P-00518 (Navy-Aer)	Dimensionally Stable	Superseded by L-P-340
L-P-526a	Plastic Sheet, Styrene-Acrylonitrile	Cancelled
L-P-550b	Plastic Sheet, Vinyl Chloride, Cartographic	Superseded by L-P-535b
L-P-590-1	Plastic Compounds, Molding and Extrusion, Polystyrene	Cancelled and Superseded by L-P-390
L-P-1125	Plastic Molding Material Phenolic Resin	Cancelled Use ASTM D700 and MIL-M-14
L-P-001174 (GSA-FSS)	Plastic Sheet and Film Chlorotrifluoroethylene (CTFE) Copolymer, Extruded	Cancelled
L-P-1196-1	Plastic Sheet, Flexible, Reinforced	Cancelled
L-T-90	Tape, Pressure Sensitive Adhesive (Cellophane & Cellulose Acetate)	Cancelled Use A-A-113
L-T-99	Tape, Pressure Sensitive Adhesive Identification	Cancelled Use A-A-195

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
L-T-101-1	Tape, Shielding and Identification; Pressure-Sensitive	Cancelled and Superseded by L-T-90 and L-T-99
L-U-671	Urea Molded Plastics	Cancelled and Superseded by L-P-401a
L-V-345	Vinyl Chloride Polymer and Copolymer Rigid Molded Plastics	Superseded by L-M-530a
O-A-51F	Acetone, Technical	Cancelled
O-A-71	Acetic Acid; Glacial, Photographic (CH3COOH)	Superseded by O-C-275
O-A-86-1	Acid; Hydrochloric (Muriatic), Technical Grade	Superseded by O-H-765a
O-A-115-1	Acid, Sulfuric; Technical-Grade	Superseded by O-S-809a
O-A-393	Alcohol; Diacetone (Acetone-Free)	Superseded by O-D-306
O-A-396-1	Alcohol; Ethyl	Superseded by O-E-760
O-A-421a	Aluminum Potassium Sulfate, Photographic (Al2(SO4)-24	Superseded by O-C-275
O-A-439	p-Aminophenol Hydrochloride, Photographic (HOC6H4NH2 H Cl Kodelon)	Superseded by O-C-275
O-A-498B	Ammonium-Dichromate, For Photographic Use	Cancelled
O-A-505b	Ammonium Hydroxide, Photographic	Superseded by O-C-275
O-A-565A	Antimony Trichloride, Analyzed Reagent	Cancelled-Use O-C-265
O-B-191b	Benzotriazole, Photographic (C6H4MHN:N 1,2,3-Benzotraizole, Aximide, Aziminobenzene)	Superseded by O-C-275
O-B-581	Boric Acid, Photographic (H3BO3 Crystalline)	Superseded by O-C-275
O-C-136	Calcium Sulfate: Anhydrous (For Drying and Desiccating Purposes)	Superseded by O-D-210
O-C-286	Chlorhydroquinone, Photographic (C6H3(OH)2CH:2-CHLOR-1,4 Dihydroxybenzene, Adural,CH,Q)	Superseded by O-C-275
O-C-313	Chromium Potassium Sulfate, Photographic (Cr2K2(SO4)4-24H2O Chrome Alum)	Superseded by O-C-175
O-C-366b	Citric Acid Monohydrate, Photographic	Superseded by O-C-275

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
O-C-823	Cupric Sulfate, Photographic (CuSO4, 5H2) Copper Sulfate	Superseded by O-C-275
O-D-00234	Developer, Photographic, High Contracst	Cancelled
O-D-237	Developer, Photographic (Med)	Cancelled
O-D-238	Developer, Photographic, Film, Photomechanical	Cancelled
O-D-247A	Developer, Photographic, (Diazzo Sensitized Paper)	Cancelled
O-D-256C	Developer, Photographic, Power, For Photocopying-Machine Paper	Cancelled
O-D-266a-1	Developer, X-Ray Film Processing	Cancelled
O-D-316	2,4-Diaminophenol Hydrochloride, Photographic (HOC6H3(NH2)2. 2HCl Acrol, Amidol, Dianol)	Superseded by O-C-275
O-D-370	Dichlorodiphenyltrichloroethance(DDT)	Superseded by O-I-514
O-F-166b	Ferric Ammonium Oxalate; Trihydrate Technical Blueprint Processing	Cancelled
O-F-398	Fixer, Radiographic, Powder	Cancelled
O-H-886b	Hydroquinine, Photographic, (C6H4(OH)2: Para-Dihydroxybenzene	Superseded by O-C-275
O-H-921b	Para-Hydroxyphenylglycine, Photo-graphic (Parahydroxyphenyla-minoacetic Acid)	Superseded by O-C-275
O-I-509A	Insecticide, DDT, 2.0-Percent Solution	Cancelled
O-I-531	Insecticide, DDT	Cancelled
O-I-561	Insecticide, DDT	Cancelled
O-M-251b	5-Methylbenzotriazole, Photographic	Superseded by O-C-275
O-M-261-2	Methyl Bromide (Liquified)	Cancelled and Superseded by O-I-556b
O-M-571b	Mono-Methyl-Para-Aminiphenol Sulfate Photographic	Superseded by O-C-275
O-N-376	6-Nitrobenzimidozole Nitrate, Photographic (NO2C6H3NHCH:N-HNO3)	Superseded by O-C-275
O-P-16-1	Packaging of Photographic Dry Chemicals, General Specification for	Superseded by PPP-B-16a
O-P-191	Perchlorethylene (Tetrachlorethylene); Technical Grade	Cancelled and Superseded by O-T-236
O-P-295	Phenylenediamine Dihydrachloride, Photographic (C6H4(NH2)2.2HCl;1.4-Diaminobenzene Dihydrochloride	Superseded by O-C-275

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
O-P-313-1	Phosphoric Acid; Technical-Grade	Superseded by O-O-670
O-P-551a	Potassium Bromide, Photographic (KBr)	Superseded by O-C-275
O-P-552c	Potassium Carbonate Anhydrous, Photographic Grade	Superseded by O-C-275
O-P-554	Potassium Chloride, Photographic (KC)	Superseded by O-C-275
O-P-555b	Potassium Ferricyanide; For Photographic	Cancelled and Superseded by O-C-275
O-P-556	Potassium Dichromate, Photographic	Cancelled and Superseded by O-C-275
O-P-557	Potassium Hydroxide, Photographic (KOH, Caustic Potash)	Superseded by O-C-275
O-P-558	Potassium Iodine; (For) Photography	Superseded by O-C-275
O-P-559	Potassium Dichromate	Cancelled
O-P-562	Potassium Permangate, Photographic (KMNO4)	Superseded by O-C-275
[illegible]	(K2S208)	O-C-275
O-P-951	Pyricatechol, Photographic (C6H4(OH) 1,2) Dihydroxybenzene Ortho-Dihydroxybenzene Catechol, Pyrocatechin, Oxyphenic Acid)	Superseded by O-C-275
O-P-961	Pyrogalic Acid, Photographic, (C6H3OH) 3 1,2,3-Trihydroxybenzene, Pyrogallol, Pyro, Trioxybenzene	Superseded by O-C-275
O-S-00350b (GSA-FSS)	Silver Nitrate, For Photographic Use	Cancelled
O-S-573	Sodium Acetate, Anhydrous, Photographic (NaC2H2O2)	Superseded by O-C-275
O-S-580b	Sodium Carbonate, (Na2CO3) Anhydrous, Photographic	Superseded by O-C-275
O-S-581d	Sodium Carbonate, Monohydrate Photographic (Na2COsH2O)	Superseded by O-C-275
O-S-586	Sodium Chloride, Photographic (NaCl)	Superseded by O-C-275
O-S-603b	Sodium Hydroxide, (Caustic Soda) Photographic	Superseded by O-C-275
O-S-606c	Sodium Sulfite, Anhydrous, Photographic	Superseded by O-C-275

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
O-S-609	Sodium Sulfite, Photographic (Anhydrous Na2S04)	Superseded by O-C-275
O-S-613	Sodium Sulfide, Fused, Photographic	Cancelled
O-S-616c-1	Sodium Thiosulfate, Photographic	Superseded by O-C-275
O-S-629b	Sodium Metaborate, Octahydrate, Photographic	Superseded by O-C-275
O-S-661b	Sodium Borate Decahydrate, Photo-graphic (Na2B407,10H20)	Superseded by O-C-275
O-T-651	Trioxymethylene, Photographic (Ch20) Paraformaldehye; Paraform	Superseded by O-C-275
O-T-671a	Trisodium-Phosphate; Technical (Phosphate Cleaner)	Superseded by O-S-642
O-W-671a	Trisodium-Phosphate; Technical (Phosphate Cleaner)	Superseded by O-S-642
O-Z-361	Zinc Cyanide	Cancelled
P-C-576a-1	Compound, Grease Cleaning, Solvent-Emulsifying Tape	Cancelled and Superseded by P-C-444
P-C-00576b (Navy-Wep)	Cleaning Compound, Solvent, Grease Emulsifying	Cancelled
P-C-610a	Corrosion Removing Compound	Cancelled
P-S-641	Sodium Carbonate-Sodium Bicarbonate Mixture	Cancelled Use ASTM-D457
P-S-661b	Solvent, Dry-Cleaning	Cancelled
P-S-751	Steam Cleaning	Superseded by P-C-437
W-B-95-2	Battery Charging Equipment	Cancelled
W-B-101J	Battery, Dry	Cancelled
W-B-136a	Batteries, Storage (Lead-Acid, Industrial)	Cancelled
W-F-791E	Fuse, Plug (Gen Spec)	Cancelled
W-L-59A	Lamp, Incandescent (Automotive)	Cancelled
W-L-74A	Lamp, Incandescent (General Service)	Cancelled
W-L-77	Lamp, Incandescent	Cancelled
W-L-124A	Light, Vehicular	Cancelled
W-R-95-2	Battery Charging Equipment, Motor Generator, Conversionand Non-Con-version Type, (For Charging Industrial Storage Batteries)	Cancelled
W-R-125A	Receiver-Transmitter Radio (Portable Type)	Cancelled
W-R-130A	Receiver-Transmitter Radio (Mobile Station-Type)	Cancelled
W-R-170A-2	Recorder, Reproducer, Sound	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026t0-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	X-C-51a	Cap, Blasting, Electric and Non-Electric	Cancelled
	CC-M-641D	Motor, Alternating Current (Integral Horsepower, 200 HP and smaller)	Cancelled, Use CC-M-1807
	FF-B-195	Bearing, Sleeve, (Bronze, Plain or Flanged)	Cancelled
	FF-B-571a-1	Bolts; Nuts; Studs and Tap Rivets (and Material for Same)	Cancelled and Superseded by FF-B-575, FF-B-584D, FF-N-586, FF-S-1362
	FF-N-103c	Nails, Small and Tacks; Cut	Superseded by FF-N-105B and FF-T-1813
	DD-C-581a-1	Cover Glass: Lantern Slide, Photographic	Cancelled
	GG-C-116C	Camera, Still Picture, Press Type, 4 by 5 Inch	Cancelled
	GG-C-555a	Compasses; Gyro, Flux Gate	Cancelled
	GG-D-651	Dryers, Photographic Dessicant, for Sheet Films or Plates	Cancelled
	GG-G-631-1	Graduates, Glass, Corrosion-Resistant Steel and Porcelain-Enameled (For Photographic Use)	Cancelled and Superseded by NNN-G-680
	GG-H-100	Hangers, Photographic Film	Cancelled
	GG-H-941C	Hydrometer, Syringe, Battery	Cancelled
	GG-P-115	Parachute, Meteorological	Cancelled
	GG-P-450A	Plate, Photographic, Diapositive, Glass, Black and White	Cancelled
	GG-P-651-1	Printers	Cancelled
X	GG-P-661A-2	Projector, Still Picture, Overhead; Attachments and Accessories	Cancelled
	GG-P-666B-3	Projector, Motion Picture, Sound, 16mm	Cancelled
	GG-P-671C	Projector, Still Picture, Slide and Strip Film	Cancelled
	GG-S-172C-1	Screen, Projection, Portable, Spring Roller Mounted	Cancelled
	GG-S-619A	Splicers	Cancelled
	GG-T-95	Tanks, Photographic, X-Ray Processing	Cancelled
	GG-T-386	Time Recorders; Record Printing	Cancelled
	HH-C-168	Cement, Insulation, Thermal, Mineral-Wool	Cancelled
	HH-I-510D	Insulation Tape, Electrical Friction	Cancelled Use A-A-2094
	HH-I-536	Insulation Sheet, Electrical, Natural Muscovite Mica	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
HH-I-550a	Insulation, Sleeving, Thermal (Urethane)	Cancelled
HH-I-564	Insulation; Mineral-Wool, Black and Board (For Heated Surfaces)	Cancelled and Superseded by HH-I-558a
HH-I-578	Insulation, Pipe Covering and Block Thermal Vermiculite	Cancelled
HH-R-191A	Refractories, Fire-Clay, Plastic	Cancelled
KK-G-470	Gloves, Leather, Gauntlet, Linesmen's and Welder's	Superseded by KK-G-486
KK-L-162B-2	Leather, Cattlehide Chrome-Tanned for Gloves, Garment and Equipage	Cancelled Use KK-L-2004
KK-L-311a (Int 5)	Leather: Methods of Sampling and Testing	Cancelled Superseded by Fed. Test Method No. 311
NN-B-112	Barrels; Wood, Tight (For Liquids)	Superseded by PPP-B-112a
NN-B-591a-1	Boxes, Fiberboard, Wood-Cleated (For Domestic Shipment)	Superseded by PPP-B-591
NN-B-601b	Boxes, Wood-Cleated Plywood For Domestic Shipment	Superseded by PPP-B-601
NN-B-621b	Boxes, Wood, Nailed and Lock-Corner	Superseded by PPP-B-621
NN-B-631c	Boxes, Wood, Wirebound (For Domestic Shipment)	Superseded by PPP-B-585
NN-K-231E	Kegs, Wood, Slack	Cancelled
NN-P-515a	Plywood, Container Grade	Cancelled-Future Procurement Under NN-P-530
OO-F-440A	Flexible Shaft Machine, Electric (Buffing and Grinding Portable, Flood Stand)	Cancelled
QQ-A-200/12D	Aluminum Alloy Bar Rod, Shapes, Tube, and Wire, Extruded, 7070	Cancelled
QQ-A-200/17E	Aluminum Alloy 7070, Plate and Sheet	Cancelled
QQ-A-245	Aluminum and Aluminum Alloy Wrought Products, Tolerances for	Superseded by FED-STD-245
QQ-A-250/7E	Aluminum Alloy 5086, Plate and Sheet	Cancelled
QQ-A-250/17E	Aluminum Alloy 7079, Plate and Sheet	Cancelled
QQ-A-250/23A	Aluminum Alloy Alclad, One Side 7079 Sheet	Cancelled
QQ-A-250/27A	Aluminum Alloy 7011 or 7008 Alclad 7079, Plate and Sheet	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QQ-A-255a-1	Aluminum Alloy Plates and Sheet Alclad	Cancelled and Superseded by QQ-A-250b
QQ-A-261a	Aluminum Alloy, Bars, Rods, and Shapes Extruded 2014	Cancelled and Superseded by QQ-A-200a
QQ-A-266a	Aluminum Alloy Bars, Rods, Wire and Special Drawn, or Cold Finished, 2014	Cancelled and Superseded by QQ-A-225a
QQ-A-267a	Aluminum Alloy, Bars, Rods, and Shapes-Extruded, 2024	Cancelled and Superseded by QQ-A-200a
QQ-A-268a-1	Aluminum Alloy, Bars, Rods, and Wire Rolled or Drawn, or Cold Finished, 2024	Cancelled and Superseded by QQ-A-200a
QQ-A-270a-1	Aluminum Alloy, Bars, Rods, and Shapes; Extruded 6061 and 6062	Cancelled and Superseded by QQ-A-200a
QQ-A-277a-1	Aluminum Alloy, Bars, Rods, and Shapes; Extruded 7075	Cancelled and Superseded by QQ-A-200a
QQ-A-282a-1	Aluminum Alloy, Bars, Rods, Wire and Special Shapes, Rolled, Drawn, or Cold Finished, 7075	Cancelled and Superseded by QQ-A-225a
QQ-A-283a-1	Aluminum Alloy Plate and Sheet 7075	Cancelled and Superseded by QQ-A-250b
QQ-A-287b	Aluminum Alloy, Plate and Sheet, Alclad 7075 Drawn, or Cold Finished,5052	Cancelled and Superseded by QQ-A-250b
QQ-A-315b	Aluminum Alloy 53S Bars, Rods, and Wire (Rolled or Drawn) or Cold Finished, 5052	Cancelled and Superseded by QQ-A-225a
QQ-A-318c-2	Aluminum Alloy, Plate and Sheet 5052	Cancelled and Superseded by QQ-A-250b
QQ-A-325b	Aluminum Alloy Bars, Rods, Wire and Special Shapes or Cold Finished, 6061	Cancelled and Superseded by QQ-A-225a
QQ-A-327b-1	Aluminum Alloy Plate and Sheet 6061	Cancelled and Superseded by QQ-A-250b
QQ-A-351e	Aluminum Alloy Bars, Rods, and Wire (Rolled or Drawn or Cold Finished, 2017)	Cancelled and Superseded by QQ-A-225a

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QQ-A-355c-1	Aluminum Alloy Plate and Sheet 2024	Cancelled and Superseded by QQ-A-250b
QQ-A-356d	Aluminum Alloy Bars, Rods, and Wire, Rolled or Drawn, or Cold Finished, 3013	Cancelled and Superseded by QQ-A-225a
QQ-A-357a	Aluminum Alloy 3S Bars, Rods, and Shapes-Extruded 3003	Cancelled and Superseded by QQ-A-200a
QQ-A-359d	Aluminum Alloy 3S; Plates and Sheets 3003	Cancelled and Superseded by QQ-A-250b
QQ-A-362b-1	Aluminum Alloy Plate and Sheet, Alclad 2024	Cancelled and Superseded by QQ-A-250b
QQ-A-365c	Aluminum Alloy Bar, Rod, and Wire (Free Machining) 2011	Cancelled and Superseded by QQ-A-225a
QQ-A-411d	Aluminum Alloy 2S Bars, Rods, and Wire Drawn, or Cold Finished, 1100	Cancelled and Superseded by QQ-A-225a
QQ-A-451a-2	Aluminum; Ingots	Cancelled
QQ-A-561d	Aluminum Alloy 1100 Plate and Sheets	Cancelled and Superseded by QQ-A-250b
QQ-A-660	Anodes, Brass	Cancelled
QQ-A-696a	Anodic-Films; Corrosion-Protective, For Aluminum Alloys	Superseded by MIL-A-8625
QQ-B-591	Brass; Anodes	Cancelled and Superseded by QQ-A-660
QQ-B-611a-4	Brass, Commercial; Bars, Plates, Rods, Shapes, Sheets and Strips	Superseded by QQ-B-626 and QQ-B-663
QQ-B-621c	Brass Castings, Leaded Yellow	Cancelled and Superseded by QQ-C-390
QQ-B-636b	Brass Naval, Leaded and Non-Leaded Rods, Bars and Shapes	Superseded by QQ-N-35
QQ-B-638	Brass, Naval Leaded and Non-Leaded; Plate, Rolled	Superseded by QQ-N-30 and QQ-N-35
QQ-B-663	Bronze, Aluminum; Rods, Bars, Shapes, and Forgings	Superseded by QQ-A-630

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

instruction. All troubleshooting employs some variation of this

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QQ-B-666-4	Bronze, Aluminum; Bars, Plates, Rods, Shapes, Sheets and Strips	Superseded by QQ-B-663
QQ-B-667	Bronze, Aluminum; Plate, Rolled Bar, Sheet, and Strip	Superseded by QQ-A-620
QQ-B-671c	Bronze, Aluminum; Castings	Superseded by QQ-C-390
QQ-B-679	Bronze, Aluminum; Rod, Flat Products with Finished Edges (Flat Wire, Strip, and Bar Shapes, and Forgings)	Cancelled-Superseded by QQ-C-465
QQ-B-691b-1	Bronze; Castings	Superseded by QQ-L-225
QQ-B-701a-2	Bronze; Ingots	Superseded by QQ-C-525
QQ-B-721a-3	Bronze, Manganese; Bars, Forgings, Plates, Rods & Shapes	Superseded by QQ-M-80
QQ-B-726e	Bronze Castings, Manganese and Aluminum-Manganese	Superseded by QQ-C-390
QQ-B-731b-1	Bronze, Manganese, and Manganese-Aluminum; Ingots (For Remelting)	Superseded by QQ-C-523
QQ-B-746a-2	Bronze, Phosphor; Bars, Plates, Rods, Shapes, Sheets, and Strips	Superseded by QQ-P-330
QQ-B-825a	Bus, Bar, Copper, Aluminum or Aluminum Alloy	Cancelled
QQ-B-1005	Bronze Castings, Leaded Tin and High Leaded Tin	Cancelled-Superseded by QQ-C-390
QQ-C-61	Cadmium, Anodes	Superseded by QQ-A-671
QQ-C-493	Copper; Anodes	Superseded by QQ-A-673
QQ-C-504-2	Copper, Bus Bars (Including Bars, Rods, and Shapes)	Superseded by QQ-B-825a
QQ-C-593-1	Copper-Silicon-Alloy; Castings	Cancelled-Superseded by QQ-C-390
QQ-F-181a	Ferrosilicon	Cancelled QQ-F-145
QQ-I-666	Iron, Malleable, Ferritic, for Casting	Cancelled
QQ-I-716-3	Iron and Steel; Sheet, Zinc-Coated (Galvanized)	Superseded by QQ-S-775
QQ-L-201F	Lead Sheet	Cancelled
QQ-L-225	Lead Tin Bronze Castings and High Leaded Tin Bronze Castings	Cancelled Superseded by QQ-B-1005

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QQ-M-54	Magnesium Alloy (1.5 Manganese); Plate and Sheet	Cancelled Use QQ-M-44a
QQ-M-151a-4	Metals; General Specification for Inspection of	Superseded by FED. TEST METHOD-151
QQ-M-161a-1	Metal, Antifriction; Castings and Ingots	Superseded by QQ-T-390
QQ-N-30	Naval Brass; Plate, Rolled Bar, Sheet and Strip	Superseded by QQ-B-639
QQ-N-35	Naval Brass; Rods, Bars, Wire, Shapes and Forgings and Flat Products with Finishes Edges	Superseded by QQ-B-637
QQ-N-281a-1	Nickel-Copper-Alloy (Monel and R-Monel) Bars, Plates, Rods, Sheets, Strips Wire, Forgings, and Structural and Special Shaped Sections	Superseded by QQ-W-396
QQ-N-321-3	Nickel-Silver (German Silver); Bars, Plates, Rods, Shapes, Sheets and Strips	Superseded by QQ-C-585 and QQ-C-586
QQ-R-566	Rods and Electrodes, Welding, Aluminum and Aluminum Alloys	Cancelled, Use ANSI A5.10
QQ-S-561D-1	Solder, Silver	Canceled, Use QQ-B-654
QQ-S-624C	Steel Bar Alloy, Hot Rolled and Cold Finished, (General Purpose)	Cancelled, Use ASTM A304, A322/A331
QQ-S-631A	Steel, Bar, Carbon Hot Rolled, Special Quality	Cancelled, Use ASTM A576 & A675
QQ-S-633-2	Steel Bars, Carbon, Cold Finished and Hot Rolled, (General Purpose)	Cancelled Superseded by QQ-S-630, QQ-S-634 and QQ-S-637
QQ-S-634A-1	Steel, Bar, Carbon, Cold Finished, (Standard Quality)	Cancelled
QQ-S-636-2	Steel, Carbon (Low-Carbon) Sheets & Strip	Cancelled Superseded by QQ-S-698
QQ-S-637A	Steel Bar, Carbon, Cold Finish	Cancelled
QQ-S-682	Steel, Corrosion-Resisting-Clad Plates, Sheets, and Strips	Cancelled-Use ASTM-A-263, A-264, and A-265

Source: https://assist.dla.mil -- Downloaded: 202640-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QQ-S-685-5	Steel; Chrome-Molybdenum (4130) Plate, Sheet and Strip	Superseded by MIL-S-18729(ASG)
QQ-S-686-2	Steel; Chrome-Mulbdenum (X4135), Plate, Sheet and Strip	Superseded by MIL-S-18733(ASG)
QQ-S-689a-1	Steel; Nickel (2330) Bar and Rod	Cancelled
QQ-S-690-2	Steel; Nickel-Chromium (3140)	Cancelled
QQ-S-698	Steel, Sheet and Strip, Low Carbon	Cancelled
QQ-S-770a-1	Steel, Corrosion-Resisting (16CR-2INI)	Superseded by MIL-S-18732
QQ-S-777a-2	Steel, Carbon, Strip, Cold-Rolled, Untempered Spring	Cancelled-Future Procurement Under ASTM-A682 & ASTM-A684
QQ-S-790b-1	Steel Strapping, Round, (Bare and Zinc-Coated)	Cancelled-Superseded by QQ-S-781H
QQ-T-25-1	Tape, Electric Wire-Flexible Insulating Sleeving Marking Machine, (Foil, Wire Identification, Marking)	Cancelled-Use MIL-M-81594(AS) for Types I and III
QQ-T-191C	Terne Sheets (Long and Short Ternes)	Cancelled
QQ-T-830A-1	Tube, Steel, (Carbon Mechanical, Seamless and Welded)	Cancelled, Use ASTM A513, A519
QQ-W-336a-3	Wire; Copper, Hard-Drawn	Superseded by QQ-W-343
QQ-W-339-2	Wire; Copper, Medium-Hard-Drawn	Superseded by QQ-W-343
QQ-W-340	Wire, Copper-Nickel-Zinc Alloy	Superseded by QQ-W-321d
QQ-W-341a-2	Wire; Copper, Soft and Annealed	Superseded by QQ-W-343
QQ-W-396	Wire, Nickel-Copper-Alloy	Superseded by QQ-N-281a
QQ-W-401a	Wire, Round, Copper Alloy Number 510 (Phosphor-Bronze A): Spring	Cancelled
QQ-W-409a	Wire, Steel (Carbon), for Cold Heading and Cold Forging	Cancelled Superseded by QQ-W-405b
QQ-W-465a	Wire, Steel (Carbon); Hard-Drawn, Spring and Zinc-Coated High Strength	Cancelled and Superseded by QQ-W-428
QQ-W-474a	Wire; Steel (Carbon and Alloy), Spring, Oil-Tempered and Annealed	Cancelled & Superseded by QQ-W-412 and QQ-W-428

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QQ-Z-325C	Zinc Coating, Electrodeposited (Use ASTM B633)	Cancelled
RR-D-701-2	Drums; Metal, Types 5A, 5C and 5D (For Acids & Other Dangerous Articles)	Superseded by PPP-D-700
RR-D-726a-1	Drums; Steel, Type 5 (For Inflammable or Poisonous Liquids)	Superseded by PPP-D-729
RR-D-741a	Drums; Steel, Type 6c (For Inflammable Solids or Oxidizing Materials)	Cancelled
RR-D-760b	Drums; Steel, I.C.C. Types 17C and 17E 5-Gallon, Single-Trip-Container	Superseded by PPP-D-760
RR-D-729a-1	Drums; Steel, Type 5B (For Liquid Petroleum Products)	Superseded by PPP-D-729
RR-D-746	Drums; Steel, Type 6D (For Inflammable Solids or Oxidizing Materials), Single-Trip Container	Cancelled
RR-T-791-1	Tubing, Flexible, Aluminum Alloy	Cancelled, Use WW-T-816
SS-B-611A	Borax (Dosium Borate)	Cancelled Use SS-S-539
SS-C-614-2	Compound; Valve-Grinding	Superseded by SS-L-1682
SS-G-659a	Graphite, Dry Lubricating	Cancelled
TT-A-468a-1	Aluminum-Pigment; Powder and Paste, (For Paint)	Cancelled Superseded by TT-P-320a
TT-A-566b	Antimony-Oxide, Dry (Paint Pigment)	Cancelled Superseded by TT-P-325a
TT-C-80	Cadmium Red (Cadmium Lithopone) Dry Paint Pigment	Superseded by TT-P-341a
TT-C-120-1	Carbon-Black; Dry (Paint-Pigment)	Superseded by TT-P-343
TT-C-235-3	Chrome-Green; Pure, Dry (Paint-Pigment)	Cancelled
TT-C-290-3	Chrome-Yellow and Chrome-Orange;	Cancelled Superseded by
TT-C-595-2	Colors; (For) Ready-Mixed Paints	Superseded by FED STD-595
TT-C-610-1	Copper-Phthalocyanine-Blue; Dry (Paint-Pigment)	Cancelled-Superseded by TT-P-346b

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
TT-D-643D	Drier, Paint, Naphthenate Liquid	Cancelled, Use ASTM D-600
TT-E-508-4	Enamel; Interior, Semigloss, TINts and White	Cancelled
TT-G-00490A	Granules, Reflectorized	Cancelled
TT-I-545A	Ink, Marking, Quick-Drying, For Photographic Film	Cancelled
TT-I-558C	Ink, Marking Stencil, Opaque, For Nonporous Surfaces (Metals Glass, Etc)	Cancelled Use TT-I-564
TT-I-559B-2	Ink, Marking Stencil, Opaque, For Porous Surfaces (Wood Boxes, Fiber Cartons, Etc)	Cancelled, Use TT-I-1795
TT-I-677-1	Iron-Blue; Dry (Paint-Pigment)	Cancelled-Superseded by TT-P-385
TT-L-58-1	Lacquer; Spraying, Clear and Pigmented (General Use)	Delete No Bu Wep Interest
TT-L-70b	Lampblack; Dry (Paint-Pigment)	Cancelled Superseded by TT-P-350a
TT-L-201	Linseed Oil, Heat Polymerized	Cancelled
TT-M-90	Magnesium-Silicate; Dry (Paint-Pigment)	Cancelled
TT-M-268D	Methyl Isobutyl Ketone (For use in Organic Coatings)	Cancelled, Use ASTM D-1153
TT-O-364-2	Oil; Linseed, Boiled (For Use in Organic Coatings)	Superseded by TT-L-190a
TT-O-367	Oil; Linseed, Heat-Polymerized (Bodied), For Paint, Varnish, and Enamel	Superseded by TT-L-201
TT-O-369-2	Oil; Linseed, Raw (For Use in Organic Coatings)	Superseded by TT-L-215a
TT-O-388-1	Oil, Soybean, Refined (For Use in Organic Coatings)	Superseded by TT-S-600
TT-O-395-1	Oil; Tung (China-Wood), Raw (For Use in Organic Coatings)	Cancelled-Superseded by TT-T-775
TT-P-141b-1	Paint, Varnish, Lacquer, and Related Materials; Method of Inspection, Sampling and Testing	Superseded by Fed. Test Method STD-141

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
TT-P-143B-4	Paint, Varnish, Lacquer, and Related Materials: Packaging, Packing and Marking of	Cancelled, Use PPP-P-1892
TT-P-181-1	Paste; Masking (For Use in Painting)	Cancelled
TT-P-325A	Pigment, Antimony Oxide, Dry	Cancelled
TT-P-341A-1	Pigment, Cadmium Red, Dry	Cancelled
TT-P-343-2	Pigment, Carbon-Black, Dry	Cancelled
TT-P-345	Pigment, Chrome-Green	Cancelled
TT-P-355	Pigment	Cancelled
TT-P-375	Pigment, Indian Red	Cancelled
TT-P-385	Pigment	CAncelled
TT-P-410A	Pigment, Molybdate Orange	Cancelled, Use ASTM D2218
TT-P-435B	Pigment, Sienna, Raw and Burnt, Dry	Cancelled, Use ASTM D-765
TT-P-445	Pigment	Cancelled
TT-P-455	Pigment	Cancelled
TT-P-460	Pigment	Cancelled
TT-P-465	Pigment, Zinc (Zinc Chromate), Dry	Cancelled
TT-P-666b	Primer Coating, Zinc Yellow (Zinc Chromate, For Aluminum Surfaces	Superseded by TT-P-1757
TT-R-271C	Resin, Phenol & Formaldehyde	Cancelled
TT-R-771b	Rubbing Compound (Lacquer)	Cancelled
TT-S-271d	Shellac, Dry (Orange) and Other Lacs	Cancelled, use ASTM-D237
TT-T-256-7	Thinner; Cellulose-Nitrate-Dope- and Lacquer	Superseded by TT-T-266
TT-T-425a-1	Titanium-Dioxide; Dray (Paint-Pigment)	Cancelled Superseded by TT-P-442
TT-T-562-2	Toluidine-Red-Toner; Dry (Paint-Pigment)	Superseded by TT-P-445
TT-T-662B	Triphenyl Phosphate (For Use In Organic Coatings)	Cancelled
TT-T-775-2	Tung Oil, Raw (China Wood)	Cancelled
TT-T-806-1	Trupentine; Wood (Destructively-Distilled)(For use in Orgnaic Coating)	Cancelled Superseded by TT-T-801a
TT-W-570A-1	Wood-Preservative; Pentachlordphenol	Cancelled
TT-Y-216b	Yellow-Iron-Oxide; Hydrated, Synthetic, Dry (Paint Pigment)	Cancelled Superseded by TT-P-458a
TT-Z-291-2	Zinc-Dust (Metallic-Zinc-Powder); Dry (Paint Pigment)	Cancelled-Superseded by TT-P-400

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the currenversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
TT-Z-415-1	Zinc-Yello (Zinc Chromate); Dry (Paint Pigment)	Superseded by TT-P-465
UU-C-843	Cushioning Materials, Cellulosic	Superseded by PPP-C-843
UU-D-723	Drums, Fiberboard (Domestic Type)	Superseded by PPP-D-723
UU-P-271d	Paper; Wrapping, Waterproofed Kraft	Cancelled-Superseded by PPP-B-1055
UU-T-93	Tape, Pressure Sensitive Adhesive, Paper, Drafting	Cancelled
UU-T-00106B	Tape, Pressure-Sensitvie Ashesive, Marking, Paper	Cancelled, Use PPP-T-42
UU-T-116B	Tape, Paper, Gummed, Water-Resistant	Cancelled, Use PPP-E-76
UU-T-123	Tape, Pressure Sensitive Adhesive, Paper, Photographic	Cancelled Use A-A-1688
UU-T-431C	Tissue, Dry-Mounting, Photograpic	Cancelled
VV-B-136	Base; Oil, Cutting, Sulfur and Chlorine Containing	Cancelled
VV-G-800	Gum Preventive Compound, Gasoline	Cancelled
VV-L-791-1	Lubricants, Liquid Fuels, and Related Products; Method of Inspection Sampling and Testing	Method STD 791
VV-O-241a	Oil, Cutting, Mineral	Cancelled
VV-O-275	Oil; Cutting, Sulfurized-Fatty-Mineral	Superseded by VV-C-850
VV-P-121a	Paraffin Wax	Superseded by VV-W-95
WW-C-631	Coupling; Hose, Pneumatic and Spray (For Working Pressures Up to 150 Pound Per Square Inch)	Cancelled
WW-T-383C-1	Tube Aluminum Alloy, Round, Square, Rectangular, and Other Shapes Drawn Seamless, 1100	Superseded by WW-T-700b
WW-T-785b-1	Tubing, Aluminum-Alloy Round, Square, Rectangular and Other Shapes, Seamless Drawn 2024	Superseded by WW-T-700b
WW-T-787b-1	Tubing, Aluminum-Alloy Round, Square, Rectangular, and Other Shapes, Drawn, Seamless, 5052	Superseded by WW-T-700b
WW-T-788C-1	Tubing, Aluminum-Alloy Round, Square, and other Shapes, Seamless, Drawn	Superseded by WW-T-700b

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
WW-T-789b-1	Tube, Aluminum Alloy, Round, Square, Rectangular, and other Shapes, Drawn Seamless 6061 and 6062	Superseded by WW-T-700b
WW-T-790	Tubing Aluminum-Alloy (AL-53), (Aluminum-Magnesium-Silicon-Chromium); Round, Seamless	Cancelled
WW-T-797C	Tubes, Copper, Seamless	Cancelled, Use MIL-T-24107
WW-T-799a-1	Tubing, Copper, Seamless (For Use with Soldered or Flared-Fittings)	Superseded by WW-T-775a
WW-T-858-2	Tubing; Steel, Corrosion and Heat Resisting (18CR - 8NI) Round, Seamless	Superseded by MIL-T-8606(ASG)
ZZ-H-471a-3	Hose; Gasoline, Synthetic-Rubber, Wire-Stiffened	Cancelled
ZZ-L-151	Leaded-Rubber (Reontgen Qpaque)	Cancelled-Superseded by ZZ-R-755
ZZ-R-371	Rings; Parachute Vent, Molded Rubber	Cancelled
ZZ-R-601a	Rubber Goods; General Specifications (Methods of Phusical Tests and Chemical Analyses)	Superseded by FED. Test STD. No. 601
ZZ-R-00700 (Navy-Wep)	Rubber; Latex Foam Sponge	Cancelled-Future Procurement Under MIL-R-5001A (Navy-Wep)
CCC-A-700E-2	Artifical Leather, Cloth Coated, Vinyl Resin (Upholstery)	Cancelled
CCC-C-418	Cloth, Coated, Upholstery (Vinyl Resin Base)	Superseded by CCC-A-700b
CCC-D-771b	Duck; Cotton, Plied-Yarsn (Army, Numbered & Tent-Duck)	Superseded by CCC-C-419
CCC-T-191-4	Textiles; Test Methods	Cancelled Use Fed. Test Method Std. 191
CCC-O-721	Onsaburg; Cotton	Superseded by CCC-C-429
DDD-B-20-2	Bags, Cotton, Mailing	Superseded by PPP-B-20
DDD-C-431	Cloth; Photo-Mounting	Cancelled
DDD-C-471C	Cloth, Tracing Sensitized	
DDD-S-751-1	Stiches; Seams; and Stiching	Superseded by FED.STD.751
GGG-H-100-1	Hangers, Photographic Film	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202640-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
LLL-B-631c	Boxes; Fiber, Corrugated (For Domestic Shipment)	Superseded by PPP-B-636
LLL-B-636b-1	Boxes; Fiber, Solid (For Domestic Shipment)	Superseded by PPP-B-636
MMM-A-175	Adhesives; Methods of Testing	Superseded by Fed. Test Method Std. 175
PPP-B-30-1	Bags, Shipping, Cushioned	Superseded by PPP-S-30
PPP-B-41-2	Barrels; Wood, Slack	Cancelled, Use PPP-B-1806
PPP-B-112a	Barrels; Wood, Tight	Cancelled
PPP-B-575-1	Box, Paper-Overlaind Veneer (Strap around Type)	Cancelled
PPP-B-645	Boxes, Folding, Fiberboard, Heavy Duty	Cancelled
PPP-C-301A	Chemicals, Dry and Paste; Packaging and Packing of	Cancelled, Use PPP-C-2020
PPP-C-650	Crates, Wood, Open and Covered	Cancelled
PPP-D-700C	Drums, Shipping and Storage, Metal 55 Gallon	Cancelled, Use PPP-D-729
PPP-D-715	Drums, Fiber, With Recessed Ends	Cancelled
PPP-D-760-1	Drums and Pails, Metal (5 and 16.64 Gallon)	Superseded by Cancelled, Use PPP-D-704 and PPP-D-705
PPP-P-16C-1	Packaging and Photographic Dry and Liquid Chemicals, Gen Spec For	Cancelled
PPP-P-51c-3	Packaging, Packing and Marking of Textile Fabrics (Woolens, Worsted, Cottons, Silks and Synthetics)	Cancelled - Superseded by PPP-P-1132a, PPP-P-1133a, PPP-P-1134, PPP-P-1135 and PPP-P-1136a
PPP-P-123b1	Pail, Metal, with Polyethylene Liner	Superseded by PPP-C-1337A
PPP-T-45	Tape, Gummed, Paper Reinforced And Plain, For Sealing And Securing	Cancelled Use A-A-1492, A-A-1671 And A-A-1672
PPP-T-60	Tape, Packaging, Waterproof	Cancelled Use A-A-884, A-A-1586 And A-A-1830

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

The y axis is to starboard

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
PPP-T-66	Tape, Packaging, Vinyl Plastic Film	Cancelled Use A-A-1689
PPP-T-0075 (GSA-FSS)	Tape, Preservation and Sealing	Cancelled
PPP-T-76C	Tape, Pressure sensitive Adhesive, Vinyl Plastic Film	Cancelled, Use A-A-1683
PPP-T-97	Tape, Packaging/Industrial, Filament Reinforced	Cancelled Use A-A-1685, A-A-1686 And A-A-1687
PPP-T-1001	Tool Set TE-51 Packaging and Packing of	Cancelled
PPP-T-1002-1	Tool Kit, TE87-A, Packaging and Packing of	Cancelled
PPP-T-001470	Tool Equipment TE-73, Packaging, and Marking of	Cancelled
PPP-T-001471	Tool Equipment TE-49, Packaging, Packing, and Marking of	Cancelled
FED-STD-75C	Glossary Of Packaging Terms	Cancelled
FED-STD-No. 90	Rubbers; Synthetic; Specification Limits, Sampling and Testing	Cancelled
FED-STD-102	Preservation, Packaging and Packing Levels	Delete
FED-TEST METHOD STD, No. 147	Tape, Packaging, Adhesive and Gummed; Method of Inspections, Sampling, and Testing	Cancelled
FED-STD-156	Fitting For Conduit, Metal Rigid (Thick Wall And Thin Wall (EMT)	Cancelled
FED-STD-293	Tape, Pressure Sensitive Adhesive	Cancelled
FED-TEST-MTH-STD-No. 406	Plastics; Methods of Testing	Cancelled Use ASTM-D-568-74

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-C-71	Compound, Liquid Wax, Self Polishing, Waterproof (Aircraft)	Superseded by QPL-18723-1
QPL-C-120	Compound, Cleaning (For Aircraft Surfaces)	Cancelled
QPL-M-566	Markers, Dye, Life Vest	Cancelled
QPL-M-679	Circuit Breakers	Cancelled
QPL-M-717	Panels; Non-Metallic Support	Cancelled
QPL-U-1	Units, Fuel System	Cancelled
QPL-W-51	Matting, Walkway, Airplane	Cancelled
QPL-L-M-500-5	Molding Plastic Acrylic	Cancelled
QPL-L-M-525-4	Molding Plastic Polystrene	Cancelled
QPL-L-M-530-2	Molding Plastic Polyvinyl Chloride	Cancelled
QPL-L-P-349-1	Plastic, Compounds	Cancelled
QPL-L-P-510	Plastic, Sheet	Cancelled
QPL-L-P-590-10	Plastic, Compound	Cancelled
QPL-O-F-499-10	Flux, Low Melting	Cancelled
QPL-O-I-501-11	Inhibitors, Picking (For Use with Sulfuric Acid)	Cancelled
QPL-P-C-00576-7	Cleaning Compound	Cancelled
QPL-P-C-P-C-576-6-2	Cleaning Compound	Cancelled
QPL-P-S-751-6-1	Steam Cleaning Compound	Cancelled
QPL-W-B-101	Battery, Dry	Cancelled
QPL-W-B-131-6	Battery, Storage, Vehicular	Cancelled
QPL-GG-P-661-5	Projectors, Still Picture	Cancelled
QPL-HH-I-595-7	Insulation Tape, Electrical	Cancelled
QPL-00-P-801-2	Punches and Dies	Cancelled
QPL-QQ-T-25-3	Tape, Electrical (Foil, Marking)	Cancelled
QPL-TT-L-20-3	Lacquer, Camouflage	Cancelled
QPL-TT-L-32-1-3	Lacquer, Cellulose Nitrate	Cancelled
QPL-TT-P-666-8	Primer Coating Zinc Yellow	Cancelled
QPL-TT-P-1757	Primer Coating, Zinc Chromate, Low-moisture-sensitivity	Cancelled
QPL-GGG-W-290-8	Wheels, Abrasive, Snagging	Cancelled
QPL-PPP-B-640-4-3	Boxes, Fiberboard	Cancelled
QPL-PPP-T-60-8-9	Tape, Pressure Sensitive Adhesive, Waterproof for Packaging and Sealing	Cancelled
QPL-PPP-T-760-6	Tape, Pressure Sensitive Adhesive, Paper, Water Resistant	Cancelled
QPL-6-15	Meters, Electrical Indicating Panel Type	Cancelled
QPL-18-14	Batteries Dry	Cancelled
QPL-23-20	Switches, Toggle	Cancelled
QPL-28-42	Sockets, Electron Tube; and Accessories	Cancelled
QPL-49-1	Projection Equipment, Sound Motion Picture, 16MM	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-57-1	Switches, Vacuum	Cancelled
QPL-61-35	Shunts, Instrument External 50Millivolt (Light Weight Type)	Cancelled
QPL-63-9	Switches, Sensitive	Cancelled
QPL-66-7	Plywood; Flat-Panel	Cancelled
QPL-71-45	Connectors "N" for Radio Frequency Cables	Cancelled
QPL-76-14	Wire and Cable Hookup, Electrical, Insulated	Cancelled
QPL-77-3	Plastic Material, Thermosetting Cast; For Use in Electronic, Communications, and Allied Electrical Equipment	Cancelled
QPL-92-93	Capacitors, Variable, Air-Dielectric (Trimmer) General Spec for	Cancelled
QPL-95-3	Vibrators, Interrupter and Self-Rectifying	Cancelled
QPL-102-2	Coating Compound, Bituminous, Solvent Cutback, Box and Crate Topcoating	Cancelled
QPL-117-4-2	Packaging and Packing for Overseas Shipment Bags, Interior Packaging	Cancelled
QPL-127-5	Packaging and Packing for Overseas Shipment Tape, Adhesive, Pressure Sensitive, Water Resistant	Cancelled
QPL-00138-1/2	Adhesive; Metal to Wood, Structural	Cancelled
QPL-140-3-5	Adhesive, Water Resistant, Waterproof Barrier Material	Cancelled
QPL-173-25	Varnish, Moisture and Fungus Resistant for the Treatment of Communications Electronics and Associated Electrical Equipment	Cancelled
QPL-184-11	Resistors, Fixed, Wire-Wound (Low Power)	Cancelled
QPL-259-1	Screen, Projection	Cancelled
QPL-260-2	Screen, Projection, Folding (For Portable-Frame-Mounting)	Cancelled
QPL-261-5	Screen Projection (For Auditorium Frame Mounting)	Cancelled
QPL-266-15	Charges, Fire-Extinguisher (Foam, Mechanical) Type 5	Cancelled
QPL-287-1(Navy)	Wave-Guide-Assemblies, Flexible	Cancelled
QPL-397-13	Adhesive, Room Temperature and Intermediate Temperature Setting Resin (Phenol, Resorcinol and Melamine Base)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202640-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-432-18	Gaskets, Synthetic Rubber (For Fuel and Lubricant Containers and Accessories)	Cancelled
QPL-644-20-1	Lubricated Oil, Preservative, Special	Cancelled
QPL-899-3	Hose, Low Pressure, Fabric, Wire Stiffened Retractable	Cancelled
QPL-900-17	Rubber, Synthetic, Medium Soft, Molded, Sheet and Strip (For Watertight and Airtight Closures)	Cancelled
QPL-00906-6	Preservative, Wood, Oil Borne, For Ship and Boat Use	Cancelled
QPL-928-3	Adhesive; Metal to Wood, Structural	Cancelled
QPL-972-2	Compound, Rust Preventive, Thin Film (Polar Type)	Cancelled
QPL-974-1	Surfacer, Sanding	Cancelled
QPL-1137-13	Varnish, Electrical Insulating (For Electro-Motive Equipment)	Cancelled
QPL-1154-14	Adhesive, Vulcanized Synthetic Rubber to Metal and to Vulcanized Synthetic Rubber Bonding	Cancelled Future Procurement under MMM-A-121
QPL-1343-3	Tools, Nonsparking	Cancelled
QPL-2163-2	Dispensers (For Aerosol Insecticide)	Cancelled
QPL-2237-9	Insecticide-Concentrate, Liquid, Water Emulsifying (DDT-Non-Explosive Solvent Emulsifying Agent)	Cancelled Use O-I-558
QPL-2260-4	Insecticide Aerosol (Dichlorodifluoro-methane Solvent) in Dispensers or Charging Cylinders	Cancelled
QPL-2698-7	Helmets, and Shield (Hand Held) Welders	Cancelled
QPL-2785-1	Shark Repellant Compound Packet	Cancelled
QPL-2829-4	Packing Material, Joint-Sealing (Oil and Water Stop)	Cancelled
QPL-2923-1	Leather, Artificial, Fire Resistant (For Upholstery)	Cancelled
QPL-3034-3	Resin-Coating, Permanent (For Internal Engine Parts)	Cancelled
QPL-3036-7	Grommets-Elastic, Hot Oil and Coolant Resistant	Cancelled
QPL-3115-47-1	Plastic Sheet, Laminated, Thermosetting, Paper-Base, Phenolic Resin	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-3158-4	Insulation Tape, Electrical Glass Fiber (Resin Filled); and Cord, Fibrous Glass	Cancelled
QPL-3152-6-1	Cable, Ignition, High Tension	Cancelled
QPL-3199-3	Heaters, Vehicular Compartment 24VDC	Cancelled
QPL-3278-25	Grease; Aircraft and Instruments (For Low and High Temperatures)	Cancelled
QPL-3410-1	Plastic Material	Cancelled
QPL-3412-2	Plastic-Material, Molding; Rigid Ethyl Cellulose, (For use in Electronic Communications and Allied Electrical Equipment)	Cancelled
QPL-3413-1 (Navy)	Plastic-Material, Molding; Rigid Thermoplastic, Polystyrene; (For use in Electronic Communications and Allied Electrical Equipment)	Cancelled
QPL-3414-2	Plastic-Material, Molding; Rigid Thermoplastic Cellulose Acetate Butyrate; (For use in Electronic Communications and Allied Electrical Equipment)	Cancelled
QPL-3415-1	Plastic-Material, Molding; Rigid Thermoplastic Cellulose Acetate; (For use in Electronic Communications and Allied Electrical Equipment)	Cancelled
QPL-3416-1	Plastic-Material, Molding; Rigid Thermoplastic Acrylic (For use in Electronic Communications and Allied Electrical Equipment)	Cancelled
QPL-3503-21	Lubricating Oil, Preservative, Light	Cancelled
QPL-3533-9	Rubber, Synthetic: Sheet, Strip and Molded (For Torpedo Gaskets)	Cancelled
QPL-3545-24	Grease, Aircraft, High Temperature	Cancelled
QPL-3584-2	Resin, Synthetic, Plasticized (Elastomeric Vinyl Chloride)	Cancelled
QPL-3607-23	Connectors, Pulse, For Radio Frequency Cables	Cancelled
QPL-3608-4C	Connectors, "BNC" for Radio Frequency Cables	Cancelled
QPL-3643-20	Connectors, "HN" for Radio Frequency Cables	Cancelled
QPL-3644-1	Shaft Flexible Tuning	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202640-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-3655-2	Connectors, Twin, for Radio Frequency Cables	Cancelled
QPL-3716-8	Desiccants (Activated) For Dynamic Dehumidification	Cancelled
QPL-003743-13	Brushes, Electrical Contact	Cancelled
QPL-3743-27	Brushes, Electrical Contact: and Carbon Stock, Electrical Contact Brush	Cancelled
QPL-3800-2	Metallizing Outfits (Wire-Gas) Guns and Accessories	Cancelled
QPL-3871-8-2	Capacitors, Fixed, Electrolytic AC Dry Electrolytic, Non-Polarized	Cancelled
QPL-3910-1	Lubricant Pump; Bucket Type; Hand Operated (Capacity 25 Pounds)	Cancelled
QPL-003910-3	Lubricant Pump; Bucket Type; Hand Operated (Capacity 25 Pounds)	Cancelled
QPL-3918-3	Lubricating Oil, Instrument, Jewel Bearing, Nonspreading Low Temperature	Cancelled
QPL-3928-1	Switches, (Coaxial), Radio Frequency Transmission Line	Cancelled
QPL-3935-1	Marker, Self-Luminous	Cancelled
QPL-3959-6	Barrier Material for Moderately Water Vaporproof Interior Packaging Bags	Cancelled
QPL-4088-15	Webbing, Textile, Woven Nylon	Cancelled
QPL-4150-11-1	Case, Carrying and Storage	Cancelled
QPL-4180-6-1	Nozzle, Fuel and Oil Servicing	Cancelled
QPL-4461-4-1	Sealing Machines, Heat, Bench and Portable	Cancelled
QPL-4687-6	Tester, Capacitor Type, Fuel Quantity Gage Tank Unit Type MD-2	Cancelled
QPL-4722	Hose, Assembly, High Pressure, Breathing Oxygen	Cancelled
QPL-4810-5	Cylinder, Oxygen Purifer, Type MB-1	Cancelled
QPL-4921-13-3	Cable, Power, Electrical, Airport Lighting	Cancelled
QPL-4950-5	Transformer, Power, Isolating, Type MC-2	Cancelled
QPL-4971-2	Panel, Control, Transfer, Airfield Lighting, Type MB-1	Cancelled
QPL-5001-15	Rubber: Latex Foam Sponge	Cancelled
QPL-5003-3	Lamp Assembly; Floodlight, Tripod Mounted, Four 150 Watt Projector Lamps	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-005012-2	Life Raft, Inflatable, AR-4, For Aircraft Use	Cancelled
QPL-5012-5	Life Raft, Inflatable, AR-4 For Aircraft Use	Cancelled
QPL-5014-2	Tube, Inner, Aircraft, Pneumatic Tire	Cancelled
QPL-5016-1	Indicators; Temperature, Thermocouple Channel Alumel Dual, 0 to 1000°C	Cancelled
QPL-5019-2	Valve, Air Pressure Regulating, Turn and Slip Indicator, Type ME-1	Cancelled
QPL-5026-3	Cutout, Reverse Current, 24 Volt, DC System	Cancelled
QPL-005026(AS)-1	Cutout Relay, Differential Voltage and Reverse Current Cutout	Cancelled
QPL-5027-6	Valves; High Pressure Oxygen Check	Cancelled
QPL-5042-3	Terminals; Electrical, Crimp Type Copper	Cancelled
QPL-5044-7-1	Walkout, Coating and Matting, Nonslip, Aircraft	Cancelled
QPL-5047-2	Signals, Daytime Drift	Cancelled
QPL-5075-2	Indicators; Flowmeter, Fuel, Jet Aircraft	Cancelled
QPL-5076-2	Amplifier, Flowmeter, Fuel, Jet Aircraft	Cancelled
QPL-5077-1	Transmitter, Flowmeter, Fuel, Jet Aircraft	Cancelled
QPL-5079-2	Indicator; Pressure, Aircraft Alternating Current, Self-Synchronous, Magnet Rotor Remote	Cancelled
QPL-5080-5	Transmitter; Pressure, Aircraft, Alternating Current, Self-Synchronous, Magnet Rotor, Remote	Cancelled
QPL-5084-2	Indicator; Temperature, Thermocouple, Single, 0 to 1000°C (With Adjustable Limit Warning Light and Relay)	Cancelled
QPL-5085-6	Suits; Anti-Blackout	Cancelled
QPL-5086/2	Wire, Electric, 600 Volt, 105°C	Cancelled, Use QPL-5086 (Basic)
QPL-5086/3	Wire, Electric	Cancelled, Use QPL-5086 (Basic)
QPL-5086/4	Wire, Electric, 3000 Volt, 105°C	Cancelled, Use QPL-5086 (Basic)

Source: https://assist.dla.mil -- Downloaded: 20261O-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-5086/5	Wire, Electric	Cancelled, Use QPL-5086 (Basic)
QPL-5086/6	Wire, Electric, 600 Volt 100°C	Cancelled, Use QPL-5086 (Basic)
QPL-5086/7	Wire, Electric, 600 Volt 105°C	Cancelled, Use QPL-5086 (Basic)
QPL-5086/1-5	Wire, Electric, 600 Volt, Copper Aircraft	Cancelled, Use QPL-5086 (Basic)
QPL-5090-21	Adhesives, Heat Resistant, Airframe Structural, Metal to Metal	Cancelled
QPL-5092-21-2	Adhesive, Rubber Base, General Purpose	Cancelled
QPL-5098-1	Indicator; Rate of Climb	Cancelled
QPL-5099-10	Indicator, Cabin Air Pressure, 1 7/8 inch Dial, Type MA-1	Cancelled
QPL-5127-2	Plotter, Aircraft, Navigation, Type B-2	Cancelled
QPL-5170-10	Indicator, Position, Horizontal Stabilizer	Cancelled
QPL-5191-2	Computer and Transmitter, True Airspeed, Pilot Static, Type A-2	Cancelled
QPL-5216-2	Surge Chamber, Torque Pressure, Type A-1	Cancelled
QPL-5251-1	Jack, U-82/U	Cancelled
QPL-5335-4	Release; Parachute Rip Cord, Automatic Type F-1A	Cancelled
QPL-5388-7	Machmeter; Pilot Static Operated, Range .5 to 1.5, Type A-2A	Cancelled
QPL-5408-1	Light, Beacon, Flashing, Gas Operated, Type E-1	Cancelled
QPL 5410-22	Cleaning Compound, Aluminum Surface Non-flame-sustaining	Cancelled
QPL-5414-5	Computer, Air Navigation, Dead Reckoning, Type MB-4A and Type CPU-26A/P	Cancelled
QPL-5417-4	Indicator, Airspeed, Pilot Static, 40-400 Knots	Cancelled
QPL-5418-3	Indicator, Airspeed,Pitot Static Sensitive, 50-650 Knots	Cancelled
QPL-5420-6	Tubes, Pilot Static, Electrically Heated Aircraft	Cancelled
QPL-5421-10	Tubes, Pilot, Electrically Heated Aircraft	Cancelled
QPL-5427-2	Cabinet and Relay Assembly; Distribution	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-5431-2	Plastic, Phenolic, Graphite, Sheets, Rods, Tubes and Shapes	Cancelled
QPL-5432-3-1	Insulator; Vibration	Cancelled
QPL-5435-2	Cylinder, Oxygen, Low Pressure Portable A-6	Cancelled
QPL-5436-2	Cylinder, Oxygen, Low Pressure Type B-3	Cancelled
QPL-5437-4	Adapter, G-2 Compass	Cancelled
QPL-5442-6	Fittings, Push-Pull Engine Control, Quick Disconnect	Cancelled
QPL-5453-1	Pump; Fluid Metering, 2GPH, Type A	Cancelled
QPL-5454-1	Pump Assembly; 6GPH Fluid Meter-Ing, Type B	Cancelled
QPL-5456-2	Pumps; Engine Driven Air	Cancelled
QPL-5457	Separators; Air Pump Oil	Cancelled
QPL-5458-7	Sleeves; Spark Plug Terminal	Cancelled
QPL-5484-2	Heater; Aircraft, Combustion Type	Cancelled
QPL-5485-1	Glass; Laminated, Bullet Resistant Flat	Cancelled
QPL-5488-4	Indicator; Turn and Slip, 28V, DC 2 3/4 Size, Type MD-10	Cancelled
QPL-5489-4	Indicators; Turn and Slip, Air Driven	Cancelled
QPL-5491-	Bulb, Temperature, Cylinder Head Electrical Resistance	Cancelled
QPL-5492-2	Watches; Navigation Master	Cancelled
QPL-5493	Thermocouples, Engine Cylinder	Cancelled
QPL-5494-5	Thermocouples, Aircraft Engine Spark Plug Gasket Type DWG AN5540	Cancelled
QPL-5495-1	Bulbs, Electrical Resistance Type Thermometer (minus 70° to plus 150°C)	Cancelled
QPL-5499-1	Cores, Aircraft, High Pressure Air Valve	Cancelled
QPL-5500-1	Caps; Aircraft High Pressure Air Valves	Cancelled
QPL-5511-6	Hose; Aircraft Hydraulic Pneumatic, Fuel and Oil Resistance	Cancelled
QPL-5512-16	Hose Assemblies Aircraft Hydraulic and Pneumatic, High Pressure	Cancelled
QPL-5523	Valve, Safety Relief	Cancelled
QPL-5529-6	Valves; Hydraulic Directional Control	Cancelled
QPL-5531-5	Desalter Kit, Sea Water, Mark 2	Cancelled
QPL-5539-7	Cement; Natural Rubber	Cancelled
QPL-005540-1	Adehsive, Polychloroprene	Cancelled
QPL-5541-25-1	Chemical Films and Chemical Film Materials for Aluminum Alloys	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-5542-8	Thread Compound, Antiseize and Sealing Oxygen Systems	Cancelled
QPL-5543-9	Cleaning Compound, Washing Machine, Aircraft Metal Parts	Cancelled
QPL-5546-17	Compound; Engine Cleaning	Cancelled
QPL-5549-11	Dope; Cellulose-Acetate-Butyrate Clear for Aircraft Use	Cancelled
QPL-5550-4	Dope; Cellulose-Acetate-Butyrate Pigmented, Camoflauge	Cancelled
QPL-5551-4-6	Dope:Cellulose Acetate Butyrate Pigmented Gloss	Cancelled
QPL-5554-1	Dope; Cellulose Nitrate, Pigmented	Cancelled
QPL-5555-1-1	Dope; Cellulose, Nitrate, Pigmented Camoflauge	Cancelled
QPL-5556-12	Enamel, Camoflauge, Quick Drying	Cancelled
QPL-5557-9-5	Enamel; Heat Resisting, Clyceryl Phthalate, Black	Cancelled
QPL-5569-1	Wire; Insulated Antenna WS-5C/U	Superseded by QPL-6370-2
QPL-5573-3	Indicator, Techometer, Q 110 Percent RPM, 2-inch Size	Cancelled
QPL-5574-1	Thermostats; Aircraft; General Specification for	Cancelled
QPL-5581-4	Hose, Rubber, Anti-G Suit, Altitude Suit	Cancelled
QPL-5588-1	Frequency Changer; Rotating Type, (For Gorund Use) General Spec	Cancelled
QPL-5604-1	Compass, Magentic, Pilot's Standby Type MB-1	Cancelled
QPL-5605-4	Watch; Navigational Stop	Cancelled
QPL-5615-1	Filter; Tri-Color Approach Light	Cancelled
QPL-5622-7	Volt-Ammeter; Dual Pointer Direct Current	Cancelled
QPL-5627-3	Extinguisher; Rod End Plain, Airframe	Cancelled
QPL-5630-2	Lens and Cover, Drum Type Rotating Beacon, 24 Inch	Cancelled
QPL-5635-2	Vibrators, Aircraft Engine Starting	Cancelled
QPL-5636-7	Valves; Oil Cooler (Temperature Regulating with Surge Protection)	Cancelled
QPL-5650-2	Cord; Elastic, Exerciser	Cancelled
QPL-5651-5	Cord; Elastic; Shock Absorber (For Aircraft Application)	Cancelled
QPL-5664-9	Webbing, Elastic Cotton	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-5672-1	Gages, Fuel and Oil Quantity, Float Type Aurcraft	Cancelled
QPL-5680-2	Flowmeters; Fuel	Cancelled
QPL-5681-3	Indicator, Engine Synchroscope	Cancelled
QPL-5690-2	Tubes; Pilot Static, Unheated, Aircraft	Cancelled
QPL-5741-1	Indicator, Directional Gyroscope, Type G-50	Cancelled
QPL-5744-2	Trasmitter, Pressure, Manifold, Type L-3	Cancelled
QPL-5746-2	Amplifier, Single Chamber, Cylinder Head Temperature, Type A-10	Cancelled
QPL-5747-4	Indicator, Temperature Type B-2	Cancelled
QPL-5790-9	Transmitter, Pressure, Oil, 0-200 PSI	Cancelled
QPL-5804-5	Seat, Troop, Wall-Style, Cargo Aircraft	Cancelled
QPL-5808	Coverall, Flying, Anti-Eposure Quick Donning, Type QD-1	Cancelled
QPL-5845-6-1	Wire, Electrical, Iron, and Constantan, Thermocouple	Cancelled
QPL-5846-8	Wire, Electrical, Chromel and/or Alumel Thermocouple	Cancelled
QPL-5850-1	Distillation Kits, Sea Water, Solar	Cancelled
QPL-5877-3	Nozzle, Pressure Fuel Servicing Locking, Type C-1	Cancelled
QPL-5885-9	Accelerometer, Aircraft	Cancelled
QPL-5904-3	Light, Runaway Marker, Elevated Type C-1	Cancelled
QPL-5913	Transmitter, Rate of Flow, Synchro, Type J-5	Cancelled
QPL-5927-4	Conveyors, Roller, Gravity, Extraction Kit	Cancelled
QPL-6018-4	Regulator, Oxygen Diluter Demand	Cancelled
QPL-6019-9	Gage Pressure Dial Indicating Low Pressure Oxygen	Cancelled
QPL-6027-4	Generator; Tachometer, Two Pole Aircraft	Cancelled
QPL-6035-6	Gages, High Pressure Oxygen	Cancelled
QPL-6047-9	Lacquer, Aromatic Fuel Resistant	Cancelled
QPL-6060-4	Envelopes; Moisture Impervious (For Aircraft Engines)	Cancelled
QPL-6093	Varnish; Decalcomania Adhesive	Cancelled
QPL-6099-5	Generators and Regulators, AIR Cooled, A/C Aircraft, General Specification for	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-6104-2	Pilot; Automatic, Type I	Cancelled
QPL-6107-2	Fabric, Processed, Equipment Case	Cancelled
QPL-6111-2	Indicator; Electric Tachometer, Sensitive Type	Cancelled
QPL-6121-5	Tinging Paste, Zinc, Chromate Primer	Cancelled
QPL-6123-2	Valve; Static Pressure Selector	Cancelled
QPL-6125-3	Regulator, Oxygen Pressure, Type C-1	Cancelled
QPL-6126-2	Compass; Pilot's Card Type Magnetic	Cancelled
QPL-6128-2	Filter, Pneumatic, Vacuum Operated Instrument	Cancelled
QPL-6130-24	Rubber, Cellular, Chemically Blown	Cancelled
QPL-6131-8	Plugs; Dehydrator	Cancelled
QPL-6132-2	Compass, Astro	Cancelled
QPL-6135-5	Compound, Cleaing, Steam	Cancelled
QPL-6139-4	Floodlightl Incandescent Lamp, Alternating Current, 115 Volts, 150 Watts	Cancelled
QPL-6147-7	Battery Storage, Shielded, 24 Volt, 24 Ampere Hours	Cancelled Procurement Under MS18045 and MIL-B-8565
QPL-6148-7	Battery Storage, Shielded, 24 Volt, 36 Ampere Hours	Cancelled Procurement Under MS18045 and MIL-B-8565
QPL-006162(AS)-4-2	Generator, 30 Volt, Direct Current Aircraft Engine Driven	Cancelled
QPL-6183-11	Gaskets and Sheet Gasket Material; Synthetic Rubber and Cork Composition	Cancelled
QPL-6273-4	Light, Navigational, Beacon, Obstacle or Code, Type G-1	Cancelled
QPL-6329-1	Indicator, Tachometer Cranksahft Speed Non-Sensitive, 3-1/4 Inch Size	Cancelled
QPL-6350-2	Tester, Synthro Instruments, Field, Type C-1	Cancelled
QPL-6351-2-1	Regulator, Current, Constant, Runway Lighting 240V Primary	Cancelled
QPL-6363-9-1	Lamps, Incandescent, Aviation Service, General Requirements for	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-6365-3-1	Regulator, Constant Current, Runway Lighting 240V Primary 4KW, Type C-1	Cancelled
QPL-6370-5	Electrical Wire Insulated Antenna	Cancelled
QPL-6387-2	Lubricating Oil, Synthetic Base	Cancelled
QPL-6402-3-1	Regulator, Current, Constant, Taxiway Lighting, Type M-2	Cancelled
QPL-6454-1	Regulator, Voltage Type N-2	Cancelled
QPL-6470-3	Indicator, Tachometer, 0-110 Percent RPM, 3 1/4 Inch Size	Cancelled
QPL-6477-2	Lead, Electrical, Runway Lighting	Cancelled
QPL-6482-2	Mask, Oxygen, Pressure Breathing	Cancelled
QPL-6502-3	Flashlight, Battery Operated, 2 Batteries Type A-5A	Cancelled
QPL-6508-3	Thermometer, Slef Indicating Bimetallic	Cancelled
QPL-6567-7	Transmitter, Pressure, Fuel, Synchronous 0-35 PSI, Type E-1	Cancelled
QPL-6598	Transmitter, Rate of Flow, Fuel, Synchro Style, Type J-6A	Cancelled
QPL-6607-3	Valve, Oxygen Pressure Reduction	Cancelled
QPL-6614-7	Indicator, Temperature, Electrical Resistance, Heating Duct	Cancelled
QPL-6615-18-1	Hose, Rubber, Gasoline with Reuseable Coupling, Low Temperature	Cancelled
QPL-6617-2	Light, Traffic, Aircraft, Type B-2	Cancelled
QPL-6618	Valve, Stop Check, Purge, Manifold Pressure Gage Line	Cancelled
QPL-6650-5	Converter, Liquid to Gaseous Oxygen Aircraft, Type A-2	Cancelled
QPL-6669-4	Indicator, Temperature, Electrical Resistance, Multi-Function, 70° to 150°C	Cancelled
QPL-6681-1	Indicator, Temperature, Electrical Resistant, Cylinder Head, 0 to 300°C	Cancelled
QPL-6708-4	Compound; Exterior-Surface, Hard Film Corrosion Preventative	Cancelled
QPL-6725-1	Lamps; Wing, Position Lights	Cancelled
QPL-6741-6	Battery, 24 Volt, 11 Ampere Hour Shielded Storage	Cancelled Procurement Under MS90448 and MIL-R-8565

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-6742-4	Relays, Aircraft, 115/200 Volts AC or 120 Volts DC, Gen Spec for	Cancelled Future Procurement QPL-6106
QPL-6743-12	Switches, Sensitive and Push, Snap Action Actuators and Enclosures	Cancelled
QPL-6744-9	Switch, Assembled and Actuators, Push Button and Limit	Cancelled
QPL-6745-11	Switches; Aircraft Toggle	Cancelled
QPL-6746-3	Switches, Rotary, Shielded, Aircraft Ignition	Cancelled
QPL-6747-2	Gaskets; Aircraft Lighting Equipment	Cancelled
QPL-6749-6	Rheostats, Aircraft Power	Cancelled
QPL-6750-2	Tips, Toggle Lever Luminescent	Cancelled
QPL-6751-2	Jack, Tip, Voltmeter Test	Cancelled
QPL-6752-14-3	Ammeters, Voltmeters and Loadmeters	Cancelled
QPL-6770-4	Luminescent Material, Fluorescent Radio Active	Cancelled
QPL-006799-2	Coating, Strippable, Protective, for Acrylic Plastic Sheets	Cancelled
QPL-006805-2	Lacquer, Camoflauge	Cancelled
QPL-6805-8	Lacquer, Camoflauge	Superseded by TT-L-20
QPL-6806-6	Lacquer; Clear, Aluminum Clad Aluminum Alloy Surfaces	Cancelled
QPL-6809-6	Regulator, Voltage, 30 Volt, Direct Current Generator, General Specification for	Cancelled
QPL-6810-3	Compound; Brightener (For Copper Oil Coolers)	Cancelled
QPL-6818-17	Clamp, Mounting, Aircraft Instrument	Cancelled
QPL-6819-2	Cloth, Laminated and Tape, Coated Cloth Natural Rubber on Cotton, Pneumatic Floatation Equipment	Cancelled
QPL-6836-8	Bazel, Mounting, 2 Inch Size Instrument	Cancelled
QPL-6841-7	Tape, Adhesive, Rubber and Cork Composition	Cancelled
QPL-6843-9	Electrode, Welding, Covered, Mild and Alloy Steel (For Aircraft Applications)	Cancelled
QPL-6844-3	Electrodes, Welding, Corrosion and Heat Resistant Alloys	Cancelled
QPL-6848-2	Accelerometer; Aircraft	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-6852-2	Splices, Electrical Disconnect	Cancelled
QPL-6863-4	Altimeters; Pressure, 30,000 Foot	Cancelled
QPL-6869-20	Impregnants for Aluminum Alloy and Magnesium Alloy Castings	Cancelled
QPL-006882-1	Rain Repellant Kit, Glass Window and Windshield	Cancelled
QPL-6883-3	Paint; Blended Type, Coal Tar Pitch Base, Bituminous	Cancelled
QPL-6886-3	Plastic, Acrylic Sheet	Cancelled
QPL-6887-3	Plastci; Cellulose-Acetate-Base Sheet	Cancelled
QPL-6888-16	Polish, Metal, Aluminum Aircraft	Cancelled
QPL-6889-9	Primer, Zinc Chromate, For Aircraft Use	Cancelled
QPL-6893-2	Varnish, Phenol-Formaldehyde Spar	Cancelled
QPL-6894-9-4	Varnish, Oil Type, Gloss Finish Glycerol Phthalate Base	Cancelled
QPL-6903-3	Ink, Marking (For Parachutes and Other Textile Items)	Cancelled
QPL-6904-5	Signals, Emergency Warning	Cancelled
QPL-6939-4	Flux Aluminum and Aluminum Alloy Gas Welding	Cancelled
QPL-6943-3	Flux, Magnesium Alloy Welding	Cancelled
QPL-6990-1	Webbing, Elastic, Nylon	Cancelled
QPL-7019-2	Indicator, Manual Discharge of Fire Extinguishing Systems, Pressure Operated	Cancelled
QPL-7021-9	Asbestos Sheet, Compressed, For Fuel Lubricant, Coolant Water and High Temperature Resistant Gaskets	Cancelled
QPL-7025-6	Tube Assembly, Oxygen Breathing and Radio	Cancelled
QPL-7041-1	Enlargers, Autofocus, 4 by 5 Inch	Cancelled
QPL-7047-2	Clock, Aircraft, Mechanical 1 7/8 inch Dial Elapsed Time	Cancelled
QPL-7053-1	Value, Oxygen Mask Exhilation, Pressure Compensating	Cancelled
QPL-7064-9	Indicator	Cancelled
QPL-7066-9	Indicator	Cancelled
QPL-7067-10	Indicator, Position, Flaps, 0-60 Degrees Marking, Zinch Size	Cancelled
QPL-7074-6	Indicator, Temperature, Thermocouple Multifunction, -50° to +300°C, Zinch Size	Cancelled
QPL-7076-4	Indicator, Temperature, Thermocouple, Engine Exhaust, 0° to 1000°C	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-7078-11	Cable, Power Electrical, Copper Shielded, Aircraft, 600 Volt	Cancelled
QPL-7079-2	Circuit Breaker, Non-Trip Free	Cancelled
QPL-7082-6	Light, Runway Marker, Elevated,Type M-1	Cancelled
QPL-7083-2	Hydraulic Fluid, Nonflammable, Aircraft, Hydrotube	Cancelled
QPL-7096-1	Leakage Test Kit, Oxygen Mask and Regulator	Cancelled
QPL-007099-4	Terminals; Lug and Splice, Crimp Style Aluminum, for Aluminum Aircraft Wire	Cancelled
QPL-7101/1-2	Transmission, Power, Constant Speed 60/25 KW A-7A Aircraft	Cancelled
QPL-7106-2	Drift Meter, Electrically Driven, Gyro Stabilized	Cancelled
QPL-7113-7	Transmitter, Pressure, Hydraulic, 0-4,000 PSI	Cancelled
QPL-7118	Grease; Aircraft Gear and Actuator Screw for Low and High Temperature	Cancelled
QPL-007118-4	Grease; Aircraft and Instrument, Gear and Actuator Screw	Cancelled
QPL-7119-3	Indicators; Electrical Tachometer	Cancelled
QPL-7122-4	Compound, Grease, Cleaning Solvent Emulsion Type	Cancelled
QPL-7126-7	Sealing Compounds, Synthetic Glass	Cancelled
QPL-7132-4	Indicator, Position, Nose Wheel Steering	Cancelled
QPL-7138-13	Hose Assembly, Oxygen Breathing Connector to Regular	Superseded by QPL-81581/5-1
QPL-7139-12-2	Wire, Electrical, Insulated, Copper 600 Volt, 400°F	Cancelled
QPL-7139-18	Wire, Electric, Polytetrafluoroethylene Copper, 600 Volt, Insulated	Cancelled
QPL-7156-4	Batteries, High Capacity, Special Single Discharge, Aircraft	Cancelled
QPL-7158-2	Light, Beacon, Rotating, 24 Inch	Cancelled
QPL-7170-2	Gage, Pressure, Manifold, Direct Indicating 2 Inch Size, 10-75 Inch Mercury	Cancelled
QPL-7177-1	Cabinets and Relay Assembly, Runway Selector	Cancelled
QPL-7178-11	Lacquer: Cellulose Nitrate, Gloss For Aircraft Use	Cancelled
QPL-7184-1	Shaft, Tachometer, Flexible Drive	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-7187-8	Grease, Graphite, Aircraft Lubricating	Cancelled
QPL-7194-1	Filters, Engine Charge Air	Cancelled
QPL-7244-6	Cap and Adapter Unit, Tank Filler	Cancelled
QPL-7280-6	Amplifier, Electronic, Control, One Signal Channel, Type A-13, Aircraft	Cancelled
QPL-7284-1	Nozzle, Oil Servicing, Pistol Grip, Non-Drip, Type A-2	Cancelled
QPL-7304-8	Indicator, Pressure, Torque, Sensitive Type A-9	Cancelled
QPL-7326-1	Flashlight, Type A-6B	Cancelled
QPL-7356-1	Indicator, True Airspeed, Pilot Static Type M-4	Cancelled
QPL-7374	Valve, Shut-off, Oil	Cancelled
QPL-7388-1	Pump, Fuel Transfer, Hand Operated, Type D-16A	Cancelled
QPL-7421-7	Grease; Aircraft and Instrument Extreme Low Temperature	Cancelled
QPL-7438-8-1	Core Material, Aluminum, For Sandwich Construction	Cancelled
QPL-7444-17a-1	Insulation Sleeving, Electric, Flexible	Cancelled
QPL-7477-2	Transmitter, Rate of Flow, Fuel Synchro Individual and Totalizing	Cancelled
QPL-7491-2	Indicator, Rate of Flow, Fuel Totalizing, Servo Style, Type F-1	Cancelled
QPL-7502-14	Sealing Compound, Integral Fuel Tanks and Fuel Cell Cavities High Adhesion, Accelerator Required	Cancelled
QPL-7507	Machmeter, Pilot Static, Range 3 to 1.0, Type A-1	Cancelled
QPL-7575-11	Resin, Polyester, Low Pressure Laminating	Cancelled
QPL-7591-1	Light, Marker, Emergency, Airfield, Dry Battery Operated, Type MA-2	Cancelled
QPL-7627-4	Indicator, Turn and Slip, 28V DC 1-7/8 Inch Dial	Cancelled
QPL-7641-7	Transformer, Power, Airport Series, Lighting 6.6/6, 6 Amperes	Cancelled
QPL-7643-1-1	Regulator, Current, Runway Lighting, 120 Volt 2 1/4 KW	Cancelled
QPL-7711-21	Grease, Aircraft, General Purpose	Cancelled
QPL-7728-3	Regulator, Current, Constant Runway Lighting 2,400 Volts 15KW	Cancelled
QPL-7729-9	Enamel, Gloss, For Aircraft Application	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-7735-2	Junction Boxes; Power (P-1 Automatic Pilot)	Cancelled
QPL-7748-14-2	Transmitters, Pressure Synchro, Aircraft 320° Movement, High Temperature, General Purpose	Cancelled
QPL-7749-4	Indicator, Temperature, Electrical Resistant, Multifunction, -70°C to -150°C, Single	Cancelled
QPL-7753-5	Cleaning Compound, Engine, Sprayable	Cancelled
QPL-7763-1	Clamp, Strap Type, Electric Wire	Cancelled
QPL-7768-6	Light, Bracket, Work Table	Cancelled
QPL-7773-2	Joints, Oxygen Swivel, Low Pressure	Cancelled
QPL-7780-10	Starters, Electric, Constant Current, DC	Cancelled
QPL-7782-2	Wheels, Aircraft, Tail (Solid Rubber Tire)	Cancelled
QPL-7783-1	Indicator, Angle of Attack	Cancelled
QPL-7784-1	Relay Assembly, Angle of Attack Indicator	Cancelled
QPL-7785-4	Transmitter, Angle of Attack or Yaw, Local	Cancelled
QPL-007788-11-1	Plates, Information, Integrally Illuminated	Cancelled
QPL-7795-1	Panels, Airport Lighting Controls	Cancelled
QPL-7798-26	Insulation Tape, Electrical, Pressure Sensitive Adhesive, Plastic	Cancelled
QPL-7800-7	Coverall, Flying, Anti-Exposure, Continuous Wear, MK4	Cancelled
QPL-7805-5	Indicator, Turn and Slip, 4 Minute Turn	Cancelled
QPL-7812-2	Cloth, Nylon, Ballistic	Cancelled
QPL-7817-5	Gage, Fuel, Quantity, Capacitors Type, Uncompensated, General Specification for	Cancelled
QPL-7818-4	Gage , Fuel Quantity, Capacitor Type, Compensated, General Specification for	Cancelled
QPL-7827-1	Switch; Clutch (P-1 Automatic Pilot)	Cancelled
QPL-7830-2	Light, Navigational, Boundary and Obstruction Markers	Cancelled
QPL-7833-4	Indicator, Airspeed and Mach Number, Pitot Static	Cancelled
QPL-7848	Starter, Engine, Air Turbine Type, Gen. Spec. for	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-7850-1-1	Dope; Cellulose-Acetate-Butyrate, First Coat, Fungicidal	Cancelled
QPL-7853-2	Compound; Corrosion-Preventive, Aircraft Engine	Cancelled
QPL-7872-5	Detecting System, Fire, Continuous Type D-1	Cancelled
QPL-7877-1	Seats; Passenger, Cabin Folding	Cancelled
QPL-7884-4	Indicator, Temperature Thermocouple	Cancelled
QPL-7886/1-2	Spark Plug, Shielded, Aircraft Reciprocating Engine Model AI/R3350A	Cancelled
QPL-7886/2	Spark Plug	Cancelled
QPL-7886/3	Spark Plug	Cancelled
QPL-7886/4-1	Spark Plug, Shielded, Aircraft Reciprocating Engine Model P5/R3350B	Cancelled
QPL-7886/7	Spark Plug	Cancelled
QPL-7886/8	Spark Plug, Shielded, Aircraft Reciprocating Engine Model C117/R1820D	Cancelled
QPL-7886/10-2	Spark Plug (Model H19/R1300A)	Cancelled
QPL-7886/12-4	Spark Plug, Shielded, Aircraft Reciprocating Engine Model C/R2800A-RFR	Cancelled
QPL-7886/13-1	Spark Plug, Shielded Aircraft Reciprocating Engine Model B26/R2800B	Cancelled
QPL-7886/14-1	Spark Plug, Shielded, Aircraft Reciprocating Engine Model H37/R2800C	Cancelled
QPL-7886/15	Spark Plug	Cancelled
QPL-7886/16	Spark Plug	Cancelled
QPL-7886/17-1	Spark Plug, Shielded, Aircraft Reciprocating Engine Model H43/R1340A	Cancelled
QPL-7886/18	Spark Plug	Cancelled
QPL-7886/19-1	Spark Plug, Shielded, Aircraft Reciprocating Engine Model H25/R975A	Cancelled
QPL-7886/21-1	Spark Plug, Shielded, Aircraft Reciprocating Engine Model O/O470B	Cancelled
QPL-7886/24-1	Spark Plug (Model M36/O100A)	Cancelled
QPL-7886/25-1	Spark Plug (Model M39/O150A)	Cancelled
QPL-7886/26	Spark Plug	Cancelled
QPL-7899-9	Valves, Fuel Check, Low Pressure	Cancelled
QPL-7906-2	Indicator, Gyro Horizon, Manually Gaged, Electric Type MB-1	Cancelled
QPL-7907-2	Cleaning Compound, Decontaminating (For Soiled and Radioactive Contaminated Surfaces)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-7908-1	Valves, Low Pressure, Oxygen Check	Cancelled
QPL-7913-2	Battery: Dry, 180 Volt "B" Sonobuoy	Cancelled
QPL-7916-4	Sealing Compound, Thread and Gasket Fuel Oil and Water Resistant	Cancelled
QPL-7927-4	Circuit Breakers; Trip Free, Aircraft	Cancelled
QPL-7928/2-1	Terminals, Lug, Splices Conductor Crimp Style Copper, Gen Spec for	Cancelled, Use QPL-7928 (Basic)
QPL-7928/3-2	Terminals, Lug, Splices, Conductor Crimp Style, Copper, Gen Spec for	Cancelled, Use QPL-7928 (Basic)
QPL-7928/171413-3	Terminals, Lug, Splices, Conductor Crimp Style Cooper	Superseded by QPL-7928 (Basic)
QPL-7928/20659-2-5	Terminals, Lug, Splices, Conductor Crimp Style, Cooper	Superseded by QPL-7928 (Basic)
QPL-7928/25036-3-3	Terminals, Lug; Splices, Conductor Crimp, Copper	Superseded by QPL-7928 (Basic)
QPL-7928/25181-4	Terminals, Lug; Splices, Conductor Crimp Style Copper	Superseded by QPL-7928 (Basic)
QPL-7928/25274-3	Terminals, Lug; Splices, Conductor Style, Copper	Superseded by QPL-7928 (Basic)
QPL-7928/27429-2	Terminals, Lug; Splices, Conductor Crimp Style, Copper	Superseded by QPL-7928 (Basic)
QPL-7929-2	Flasher; Lights, Aircraft	Cancelled
QPL-7931-7	Conduit, Electrical, Flexible, Radio Frequency Shielding For Aircraft Installations	Cancelled
QPL-7939-10	Clocks, Aircraft, 1-7/8 Inch Dial	Cancelled
QPL-7941-1	Boots, Flying, Insulated Rubber, Type 4	Cancelled
QPL-7944-4	Indicators, Oxygen Flow	Cancelled
QPL-7946-5	Deicing-Defrosting Fluid	Cancelled
QPL-7962-5-5	Primer Coating, Cellulose Nitrate Modified Alkyd Type Corrosion-Inhibiting, Fast Drying (For Spray Application Over Pretreatment Coating)	Cancelled
QPL-7965/16	Antenna Components; Anti-Precipitation Static	Cancelled
QPL-7966-8	Cloth, Coated (Rubber Nylon Base)	Cancelled
QPL-7989-3	Covers, Light-Transmitting, For Aeronautical Lights	Cancelled
QPL-8045-2	Plastic, Self Sealing Tank Backing Material	Cancelled
QPL-8068-7	Cloth, Coated, Nylon, Rubber Coated, Fuel Resistant	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-8073-8	Core Material; Plastic Honeycomb Laminated Glass Fabric Base, for Aircraft Structural Applications	Cancelled
QPL-8076-1	Tester, Pitot Static System, Field, (Test Set) Type MB-1	Cancelled
QPL-8087-3	Core Material, Foamed In Place, Polyster Dillsocyanate Type, For Aircraft Structural Applications	Cancelled
QPL-8170-13	Gage, Oil Pressure, Direct Indicating	Cancelled
QPL-8228-2	Indicator, Rate of Flow Fuel, Single 200-3000 POH, Type MA-3	Cancelled
QPL-8257-1	Plastic, Sheet, Thermosetting Transparent	Cancelled
QPL-8266-3	Gage, Liquid Quantity, Oxygen 5 Liter 70 PSI Gage Converter	Cancelled
QPL-8275-3	Transmitter, Rate of Flow, Fuel Synchro Style, Type MA-1	Cancelled
QPL-8346-2	Light, Landing, Aircraft, Retractable	Cancelled
QPL-8375-2	Transmitter, Rate of Flow, Fuel Synchro Style, Type MA-1	Cancelled
QPL-008384-4	Connectors, Electrical, Rectangular Rack and Panel General Spec for	Cancelled
QPL-8384-8	Connectors, Electrical, (Molded Body) and Accessories	Cancelled
QPL-8446-2	Hydraulic Fluid, Nonpetroleum Base Aircraft	Cancelled
QPL-8505-1	Indicators; Temperature, Electrical Resistance, Minus 50 Degrees to pluse 300°C	Cancelled
QPL-8508-4	Filter/Separators, Aviation and Motor Fuel, Nonairborne Performance and Test Methods of	Cancelled
QPL-8509-1	Voltage Stabilizers, Alternating Current, Aircraft, Gen Spec for	Cancelled
QPL-8562-1	Controller, Bailout, Ceramic, Flow	Cancelled
QPL-8580-3	Indicator, Tachometer, Helicopter 0-4,000 RPM Type MA-1	Cancelled
QPL-8585-7-12	Primer Coating Zinc Chromate, Low Moisture Sensitivity	Cancelled
QPL-8598-5	Bulb, Electrical Resistance, Thermometer, Free Air	Cancelled
QPL-8607-4	Belt; Safety, Passenger Type	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-8610-3	Valves; Fuel Shutoff, Solenoid Operated 28 Volt DC	Cancelled
QPL-8612-1	Valve; High Pressure Oxygen Line	Cancelled
QPL-8620-1	Valves; High Pressure Oxygen Check Filler Connection	Cancelled
QPL-8622-4	Valves; High Pressure, Oxygen Cylinder Automatic Opening (Aeronautical Use)	Cancelled
QPL-8623-16	Adhesive, Epoxy Resin, Metal to Metal Structural Bonding	Cancelled
QPL-8630-3	Webbing, Textile, Nylon Latex Impregnated	Cancelled
QPL-8633-14	Remover, Paint, Nonflammable, Water Rinsable	Cancelled
QPL-8634-10-13	Decal, Elastomeric Pigmented Film, for Use on Exterior Surface	Cancelled
QPL-8636-4	Regulator, Automatic Continuous Flow Oxygen	Cancelled
QPL-8641-3	Lacquer; Aluminized, Semipigmented Brillant	Cancelled
QPL-8664-17	Life Rafts, Inflatable, One Man	Cancelled
QPL-8687-1	Indicator, Turn and Slip, Air Driven 2 Inch Size	Cancelled
QPL-008697-2	Electrodes, Welding, Coated, Low Hydrogen, Heat Treatable Steel	Cancelled
QPL-8697-8	Electrodes, Welding, Coated Low Hydrogen, Heat Treatable Steel	Cancelled
QPL-8712-2	Valve; Air Relief, Low Pressure	Cancelled
QPL-8784-6	Sealing Compound, Aluminum Integral Fuel Tanks and Fuel Cell Cavities Low Adhesion Accelerator Required	Cancelled
QPL-8799-4	Film, Elastomeric, Pigmented, For Use in the Manufacture of Aircraft Decalcomanias	Cancelled
QPL-8800-4	Ventcap: Battery, Aircraft, Nonspill Type Amplifier	Cancelled
QPL-8835-5	Indicator, Humidity Card, Chemically Impregnated	Cancelled
QPL-8883-3	Valve, Check, Inlet, One-Man Life Raft	Cancelled
QPL-9094-2	Arrester, Lightning, MX-1528/U	Cancelled
QPL-9118-7	Finish, for Glass Fabric	Cancelled
QPL-9129-3	Dischargers, Aircraft Electrostatic Gen Spec for	Cancelled
QPL-9192	Amplifier	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-9299-4	Resin, Phenolic, Low Pressure Laminating	Cancelled
QPL-9300-14	Resin, Epoxy, Low Pressure, Laminating	Cancelled
QPL-9302-5	Transmitter, Rate of Flow, Fuel	Cancelled
QPL-9303-5	Indicator, Rate of Flow, Fuel, Synchro Style 0-12,000 PPH, Type MA-5	Cancelled
QPL-9338-2	Regulators, Oxygen, Demand, Type A-13	Cancelled
QPL-9370	Valve Automatic Regulating Pressure Anti-G Coveralls, Jet Aircraft, Gen Spec for	Cancelled
QPL-9494-2	Regulator, Oxygen, Diluter Demand, Automatic Pressure Breathing, High Pressure, Type MB-2	Cancelled
QPL-10324-12	Lubricating Oil, Gear, Sub Zero	Cancelled, Use MIL-L-2105
QPL-10683-15	Resistors, Fixed	Cancelled
QPL-10687-11	Enamel, Lusterless, Quick Drying	Cancelled
QPL-11030-4	Sealing Compound, Non-Curing, Polysulfide Base	Cancelled
QPL-11276-5	Engines, Diesel, Industrial Type, Gen Spec	Cancelled
QPL-11683-1	Interference Suppression, Radio	Cancelled
QPL-14157-39	Capacitors, Fixed, Paper (Paper Plastic) or Plastic Dielectric, Direct Current (Hermetically Sealed in Metal Cases) Established Reliability, Gen Spec for	Cancelled
QPL-14410-1	Humidity Indicating Systems, Electrical Resistance For Packaging	Cancelled
QPL-15035-23	Plastic Material, Laminated, Thermosetting Sheets, Cotton Fabric Base Phenolic Resin	Cancelled
QPL-15047-17	Thermosetting Sheets, Nylon Fabric Base, Phenolic	Cancelled
QPL-15159-13	Preservative Coating, Canvas	Cancelled
QPL-15401-1(Navy)	Resistors, Fixed Composition Uninsulated	Cancelled
QPL-15599-52	Electrodes, Welding, Covered, Low and Medium-Carbon Steel	Cancelled
QPL-15624-7-2	Rubber, Synthetic Medium Soft; Molded; Sheet, and Strip	Cancelled
QPL-15770-8	Discs, Abrasive (Aluminum Oxide and Silicon Carbide Portable Sanding Machines (Coated)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-15793-7	Grease, Instrument	Cancelled
QPL-15835-2	Reel, Fueling Hose, Power Rewind	Cancelled
QPL-15841-7	Wax, Desensitizing	Cancelled
QPL-15964-11	Wheels, and Hones (Hand) Abrasive, Diamond Impregnated)	Cancelled
QPL-16555-4	Coating Compound, Strippable, Sprayable	Cancelled
QPL-16562-3	Insulation, Synthetic, Rubber Like Chemically Expanded Cellular (Sheet Form)	Cancelled
QPL-16714-14	Wheels, Snagging, Abrasive	Cancelled
QPL-16715-41	Electrode, Welding Covered (Austenitic Chrome Nickle) Steel, for Corrosive and High Temperature Services)	Cancelled
QPL-16908-12	Grease, Bearing (For General Ordance Use)	Cancelled
QPL-16909-3	Buffing and Polishing Compounds	Cancelled
QPL-16920-2	Rubber Facing, For Hammer Heads	Cancelled
QPL-16958	Lubricating Oil, Mineral Oil Compositon for Torpedo Gyroscope	Cancelled
QPL-16961-8	Porcelain Enamel Coating for Steel Mufflers of Internal Combustion Engines	Cancelled
QPL-17057-6	Chock-Padding and Anti-Corrosive Felt, Wool Impregnated	Cancelled
QPL-17106-10	Cloth, Cotton, Duck; Fire, Water Mildew and Weather Resistant	Cancelled
QPL-17148-4	Undercutters, Armature Mica Rotary Cutter	Cancelled
QPL-17353-2	Lubricating Oil, Low Temperature Special	Cancelled
QPL-17472-30	Asbestos Sheet, Compressed	Cancelled
QPL-17539-2	Chock Padding, Rubber and Cork Composition	Cancelled
QPL-17721-7	Plastic Sheet, Laminated, Thermosetting, Glass Mat, Melamine Resin	Cancelled
QPL-17740-4	Grease, Extreme Pressure	Cancelled
QPL-17850-3	Compass, Magnetic, Card, Pocket, Type MC-1	Cancelled
QPL-17851	Pressure Suit; Oxygen Regulator	Cancelled
QPL-17852-3	Reducer, Oxygen, Pressure (On-Off Type)	Cancelled
QPL-17858	Compass System; Magnetic Slaved Directional Gyro Stabilized 4/MR Type MA-1	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-17870-25	Tip, Torch, Cutting, and Tip, Torch, Welding Replacement	Cancelled
QPL-17929-19	Wheel, Abrasive, Precision	Cancelled
QPL-17953-3	Molding Plastic, Silicone Resin, Thermosetting and Molded Thermosetting Plastic Parts	Cancelled
QPL-17980-6	Sea Marker, Fluorescein, Dye,Sodium Salt Type Life Preserver Packet	Cancelled
QPL-18007-5	Batteries; Lead Acid, Storage Aircraft Recessed Terminal General Spec for	Cancelled
QPL-18008-3	Battery; Storage, Shielded 24 Volt 36 Ampere Hour	Cancelled
QPL-18017-1	Packings: 275°F Hydraulic Systems, Aircraft	Cancelled
QPL-18059-4	Regulators, Oxygen; Automatic Positive Pressure and Composite Diluter Demand	Cancelled
QPL-0018239-1	Earphones, H-87B/U	Cancelled
QPL-18287-3	Fittings, Hose End, Detachable (For Self Sealing Fuel Hose)	Cancelled
QPL-18288-3	Hose and Hose Assemblies, Aircraft Self Sealing, Aromatic Fuel	Cancelled
QPL-18314-1	Microphone; Carbon, Hand-Held	Cancelled
QPL-18345-1	Core Material, Cellular Cellulose Acetate	Cancelled
QPL-18356-2	Indicator, Oxygen Flow	Cancelled
QPL-18368-8	Inflation Equipment, Individual Life Raft	Cancelled
QPL-18369-8	Inflation Equipment, Carbon Dioxide for Multiplace Liferafts	Cancelled
QPL-18371-6	Mirror, Signaling, Search and Rescue (MK-3)	Cancelled
QPL-18467-2	Coating, Phenolic Resing Base,Baking	Cancelled
QPL-18468-1	Coating, Phenolic Resin Base,Air-Drying	Cancelled
QPL-18486-2	Lubricating Oil, Worm Gear	Cancelled
QPL-18487-9	Compound, Gun Slushing	Cancelled
QPL-18502-4	Generator, Alternating Current, Synchronizing,Engine Analyzer, 2 Pole	Cancelled
QPL-18552-2	Rubbing Compounds, Lacquer	Cancelled
QPL-18621-1	Gages, Pressure (For Catapult Hydraulic Systems	Cancelled
QPL-18687	Cleaning Compound, Aircraft Surface	Cancelled
QPL-18720-2	Walkway Matting, Non-Slip, Aircraft	Cancelled
QPL-18723	Wax, Aircraft Waterproof, Solvent Type	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-18767-13	Cleaning and Polishing Compound Transparent Plastic	Cancelled
QPL-18847-13	Tank, Fuel, Aircraft, Auxiliary External Design and Installation of	Cancelled
QPL-19011-2	Weaving, Textile, Nylon (Abrasion Resistant-Low Temperature Pliable)	Cancelled
QPL-19064-1	Connection Assemblies; Demark Mark to Regulator Tube	Cancelled
QPL-19078-3	Webbing, Textile, Dacron, Latex Impregnated	Cancelled
QPL-19121-10	Regulators Aviator's Miniature Oxygen Breathing	Cancelled
QPL-19129-2	Analyzer, Engine, Airborne and Portable	Cancelled
QPL-19152-1	Packings, Hydraulic, High Pressure (For Hydropneumatic Counter-Recoil Systems of Gun Mounts)	Cancelled
QPL-19224-6	Lubricating Oil, Mineral Preservative Minus 30°F Pour	Cancelled
QPL-19328-1	Converter, Oxygen Aircraft; Gaseous Type Mb-5	Cancelled
QPL-19358	Indicator, Tachometer, Electric Hermetically Sealed Type ERU-7/A	Cancelled
QPL-19366-3	Helmet; Pilot's Protective, Type APH-5	Cancelled
QPL-19454	Converter, Electric Pwer	Cancelled
QPL-19524-2	Cloth, Coated (For Aircraft Protectors)	Cancelled
QPL-19536-3	Molding Plastic and Molded Plastic parts Glass Fiber	Cancelled
QPL-19563-8	Fire Extinguishing Agent Dry Chemical Foam Compatible	Cancelled
QPL-19602-6	Primer, Size Coating, Baking, For Roller Coat Application	Cancelled
QPL-19603-9	Enamel, Baking, For Roller Coat Application	Cancelled
QPL-19679-3	Autimeter, Pressure, Counter-Pointer	Cancelled
QPL-19722-1	Stencil, Marking, Paper, Pressure-Sensitive	Cancelled
QPL-19786-6	Shields, Electron Tube, Heat Dissipating	Cancelled
QPL-19804-1	Gage, Aircraft, Capacitance, Liquid, Oxygen Converter, Type MC-6	Cancelled
QPL-19833-35	Molding Plastic and Molded Plastic Parts, Glass Fiber Filled, Diallyl Phthalate Resin	Cancelled
QPL-19938	Control, Directional (S-Z Compass)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-19940-3	Amplifier, Control, Single Channel S-2 Compass	Cancelled
QPL-20074-4	Crucibles (For Melting Aluminum)	Cancelled
QPL-20693-2	Plastic Compounds, Modling and Extrusion, Polyamide	Cancelled
QPL-20707-2	Filter Elements, Fluid, Pressure: Oil, Full Flow	Cancelled
QPL-20708/4-1	Synchro Torque Transmitter, Type 11TX4c	Cancelled
QPL-20708/19-1	Synchro Receiver Transmitter, Type 15TRX4a	Cancelled
QPL-20708/20-1	Synchro, Control Transmitter, Type 15CX6c	Cancelled
QPL-20708/23-1	Synchro Receiver Transmitter, Type 15TRX6a	Cancelled
QPL-20708/66-2	Synchro Receiver Transmitter, Type 31TRX6a	Cancelled
QPL-21007-2	Indicator, Pressure, Manifold, Synchro, Single, 10 to 75 Inches of Mercury Absolute, Sealed	Cancelled
QPL-21009-3	Transmitter, Pressure, Manifold, Synchro, 10 to 75 Inches of Mercury Absolute, Sealed	Cancelled
QPL-21109-5	Cloth, Coated, Raft Bottom	Cancelled
	Polyamide	Cancelled
QPL-21144-1	Transmitter, Pressure, Oil, Cynchro 0-100 PSI, High Temperature	Cancelled
QPL-21203-1	Indicator, Altitude, Spherical Direct Reading Fast Erecting, Electric Gyro	Cancelled
QPL-21205-3	Transmitter, Rate of Flow, Fuel, Type (500-15,000 PPH)	Cancelled
QPL-21206-2	Indicator, Rate of Flow, Fuel, EFU-7/A (200-5000-15000 PPH)	Cancelled
QPL-21275-2	Core Material, Metallic, Heat Resisting For Sandwich Construction	Cancelled
QPL-21277-2	Switches, Liquid Level, General Specification for	Cancelled
QPL-21395-6	Suit, High Altitude, Full Pressure, MK- IV	Cancelled
QPL-21480/1-3	Generator System	Cancelled, use QPL-21480 (Basic)
QPL-21480/3-3	Generating System	Cancelled, use QPL-21480 (Basic)
QPL-21480/4-4	Generating System	Cancelled, use QPL-21480 (Basic)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-21480/5	Generating System	Cancelled, Use QPL-21480 (Basic)
QPL-21480/6	Generating System	Cancelled, Use QPL-21480 (Basic)
QPL-21480/7-2	Generating System	Cancelled, use QPL-21480 (Basic)
QPL-21480/8-1	Generating System	Cancelled, use QPL-21480 (Basic)
QPL-21480/9-2	Generating System	Cancelled, use QPL-21480 (Basic)
QPL-21480/10-4	Generating System	Cancelled, use QPL-21480 (Basic)
QPL-21480/11	Generating System	Cancelled, Use QPL-21480 (Basic)
QPL-21480/12-3	Generating System	Cancelled, use QPL-21480 (Basic)
QPL-21480/14-1	Generating System	Cancelled, use QPL-21480 (Basic)
QPL-21480/15-1	Generating System	Cancelled, use QPL-21480 (Basic)
QPL-21480/16-3	Generating System	Cancelled, use QPL-21480 (Basic)
QPL-21480/17-1	Generating System	Cancelled, use QPL-21480 (Basic)
QPL-21485-2	Tape, Caoted Cloth, Airship Envelope	Cancelled
QPL-21559-2	Indicator, Altitude, ARU-5/A	Cancelled
QPL-21565-7	Clamp, Loop, Plastic, Wire Support	Cancelled
QPL-21594-10	Hook Point: Aircraft Arresting Forged Corrosion-Resisting Steel	Cancelled
QPL-21595-10	Tape, Pressure Sensitive Adhesive, Paper Masking, Non-Staining	Cancelled
QPL-21605	Compass, Weapons	Cancelled
QPL-21652-7	Light, Beacon	Cancelled
QPL-21718-1	Indicator, Airspeed, Pitot Static, Maximum Allowable Speed, 40-400 Knots	Cancelled
QPL-21735	Indicator, Airspeed	Cancelled
QPL-21959	Transmitter, True Airspeed	Cancelled
QPL-21974-1	Indicator, Rate of Flow, Fuel, Type EFU-9/A (200 to 3000 PPM)	Cancelled
QPL-21975-2	Transmitter, Rate of Flow, Fuel, TRU-25/A	Cancelled
QPL-22059-3	Helmet; Pilot's Protective, Type SPH-1	Cancelled
QPL-22063-3	Head Set H-173/AIC	Cancelled
QPL-22118-1	Enamel, Electrical, Insulation	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-22125	Indicators, Pressure, Synchro, 211 Movement Ratio	Cancelled
QPL-22139	Indicators, Rate of Fuel Flow, Dual, EFU-13/A and EFU-14/A	Cancelled
QPL-22145-6	Accelerometer Group, Counting	Cancelled
QPL-22166-2	Controller, Compass, Roll Stabilized (Type MF-1 Compass)	Cancelled
QPL-22167-2	Controller, Roll Stabilizer (Type MF-1 Compass)	Cancelled
QPL-22170-3	Interconnecting Unit, Compass, Roll Stabilized (Type MF-1 Compass)	Cancelled
QPL-22172-2	Helmet, Flight Deck Crew, Sound Attenuating, Type CDM-1	Cancelled
QPL-22192-2-1	Cable Assembly, Special Purpose, Electrical CX-4831/AR	Cancelled
QPL-22195-5	Controller, MK11, Pressure Suit	Cancelled
QPL-0022200-5	Electrodes, Welding	Cancelled
QPL-22208-5	Life Preserver, MK IV, Vest, Pneumatic, Full Pressure Suit	Cancelled
QPL-22210-4	Headpiece Mark IV, Fuel Pressure Suit	Cancelled
QPL-22247-2	Cartridge, Gas Pressure, For Pressuring Dry Chemical Fire Extinguishers	Cancelled
QPL-22261-2	Fire Extinguishing Agent, Liquid, Boron Type for Metal Fires	Cancelled
QPL-22272-6	Visors, Protective, Helmet	Cancelled
QPL-22273-4	Lubricant, Solid Film, Dry	Cancelled
QPL-22276-6	Life Preserver, Inflatable, MK 3C	Cancelled
QPL-22432/7-3	Servomotor, Type 15SM4C	Cancelled
QPL-22432/17-3	Servomotor, Type 11SM4a	Cancelled
QPL-22432/30-2	Servomotor, Type 26V-08SM4d	Cancelled
QPL-22432/32-2	Servomotor, Type 15SM4d	Cancelled
QPL-22433-1	Indicator, Turn and Slip, Air Driven, 2 Inch Case, 20° Inclined Axis	Cancelled
QPL-22486-9	Hose Assemblies, Oxygen Mask to Connector	Cancelled use QPL-81581/4-1
QPL-22489-11-1	Hose Assemblies, Low Pressure, Breathing Oxygen and Air	Cancelled
QPL-0022520/1-1	Crimping Tool	Cancelled, use QPL-22520 (Basic)
QPL-0022520/2-1	Crimping Tool	Cancelled, use QPL-22520 (Basic)
QPL-22520/3-2	Crimping Tools, Contact, Electric, Hand General Specification for	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-0022520/4	Crimping Tool	Cancelled, use QPL-22520 (Basic)
QPL-0022520/17-2	Crimping Tool	Cancelled, use QPL-22520 (Basic)
QPL-22529-3	Grommet, Plastic	Cancelled
QPL-0022543-1-1	Cleaning Compound, Water-Emulsion	Cancelled
QPL-22543-8	Cleaning Compound, Water Emulsion (Alkaline-Organic Water Base)	Cancelled
QPL-22550-6	Cleaning Compound, Waterless, Aircraft Surface	Cancelled
QPL-22596-9-1	Indicator, Tachometer, Electric, 0-120 Percent RPM 2-inch Size	Cancelled
QPL-22735-4	Film, Elastometer, Fluorescent, For Weapons Systems	Cancelled
QPL-22759/1-10	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/2	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/3	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/4	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/5	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/6	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/7	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/8	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/9	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/10	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22769/11	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22769/12	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/13	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/14	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/15	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-22759/16	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/17	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/18	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/19	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/20	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/21	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/22	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/23	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/24	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/25	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/26	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/27	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/28	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/29	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/30	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22759/31	Wire, Electric (600 Volt)	Cancelled, use QPL-22759 (Basic)
QPL-22803-3	Lubricant, Wire Rope	Cancelled
QPL-22857-5	Connectors, Electrical, Rectangular Crimp Type, Removable Contact (For Rack and Panel and Other Applications General Specification for	Cancelled
QPL-23063	Bearings, Ball Angular, Instrument Precision	Cancelled
QPL-23070-4	Cloth, Laminated, and Tape, Coated Cloth, Natural Rubber or Nylon	Cancelled
QPL-23142-3	Tape, Pressure Sensitive, Adhesive	Cancelled
QPL-23216/14-3	Contacts, Electrical Connector, Gen Spec for Cable Harness Tying and Support	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-23216/3162-1	Contacts, Electric Connector	Cancelled, use QPL-23216 (Basic)
QPL-23216/3163-1	Contacts, Electric Connector	Cancelled, use QPL-23216 (Basic)
QPL-23216/3193-1	Contacts, Electric, Connector, General Specification for	Cancelled, use QPL-23216 (Basic)
QPL-23379-7	Resistors, Fixed, Wirebound, Precision, Power Type, Wire Lead Terminal, Gen Spec for	Cancelled
QPL-23395-6	Altimeter, Pressure Type MC-3 or MC-4	Cancelled
QPL-23403-1	Compound: Soft Film, Corrosion-Preventive Non Staining	Cancelled
QPL-23484-7	Coverall, Flying, Anti-Exposure Mark 5A	Cancelled
QPL-23486-2	Silicone Rubber Compound, Room Temperature Vulcanizing	Cancelled
QPL-23496-4	Scale Conditioning Compound, Alkaline, Hot Section Jet-Engine Parts	Cancelled
QPL-23555-3	Fire Extinguishing Agent, Multi-Purpose Phosphate Dry Chemical	Cancelled
QPL-23567-3	Kit, Conversion, Filter/Separator 225 GPM	Cancelled
QPL-23594-7	Tapes, Pressure Sensitive Adhesive, Electrical: High Temperature Insulation Polytetrafluoroethylene	Cancelled
QPL-23623-2	Cleaning and Polishing Compound (For Painted Aircraft Surfaces)	Cancelled
QPL-23712-3	Film, Transparent, Flexible, Heat Sealable, Waterproof, Greaseproof for Packaging Applications	Cancelled
QPL-23799-3	Hose Assembly, Metal, Transfer, Liquid	Cancelled
QPL-23911-2	Compound, Epoxy, Structural Filler	Cancelled
QPL-23927-9	Hose, Flexible, Low Pressure Air	Cancelled
QPL-23955-8	Coverall, Anti-G, Cutaway MK 11-A	Cancelled
QPL-23974-1	Controller, Full Pressure Suit	Cancelled
QPL-23975-1	Regulators, Breathing, Full Pressure Suit	Cancelled
QPL-23976-1	Valve, Check, Exhalation, Full Pressure Suit	Cancelled
QPL-23977-1	Valve Aneroid Make Up Suit Mounted Control System	Cancelled
QPL-23978-2	Gloves, Mark IV, High Altitude Full Pressure Suit	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

United States Navy by Headquarters Naval Material Command in the

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-24251-3	Shields, Retainers (Bases), and Adapters, Electron Tube, Heat Dissipating, Gen Spec for	Cancelled
QPL-25013-1	Grease, Ball & Roller Bearing, Extreme High Temperature	Cancelled
QPL-25021-7	Converter, Oxygen, Aircraft, Liquid to Gaseous Type MA-3	Cancelled
QPL-25030-5	Pump, Rotary, Power Driven, Fuel, Aircraft	Cancelled
QPL-25169-4	Valves, Oxygen, Aircraft, 300 PSIG Converter	Cancelled
QPL-25302-2	Valves, Oxygen, Aircraft, 70PSIG Converter, Relief	Cancelled
QPL-25336-12	Lubricating Oil, Aircraft Turbine Engine	Cancelled
QPL-25469-9	Valve, Filler, Liquid Oxygen, Aircraft Type	Cancelled
QPL-25492-1	Valve, Inflation, One-Man, Life Raft	Cancelled
QPL-25506-4	Resin, Sillicone, Low Pressure Laminating	Cancelled
QPL-25578-9	Indicator, Pressure, Oil, 0-50 PSI Types and EGU-17/A	Cancelled
QPL-25726-6	Probe, Total Temperature, Type MA-1	Cancelled
QPL-25760-16-2	Grease, Aircraft: Ball and Roller Bearing, Wide Temperature Range	Cancelled
QPL-25897-12-2	Rubber, High Temperature, Fluid Resistant	Cancelled
QPL-26219-10	Test Set, Indicator Generator, Tachometer TTU-27/E, Aircraft Instruments, Field	Cancelled
QPL-26298-7	Transmitter, Rate of Flow TRU-6A 0-5,000 PPH	Cancelled
QPL-26299-9	Indicator, Rate of Flow EFU-2A, 0-5,000 PPH, Integrally Lighted	Cancelled
QPL-26482/3115-2	Connector, Electric	Cancelled
QPL-26482/3116-2	Connector, Electric	Cancelled
QPL-26482/3120-2	Connector, Electric	Cancelled
QPL-26482/3121-2	Connector, Electric	Cancelled
QPL-26482/3122-2	Connector, Electric	Cancelled
QPL-26482/3124-2	Connector, Electric	Cancelled
QPL-26482/3126-2	Connector, Electric	Cancelled
QPL-26482/3127-2	Connector, Electric	Cancelled
QPL-26482/3128-2	Connector, Electric	Cancelled
QPL-26482/3130-1	Connector, Electric	Cancelled
QPL-26482/3132-1	Connector, Electric	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-26482/3134-1	Connector, Electric	Cancelled
QPL-26482/3135-1	Connector, Electric	Cancelled
QPL-26482/3137-1	Connector, Electric	Cancelled
QPL-26482/3138-1	Connector, Electric	Cancelled
QPL-26482/3140-1	Connector, Electric	Cancelled
QPL-26482/3147-1	Connector, Electric	Cancelled
QPL-26482/3148-1	Connector, Electric	Cancelled
QPL-26482/3180-1	Connector, Electric	Cancelled
QPL-26482/3181-2	Connector, Electric	Cancelled
QPL-0026482/2	Connector, Electric	Cancelled
QPL-0026482/3470-1	Connector, Electric, Circular, Miniature Quick Disconnect Environment Resisting, General Specification for	Superseded by QPL-0026482-1
QPL-0026482/3474-1	Connector, Electric, Circular, Miniature Quick Disconnect Environment Resisting, General Specification for	Superseded by QPL-0026482-1
QPL-0026482/3476-1	Connector, Electric, Circular, Miniature Quick Disconnect Environment Resisting, General Specification for	Superseded by QPL-0026482-1
QPL-26655-22	Capacitors, Fixed, Solid Electrolytic Tanralum, Gen Spec for	Cancelled
QPL-26780-10	Tiedown, Cargo, Aircraft, Nylon Web Net	Cancelled
QPL-27848-12	Horizontal Situation Indicator AQU-A/A	Cancelled
QPL-26898-1	Test Set, Airfield Lighting System Type MM-1	Cancelled
QPL-27265-4	Webbing, Textile, Woven, Nylon, Impregnated	Cancelled
QPL-27343-2	Grease, Ball and Roller Bearing (Minus 100°F to plus 400°F)	Cancelled
QPL-27694-2	Lubricating Oil, Instrument, -65° to +400°F	Cancelled
QPL-27708-26	Resistors, Variable, Wirebound (Lead Screw Actuated) Gen Spec for	Cancelled
QPL-27852-10	Valve, Filler, Liquid, Nitrogen NRU-1/A	Cancelled
QPL-38005-7	Pitot-Static Tube	Cancelled
QPL-38201-3	Valve, Filler, Liquid Nitrogen CRU-59/E	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-39021-1	Ovens, Crystal, General Specification for	Cancelled
QPL-45199-9	Lubricating Oil, Internal Combustion Engine (High Output Diesel)	Cancelled
QPL-55617-24	Plastic Sheet, Thin Laminate, Metal Clad	Cancelled
QPL-55636-21	Glass Cloth, Resin Preimpregnated (B Stage)	Cancelled
QPL-81016-2	Chamber, Audiometric Testing, Single and Double Wall	Cancelled
QPL-81017-1	Audiometers Group	Cancelled
QPL-81018/2-2	Survival Kit Container, Aircraft Seat with Oxygen-RSSK-8	Cancelled
QPL-81044/16-2	Wire, Electric	Cancelled
QPL-81044/17-2	Wire, Electric	Cancelled
QPL-81044/18-2	Wire, Electric	Cancelled
QPL-81044/19-2	Wire, Electric	Cancelled
QPL-81044/20-2	Wire, Electric	Cancelled
QPL-81044/21-2	Wire, Electric	Cancelled
QPL-81044/22-2	Wire, Electric	Cancelled
QPL-81044/23-2	Wire, Electric	Cancelled
QPL-81044/24-2	Wire, Electric	Cancelled
QPL-81044/25-2	Wire, Electric	Cancelled
QPL-81044/26-2	Wire, Electric	Cancelled
QPL-81044/27-2	Wire, Electric	Cancelled
QPL-81044/28-2	Wire, Electric	Cancelled
QPL-81044/29-2	Wire, Electric	Cancelled
QPL-81174/1-1	Light, Landing Aircraft, Retractable	Cancelled
QPL-81174/2-1	Light, Landing, Aircraft, Controllable	Cancelled
QPL-81174/4-1	Light, Landing	Cancelled
QPL-81287-1	Tape, Pressure Sensitive Adhesive, Aluminum Foil Backed, for High Temperature Application	Cancelled
QPL-81374-2	Barrier Material, Grease Proof, Waterproof, Glexible, High Strength	Cancelled
QPL-81447-4	Interconnecting Box J-2715/A1C	Cancelled
QPL-81494-2	Altimeter, Pressure, AAU-24/A	Cancelled
QPL-81511-1-1	Connector, Electric	Cancelled
QPL-81511/1	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting & Accessories	Cancelled, Use QPL-81511(Basic)
QPL-81511/3	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting & Accessories	Cancelled, Use QPL-81511(Basic)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-81511/4	Connectors, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting; and Accessories	Cancelled
QPL-81511/5	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting & Accessories	Cancelled, Use QPL-81511(Basic)
QPL-81511/6	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting & Accessories	Cancelled, Use QPL-81511(Basic)
QPL-81511/13	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting & Accessories	Cancelled, Use QPL-81511(Basic)
QPL-81511/14	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting & Accessories	Cancelled, Use QPL-81511(Basic)
QPL-81511/15	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting & Accessories	Cancelled, Use QPL-81511(Basic)
QPL-81511/16	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting & Accessories	Cancelled, Use QPL-81511(Basic)
QPL-81511/17	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting & Accessories	Cancelled, Use QPL-81511(Basic)
QPL-81511/18-1	Connectors, Electrical	Cancelled
QPL-81511/19	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting & Accessories	Cancelled, Use QPL-81511(Basic)
QPL-81511/20	Connectors, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting; and Accessories	Cancelled
QPL-81511/21	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting & Accessories	Cancelled, Use QPL-81511(Basic)
QPL-81511/22	Connectors, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting; and Accessories	Cancelled
QPL-81511/23	Connector, Electrical, Circular, High Density, quick Disconnect, Environment Resisting & Accessories	Cancelled, Use QPL-81511(Basic)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-81511/24	Connectors, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting; and Accessories	Cancelled
QPL-81511/26	Connector, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting & Accessories	Cancelled, Use QPL-81511(Basic)
QPL-81511/28	Connectors, Electrical, Circular High Density, Quick Disconnect, Environment Resisting; and Accessories	Cancelled
QPL-81511/29	Connectors, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting; and Accessories	Cancelled
QPL-81511/30-1	Connectors, Electric Circular, High Density Quick Disconnect, Environment Resisting & Accessories	Cancelled
QPL-81511/31-1	Connectors, Electric Circular, High Density Quick Disconnect, Environment Resisting and Accessories	Cancelled
QPL-81511/32	Connectors, Electrical, Circular, High Density, Quick Disconnect, Environment Resisting; and Accessories	Cancelled
QPL-81511/33-1	Connectors, Electric Circular, High Density Quick Disconnect, Environment Resisting & Accessories	Cancelled
QPL-81511/34	Connectors, Electrical Circular, High Density, Quick Disconnect, Environment Resisting; and Accessories	Cancelled
QPL-81511/35-1	Connectors, Electric Circular, High Density Quick Disconnect, Environment Resisting & Accessories	Cancelled
QPL-81511/37-1	Connectors, Electric Circular, High Density Quick Disconnect, Environment Resisting & Accessories	Cancelled
QPL-81511/41-2	Connectors, Electrical Circular, High Density, Quick Disconnect, Environment Resisting and Accessories Gen Spec for	Cancelled
QPL-0081511/42-1	Connectors	Cancelled
QPL-81511/43	Connector, Electrical Circular, High Density, Quick Disconnect, Environment Resisting and Accessories	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-0081511/44-1	Connectors	
QPL-0081511/45-2	Connector, Electrical, Circular, High Density, Quick Disconnect, Envir-	Cancelled Use QPL-81511-2
QPL-0081511/46-2	Connector, Electrical, Circular, High Density, Quick Disconnect, Envir-onment Resisting, Plug, Individual Release, Crimp Type Contacts, Class A and F (Series 3)	Cancelled, Use QPL-81511-2
QPL-0081511/49-2	Connector, Electrical, Circular, High Density, Quick Disconnect, Envir-onment Resisting, Receptacle, Jam Nut Mount, Individual Release, Crimp Type Contacts Class A & F	Cancelled, Use QPL-81511-2
QPL-0081511/51-2	Connector, Electrical, iCircular, High Density, Quick Disconnect, Envir-onment Resisting & Accessories	Cancelled, Use QPL-81511-2
QPL-0081511/52-1	Connector, Electrical	Cancelled
QPL-0081511/53-2	Connector, Electrical, Circular, High Density, Quick Disconnect, Envir-onment Resisting, Receptacle, Jam Nut Mount, Individual Release, Crimp Type Contacts, Class A & F (Series 4)	Cancelled, Use QPL-81511-2
QPL-0081511/54-1	Connectors, Electrical, Circular, High Density, Quick Disconnect, Envir-onment Resisting, Receptacle, Jam Nut Mounting, Soler Type Contacts, Pins Only, Class D (Series 4)	Cancelled, Use QPL-81511-2
QPL-0081511/55-2	Connectors, Electrical, Circular, High Density, Quick Disconnect, Environ-ment Resisting And Accessories	Cancelled Use QPL-81511/2
QPL-0081511/56-2	Connectors, Electrical, Circular, High Density, Quick Disconnect, Environ-ment Resisting and Accessories	Cancelled, Use QPL-81511/2
QPL-81598	Plastic Sheet, Flexible, Weather Resistant For Outdoor Storage Use	Cancelled
QPL-81605-1	Altimeter Set, Electronic AN/APN-194(V)	Cancelled
QPL-81606-1	Indicator, Altitude 3 Inch ID1617/A	Cancelled
QPL-81773-2	Coatings, Polyurethane, Alipatic Weather-Resistant	Cancelled
QPL-81799-5	Life Raft, Inflatible, One Man, LRU-8/P	Cancelled
QPL-81905-1	Coveralls, Anti-G, Cutaway High Temperature Resistant, CSU-14/P and CSU-15/P	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
QPL-81960-1	Cutout Relay, D.C., For Transformer/ Rectifier	Cancelled
QPL-17-C-36	Cutout, Reverse Current Differential	Cancelled
QPL-17-R-21	Regulators; Generator Voltage (Aircraft Use)	Cancelled
QPL-23-1-2	Inflating Gear, Pararaft and Packet Raft	Superseded by QPL-18368-1
QPL-23-K-2	Kits; Pararaft, Model PK-2	Superseded by QPL-8664-1
QPL-23-M-5	Mirror, Signaling, Search and Rescue	Superseded by QPL-18371-1
QPL-24-C-20	Canvas, Cotton; Fire-, Water-, and Weather-resistant	Cancelled
QPL-41-S-41	Sprayers, Dope, Guns, and Accessories	Cancelled
QPL-45-R-3	Regulators, Gas (Acetylene, Hydrogen, and Oxygen Cylinder), Two Stage	Cancelled
QPL-46-E-5	Electrodes, Welding (Covered) Copper Base Alloy	Cancelled
QPL-52-R-15	Remover, Paint; Non-Inflammible, Water Rinsable Type	Superseded by QPL-8633-1
QPL-52-S-12	Sealing Compound; Water-Dispersed Fillet Type (For Integral Fuel)	Superseded by QPL-18336-1
QPL-88-S-4	Switches; Cluth (P-1 Automatic Pilot)	Cancelled Superseded by QPL-6894-1
AMS-2552	Cleaning, Packaging and Assembly of Critical System Components Clean Room Procedure 500 Micron Max Particle Size	Cancelled
AMS-3106	Primer, Adhesive	Cancelled
AMS-3883	Glass Sheet	Cancelled
AMS-5735G	Steel Bars, Forgings, Tubing and Rings Corrosion and Heat Resistant 15Cr-26Ni-1.3MO-2.1Ti-0.3V-1800°F (982.2°C) Solutic Ans Precipitation Treated	Cancelled Use AMS5732
AMS-5736F	Steel Bars, Forgings, Tubing and Rings, Corrosion and Heat Resistant 16Cr-26Ni-1.3MO-2.1Ti-0.30V 1800°F (928°C) Solution Treated	Cancelled Use AMS5732

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
ANSI-Y14.7-1958	Gear, Splines and Serrations	Cancelled
ASTM B529-70	Measurement of Coating Thickness by the Eddy Current Test Method, Nonconductive Coating on Nonmagnetic Basis Metals (Use ASTMB244)	Cancelled
ASTM D749-63	Calibrating a Light Source Used For Accelerating the Deterioration of Rubber	Cancelled
ASTM D1181-71	Warpage of Sheet Plastic	Cancelled, Use FED-STD-406
ASTM D1502-60	Transverse Load	Cancelled
ASTM E109-63	Method for Dry Powder Magnetic Particle Inspection (Use ASTM E709)	Cancelled
ASTM E138-63	Method for Wet Magnetic Particle Inspection (Use ASTM E709)	Cancelled
ASTM E166-63	Goniophotometry of Transmitting Objects and Materials (Use ASTM E167-63(70))	Cancelled

Military Handbooks

MIL-HDBK-1	Cross Index of Chemically Equivalent Specifications and Identification Code (Ferrous and Nonferrous Alloys) (Handbook-H1)	Cancelled
MIL-HDBK-107	Inspection & Quality Control Single Level Continuous Sampling Procedures And Tables For Inspection By Attributes	Cancelled, Use MIL-STD-1235
MIL-HDBK-137 VOLUME-2	Fuze Catalog, Obsolete & Terminated Fuze	Cancelled, Use MIL-HDBK-146
MIL-HDBK-110	Evaluation of Contractor Quality Control Systems	Cancelled, Use HDBK-50
MIL-HDBK-161A	Electronic Communication Equipment	Cancelled
MIL-HDBK-177	Conatiner Assembly, Single Core, For Processed 16mm Microfilm: Loading and Operating Instructions For	Cancelled
MIL-HDBK-211	Electron Tubes, Techniques for Application of Military Equipment	Cancelled
MIL-HDBK-222(Navy)	Dept of the Navy Authorized Data List	Cancelled Superseded by TD-3

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
MIL-HDBK-222-1	Data List, Authorized Part 2, Data Item Descriptions	Cancelled Superseded by TD-3
MIL-HDBK-222-3 (Navy)	Data List, Authorized Part 3, Data Item Requirements	Cancelled Superseded by TD-3
MIL-HDBK-222-4 (Navy)	Data List, Authorized Part 4 Index	Cancelled Superseded by TD-3
MIL-HDBK-238 (Navy)CH-1	Electromagnetic Radiation Hazards	Cancelled
MIL-HDBK-239	Navy Standard Hardware Program Application Handbook	Cancelled
MIL-HDBK-301	Aircraft Extruded Shapes and Dies	Cancelled
MIL-HDBK-405	Trailers and Semitrailers, Tactical (Military) Design Characteristics of	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN73 thru AN81	No.6	Bolt, Machine, Aircraft, Drilled Head	Cancelled Use MS-20073 & MS20074
AN110		Bushing-Cable	Cancelled
AN111	No.1	Bushing-Cable	Cancelled
AN115	No.2	Shackle-Wire Rope	Superseded by MS20115
AN130	No.2	Turnbuckle Assembly-Cable Eye and Fork	Cancelled Use MS21251-MS21252 MS21255-MS21256
AN135	No.3	Turnbuckle Assembly-Cable Eye and Pin Eye	Cancelled Use MS21251-MS21255 MS21254-MS21256
AN140	No.2	Turnbuckle Assembly-Cable Eye	Cancelled Use MS21251-MS21255 MS21256
AN145	No.4	Turnbuckle Assembly, Pin Eye and Swaging Terminal	Cancelled Use MS21251-MS21254 MS21260-MS21256
AN146	No.2	Turnbuckle Assembly-Fork and Swaging Terminal	Cancelled Use MS21251-MS21260 MS21252-MS21256
AN147	No.3	Turnbuckle Assembly-Swaging Terminals	Cancelled Use MS21251-MS21256 MS21260
AN150	No.1	Turnbuckle Assembly-Fork	Cancelled Use MS21251 MS21252-MS21256
AN155		Barrel, Turnbuckle	Cancelled Use MS21251
AN160		Fork-Turnbuckle	Cancelled
AN161		Fork, Turnbuckle	Cancelled Use MS21252
AN162		Fork, Turnbuckle	Cancelled Use MS21253
AN165		Eye, Aircraft Turnbuckle	Cancelled Use MS21254
AN170		Eye, Aircraft Turnbuckle	Cancelled Use MS21255
AN200	No.6	Bearing, Ball, Heavy Duty, Anti-Friction, Airframe	Cancelled Use MS20200
AN201	No.6	Bearing, Ball, Intermediate Duty, Anti-Friction, Airframe	Cancelled Use MS20201

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN202	No.6	Bearing, Ball, Extra Light Duty, Anti-Friction, Airframe	Cancelled Use MS20202
AN203	No.1	Bearing Intermediate Duty Ball (Deep Groove, Composition Seal)	Cancelled Use MS20201
AN204	No.1	Bearing-Heavy Duty Ball (Deep Groove, Felt Seal)	Cancelled Use MS20200
AN205	No. 1	Bearing-Heavy Duty Double Row Ball (Deep Groove, Composition Seal)	Cancelled Use MS20207
AN206	No.6	Bearing, Ball, Double Row, Self-Aligning, Heavy Duty, Anti-Friction, Airframe	Cancelled Use MS20206
AN207	No.5	Bearing, Ball, Double Row, Heavy Duty, Anti-Friction, Airframe	Cancelled Use MS20207
AN208	No.2	Bearing	Cancelled Use MS27644
AN209	No.1	Bearing-intermediate Duty Ball (Deep Groove, Felt Seal)	Cancelled-See MS20201
AN210	No.5	Pulley-Anti-Friction Bearing Control	Cancelled Use MS24566
AN211		Spacer-Pulley	Cancelled
AN212	No.1	Bearing-Heavy Duty Ball (Deep Groove, Composition Seal)	Cancelled Use MS20200 & MS27261
AN213	No.2	Bearing-Extra Heavy Duty Ball (Deep Groove, Composition Seal)	Cancelled-See MS20207
AN214	No.2	Pulley-Plain Bearing Control	Cancelled
AN218		Bearing-Ball, Bellcrank, Anti-Friction Airframe	Inactive Use MS20218
AN218	No.3	Bearing-Ball, Bellcrank, Anti-Friction, Airframe	Superseded by MS20218
AN219	No.3	Pulley, Control, Secondary, Aircraft	Cancelled -Superseded by MS20219B
AN220		Pulley-Control, Flight, Aircraft	Cancelled Use MS20220
AN221		Pulley-Control, Heavy Duty, Aircraft	Cancelled Use MS20221
AN228		Fastener-Cross Pin Stud Cowling	See AND10076
AN230	No.5	Grommets-Metallic, Plain and Spur, With Washers	Superseded by MS20230B

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN232		Fastener-Slotted Stud Cowling	See AND10076
AN233	No.1	Hook and Buckle	Cancelled
AN235		Hooks-Lacing	Cancelled
AN250	No.2	Hinge-Butt	Cancelled
AN251	No.7	Hinge-Continuous	Cancelled-Use MS20257
AN252	No.1	Hinge-Extruded	Cancelled -Superseded by MS20001
AN253	No.6	Pin, Hinge	Cancelled
AN257	No.1	Hinge-Continuous	Cancelled-Use MS20257
AN270		Joint, Universal Plain Light Duty, A/C	See MS20270
AN271		Joint, Universal, Plain, Heavy Duty, A/C	See MS20271
AN275		Joint-Ball and Socket (Universal)	Cancelled
AN276	No.1	Joint-Ball and Socket	Cancelled
AN280	No.4	Key-Woodruff	Cancelled-Use MS35756
AN285		Lubricator-Pressure Type See AN286	Cancelled
AN286		Fittings; Lubricator, Pressure Grip Type PT	Cancelled-Use MS15006
AN287		Fittings; Lubricator, Pressure Grip Type D	Cancelled
AN295		Cup, Oil	Cancelled
AN301		Nail-Flat Head	Cancelled-Use FF-N-103 or FF-N-105
AN335	No.1	Nut-Plain Hex, (Coarse Thread)	Cancelled
AN340	No.3	Nut, Plain, Hexagon, Non-Structural, Coarse Thread	Superseded by MS35649
AN341	No.4	Nut. Plain, Hexagon, Electrical	Cancelled-Use MS35649 or MS35650
AN345	No.6	Nut, Plain, Hexagon, Non-Structural, Fine Thread	Superseded by MS35650
AN350	No.5	Nut, Plain, Wing	Use MS35425 and MS35426
AN360		Nut-Plain Engine	See AN121501 thru AN121525
AN361	Rev.4	Nut-Self Locking, Plate, Countersunk 100°, 550°F	Cancelled Use MS21059 or MS21050
AN363		Nut, Self-Locking, 550°F	Superseded by MS21045(ASG)
AN364	No.3	Nut-Self Locking, Thin, 250°F	Cancelled-Superseded by MS21083

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
AN365	No.4 Nut, Self-Locking, 250°F	Use MS20365
AN366	Rev.6 Nut, Self-Locking, Plate Non-Coutersunk, 250°F	Cancelled
AN380	No.7 Pin, Cotter	Cancelled
AN381	No.4 Pin, Cotter	Cancelled
AN-385	Pin Tapered Plain	Cancelled, Use MS24692
AN392	No.2 Pin, Flat Head (1/8)	Cancelled
AN393	No.2 Pin-Flat Head (3/16)	Cancelled
AN394	No.2 Pin-Flat Head (1/4)	Cancelled
AN395	No.2 Pin-Flat Head (5/16)	Cancelled
AN396	No.2 Pin-Flat Head (3/8)	Cancelled
AN397	No.2 Pin-Flat Head (7/16)	Cancelled
AN398	No.2 Pin-Flat Head (1/2)	Cancelled
AN399	No.2 Pin-Flat Head (9/16)	Cancelled
AN400	No.2 Pin-Flat Head (5/8)	Cancelled
AN402	No.2 Pin-Flat Head (3/4)	Cancelled
AN404	No.2 Pin-Flat Head (7/8)	Cancelled
AN406	No.2 Pin-Flat Head (1)	Cancelled
AN420	No.3 Rivet-Countersunk Head	Cancelled Use MS20427
AN425	No.2 Rivet -78° CTRSK HD	Cancelled
AN426	No.8 Rivet-Solid, Countersunk 100° Precision Head, Aluminum Alloy	Cancelled
AN427	Rivet, 100° Countersunk Head, Steel, Monel and Copper	Cancelled-Use MS20427
AN430	Rivet-Round Head Aluminum Alloy	See MS20470
AN435	No.7 Rivet, Round Head, Steel, Monel and Copper	Cancelled-Use MS20613 and MS20615
AN441	No.3 Rivet-Flat Head (Mild Steel, Monel and Copper)	Cancelled Use MS20470
AN442	Rivet-Flat Head Aluminum Alloy	
AN450	No.3 Rivet, Tubular	Cancelled-Use MS16535 and MS16536
AN455	Rivet-Brazier Head (Aluminum & Aluminum Alloy)	Use MS20470
AN456	River-Brazier Head Aluminum Alloy	Use MS20470
AN470	No.3 Rivet-Universal Head Aluminum	Cancelled
AN481	No.8 Clevis, Rod End	Cancelled-Use MS27976
AN486	No.6 Clevis, Rod End Adjusting	Cancelled
AN500	No.6 Screw, Machine, Fillister Head, Coarse Thread Cancelled-Use	MS35273 or MS35275

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN501	No.5	Screw, Machine, Fillister Head, Fine Thread	Cancelled Use MS35266
AN504	Rev.4	Screw, Tapping, Thread Cutting, Round Head, Machine Screw Thread	Cancelled
AN506	No.5	Screw, Tapping, Thread Cutting, 82-Degree Flat Head, Machine Screw THD	Cancelled
AN507	No.5	Screw, Machine, Flat Head, 100 Degree	Cancelled-Use MS24693
AN509	No.3	Screw-Machine, Flat Head, 100°, Structural	Cancelled-Use MS24694
AN520	No.4	Screw, Machine, Round Head, Fine Thread	Cancelled Use MS35207 MS35215, MS35219 and MS51958
AN526	No.6	Screw, Machine, Truss Head	Cancelled Use MS35206, MS35207, MS35218, MS35219, MS51957 and MS51958
AN535	No.4	Screw, Drive, R HD	Cancelled, Use MS21318
AN545	No.4	Screw, Wood, Round Head	Cancelled
AN550	No.5	Screw, Wood, Flat Head, 82°	Cancelled Use MS354928 & MS35494
AN658	No.5	Terminal, Wire Rope Swaging, Fork End	Cancelled Use MS20658
AN659	No.10	Terminal, Lug, Crimp Style, Copper, Uninsulated	Cancelled-Use MS20659
AN661	No.2	Terminal-Spark Plug Cable Safety Lock	Cancelled
AN663	No.8	Ball End, Wire Rope, Swaging	Cancelled-Use MS20663
AN664	No.7	Ball End, Wire Rope, Swaging-Single Shank	Cancelled Use MS20664
AN666	NO.13	Terminal, Wire Rope, Stud	Cancelled Use MS21259
AN667	No. 11	Terminal, Wire Rope, Swaging-Fork End	Cancelled Use MS20667
AN668	No.11	Terminal, Wire Rope, Swaging-Eye End	Cancelled Use MS20668
AN669	No.12	Terminal, Wire Rope, Stud	Cancelled Use MS21260
AN671	No.3	Tie Rod Streamline (#6-40)	Cancelled
AN673	No.3	Tie Rod-Streamline (No.10-32)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN674	No.3	Tie Rod-Streamline (1/4-28)	Cancelled
AN675	No.3	Tie Rod-Streamline (5/16-24)	Cancelled
AN676	No.3	Tie Rod-Streamline (3/8-24)	Cancelled
AN677	No.3	Tie Rod-Streamline (7/16-20)	Cancelled
AN678	No.3	Tie Rod-Streamline (1/2-20)	Cancelled
AN679	No.3	Tie Rod-Streamline (9/16-18)	Cancelled
AN680	No.3	Tie Rod-Streamline (5/8-18)	Cancelled
AN682	No.3	Tie Rod-Streamline (3/4-16)	Cancelled
AN684	No.3	Tie Rod-Streamline (7/8-14)	Cancelled
AN686	No.3	Tie Rod-Streamline (1-14)	Cancelled
AN701		Tie Rod-Internal 100 lb (6-40)	Cancelled
AN703		Tie Rod-Internal 2,100 lb (10-32)	Cancelled
AN704	No.3	Tie Rod-Internal 2,400 lb. (1/4-28)	Cancelled
AN705-3		Tie Rod & Internal 6100 lb	Cancelled
AN707-3		Tie Rod-Internal 11,500 lb	Cancelled
AN708-3		Tie Rod-Internal 15,500 lb	Cancelled
AN741	No.5	Clamp-Tube	Cancelled Use MS27405
AN743	No.5	Bracket, Support Clamp	Cancelled
AN744	No.4	Bolt-Flared Tube Fitting End Universal	Cancelled
AN746		Clamp-Hose	Use AN737
AN748		Clamp-Hose	Use AN737
AN749		Jumper, Bonding	Use MS25083
AN751		Jumper, Disconnect Bonding	Use MS25083
AN752		Jumper, Current Return	Use MS25083
AN753	No.2	Splice-Electrical Discounnect	Cancelled-Use MIL-S-6852B
AN756	No.6	Flange, Swivel Fitting, Flanged	Cancelled-Superseded by MS20756
AN757	No.3	Connector, Hose, Flanged, Fixed	Cancelled-Superseded by 20757
AN758	No.2	Elbow-Hose, Flanged, Swivel, 45°	Cancelled-Superseded by MS20758
AN760	No.3	Connector-Flared Tube, Flanged, Fixed	Cancelled-Superseded by MS20759
AN761	No.5	Elbow, Flared Tube, Flanged, Swivel, 45°	Cancelled-Superseded by MS20759
AN762	No.5	Elbow, Flared Tube, Flanged, Swivel, 90°	Cancelled-Superseded by MS20759
AN771	No.4	Cock-Screw-Screw Type Drain	Cancelled-Use MS35782
AN773	No.3	Fitting Assembly-Low Pressure Detachable Swivel Hose	Cancelled Use MS27404
AN774	No.4	Bolt-Flared Tube Fitting End Universal	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN781		Nipple-Electrical Terminal	Cancelled Use MS25171
AN782	No.3	Fitting End-Hydraulic and Pneumatic Hose Swivel, Detachable for AN-H-24 Hose	Cancelled-Superseded by MS28740
AN783	No.6	Tee, Flared Tube Internal Thread on Side	Cancelled
AN784		Tee, Flared Tube, Internal Thread on Run	Cancelled, Use MS24389
AN786		Coupling, Airspeed Tube Union	Cancelled
AN787		Fitting Assembly-Collet Type Detachable Swivel Hose	Use MS28740
AN788		Fitting Assembly-Collet Type Detachable Bulkhead Hose	See MS28740
AN789		Fitting Assembly-Collect Type Detachable Short Male Hose	See MS28740
AN790		Elbow, Unson	Cancelled
AN792		Fitting Assembly Hose Swivel Detachable	Cancelled
AN793		Fitting Assembly-Hose Bulkhead Detachable	See MS28740
AN794		Fitting Assembly-Hose Short Male	See MS28740
AN795		Nipple-Hose & Fitting (Bulkhead)	See AN793
AN797		Socket-Hose Retaining	See AN792,AN793, and AN794
AN798		Nipple-Hose to Swivel Fitting	See AN792
AN799		Nipple-Hose to Fitting (Gasket Seal)	See AN794
AN801	No.3	Connection, Straight Flanged Hose	Cancelled
AN802	No.4	Connection, 45 Degree Flanged Hose	Cancelled
AN803	No.5	Connection, 90 Degree Flanged Hose	Cancelled
AN804		Tee, Flared Tube with Bulkhead on Run	Cancelled, use MS24390
AN806		Plug - Flared Tube	Cancelled, use MS24404
AN812		Body-High Pressure Air Valve	Cancelled
AN813	No.6	Cap, High Pressure Air Valve	Cancelled Superseded by MS20813
AN814		Plug and Bleeder, Screw Thread	Cancelled, use MS24391
AN815		Union, Flared Tube	Cancelled, use MS24392
AN819	No.2	Sleeve, Coupling	Superseded by MS20819
AN820		Cap-Flared Tube Fitting	See AN929
AN821		Elbow-Flared Tube, 90 Deg.	Cancelled, use MS24401

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
AN822	No.7 Elbow-Flared Tube and Pipe Thread, 90°	Cancelled Superseded by MS20822
AN823	Elbow-Flared Tube and Pipe Thread 45°	Cancelled Use MS20823
AN824	Tee-Flared Tube	Cancelled, use MS24402
AN825	Tee-FLared Tube with Pipe Thread on Side	Cancelled Use MS20825
AN826	Tee-Flared Tube with Pipe Thread on Run	Cancelled Use MS20826
AN827	Cross, Flared Tube	Cancelled, use MS24403
AN828	Union-Flared Tube Bulkhead	See AN832
AN829	Elbow-Flared Tube Bulkhead, 90°	Cancelled
AN830	Tee-Flared Tube Bulkhead	See AN834
AN831	Nut-Flared Tube Fitting Bulkhead	See AN924
AN832	Union-Flared Tube, 9/8 Bulkhead and Universal	Cancelled, use MS24393
AN833	Elbow, Flared and Bulkhead Universal 90 Deg.	Cancelled, use MS24394
AN834	Tee, Bulkhead and Universal Flared Tube	Cancelled, use MS24395
AN837	Elbow, Flared Tube and Universal 45 Deg.	Cancelled, use MS24396
AN841	Adapter-Hose to Flared Tube	See AN807
AN843	Elbow-Flared Tube & Hose 90°	See AN838
AN845	Elbow-Hose 45°	Cancelled
AN847	Elbow-Hose 90°	Cancelled
AN855	Hose Assembly, Low Pressure, Flared Tube & Swivel Connection	See AN6270
AN856	Hose Assembly-Low Pressure, Swivel Connections	See AN6270
AN857	Hose Assembly-Medium Pressure Swivel & Flared Tube (Bulkhead) Connection	See AN6271
AN858	Hose Assembly-Medium Pressure, Flared Tube (Gasket Seal & Bulkhead) Connections	See AN6271
AN859	Hose Assembly-Medium Pressure, Swivel Connections	See AN6871
AN861	Hose Assembly-High Pressure Swivel & Flared Tube (Bulkhead) Connections	See AN6271 & AN6275
AN862	Hose Assembly-High Pressure, Flared Tube (Gasket Sealed & Bulkhead) Connections	See AN6271 & AN 6275
AN863	Hose Assembly-High Pressure (1500 PSI) Swivel Connections	See AN6271
AN864	Hose Assembly-Medium Pressure, Swivel & Flared Tube (Gasket Seal) Connections (For Brakes)	See AN6271

Source: https://assist.dla.mil -- Downloaded: 20261O-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN872		Flange-Circular Formation Light Mounting	Cancelled
AN874		Hood, Direct Instrument Light	Cancelled
AN878		Hose, Oil & Coolant Synthetic	Cancelled
AN880		Hose, Synthetic, Fuel, Oil & Coolant Standard Lengths	Cancelled
AN883		Hose-Low Pressure Flexible	Cancelled
AN884		Hose-Aromatic Resistant Synthetic	Cancelled
AN886		Gasket, Anchor-Light Cover	Cancelled
AN888		Gasket-Rectangular Formation Light Cover	Cancelled
AN889		Gasket, Wing Position Light Cover	Cancelled
AN891		Cross-Primer and Gauge	Cancelled
AN893		Bushing Screw Thread Reucer	Cancelled, use MS24397
AN894		Bushing Screw Thread Expander	Cancelled, use MS24398
AN898		Gasket, Exterior Light Cover	Cancelled
AN900	No.2	Gasket-Copper-Asbetos Annular	Cancelled Use MS35769
AN902		Gasket-Flared Tube, Universal Fitting	See AN6290
AN903		Gasket, Downward Recognition Light Cover	Cancelled
AN909	No.3	Plug-Square Head, Drilled For Locking	Cancelled
AN919		Reducer, Exteral Thread Flared Tube	Cancelled, use MS24399
AN920		Union-Flared Tube Universal	Cancelled
AN921		Elbow-Flared Tube Universal 90°	See AN833
AN922		Elbow-Flared Tube Universal 45°	See AN837
AN923		Tee-Flared Tube Universal	Cancelled
AN925		Cross-Internal Screw Thread	See AN937
AN931	No.7	Grommet-Elastic	Cancelled
AN932		Plug, Pipe, Countersink Hex Head	Cancelled, Use MS27769
AN935		Washer, Lock, Spring	Cancelled, Use MS35338
AN936	No.7	Washer, Tooth Lock	Superseded-Use MS35333 MS35335, MS35336, or MS35790
AN942	No.3	Bearing-Plain, Heavy Duty, Self-Aligning, Airframe	Cancelled
AN944	No.3	Fitting-Lubricating, Aircraft Pressure Grip, Type NFT	Cancelled Use MS15001 and MS15002

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN946	No.3	Bearing, Ball Rod End, External THD, Self-Aligning, Anti-Friction, Airframe	Cancelled Use MS21151
AN948	No.3	Bearing, Ball, Rod End, Hollow Shank, Self -Aligning, Anti Friction, Airframe	Cancelled-Use MS21150, MS2115 MS21152, MS2115
AN949	Rev.A	Bearing-Rod End, Hollow Shank, Self-Aligning, Plain Airframe	Cancelled
AN950	No.2	Washer-Ball Socket	Cancelled
AN951	No.3	Bearing, Ball, Rod End, Internal Thread, Self-Aligning	Cancelled-Use MS21150, MS21151, MS21152, MS2115
AN995	Rev.#6	Wire, Lock	Cancelled Use MS20995
AN2002		Lug-50 Caliber Link Ejection Chute	Cancelled
AN2500		Lens-24' Drum Type Floodlight	Cancelled
AN2501		Indicator-Tetrahedral, Wind Direction	Cancelled
AN2502		Lamp Assembly-Fresnel Single Unit Portable Floodlight	Cancelled
AN2503		Lamp Assembly-Fresnel Four Unit Stationary Floodlight	Cancelled
AN2504		Lamp Assembly-Fresnel Six Unit Mobile Floodlight	Cancelled
AN2505		Truck-Six Floodlight Field Lighting	Cancelled
AN2508		Light-Runway Marker	Cancelled
AN2509	Rev.4	Base-Runway Marker Lamp Deep	Cancelled Use MS24526
AN2510	No.3	Gasket-Lamp Base	Cancelled Use MS26577
AN2511	No.2	Cover-Runway Marker Lamp Base Blank	Cancelled Use MS26580
AN2512	No.4	Base Assembly-Runway Marker Light	Superseded-Use MS24526 MS26580 or MS26577
AN2513		Base-Runway Marker Lamp Shallow	Cancelled
AN2516		Transformer-Series Multiple Subway and Detachable	Cancelled
AN2517	No.2	Lamp Assembly-Four Unit Mobile Floodlight	Cancelled
AN2518		Power Plant-Electric Alternating Current 10 Kilowatt Single Phase 32/120/240 Volt	Cancelled
AN2519	No.1	Power Plant-Electric Direct Current 3 Kilowatt 110 Volt	Cancelled-Use MIL-STD-633

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN2520	No.1	Power Plant-Electric Direct Current 500 Watt, 110 Volt Portable	Cancelled-See MIL-STD-633
AN2521		Switchbox Assembly-Four 100 Ampere Circuits Couplings	Cancelled
AN2522	Rev.1	Lens-24 Inch Double Beam	Cancelled Use MS25391
AN2523		Regulator Assembly-Runway Remote Intensity Control	Cancelled
AN2524		Truck-Four Floodlight Field Lighting	Cancelled
AN2525		Lamp Assembly-24" Drum Type Floodlight	Cancelled
AN2526		Cone-Runway Marker Lamp (For Snow Areas)	Cancelled
AN2527		Cabinet-Eight Circuit Power Control	Cancelled
AN2528	No.1	Cabinet & Relay Assembly, Distribution	Cancelled
AN2530		Cubicle-Automatic Transfer Primary Switch 300/100 KVA	Cancelled
AN2532		Base Plate Assembly Runway Marker Lamp	Use MS24345
AN2533		Column-Runway Marker Lamp (For Snow Areas)	Cancelled
AN2534		Cable Assembly-Power, Electrical Runway Marker Lamp	Cancelled
AN2535		Adapter Assembly-Runway Marker Lamp (For Snow Areas)	Cancelled
AN2536		Top Assembly Runway Marker Lamp (For Snow Areas)	Cancelled
AN2537		Lens Assembly-Runway Marker Lamp (For Snow Areas)	Cancelled
AN2538		Stand-Hanger Portable Floodlight Lamp	Cancelled
AN2539		Lamp Assembly-Hanger Incandescent Portable Floodlight	See MIL-L-5003
AN2540		Lamp Assembly-Hanger Flourescent Portable Floodlight	Cancelled
AN2542		Cone Assembly-Marker Lamp	Cancelled
AN2543		Cone Mounting-Marker Lamp Tip Over	Cancelled
AN2544		Cone Mounting, Marker Lamp Rigid	Cancelled
AN2545		Filter-Marker Lamp Split	Cancelled
AN2546		Hood-Marker Lamp Combat	Cancelled
AN2548		Lamp Assembly-Disconnecting Obstruction Marker	Cancelled
AN2549		Hood-Runway Maker Lamp Combat	Cancelled
AN2550		Trainer-Instrument (Ground)	Cancelled
AN2551		Cable Assembly, Power, Electrical, 28 Volt DC	Cancelled Use MS90347
AN2553		Plug-Fuel Nozzle Grounding	Cancelled Use MS25384
AN2554		Trainer-Celestial Navigation	Cancelled
AN2557		Regulator Assembly-Brightners Control	Cancelled
AN2558		Cabinet & Relay Assembly-Runway Selector	Cancelled
AN2562		Panelboard-Eight Circuit Distribution	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN2566		Trainer-Demonstrator Map Projection	Cancelled
AN2571		Panel, Type I Airport Lighting Control	Cancelled
AN2572		Panel-Type II Airport Lighting Control	Cancelled
AN2573		Panel-Type III Airport Lighting Control	Cancelled
AN2577		Fitting Assembly-Runway Marker, 6.6. Ampere for Snow Areas	Cancelled
AN2579		Frequency Changes	Cancelled
AN2580	Rev.2	Floodlight Incandescent Lamp, AC 115, 150 W	Cancelled Use MS25355
AN3014		Switch, Toggle Single Pole-Double Throw Type B-1B	Superseded by AN3022-3B
AN3015		Switch, Toggle-Single Pole-Singel Throw Type B-5A	Superseded by AN3022-2B
AN3016		Switch, Toggle-Single Pole-Single Throw Type B-6B	Superseded by AN3022-8B
AN3017		Switch, Toggle-Single Pole, Double Throw Type B-7A	Superseded by AN3022-6B
AN3018		Switch, Toggle-Single Pole-Double Throw Type B-9A	Superseded by AN3022-1B
AN3019		Switch,Toggle-Single Pole-Double Throw Type B-11	Superseded by AN3022-7B
AN3020		Switch Toggle-Single Pole-Double Throw Type B-14	Superseded by AN3022-5B
AN3021		Switch, Toggle, Single Pole, One Hole Mounting	Cancelled Use MS35058
AN3022	Rev.10	Switch, Toggle Single Pole, Three Hole Mounting	Cancelled
AN3023	No.9	Switch-Toggle, Double Pole, Three Hole Mounting	Cancelled-Use MS25103
AN3024		Switch-Generator Control Relay	Cancelled
AN3025	No.6	Cutout Relay, Aircraft Generator, 28 Volt DC System	Cancelled Use MS27433
AN3027		Switch-One Hole Mounting Double Pole Toggle	Cancelled Use MS35059
AN3028	No.12	Guard, Toggle Switch, Two Position	Cancelled-Use by MS25224
AN3029	No.4	Light Assembly, Ungrounded Indicator	Cancelled
AN3031		Light Assembly-Rectangular Formation	See AN3030
AN3034	Rev.4	Light Assembly-Direct Instrument	Cancelled
AN3035	No.1	Light Assembly-Indirect Instrument	Cancelled
AN3039	No.1	Light Assembly, Cabin Dome, Extra Strength Cover	Cancelled-Use MS28916
AN3044		Cover-Cabin Dome Light	Cancelled
AN3045		Control Assembly-Recognition Light	Cancelled
AN3046	Rev.1	Terminal Assembly-Solderless Lighting Contact	Cancelled
AN3047		Light Bracket, Work Table	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN3055	No.6	Box Connector. Electrical	Cancelled
AN3056	No.5	Adapter, Electrical Conduit, Rigid to Flexible	Cancelled
AN3057	No.6	Adapter-Electrical Accessory To Cable	Cancelled Use MS3057
AN3058	No.5	Coupling, Electrical Conduit, Rigid	Cancelled
AN3064	No.5	Box Connector, Electrical	Cancelled
AN3065	No.2	Probe-Ignition System Radio Noise Test	Cancelled
AN3070		Generator-Class B, 50 Ampere	Cancelled
AN3071		Generator-Class A, 50 Ampere	Cancelled
AN3072		Generator-Class B, 100 Ampere	Cancelled
AN3074		Generator-Class B, 200 Ampere	Cancelled
AN3075		Generator-Class A, 200 Ampere	Cancelled
AN3077		Generator-Class A, 300 Ampere	Cancelled
AN3079		Generator-Class A, 300 Ampere	Cancelled
AN3080		Regulator-Generator Voltage	Cancelled
AN3081		Probe-High Frequency Electro-Magnetic	Cancelled
AN3082	Rev.4	Terminal Board-Four Stud	Cancelled
AN3086	No.5	Terminal Board-Five Stud	Cancelled-Use MS25077 and MS25129
AN3087	No.3	Hood, Berth Light	Cancelled
AN3095	No.10	Light Assembly, Electrically Retractable Landing	Cancelled-Use MIL-L-81174/4
AN3096		Light Assembly-Downward Recognition	Cancelled
AN3097		Light Assembly-Upward Recognition	Use MS25215
AN3098		Cover, Downward, Recognition Light	Cancelled
AN3099		Cover, Top & Bottom Fuselage Lights	Use MS25216
AN3100	No.9	Connectors,-Electrical, Receptacles Wall Mounting	Cancelled Use MS3100
AN3101	Rev.6	Connectors-Electrical, Receptacles Cable Connecting	Cancelles Use MS3101
AN3102	No.6	Connectors, Electrical, Receptacles Box Mounting	Superseded by MS3102
AN3103	No.1	Terminal Block-Electrical Disconnect	Cancelled
AN3104	Rev.#6	Elbow-Shielded Spark Plug	Cancelled Use MIL-E-6719
AN3106	Rev.8	Connectors-Electrical Plugs Straight	Cancelled Use MS3016
AN3107	Rev.5	Connectors, Electrical, Plugs, Quick Disconnect	Cancelled Use MS3107
AN3108	Rev.9	Connectors-Electrical, Plugs, Angle 90°	Cancelled Use MS3108
AN3110	No.5	Cover, Tail Position Light, 1-13/32 DIA	Cancelled Use MS23006
AN3113	No.7	Connector, Receptacle-External Power, 115 Volt DC	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN3114	No.10	Receptacle, External Power 115/200 Colts, 3 Phase	Cancelled Use MS3505 & MS90362
AN3117	No.2	Receptacle-Fuel Nozzle Grounding	Cancelled-Use MS90298
AN3118		Bracket-Mounting-Tail Position Light	Cancelled
AN3121		Lamp Incandescent, Single Contact, Minature Bayonet Base T-3-1/4 Bulb	Use MS25231
AN3123		Lamp-T-4 1/2 Bulb, Single Contact Candelabra Bayonet Base	Cancelled
AN3124		Lamp, Incandescent, Single Contact Bayonet Candelabra Base, S-8 Bulb	Use MS25232
AN3125	Rev.R	Lamp, Flourescent, Duoble Contact Bayaonet Candleabra Indexing, RP-12 Bulb	Cancelled
AN3126	Rev.3	Lamp, Incandescent-Par-36 Bulb, Screw Terminal Base, Signaling	Cancelled Use MS25239
AN3127		Lamp, Incandescent, Double Contact Bayonet T-4 1/2 Bulb	Cancelled
AN3128		Lamp, Incandescent, Par-46 Bulb, Screw Terminal Base, Signaling	Cancelled
AN3131		Lamp, Incandescent, Single Contact Bayonet Base, G-6 Bulb	Use MS25233
AN3132		Lamp, Incandescent, Double Contact Bayonet Candelabra Base, S-8 Bulb	Use MS25234
AN3133		Lamp, Incandescent, Single Contact Bayonet Base, S-11 Bulb	Use MS25235
AN3134	Rev.1	Lamp-TL-3Bulb Miniature Screw Base	Cancelled
AN3135	Rev.2	Lamp T-5 Bulb, FA-5 Base, Fluorescent	Cancelled
AN3137	Rev.3	Lamp, Incandescent, Double Contact Bayonet Candelabra Base, G-6 Bulb	Cancelled
AN3138		Lamp, Incandescent, Double Contact Bayonet Candelabra, G-16 1/2 Bulb	Cancelled
AN3139	Rev.3	Lamp, Incandescent, Double Contact Bayonet Candelabra Base	Cancelled
AN3140		Lamp, Incandescent, T-1-3/4 Bulb, Midget Flange Base	Use MS25237
AN3141		Lamp, Single Contact Bayonet Candelabra Base, G-5	Use MS25238
AN3142	Rev.4	Lamp, Incandescent, Double Contact Bayonet Candelabra Base, G-5 Bulb	Cancelled
AN3143		Lamp, Incandescent, Minature Bayonet, T-4 Bulb Bulb Incandescent	Cancelled
AN3144	Rev.4	Lamp, Incandescent, Par-36 Bulb, Screw Terminal Base	Cancelled Use MS25423
AN3145		Light Assembly-Cockpit Utility	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN3149	Rev.1	Light Assembly - Fixed Landing (Par-64, Bulb, 10° Angle)	Cancelled
AN3150	Rev.4	Battery-Storage Shielded 24-Volt, 36-Ampere Hour	Superseded by MIL-B-83769A
AN3151	Rev.4	Battery-Storage, Shielded, 24-Volt 24 Ampere Hour	Superseded by MIL-B-83769A
AN3152	No.2	Battery-12 Volt 34 Ampere Hour Shielded Storage	Cancelled
AN3153	No.2	Battery-12 Volt 17 Ampere Hour Shielded Storage	Cancelled
AN3154	Rev.1	Battery-24 Volt Ampere Hour Shielded Storage	Superseded by MIL-B-83769A
AN3158		Light Assembly, Tail Position	Use MS25219
AN3160	No.7	Circuit Breaker, Switch Type Nontrip Free	Cancelled
AN3161		Circuit Breaker, Push Button Nontrip Free	Use MS25017
AN3165		Relay-Current (Battery and Starter Circuit)	Cancelled
AN3166	No.2	Actuator, Limit Switch, Class A	Cancelled-Superseded by MIL-S-8805/57
AN3167	No.2	Actuator, Limit Switch, Class B	Cancelled-Supersede by MIL-S-8805/58
AN3168	No.4	Actuator, Limit Switch, Class C	Cancelled-Supersede by MIL-S-8805/58
AN3169	No.1	Actuator, Limit Switch, Class D	Cancelled-Supersede by MIL-S-8805/59
AN3170	No.2	Actuator, Limit Switch, Class E	Cancelled-Supersede by MIL-S-8805/60
AN3176	No.3	Light Assembly, Taxi (Par 36 Bulb)	Cancelled Use MS27432
AN3178		Holder-Spare Lamp	Use MS25261
AN3179	No.1	Inductor, 30 Volt Laboratory Test	Cancelled-Superseded by MS90306
AN3180		Inverter-Class A6 Volt Ampere Single Phase	Cancelled
AN3181		Inverter-Class A100 Volt Ampere Single Phase	Cancelled
AN3182		Inverter-Class A250 Volt Ampere Single Phase	Cancelled
AN3183		Inverter-Class A500 Volt Ampere Single Phase	Cancelled
AN3184		Inverter-Class A750 Volt Ampere Single Phase	Cancelled
AN3185		Inverter-Class A1500 Volt Ampere Single Phase	Cancelled
AN3186		Inverter-Class A2500 Volt Ampere Single Phase	Cancelled
AN3187		Inverter Class A100 Volt Ampere Three Phase	Cancelled
AN3188		Inverter-Class A250 Volt Ampere Three Phase	Cancelled
AN3189		Inverter-Class A500 Volt Ampere Three Phase	Cancelled
AN3190		Inverter-Class A750 Volt Ampere Three Phase	Cancelled
AN3191		Inverter-Class B500 Volt Ampere Single Phase	Cancelled
AN3192		Inverter-Class B1200 Volt Ampere Single Phase	Cancelled
AN3193		Base-Inverter Four Stud Mounting	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN3194		Base-Inverter Six Stud Mounting	Cancelled
AN3195	No.4	Fastener-Snapslide	Cancelled-Use MS21332
AN3196	No.1	Stud-Style I Snapslide Fastener	Cancelled-Superseded by MS21323
AN3198	No.2	Stud-Style III Snapslide Fastener	Use MS21325
AN3199	No.2	Stud, Style IV Snapslide Fastener	Use MS21326
AN3200	No.4	Shunt-Ammeter, External, 50 Millivolt	Cancelled-Superseded by MS91586, MS91587 and MS91588
9993202	No.4	Voltmeter, 0-150 Volt, 400 Cycle Alternating Current	Cancelled-Superseded MS24332
AN3204	No.1	Base Assembly-Voltage Regulator	Cancelled
AN3205	No.1	Base-Voltage Regulator	Cancelled
AN3206		Regulator, Voltage Direct Current Generator 20 Volt	Cancelled, Use MS18071
AN3207	No.2	Cover-Terminal Block	Cancelled
AN3209	No.3	Switch-Slide Button, Single Pole, Narrow Guard	Superseded by AN3236
AN3210	No.8	Switch, Low Travel Limit	Cancelled-Superseded by MS25026
AN3211	No.6	Switch-Rotary Selector	Cancelled
AN3213		Switch, Two Engine Ignition	Cancelled
AN3214	No.4	Switch-Four Engine Ignition	Cancelled
AN3215	No.3	Switch, Class C Limit	Cancelled-Superseded by MIL-S-8805/61
AN3216	No.5	Switch, Class D Limit	Cancelled-Superseded by MS25383
AN3217	No.3	Switch Assembly-Plunger Type Enclosed Limit	Cancelled-Superseded by MIL-S-8805/62
AN3218	No.5	Switch Assembly, Roller Type Inclosed Limit	Cancelled-Superseded by MIL-S-8805/63
AN3219		Knob-Pointer, Small	See MS25165
AN3220		Knob-Pointer	See MS25166
AN3221		Tip, Toggle Switch Luminescent	Cancelled
AN3222		Tip, Switch Breaker Luminescent	Cancelled
AN3223		Boot-One hole mounting Toggle Switch	Use MS24371

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN3224		Boot-Toggle Switch, Three Hole Mounting	Use MS24319
AN3225		Switch Assembly-Toggle, Monetary Position, Two Unit	See MS25016
AN3226	No.3	Switch-Three Hole Mounting Three Pole Toggle	Cancelled
AN3227	No.4	Switch-Toggle, Four Pole, Three Hole Mounting	Cancelled
AN3228	No.4	Guard, Toggle Switch, 3 Position	Cancelled-Use MS25225
AN3229		Guard, 2 -Position Toggle Switch Lock	Cancelled-Use MS25452
AN3230	No.2	Switch-Five Hole Mounting Single Pole Toggle	Cancelled
AN3233	No.6	Switch Assembly, Calss D Inclosed Limit	Cancelled
AN3234	Rev. 7	Switch - Class E Limit	Cancelled
AN3237		Switch - Slide Button Single Pole, Wide Guard	Cancelled
AN3247		Boot - Toggle Switch, Three-Hole Mounting Plate Style	Use MS24319
AN3248	No. 5	Boot - Toggle Switch, Five Hole Mounting	Cancelled-For Procurement Use MIL-B-5423/12
AN3248	No. 5	Boot - Toggle Switch, Five Hole Mounting	Cancelled-For Procurement Use MIL-B-5423/12
AN3249		Jack - Tip Voltmeter Test	Cancelled
AN3251	No. 3	Terminal Stud	Cancelled
AN3252	No. 2	Block-Terminal, Five Stud	Cancelled
AN3305		Relay - 3 AMP 2 PDT	Cancelled
AN3307		Relay, 10 AMP, 2 PDT, Sealed Panel Mounting, Class 0	Inactive
AN3315		Relay	Cancelled
AN3333	No. 4	Guard, Toggle Switch, 3 Position	Cancelled-Use MS25223
AN3336	No. 3	Relay, 5 AMP, 3 PDT, Unsealed, Class 0	Cancelled-Superseded by MS24151
AN3338	No.3	Relay, 25 AMP, 1 PDT, Unsealed, Class 0	Cancelled-Use MS24155
AN3339	No. 3	Relay, 25 AMP, 3 PDT, Unsealed, Class 0	Cancelled-Superseded by MS24192
AN3341		Relay	Cancelled
AN3343	Rev.3	Relay, 100 AMP, 3IST, Unsealed, Class 0	Superseded by MS24194(ASG)
AN3350		Relay	Cancelled-Use MS24166
AN3352		Relay	Cancelled-Use MS24178

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN3353		Relay	Cancelled-Use MS24187
AN3354		Relay	Cancelled-Use MS25030
AN3362		Relay	Cancelled-Use MS24170
AN3364		Relay	Cancelled-Use MS25031
AN3370		Relay	Cancelled-Use MS24171
AN3371	No. 8	Relay, 200 AMP, 1PST, Intermittent, Unsealed, Class 0	Cancelled-Use MS24172
AN3374		Relay	Cancelled-Use MS25032
AN3380	No. 8	Relay, 400 AMP, 1PST, Unsealed, Class 0	Cancelled-Superseded by MS24185
AN3381	No. 8	Relay, 400 AMP, 1PST, Intermittent Unsealed, Class 0	Cancelled-Superseded by MS24179
AN3391	No. 8	Relay, Solenoid - 600 AMP, Automatic Drop Out	Cancelled-Superseded by MS14174
AN3400	Rev. 7	Light Assembly - Red and Clear Illumination, Dome	Cancelled Use MS25358
AN3420	No. 3	Bushing - Cable, Adapter, Telescoping	Cancelled - Use MS3420
AN3427	No. 2	Crimping Tool, Electric Cable Terminal, Hand	Cancelled - Use MS25020 And MS9045
AN3428		Crimping Tool, Electric Cable Terminal, Hand 22-10 Capacity	Cancelled and Superseded by MS17776
AN3430		Cable Assembly, Power, Electrical, 115/200 Volts, 3 Phase	Cancelled Use MS90328
AN3432		Stud - Electrical Terminal Block	Cancelled
AN3433	No. 4	Bus - Terminal Block	Cancelled - Superseded by MS25226
AN3434	No. 3	Strip - Terminal Block Mounting Nut Insulating	Cancelled - Use MS25227
AN3435	No. 4	Terminal Block - Electrical	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN3436	Rev. 4	Terminal Block Assembly - Electrical	Superseded by MS25123(ASG)
AN3437		Strip Terminal Block Base Insulating	Cancelled
AN3496	No. 5	Inverter - Instrument, Class A, 6 Volt-Ampere Single Phase	Cancelled
AN3497		Inverter - Instrument, Class A, 10 Volt Ampere Three Phase	Cancelled
AN3498		Inverter - Instrument, Class A, 50 Volt Ampere Three Phase	Cancelled
AN3499	No. 5	Inverter, Instrument, Class A, 100 Volt Ampere 3 Phase	Cancelled Use MS16057
AN3502	Rev. 4	Light Assembly - Control Panel, Plastic Lighting Plate	Cancelled Use MS25453
AN3513	Rev. 3	Inverter-Class A 500 Volt-Ampere Single Phase	Cancelled Use MS17406
AN3514	No. 4	Inverter-Class A 750 Volt Ampere Single Phase	Cancelled Use MS17406
AN3515		Inverter - Class A 1500 Volt-Ampere Single Phase	Cancelled
AN3516		Inverter - Class A 2500 Volt-Ampere Single Phase	Cancelled
AN3530	No. 3	Inverter, Class C, 5000 Volt Ampere, Single Phase	Cancelled
AN3531		Inverter, Class A, 100 Volt Ampere Three Phase	Cancelled
AN3532	No. 4	Inverter, Class A, 250 Volt Ampere, 3/1 Phase	Cancelled Use MS25093
AN3533	No. 2	Inverter, Class A, 500 Volt Ampere, Three Phase	Cancelled Use MS17406
AN3534	No. 2	Inverter, Class A, 750 Volt Ampere, Three Phase	Cancelled Use MS17406
AN3621		Generator-Direct Current, 100 Ampere 30 Volt, High Speed Range	Cancelled
AN3623	No.2	Generator - Direct Current, 30 Ampere, 20 Volt High Speed Range	Cancelled
AN3624	No. 1	Generator, Direct Current, 400 Ampere, 30 Volt, High Speed Range	Cancelled
AN3632	No. 2	Generator - 200 Ampere, 20 Volt Wide Speed Range	Cancelled
AN3633	No. 4	Generator, Direct Current, 300 Ampere 30 Volt, Wide Speed Range	Cancelled Superseded MS90332
AN3634	No. 5	Generator, Direct Current, 400 Amperes, 30 Volt, Wide Speed Range	Cancelled Superseded by MS3364

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN3650	No. 5	Generator, Direct Current, 400 Amperes, 30 Volts, Wide Speed Range, 11 Inch Diameter Mounting Flange	Cancelled
AN4000		Strainer Fuel Line - Assembly	Cancelled
AN4001		Cock - Fuel - Type D	Cancelled
AN4002		Cock - Fuel - Type E	Cancelled
AN4003		Cock - Fuel - Type F	Cancelled
AN4004		Cock - Fuel - Type G	Cancelled
AN4006		Value - Fuel Relief, Type B	Cancelled
AN4009		Pump Fuel-Type D-2 Hand Starting & Emergency	Cancelled
AN4017		Cock - Fuel - Type H	Cancelled
AN4022	No. 1	Nipple Assembly - Priming System Jet	Cancelled
AN4023		Elbow Assembly - Priming System Jet	Cancelled
AN4024		Tee Assembly - Priming System Jet	Cancelled
AN4026		Cap - Spark Plug Shipping - Lower	Cancelled
AN4028		Marker, Ignition Cable	Cancelled
AN4029		Cap - Spark Plug Shipping - Upper	Cancelled
AN4030	No. 3	Distributor - Engine Primer	Cancelled
AN4032	No. 2	Clamp - Primer Line	Cancelled
AN4033		Priming System - Engine - Design Requirements	Cancelled
AN4034		Plate - Engine Data	Cancelled
AN4036		Plug Thermal - Assem.	Cancelled
AN4037		Flange, Oil Connection, 3 Bolt	See AND10083
AN4039	No. 7	Connection Engine Oil 45° (3 Bolt Flange)	Cancelled
AN4040		Connection, Engine Oil 90°	Cancelled Use MS28750
AN4041		Adapter, Engine Tachometer Outlet - Assembly	Cancelled
AN4042	No. 2	Plug - Spark Plug Hole (18 mm - 1.5 mm Pitch)	Cancelled
AN4043	No. 1	Cartridge Assembly - Corrosion Inhibitor Drain	Cancelled - Use MS26541
AN4044	No. 6	Gasket - Type XI Engine Accessory Drive	Cancelled
AN4045	No. 6	Gasket - Type X or XV Engine Accessory Drive	Cancelled
AN4046		Gasket - Type XX Engine Accessory Drive	See AN10008
AN4047	No. 7	Gasket - Type XII, or Type XIV - A and B Engine Accessory Drive	Cancelled
AN4048		Flange - Oil Connection 4 Bolt	See AND10083
AN4049	No. 6	Connection Straight (4 Bolt Flange) Engine Oil	Cancelled Use MS28748
AN4050	No. 1	Bushing, Vacuum and Hydraulic, Power, Pumps Adapter (For Type I Mounting Pad and Drive)	Cancelled
AN4051	No. 1	Bushing, Vacuum and Hydraulic Power Adapter (For Type II Mounting Pad and Drive)	Cancelled
AN4053	No. 5	Connection, Engine Oil 45° (4 Bolt Flange)	Cancelled Superseded by MS28749

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN4054		Connection, Engine Oil 90° (4 Bolt Flange)	See AN4111
AN4055	No. 5	Adapter, Type XI Drive Flange	Cancelled
AN4056	No. 1	Circlet - Vacuum and Hydraulic-Power Pumps Type I Mounting Pad and Drive Adapter	Cancelled
AN4057		Gasket Gun Synchronizer Impulse Generator Mounting Pad	Cancelled
AN4058	No. 6	Gasket - Type XIV-C Engine Accessory Drive	Cancelled
AN4059	No. 5	Gasket - Type XIII Engine Accessory Drive	Cancelled
AN4061	No. 10	Plug - Crankcase Dehydrator	Cancelled - Superseded by MS3397
AN4062	No. 12	Plug, Engine Cylinder Dehydrator	Cancelled and Superseded by MS27215
AN4064	No. 5	Plug, Engine Cylinder Dehydrator (14 MM Thread)	Cancelled and Superseded by MS3396
AN4066		Envelope, Engine Protective (For R-440 and R-540 Engines)	Cancelled
AN4067		Envelope, Engine Protective (For R-440 Engine)	Cancelled
AN4068		Envelope, Engine Protective	Cancelled
AN4069	No. 3	Envelope, Engine Protective for R-670 and R-680 Engines	Cancelled
AN4070	No. 4	Envelope, Engine Protective (For R-755 Engine)	Cancelled
AN4071		Envelope, Engine Protective	Cancelled, Use MIL-E-6060/1
AN4072		Envelope, Engine Protective	Cancelled, Use MIL-E-6060/2
AN4073		Envelope, Engine Protective	Cancelled
AN4074	No. 4	Envelope, Engine Protective (For V-1650 Engines)	Cancelled
AN4075		Envelope, Engine Protective (For R 3350 Engine)	Cancelled
AN4077	No. 1	Fitting, Oil Dilution System Twin Restricted Tube	Cancelled
AN4078		Valve-Oil Dilution and Separately Mounted Priming Solenoid	Cancelled
AN4080	No. 6	Cooler-Round, Copper, Oil	Cancelled
AN4083		Coupling - Double Type Magneto Drive	Cancelled
AN4084		Coupling - Single Type Magneto Drive	Cancelled
AN4085	No. 2	Washer - Double Type Magneto Coupling	Cancelled
AN4086	No. 3	Envelope, Engine Protective (For V-1710 Engines)	Cancelled
AN4087	No. 2	Tube-Oil Cooler Plug	Cancelled
AN4088	No. 2	Cover - Hand Crank Starter Flexible Shaft Dust	Cancelled
AN4089		Shaft Assembly - Hand Crank Starter Flexible	See AN4117 and AN4118
AN4090	No. 4	Casing Assembly - Hand Crank Starter Flexible Shaft	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN4091	No. 4	Shaft - Hand Crank Starter Flexible Shaft	Cancelled
AN4092	No. 3	Sleeve - Hand Crank Starter Flexible Shaft Casing	Cancelled
AN4093	No. 4	Sleeve - Hand Crank Starter Flexible Shaft	Cancelled
AN4094	No. 2	Bushing - Hand Crank Starter Flexible Shaft	Cancelled
AN4095	No. 2	Spring - Hand Crank Starter Flexible Shaft	Cancelled
AN4097	No. 1	Box - Hand Crank Gear	Cancelled
AN4098	No. 1	Crank - Inertia Starter Hand	Cancelled
AN4099		Pump - Hand Operated Engine	Cancelled
AN4100	No. 4	Pump - 200 G.P.H. Power Driven Fuel	Cancelled Use MS29585
AN4101	No. 4	Pump - 400 G.P.H. Power Drive Fuel	Cancelled Use MS29586
AN4102	No. 4	Pump - 700 G.P.H. Power Drive Fuel	Cancelled Use MS29587
AN4105	No. 2	Valve-Oil Bypass Spring Loaded Relief	Cancelled
AN4106	No. 2	Valve-Thermostatic Oil By-Pass Control	Cancelled
AN4107	No. 1	Envelope-Protective, Reciprocating Engine (For Use With Quick Engine Change Units)	Cancelled
AN4108		Strainer-Fuel System (100 G.P.H.)	Cancelled Use MS29547
AN4109		Strainer-Fuel System (150 and 280 G.P.H.)	Inactive
AN4110		Starter - Combined Direct Cranking and Inertia	Cancelled
AN4111		Connection, Engine Oil 90°	Cancelled
AN4112		Envelope, Engine Protective	Cancelled Use MIL-E-6060/3
AN4113	No. 3	Envelope, Engine Protective (For R-4360 Engine)	Cancelled Superseded by MS27250
AN4114	No. 3	Vibrator - Aircraft Engine Starting	Cancelled
AN4115	No. 2	Envelope-Engine Protective (For O-405-9 Engines)	Cancelled
AN4117	No. 2	Sleeve Assembly-Hand Crank Starter Flexible Shaft	Cancelled
AN4118	No. 2	Shaft Assembly-Hand Crank Starter Flexible	Cancelled
AN4119	No. 4	Gasket - Type XIX Engine Accessory Drive	Cancelled Use MS9140
AN4120	No. 2	Plug-Crankcase Dehydrator Short	Cancelled Use MS3397
AN4121		Envelope, Power Plant Protective	Cancelled Use MIL-E-6060
AN4122		Adapter - Fuel or Oil Tank Filler Cap, Flush, 3 Inch I.D.	Cancelled
AN4123	No. 5	Adapter - Fuel or Oil Tank Filler Cap, Raised - 3 Inch ID	Cancelled
AN4124	No. 5	Cooler - Lubricating Oil, Aircraft, Tubular, Elliptical	Cancelled Superseded by MS29590

4

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN4125	No. 4	Cooler - Lubricating Oil, Aircraft, Tubular, Round	Cancelled Superseded by MS29590
AN4126		Fitting-Synthetic Tank Rectangular Hand Hole Cover (8.50 x 16.75)	Cancelled Use MS29572
AN4127		Fitting-Synthetic Tank Two Plane Flush	Cancelled Use MS29573
AN4128		Fitting-Synthetic Tank Oval Hand Hole (6.00 x 10.00)	Cancelled Use MS29574
AN4129		Fitting-Synthetic Tank Rectangular Hand Hole (8.50 x 16.75)	Cancelled Use MS29575
AN4130		Fitting-Synthetic Tank Single Plane Flush and Recessed	Cancelled Use MS29576
AN4131		Fitting-Synthetic Tank Oval Hand Hole Cover (6.00 x 10.00)	Cancelled Use MS29577
AN4132		Fitting-Synthetic Tank Rectangular Hand Hole Cover (12.00 x 18.00)	Cancelled Use MS29578
AN4133		Fitting-Synthetic Tank Two Plane Recessed	Cancelled Use MS29579
AN4134		Tank Circular Hand Hole Cover (5.12 Dia)	Cancelled Use MS29580
AN4135		Fitting-Synthetic Tank Oval Booster Pump	Cancelled Use MS29581
AN4136		Fitting-Synthetic Tank Rectangular Hand Hole (12.00 x 18.00)	Cancelled Use MS29582
AN4137	Rev. A	Yoke - Fuel Selector Valve	Cancelled
AN4138		Adapter	Cancelled
AN4139	No. 3	Adapter - Type XVI Drive Flange	Cancelled
AN4142		Starter - Aircraft Inertia	Cancelled
AN4143		Valve, Oil Dilution Solenoid (18 to 30 Volts DC)	Cancelled
AN4146	No. 1	Pump 1/2 GPM at 3000 PSI Power Driven Hydraulic	Cancelled
AN4147		Pump - 1 GPM at 3000 PSI Power Driven Hydraulic	Cancelled
AN4148	No. 1	Pump 2 GPM at 3000 PSI Power Driven Hydraulic	Cancelled
AN4150		Pump 4 GPM at 3000 PSI Power Driven Hydraulic	Cancelled
AN4151		Pump 5 GPM at 3000 PSI Power Driven Hydraulic	Cancelled
AN4154		Envelope-Engine Protective (For J-33 Engine)	Cancelled, use MIL-E-6050/5
AN4155	No. 1	Envelop - Engine Protection (For O-435 Engine)	Cancelled
AN4156	No. 2	Envelope-Engine Protective (For O-170 Engines)	Cancelled
AN4157	No. 1	Envelope-Engine Protective (For O-290 Engine)	Cancelled
AN4158	No. 1	Envelope-Engine Protective (For J30 Engines)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN4159		Envelope-Engine Protective	Cancelled
AN4161	No. 6	Flange - Oil Connection 4 Bolt	Cancelled
AN4162	No. 3	Flange-Hose Connection	Cancelled
AN4163	No. 1	Protector - Propeller Shaft, Plastic	Use MS27423
AN4164	No. 2	Sleeve-Spark Plug Terminal	Cancelled
AN4165	Rev. A	Valve - Fuel Selector, Manually Operated 3 Port, 4 Position, Angle Flow	Cancelled
AN4166	No. 2	Valve - Fuel Selector, Manually Operated 3 Port, 5 Position	Cancelled
AN4167	No. 2	Valve - Fuel Selector, Manually Operated 3 Port, 6 Position	Cancelled
AN4168	Rev. A	Valve - Fuel Selector, Manually Operated 4 Port, 4 Position	Cancelled
AN4169	No. 2	Valve - Fuel Selector, Manually Operated 5 Port, 5 Position	Cancelled
AN4170	No. 1	Gasket - Flange Hose Connection	Cancelled
AN4171	No. 2	Gasket - Engine Oil Connection, 3 Bolt	Cancelled
AN4172	No. 2	Gasket - Engine Oil Connection, 4 Bolt	Cancelled
AN4173	Rev. A	Valve - Fuel Selector, Manually Operated 3 Port, 4 Position, TEE Flow	Cancelled
AN4180		Coil - Tripple Unit Aircraft Engine Starting	Cancelled
AN4186	No. 1	Cover - Ventilatory, Gun Synchronizer, Impulse Generator, R-3350 Aircraft Engine	Cancelled
AN4187	No. 1	Cover - Ventilatory, Induction Port, L-440 Aircraft Engine	Cancelled
AN4188		Cover - Ventilatory, Induction Port, V-1650 Aircraft Engine	Cancelled
AN4189	No. 1	Plug - Ventilatory, Propeller Governor Drive Cover, R-2000 Aircraft Engine	Cancelled
AN5000		Bolt - Propeller Hub Clamping Ring	Cancelled
AN5001		Nut - Propeller Hub Clamping Ring	Cancelled
AN5003		Ring Assembly - No. 1 Shank Propeller Hub Hinge Type Clamping	Cancelled
AN5004		Ring Assembly - No. 1 1/2 Shank Propeller Hub Hinge Type Clamping	Cancelled
AN5005		Ring Assembly - No. 2 Shank Propeller Hub Hinge Type Clamping	Cancelled
AN5006		Nut-Propeller Hub-Retaining	Superseded by AN5011
AN5007		Cone, Propeller Hub Front	Cancelled Use MS5007
AN5008		Cone, Propeller Hub Rear	Cancelled by MS5008
AN5009		Ring, Propeller Hub Snap	Cancelled Use MS5009

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN5010	Rev. 2	Spacer - Propeller Hub Bear Cone	Cancelled
AN5011		Nut-Propeller Hub Retaining (Non-Controllable Type)	Cancelled Use MS5011
AN5012	No. 6	Cap - Propeller Shaft Thread Shipping	Cancelled Use MS27417
AN5013		Ring Assembly - No. 3 Shank Propeller Hub Hinge Type Clamping	Cancelled
AN5014		Nut - Test Club Hub Lock	Cancelled
AN5015		Nut - Test Club Hub Retaining	Cancelled
AN5016		Ring - No. 0 Shank Propeller Hub Spring Type Clamping	Cancelled
AN5017		Hub - Fixed Pitch Wood Propeller & Test Club	Cancelled
AN5018		Bolt-Fixed Pitch Wood Propeller & Test Club Hub	Cancelled
AN5019		Nut - Fixed Pitch Wood Propeller & Test Club Hub	Cancelled
AN5020		Flange - Fixed Pitch Wood Propeller & Test Club Hub	Cancelled
AN5021		Flange-Fixed Pitch Wood Propeller & Test Club Hub (No. 10 Shaft Size)	Cancelled
AN5022	No. 2	Collar-Propeller Shat Shipping	Use MS27421
AN5023	No. 3	Nut - Propeller Shat Thread Shipping	Use MS27422
AN5024		Hub Assembly - Pitch Wood Propeller and Test Club	Cancelled
AN5026		Cap, Inboard Dual Propeller Shaft Thread	Cancelled
AN5027		Nut-Retaining, Fixed Pitch Wood Propeller and Test Club Taper Hub	Cancelled
AN5028		Nut-Lock, Fixed Pitch Wood Propeller and Test Club Taper Hub	Cancelled
AN5029		Flange - Fixed Pitch, Wood Propeller and Test Club	Cancelled
AN5030		Hub Assembly - Fixed Pitch Wood Propeller and Test Club Taper	Cancelled
AN5031		Hub Fixed Pitch Wood Propeller and Test Club Taper	Cancelled
AN5522		Nut - Thermometer, Bulb	Cancelled
AN5525	No. 7	Bulb, Electrical Resistance Type Thermometer (-70°C to +150°C)	Cancelled Use MS28034
AN5526	No. 2	Indicator - Fuel Flowmeter, 2-3/4 Inch Dial	Cancelled
AN5527	No. 3	Transmitter-Fuel Flowmeter	Cancelled
AN5528		Indicator - Fuel Flowmeter, 1 7/8 Inch Dial	Cancelled
AN5530		Indicator, Electric, Tachometer, Aircraft	Cancelled
AN5531	No. 4	Generator-Electric Tachometer	Cancelled
AN5533		Shaft, Tachometer Flexible Drive	Cancelled
AN5535	No. 1	Resistor - Adjustable Thermocouple Lead	Cancelled
AN5536	No. 4	Indicator - Thermocouple Thermometer	Cancelled Use MS90410
AN5541	No. 2	Thermocouple-Engine Cylinder Bayonet Type	Cancelled
AN5543	No. 2	Cap - Thermocouple Fitting Protective	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN5544	No. 4	Generator-Tachometer, Two Pole	Cancelled Use MS28054
AN5545		Thermocouple - Chromel - Alumel, Range 0° to +1000°C	Cancelled
AN5546	No. 2	Bulb-Temperature, Cylinder Head, Electrical-Resistance Bayonet Lock Type, -50° to +300° Degrees Centigrade	Cancelled Supersed by MS24482
AN5547	No. 4	Generator, Tachometer, Four Pole	Use MS28054
AN5725		Inclinometer - 7/16 Inch Ball Type	Cancelled
AN5727	No. 7	Glass - Aircraft Instrument Cover	Use MS28105
AN5730	No. 4	Compass - Remote Indicating Magnetic	Cancelled
AN5731		Compass - Match Box	Cancelled
AN5732		Compass - Pilot's Glass Bowl Card Type Magnetic	Cancelled
AN5733	No. 2	Compass - Pilot's Card Type Magnetic	Cancelled
AN5734		Lamp - Instrument	Use AN3136
AN5735	No. 2	Indicator - Directional Gyro	Delete
AN5736	No. 4	Indicator - Gyro Horizon	Delete
AN5737		Compass - Top Reading	Cancelled
AN5738		Compass - Astro	Cancelled
AN5739		Astrograph	Cancelled
AN5740	No. 2	Watches; Navigation, Master	Cancelled Use MS28076
AN5741		Clock-Aircraft Elapsed Time Civil Date 24-Hour, 2 3/4 Inch Dial	Cancelled
AN5742		Watch - Navigational Stop	Cancelled
AN5745	No. 4	Accelerometer - Aircraft	Cancelled
AN5746		Box Navigational Watch	See AN5838
AN5748		Machine-Victor Plotting	Cancelled
AN5749		Set-Navigational Drawings	See Spec JAN-C-634
AN5750		Machine-Aircraft Navigational Drafting	Cancelled
AN5751	No. 2	Transmitter - Gyro Flux Gate Compass	Cancelled
AN5752	No. 3	Indicator - Gyro Flux Gate Compass Master	Cancelled
AN5753	No. 3	Amplifier - Gyro Flux Gate Compass	Cancelled
AN5754	No. 2	Motor - Caging For Gyro Flux Gate Compass	Cancelled
AN5755		Drive-Remote Manually Operated Caging (For Gyro Flux Gate Compass)	Cancelled
AN5756	No. 2	Switch Box - Caging for Gyro Flux Gate Compass	Cancelled
AN5757	No. 2	Shaft - Remote Electrically Operated Caging Drive Flexible, For Gyro Flux Gate Compass	Cancelled
AN5758		Shaft-Remote Manually Operated Caging Drive, Flexible, (For Gyro Flux Gate Compass)	Cancelled
AN5759		Indicator - Airspeed	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN5760	No. 4	Altimeter - Pressure	Cancelled
AN5761		Altimeter - Barometric Index Pressure	Cancelled
AN5762	No. 1	Stand - Altimeter Test	Cancelled
AN5764		Compass - Gyro Flux Gate	Cancelled
AN5765	No. 2	Transmitter Assembly Fuel and Oil Pressure	Cancelled
AN5766	Rev. 3	Compass - Magnetic, Pilots Standby	Superseded by MS17983
AN5769	No. 4	Gage, Hydraulic System Pressure	Cancelled Use MS28063
AN5770	No. 7	Gage, Indicating Manifold Pressure, Dial	Cancelled Use MS28077
AN5771	No. 11	Gage, Single 1 7/8 Dial Pressure	Superseded by MS28061
AN5772	No. 7	Gage, Dial Indicating, Pressure	Cancelled
AN5773	No. 4	Gage Unit, Engine (With Electric Thermometer)	Cancelled Use MS28043
AN5774		Gage Unit-Engine (With Capillary Thermometer)	Cancelled
AN5775	No. 1	Signal Landing Gear Audible Warning	Cancelled
AN5776	No. 1	Signal Emergency Warning	Cancelled Use MS25222
AN5780	No. 2	Indicator - Electrical, Wheels and Flaps Position	Cancelled
AN5790		Indicator - Electrical, Resistance Type Thermometer Single	Use MS28009
AN5791		Indicator - Temperature, Electrical-Resistance, Single -50° to +50°C	Use MS28008
AN5793		Indicator - Temperature, Themocouple, Chromelalumel, Single 0° to 1000°C	Use MS28006
AN5795	No. 4	Indicator - Electrical Resistance Type Thermometer Dual	Cancelled
AN5798		Card-Bombardier's Instrument Flourescent Correction	Cancelled
AN5799		Holder Assembly-Bombardier's Correction Card	Cancelled
AN5800		Holder Assembly, Correction Card	Cancelled
AN5801		Card - Altimeter Scale Correction 80,000 Foot Range	Cancelled
AN5802		Clip - Correction Card Holder	Cancelled
AN5803		Card - Compass Correction	See AN5823
AN5805	No. 2	Tube - Single Throat Power Venturi	Cancelled
AN5806		Tube - Double Throat Power Venturi For Turn and Bank Indicator	Cancelled
AN5807	No. 2	Tube - Double Throat Power Venturi For Directional Gyro and Gyro Horizon Indicators	Cancelled
AN5808	No. 7	Clamps - Aircraft Instruments	Cancelled Use MS28042

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN5809		Bezel-Mounting, 2-Inch Size Instrument	Cancelled Use MS28055
AN5810		Tube; Pitot-Static, Unheated, Monoplane Type	Cancelled
AN5815	No. 2	Tube - Pitot Static, Unheated Biplane Type	Cancelled
AN5817	No. 1	Indicator - Electric Gyro Horizon	Cancelled
AN5818		Indicator - Electric Directional Gyro	Cancelled
AN5819		Indicator - Electric Turn and Bank	Use MS28069
AN5820	No. 3	Indicator, Bank and Turn	Cancelled
AN5821	No. 1	Filter - Turn and Bank Indicator Air	Cancelled
AN5822		Filter, Air Vacuum Operated Instruments	Cancelled
AN5825	No. 8	Indicator - Rate of Climb	Cancelled
AN5826		Indicator - Tachometer, Electric Single, 0-110 Percent RPM	Cancelled
AN5827	No. 2	Valve - Vacuum Restricter	Cancelled
AN5828	Rev. 2	Valve, Air Vacuum Regulating (Throttling)	Cancelled
AN5831		Valve, Static Pressure Selector	Cancelled Use MS28051
AN5832		Valves	Cancelled Use MS28052
AN5834	No. 3	Computer - Dead Reckoning	Cancelled Superseded by MS26514
AN5835	No. 2	Computer - Dead Reckoning	Superseded by MS26514
AN5836		Computer - True Airspeed	Cancelled
AN5837		Computer - Altitude Correction	Cancelled
AN5838	No. 1	Case - Aircraft Navigational Watch	Cancelled
AN5839	No. 3	Indicator, Position, Landing Gear, Individual Indicating, 28 Volt DC	Cancelled Use MS2/403
AN5840	No. 2	Bearing - Mounted Glass Vee	Cancelled
AN5841	No. 4	Computer-Air Position Indicator	Cancelled
AN5842	No. 4	Pump - Air Position Indicator	Cancelled
AN5843	No. 4	Controller - Air Position Indicator	Cancelled
AN5844	No. 5	Amplifier-Air Position Indicator	Cancelled
AN5845		Dome - Navigator's Observing	Cancelled
AN5846	No. 2	Shaft - Flexible (Air Position Indicator)	Cancelled
AN5847	No. 4	Drive - Right Angle, Air Position Indicator	Cancelled
AN5850		Signal - Daytime Drift	Cancelled
AN5851	No. 2	Sextant - Bubble Type (With Altitude Averaging Device)	Cancelled
AN5852		Sextant - Median Type	Cancelled
AN5860	No. 2	Indicator - Airspeed, Pitot Static, 10-150 Knots	Cancelled
AN5861	No. 4	Indicator - Airspeed, Pitot Static, 40-400 Knots	Cancelled Use MS28046

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN5862	No. 2	Indicator - Airspeed, Pitot Static, Sensitive, 50-650 Knots	Cancelled
AN5863	No. 3	Indicator - Airspeed, Pitot Static, Maximum Allowable Speed, 50-650 Knots	Cancelled Use MS28048
AN6002	Rev. 5	Connection Assembly - Demand Mask to Regulator Tube External	Cancelled Use MS22058
AN6003	Rev. 7	Tube Assembly, Oxygen Mask to Regulator	Cancelled Use MS22055
AN6005	No. 2	Adapter - Army or Navy to British Supply Oxygen Union	Cancelled
AN6006	No. 3	Adapter - British to Army or Navy Supply Oxygen Union	Cancelled
AN6007		Adapter - Navy to Army Supply Oxygen Union	Cancelled
AN6008		Bracket - High Pressure Oxygen Cylinder	Cancelled
AN6013		Valve - High Pressure Oxygen Filter	Cancelled
AN6019		Signal - Oxygen Warning High Pressure System	Cancelled
AN6020		Cylinder and Regulator Assembly - Portable Oxygen	Cancelled
AN6022		Regulator Assembly - Demand Oxygen	Cancelled
AN6025		Cylinder, Nonshatterable Compressed Gas	Cancelled Use MS26545
AN6028		Reducer - Oxygen Pressure	Cancelled
AN6029	No. 4	Indicator - Oxygen Flow	Cancelled
AN6030	No. 5	Valve, Low Pressure Oxygen Check (Style A)	Cancelled Use MS21211-1
AN6031		Valve, Low Pressure Oxygen Check (Style B)	Cancelled Use MS21211-2
AN6032	No. 6	Valve, Low Pressure Oxygen Check (Style C)	Cancelled Use MS21211-3
AN6033	No. 6	Valve, Low Pressure Oxygen Check (Style D)	Cancelled Use MS21211-4
AN6034	No. 5	Valve, Low Pressure Oxygen Check (Style E)	Cancelled Use MS21211-5
AN6035	No. 6	Valve, Low Pressure Oxygen Check (Style F)	Cancelled Use MS21211-6
AN6036	No. 5	Valve, Low Pressure Oxygen Check (Style G)	Cancelled Use MS21211-7
AN6037	No. 4	Valve, Low Pressure Oxygen Check (Style H)	Cancelled Use MS21211-8
AN6039		Hose Assembly - Oxygen Low Pressure	Cancelled Use MS22052
AN6040		Valve - Oxygen Cylinder	Cancelled
AN6041	Rev. 3	Recharger Assembly - Portable Oxygen	Cancelled Use MS22032

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN6042	Rev. 2	Joint-Oxygen Swivel	Cancelled
AN6100		Pump Assembly	Cancelled
AN6101	Rev. 2	Filter Assembly - Fluid Metering Pump	Cancelled
AN6102	Rev. A	Pump Assembly - 5 G.P.M. Fluid Metering, Type B	Cancelled
AN6110	No. 2	Pump 4 1/2 C.F.M.	Cancelled
AN6111	No. 2	Pump 7 1/2 C.F.M.	Cancelled
AN6112	No. 3	Pump - 15 C.F.M. Engine Driven Air	Cancelled
AN6119	Rev. 1	Valve - Air Pump Suction Relief (With Screen)	Superseded by MS87005(TC)
AN6120	No. 1	Valve - Air Pump Suction Relief	Cancelled
AN6121		Separator	Cancelled
AN6122		Filter - Air Pump Suction Relief Valve	Cancelled
AN6123	No. 1	Valve - Air Pump Safety	Cancelled
AN6200	No. 4	Valve, Hydraulic Pressure Relief, Class AB	See AN6279
AN6203		Accumulator	Cancelled, Use MS28700
AN6204		Valve, Hydraulic Bleeder	Cancelled, Use MS27611
AN6205		Valve, Controllable Hydraulic Check	See AN6296
AN6206	No. 4	Regulator, 10 GPM Hydraulic Pressure	Cancelled
AN6208		Filter, Hydraulic	See MS28720
AN6209	No. 3	Valve, Hydraulic Shuttle (Tube Fitting Outlet)	Cancelled Use AN6277
AN6212		Valve in Line Type 16 GPM Hydraulic Directional Control	Cancelled
AN6217	No. 2	Valve - Hydraulic Shuttle (Universal) Fitting Outlet	Cancelled - Use AN6278
AN6218		Fittings - Hydraulic Accumulator Air Pressure Gage	See AN6285
AN6219		Valve - Adjustable Hydraulic Restrictor	Cancelled
AN6222	No. 2	Coupling Half-Hydraulic Self Sealing (Swivel Type)	Cancelled
AN6226		Packing	Cancelled
AN6229		Adapter, V-Ring Male Hydraulic Packing	Cancelled
AN6231	No. 6	Scraper - Rod, Hydraulic Piston	Cancelled
AN6232		Felt, Strip Packing Gland	Cancelled
AN6233		Plug, Hydraulic Set Screw Lock	Cancelled
AN6239		Regulator, 29 G.P.M. Hydraulic Pressure	Cancelled
AN6243		Coupling Assembly-Hydraulic Self Sealing (Gasket Seal and Universal Fitting End)	Cancelled
AN6246	No. 2	Ring, Hydraulic Packing Back-Up	Cancelled
AN6247	No. 3	Valve - Controllable Hydraulic Check (Rotating Action)	Cancelled Use MS28764
AN6250	No. 4	Pump 1 GPM at 1500 PS; Power Driven Hydraulic	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN6251	No. 2	Pump - 2 GPM at 1500 PSI Power Driven Hydraulic	Cancelled
AN6252	No. 3	Pump - 3 GPM at 1500 PSI Power Driven Hydraulic	Cancelled
AN6253	Rev. 2	Pump - 5 GPM at 15 PSI Power Driven Hydraulic	Cancelled
AN6260		Hose Assembly - Detachable End Fitting Type, Swivel Fittings, 3 Braided Hydraulic	See MS28741
AN6261		Hose Assembly - Detachable End Fitting Type, Swivel & Flared Type (Bulkhead) Fitting 3 Braided Hydraulic	See AN6271
AN6262		Hose Assembly - Detachable End Fitting Type, Flared Tube (Bulkhead & Gasket Seal) Fitting 3 Braided Hydraulic	See AN6271
AN6263		Hose Assembly-Detachable End Fitting Type, Swivel and Flared Tube (Gasket Seal) Fitting, 3 Braided Hydraulic	See AN6271
AN6264	No. 3	Hose-Assembly-Detachable End Fitting Type, Swivel Fittings Medium High Pressure Fuel, Oil and Coolant	Cancelled Superseded by MS28741
AN6265		Hose Assembly - Detachable End Fitting Type Swivel & Flared Tube (Gasket Seal) Fitting Medium High	See AN6271
AN6271	No. 3	Hose Assembly-Hydraulic and Pneumatic, Detachable End Fitting Type, Swivel Fittings, For AN-H-24 Hose	Cancelled Superseded by MS28741
AN6274		Hose Assembly - Detachable End Fitting Type, Swivel Fittings, Medium High Pressure Hydraulic (3000 PSI)	See MS28741
AN6275		Hose Assembly - High Pressure (3000 PSI) Swivel Connections	See AN6292
AN6276		Accumulator, Hydraulic Pressure, Spherical, 3000 PSI	Cancelled Superseded by MS28700
AN6279	No. 5	Valve, Hydraulic Pressure RElief- Two Part	Cancelled Use MS28893
AN6286		Gage Assembly - Air Testing, High Pressure	See MIL-G-8348
AN6287	No. 4	Valve - Air High Pressure 3/4 Hex	Cancelled Use MS28889
AN6290	No. 4	Gasket - Straight Thread Tube Fitting, Boss	Cancelled Use MS28778
AN6291	No. 1	Ring - Hydraulic Fitting, Gasket Back-Up	Cancelled Use MS28777

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN6292	Rev. 9	Hose Assembly, Hydraulic and Pneumatic High Pressure (3000 PSI)	Superseded by MS28759(ASG
AN6296	No. 5	Valve, Controllable Check, Plunger Type 3,000 PSI	Cancelled
AN6505	No. 1	Bag - Aviator's Kit	Cancelled Use MIL-K-4183
AN6507		Snap-Quick Connector, Parachute Harness	Cancelled Use MS22042
AN6508	No. 3	Ring-Parachute Harness Quick Fit "V"	Cancelled Superseded by MS70102
AN6509		Snap-Parachute Harness Quick Fit	Cancelled Use MS22043
AN6510		Parachute - 24 Foot Seat Type	Cancelled
AN6511		Parachute - 28 Foot Seat Type	Cancelled
AN6512		Parachute - 24 Foot Back Type	Cancelled
AN6513		Parachute - Quick Attachable Chest Type	Cancelled
AN6514		Parachute - Troop Type	Cancelled
AN6515	Rev. 2	Band - Parachute Pack Opening	Cancelled and Superseded by MS70105
AN6516		Snap-Coiled Spring Type Parachute	Cancelled Use MS22044
AN6517		Adapter Parachute Haness Quick Fit	Cancelled Use MS22040
AN6518	No. 2	Grip-Parachute Harness Friction	Cancelled Use MS22040
AN6519		Vest - Pneumatic Life	Cancelled
AN6520		Raft Assembly - One Man Parachute Type Pneumatic	Cancelled
AN6521		Sail - Life Raft	Cancelled
AN6522		Kit - Fishing	Cancelled
AN6523		Pump - Plastic Hand Air	Cancelled
AN6524		Cylinder - 8 Gram Capacity Co.	Cancelled
AN6525	No. 3	Pocket - Parachute Pack	Cancelled Use MS70094
AN6530		Goggle Assembly - Flying	Cancelled
AN6531		Glasses - Flying Sun	Superseded by MIL-G-5250
AN6532		Connector, Hose, Anti "G" Suit	Cancelled Use 27755
AN6539		Tester, Anti "G" Suit Regulating Valve	Cancelled
AN6542		Helmet, Summer Flying	Cancelled
AN6543		Helmet, Winter Flying	Cancelled
AN6550		Suit, Summer Flying	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN6551		Jacket, Summer Flying	Cancelled
AN6552		Jacket, Leather Flying	Cancelled
AN6553		Jacket, Winter Flying	Cancelled
AN6554		Trousers, Winter Flying	Cancelled
AN6560	No. 1	Grommet and Washer - Parachute Pack	Cancelled Use MS22048
AN6561	No. 1	Fastener, Parachute Pack	Cancelled Use MS70092
AN6562	No. 4	Link, Parachute Connector	Cancelled Use MS70108
AN6563		Ring-Parachute Harness "V"	Cancelled Use MS22045
AN6564		Ring-Parachute Harness "B"	Cancelled Use MS22046
AN6565		Adapter-Parachute Harness Strap	Cancelled Use MS22047
AN6566		Adapter-Parachute Harness Strap	See MS22014
AN6567	No. 5	Grip-Parachute Rip Cord, Clover Leaf	Cancelled Use MS70106
AN6568	Rev. A	Pin - Parachute Rep Cord Locking	Cancelled - Superseded by MS70107
AN6569	No. 1	Ball - Parachute Rip Cord Cable Retaining	Cancelled Use MS70093
AN6570	No. 5	Adapter, Filler Valve, Low Pressure Oxygen	Cancelled Use MS70104
AN6572		Fastener - Parachute Pack Tab (Oval)	Delete
AN6573		Parachute - Pilot	Cancelled
AN6574	No. 2	Gloves - Flying, Inner, Intermediate, Rayon	Cancelled Use MIL-G-7746(ASG
AN6576		Gloves - Flying Inner Intermediate, Wood	Cancelled
AN6577		Gloves - Flying Intermediate	Cancelled
AN7005	No. 1	Wedge Plate - Instrument Mounting	Cancelled
AN7006		Ring-View Finder and Photocell Mounting	Cancelled Use MS26554
AN7007	No. 1	Cable Assembly - Camera to Intervalometer	Cancelled
AN7009	No. 1	Spool - Aircraft Camera Film (5- 1/2 x 2 x 2 - 5/8) (56FT)	Cancelled
AN7010	No. 1	Spool, Aircraft Camera Film (7x2 3/8) (25 Ft)	Cancelled
AN7011	No. 1	Spool, Aircraft Camera Film (7x1-13/16) (15 Ft)	Cancelled
AN7012	No. 1	Spool, Aircraft Camera Film (7x4 5/8) (125 Ft)	Cancelled Use MS26565
AN7013	No. 2	Spool, Aircraft Camera Film (9 1/2 x 4) (75 Ft)	Cancelled Use MS26565

Source: https://assist.dla.mil -- Downloaded: 202640-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN7014	No. 3	Spool, Aircraft Camera Film (9 1/2 x 5 3/16) (205 Ft)	Cancelled Use MS26565
AN7015	No. 3	Spool, Aircraft Camera Film (9 1/2 x 6 5/8) (390 Ft)	Cancelled Use MS26565
AN7016	No. 1	Cable Assembly, Photographic Signal Light	Cancelled
AN7017		Cable Assembly, Photocell Connecting	Cancelled
AN7018	No. 2	Cable Assembly, Photographic Power Supply	Cancelled
AN7019		Cable Assembly, Intervalometer Remote Initiation	Cancelled
AN7020	No. 1	Intervalometer - Camera	Cancelled
AN7021		Mount - Vertical Aerial Camera	Cancelled
AN7022		Post-Aerial Camera Focusing	Cancelled Superseded by MS27810
AN7023	No. 1	Connector, Vacuum Hose, Photographic	Cancelled
AN7502	Rev. 6	Nut, Wheel Bearing Retaining	Cancelled Use MS21025
AN7505		Seat, Pilot's Adjustable, Short Range Airplane	Cancelled
AN7506	No. 1	Seat, Pilot's Adjustable, Long-Range Airplane	Cancelled
AN7507		Belt, Safety	Cancelled
AN7510	No. 9	Plate Identification and Modification	Cancelled Superseded by MS27253
AN7511	No. 6	Indicator, Humidity, Large	Superseded by MS20003
AN7512		Indicator, Humidity, (Medium)	See AN7513
AN7513	No. 3	Indicator, Humidity, Small	Superseded by MS20003
AN7514	No. 2	Card - Humidity-Indicating Color Comparison	Cancelled, Superseded by MS3398
AN7515	No. 6	Plate, Instrument Identification	Superseded by MS27252
AN7516	No. 2	Fitting, Cargo Airplane Tie Down	Cancelled Use MIL-A-8905
AN7517		Nameplate Aircraft	See AND10395
AN7520		Wheel & Brake Assembly - 27" Smooth Contour Tire (Due Servo Brake)	Cancelled
AN7522		Wheel & Brake Assembly - 30" Smooth, Contour Tire (Shoe Hydraulic Brake)	Cancelled
AN7526		Wheel & Brake Assembly - 36" Smooth Contour Tire (Double Rotor Disc Brake)	Cancelled
AN7527		Wheel & Brake Assembly - 36" Smooth Contour Tire (9 Disc Hydraulic Brake)	Cancelled
AN7528		Wheel & Brake Assembly - 36" Smooth Contour Tire (Single Rotor Disc Brake)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN7529		Wheel & Brake Assembly - 39" Smooth Contour Tire (Expander Tube Brake)	Cancelled
AN7530		Wheel & Brake Assembly - 39" Smooth Contour Tire (4 Rotor Disc Brake)	Cancelled
AN7531		Wheel & Brake Assembly - 44" Smooth Contour Tire (Hydraulic Disc Brake)	Cancelled
AN7533		Wheel & Brake Assembly - 47" Smooth Contour Tire (14 Disc High Pressure Hydraulic Brake)	Cancelled
AN7534	No. 4	Wheels, Aircraft, Tail, Solid Rubber Tire	Cancelled
AN7541		Wheel & Brake Assembly -96" Smooth Contour Tire (Duo-Servo Brake)	Cancelled
AN7550		Wheel & Brake Assembly 26 x 6 High Pressure Tire (Heavy Duty, Wheel & Disc Hydraulic Brake)	Cancelled
AN7567		Wheel & Brake Assembly 42 x 15.00-16 Low Pressure Tire (9 Disc Hydraulic Brake)	Cancelled
AND7573		Wheel & Brake Assembly - 50 x 17.00-20 Low Pressure Tire (9 Disc High Pressure Hydraulic Brake)	Cancelled
AN8002		Grip - Control Stick	See AN8003
AN8003		Grip - Control Stick Pistol Type	Cancelled
AN8004		Cap, Flexible Push-Pull Control Casing	Cancelled
AN8006		Anchor - Dirigible-Sea	Cancelled
AN8008		Insulator, Vibration	Cancelled
AN8009		Anchor, Sea	Cancelled
AN8010		Buoy, Seaplane, Mooring	Cancelled
AN8011	No. 3	Case - Flight Report Holder and Map	Superseded by MS26556
AN8012	No. 9	Container - Spark Plug	Cancelled Use MIL-S-7886
AN8013	No. 2	Washer, Vibration Insulator Stop	Cancelled
AN8014	No. 2	Anchor, Semi-Permanent Mooring	Cancelled Use MS21300
AN8017	No. 2	Can-Interior Lightweight Packing	Cancelled
AN8020	No. 3	Bracket, Flyers Relief Tube Horizontal	Cancelled
AN8021		Bracket, Flyers Relief Tube Vertical	See MS22025
AN8022		Color Chart - Fluid Lines Identification	Cancelled
AN8023		Light Assembly, Flashlight (Pen Type)	Cancelled
AN8024	No. 4	Container Assembly, Metal Shipping	Cancelled Superseded by MS63048
AN8025	No. 3	Container Assembly, Metal Shipping, 6 and 7 Gallons	Cancelled Superseded by MS63049
AN8026	No. 4	Container Assembly, Metal Shipping 9 and 13 Gallons	Cancelled Superseded by MS63052

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN8027	No. 5	Container Assembly, Metal Shipping 15 and 19 Gallons	Cancelled Superseded by MS63053
AN8028		Budy, Seaplane, Mooring	Cancelled
AN8029	No. 3	Container, Assembly, Metal Shipping, Interior, Re-Usable	Cancelled Superseded by MS24357
AN8031		Pad-Tank Strap	Cancelled
AN8500	No. 4	Stamp, Inspectors, AN Steel, Impression	Cancelled
AN8501	No. 2	Stamp, Inspectors, AN Rubber, Ink or Acid, 5/16 In.	Cancelled
AN8502	No. 3	Stamp, Inspector's An Rubber, Ink or Acid	Cancelled
AN8503		Screw Driver, Cross Point	Cancelled
AN8504	No. 1	Stamp, Inspector's Rubber Ink or Acid Rejection	Cancelled
AN8505		Wrench	Cancelled
AN8506	No. 2	Wrench, Thin Crow Foot	Cancelled
AN8508		Wrench, Crow Flare Nut	Cancelled
AN8509	Rev. A	Socket - 12 Point 1/2 Inch Square Drive 7/8 Inch Broached Opening Extra Deep Spark Plug	Cancelled Use GGG-W-641
AN8511		Adapter-Telescoping Bar (7/8 to 1 Inch CD)	Cancelled
AN8512	Rev. A	Wrench, Spark Plug Elbow Square Drive (3/4 Inch Opening)	Cancelled
AN8513		Wrench	Cancelled
AN8514		Wrench 3/8 Inch	Cancelled
AN8515	No. 2	Wrench 1/2 inch Square Drive, Adjustable Spanner (1.75 to 4 inches Dia)	Cancelled
AN8517		Humidity Cabinet - Rotating Stage	See Jan-H-792
AN8518		Reamer - Spiral Pilot	Cancelled
AN8519		Reamer, Hand Spiral High Shear Rivet Pilot	Cancelled
AN9245		Mounting Pad & Drive - Gun Synchronizer Impulse Generator	Cancelled
AN12276 thru AN12260	No. 2	Washer - Plain, Steel	Cancelled Use MS9320
AN100006		Mounting Pad & Drive - Gun Synchronizer Impulse Generator	Cancelled
AN100007		Mounting Pad & Drive - Gun Synchronizer Impulse Generator (Clutch Type)	Cancelled
AN100008		Gasket - Type XX Engine Accessory Drive	See MS100009
AN100038	No. 3	Cover-Type X Engine Accessory Drive	Cancelled Use AN100043
AN121526 thru AN121550	No. 1	Nut-Plain Corrosion Resistant Steel	Cancelled Superseded by MS9356A
AN121576 thru AN121600	No. 1	Nut - Castle, Corrosion Resistant Steel	Cancelled Use MS9358

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AN122676 thru AN122775	No. 2	Pin, Straight, Headless, Steel	Cancelled
AN150201 thru AN150300	No. 1	Pin, Lock Steel	Cancelled Use MS9486
AN1000043		Cover, Type XV, Engine Accessory Drive	Cancelled
AND10000	Rev. 5	Mounting Pad and Drive - Type I Vacuum and Hydraulic Power Pumps	Cancelled
AND10001	No. 3	Mounting Pad and Drive - Type II Vacuum and Hydraulic Power Pumps	Cancelled
AND10003	Rev. 4	Mounting Pad and Drive - Aircraft Engine Fuel Pump	Cancelled
AND10004	Rev. 6	Drive - Aircraft Engine Starter	Cancelled
AND10005	Rev. 5	Mounting Pad and Drive - Aircraft Tachometer	Cancelled
AND10008	Rev. 2	Mounting Pad and Drive - Aircraft Engine Power-Take-off (Flange Type)	Cancelled
AND10009	Rev. 3	Mounting Pad and Drive Small Aircraft Engine Starter	Cancelled
AND10010		Mounting Pad and Drive Aircraft Engine Propeller Governor or Hydro-Control Valve	Cancelled
AND10049	No. 3	Bosses, Fluid Connection, Internal Straight Thread	Cancelled Use MS33649
AND10050	No. 16	Bosses, Standard Dimensions For Gasket Seal Straight Thread	Cancelled Use MS33649
AND10055		Fitting End Flared Tube Connection, Plain Standard Dimensions for	See AND10056
AND10056	Rev. 12	Fitting End, Standard Dimensions for Flared Tube Connection and Gasket Seal	Cancelled Use MS33656
AND10057	Rev. 12	Fitting End, Standard Dimensions for Bulkhead Flared Tube Connections	Cancelled Use MS33657
AND10058		Fitting End - Hose Connection, Standard Dimensions for	Use MS33658
AND10060		Tubing End, Hose Connection, Standard Dimensions for	Use MS33660
AND10061	Rev. 6	Tubing End, Standard Dimensions for Flared	Cancelled Use MS33584
AND10066	Rev. 6	Connectors, Electrical, Receptacles Integral Mounting	Cancelled Use MS33678
AND10068	No. 3	Nuts and Plate Nuts - Self-Locking, Functional Limitations of	Cancelled
AND10069		Casing Assembly - Installation of Control, Flexible	Cancelled
AND10072		Gland Dimensions - "V" Ring and "U" Cup Hydraulic Packing	See MIL-P-551

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AND10073		Gland Dimensions - "O" Ring Hydraulic Packing & Gasket	See MIL-P-551
AND10075	Rev. 3	Wiper Installation - Packing Gland Ring	Cancelled Use MS33675
AND10076		Fastener, Dimensions for Cowling	Use MIL-P-559
AND10077		Fitting End, Standard Dimensions for Taper Pipe Thread (For Use on AN Standard Parts)	Use MS33677
AND10078	Rev. R	Tubing End, Standard Dimensions for Double Flare	Cancelled Use MS33583
AND10080	No. 1	Fittings, Installation of Universal Elbow	Cancelled Use MS21345
AND10082	No. 2	Fastener, Installation-Snapslide	Cancelled Superseded by MS21327
AND10083		Flange, Oil Connection 3 and 4 Bolt	See AN4160 and AN4161
AND10084		Flange, Standard Dimensions for Hose Connection	See AN4162
AND10086		Fitting Installation - Flared Tube and Hose Swivel	Use MS33786
AND10087		Screw-Installation and Limitations for Useage of Self Tapping	Cancelled Use MS33749
AND10089	No. 4	Fitting End, Standard Dimensions for Cone Connection	Cancelled
AND10090		Bend Data-Hose, Hydraulic Pneumatic, Fuel Oil	Use MS33790
AND10100		Conduit, Rigid, Aluminum Standard Sizes for	Superseded by AND10105
AND10103		Tubing, Aluminum Alloy (52S) Standard Sizes for Fluid Lines	Superseded by AND10106
AND10105		Tubing-Standard Sizes for Aluminum (2S-1/2) Round	See AND10106 for Specified Sizes
AND10106		Tubing	Cancelled
AND10107		Tubing	Cancelled
AND10108		Tubing	Cancelled
AND10111		Tubing Minimum Bend Radio For Conduit & Fluid Line	Use MS33611
AND10112		Standard Dimensions for Streamline and Oval Tubular Shapes	See MS33534
AND10115		Aluminum; Standard Conditions and Sizes for Sheet & Strip (2S)	Use MS33564
AND10116		Aluminum Alloy; Standard Conditions and Sizes for Sheet and Strip (3S)	Use MS33564
AND10117		Aluminum Alloy, Standard Conditions and Sizes for Sheet and Strip (52S)	Use MS33654

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AND10118		Aluminum Alloy, Standard Conditions & Sizes for Sheet & Strip (24S)Clad)	Use MS33564
AND10119	No.2	Aluminum Alloy-Standard Conditons and Sizes for Sheet and Strip (24S)	Cancelled
AN10120		Aluminum Alloy, Standard Conditions & Sizes for Sheet and Syrip (61S)	Use MS22564
AND10121		Aluminum Alloy, Standard Conditions & Sizes for Sheet (75S & 75S Clad)	Use MS33564
AND10125	No.1	Aluminum Wire-Standard Alloys, Tempers and Sizes of Round and Hexagon (For Welding Rod and General Use)	Cancelled
AND10126	No.2	Aluminum Wire-Standard Alloys, Tempers and Sizes of (For Rivets, Bolts, Screws, and General Use)	Cancelled
AND10130	No.2	Aluminum Rod and Bar-Standard Alloys, Tempers and Sizes of Round and Hexagon	Cancelled
AND10131	No.1	Aluminum Bar-Standard Alloys, Temper and Sizes of Square	Cancelled
AND10132	No.1	Aluminum Bar-Standard Alloy and Temper (24ST), and Sizes of Rectangular	Cancelled
AND10134		Angle-Unequal Leg-Extruded	Cancelled
AND10135		Angle-Bulb Section-Extruded	Cancelled
AND10136		Tee-Extruded	Cancelled
AND10140		I-Section-Extruded	Cancelled
AND10141		Tee-Bulb Section-Extruded	Cancelled
AND10150		Starter Diagram-Hand Crank Fleixible Shaft	Cancelled
AND10151		Drive-Square Tang and Socket	Use MS15774 and MS15775
AND10201	Rev.3	Screens and Gaskets-Design Requirements for Carburetor	Cancelled
AND10202		Plate-Design Requirements for Engine Data	See AN9500d
AND10205		Plug-Unshielded Aircraft Engine Spark	Cancelled
AND10206	Rev.4	Plug-Shield Aircraft Engne Spark	Cancelled Use MIL-S-788
AND10207		Connection; Shaft End and Control Lever	Cancelled
AND10208		Priming System-Engine Design Requirements	Cancelled
AND10209		Outlet Position-offset 14 Cyclinder Magneto (Shielded Cable)	Cancelled
AND10210	Rev.A	Flange-Single 12 Cylinder 3 Bolt Magneto	Cancelled
AND10211	Rev.2	Mounting Flange-Double Type Magneto	Cancelled
AND10212		Outlet Position-14 Cylinder Magnets (Shielded Cable)	Cancelled
AND10213		Outlet Positions-9 Cylinder Magnets (Shielded Cable)	Cancelled
AND10214	Rev.2	Coupling Assemblies-Magneto Drive	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AND10215	Rev.2	Mounting Flanges-Single Type Magneto (9 and 14 CYL)	Cancelled
AND10216	Rev.A	Throttle-Handle Design For Engine	Cancelled
AND10217		Plug-14MM Shielded Spark	Cancelled Use MIL-S-788
AND10218		Plug-14 MM Unshielded Spark	Cancelled
AND10219		Plug-14 MM British Type Shield Spark	Cancelled Use MIL-S-788
AND10220		Vapor Pressure Chart	Cancelled
AND10221		Vapor Pressure Correction Chart	Cancelled
AND10222		Fittings-Synthetic Tank General Features of Construction	Cancelled Use MS33595 and MS33596
AND10223		Levers-Correlation of Power and Condition	Cancelled
AND10227		Drives-Turbo-Prop Engine Accessory (1999 or Hrs Guaranteed Fuel Consumption Pounds Per Hour)	Cancelled
AND10228		Drives-Turbo Prop Engine Accessory (2000 to 4499 Guaranteed Fuel Consumption Pounds Per Hour)	Cancelled
AND10229		Drives-Turbo Prop Engine Accessory (4500 or More Guaranteed Fuel Consumption Pounds Per Hour)	Cancelled
AND10231		Drives-Turbo Jet Engine Accessory (2499 or less Thrust Pounds)	Cancelled
AND10232		Drives-Turbo-Jet Engine Accessory (2500 to 4999 Thrust Pounds)	Cancelled
AND10233		Drives-Turbo-Jet EngineAccessory 15000 or More Thrust Pounds)	Cancelled
AND10234	No.2	Template-Propeller Blade Master Male	Cancelled
AND10235	No.2	Template-Propeller Blade Female	Cancelled
AND10236	No.2	Template-Propeller Blade Angle Checking	Cancelled
AND10237	Rev.2	Spline, Serrated	Cancelled
AND10300	No.4	Installation Clearance-Type X Drive	Cancelled
AND10301		Pump-Vacuum Installation Clearance Type II Mounting Pad & Drive	See AND10302
AND10304		Starter Installation Clearance-Aircraft Reciprocating Engine (For Class A Starters)	See AND10303 Sheet 2
AND10306	Rev.3	Propeller Governor Installation Clearance Aircraft Engine	Cancelled
AND10307		Propeller Governor Installation Aircraft Engine (For Engines of 1000 Take Off HP and Over)	Cancelled
AND10308		Impulse Generator Installation Clearnace Aircraft Engine Gun Synchronizer	Cancelled
AND10309		Accumulator Installation-Hydraulic	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AND10311		Starter Installation Clearance-Aircraft Reciprocating Engine (For Class D Starters)	See AND10303 Sheet 2
AND10312	Rev.3	Element Installation Clearance-Engine Cylinder Head Temperature Measuring	Cancelled
AND10313	Rev.1	Relief Valve Installation Clearance-Hydraulic	Cancelled
AND10327		Fuel & Pump Control Unit Installation Clearance-Aircraft Engine	Cancelled
AND10328	Rev.2	Installation Clearance-Type XI-B Drive Magneto	Cancelled
AND10332	Rev.2	Starter Generator Installation Clearance-Type XII Drive	Cancelled
AND10333		Starter or Starter Generator Installation Clearance Type XVI Drive	See MS33511
AND10334	No.2	Installation Clearance-Type XX Drive Propeller-Governor	Cancelled
AND10335	Rev.3	Installation Clearance-Type XIX Drive	Cancelled
AND10337		Installation Clearance-Type XII F Alternator Drive Shaft	See AND10305
AND10340	Rev.4	Chart-Selection, Aircraft Flexible Hose	Cancelled Use MS33620
AND 10342		Regulator Installation Clearance Fuel and Oil Pressure	Cancelled
AND10355	No.2	Tolerances-Carbon Steel Sheet and Strip	Cancelled
AND10360	No.4	Tolerances-Corrosion and Heat Resistant Steel Bars and Rod and Wire	Cancelled-Use FED. STD. 48
AND10361		Tolerance-Corrosion Resisting Steel Plate Sheet & Strip	See MS33520
AND10362	No.3	Tolerances-Carbon Steel Bar and Rod	Cancelled-Use Fed. Std. 48
AND10363		Tolerances-Magesium Alloy Sheet & Strip	Use QQ-A-245
AND10364		Tolerances-Magnesium Alloy Extrusion	See AND10370 and AND10366
AND10365		Tolerances-Welded Steel Tubing Sheet (Sheet 1)	Use MS33536
AND10365		Tolerances-Welded Steel Tubing (Sheet 2)	Use MS33531
AND10366		Tolerances Aluminum & Magnesium Alloy Extruded Rod, Bar & Shapes	See QQ-A-245 and QQ-M31
AND10368		Tolerances-Seamless Steel Tubing Aircraft Round	Use MS33529
AND10369		Tolerances-Sluminum Alloy Rolled Bars, Rods Shapes & Wire	Use QQ-A-245
AND10370		Tolerances-Aluminum Alloy and Magnesium Alloy Tubing	Use QQ-A-245
AND10371		Tolerances-Welded & Seamless Steel Tubing Shapes other than round	Use MS33532
AND10372		Tolerances-Aluminum Alloy Sheet & Plate	Use QQ-A-245

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AND10375	No.10	Colors-Fluid Line Identification	Cancelled Superseded by MIL-STD-1247
AND10376		Chart; Humidity Indicator Color Comparison	Use MS16188
AND10378		Symbols-Electrical	See JAN-STD-15
AND10379		Equivalent-Fraction and Decimal	Cancelled Use Table II MIL-STD-8
AND10381		Symbols-Material	Cancelled Use Fig 27 through 30 MIL-STD-1
AND10382		Gauge Dimensions-Standard Wire and Sheet Metal	Cancelled Use MS33528
AND10383		Cutting Plane-Example For	Cancelled Use Fig 21 of MIL-STD-1
AND10384		Cross Sectioning-Examples for	Cancelled Use Fig 19, 22, 23, & 26 MIL-STD-1
AND10385		Alternate Position-Example for	Cancelled Use Fig 15 of MIL-STD-1
AND10386		Abbreviations, Standard	See ANA261
AND10387	Rev.5	Drill Sizes and Drilled Hole Tolerance-Twist	Cancelled
AND10388		Lines-Conventional	Cancelled Use Fig 12 to MIL-STD-1
AND10389		Threads-Symbols for	Use MIL-STD-9
AND10395		Nameplate-Aircraft	Use MIL-STD-130
AND10396		Numbers-Aircraft Engine Cylinder Location Designation	Cancelled-Use MIL-STD-802
AND10397		Color Code-Compressed Gas Ground Storage Cylinder	See MIL-STD-101
AND10398		Metals, Definition of Dissimilar	Use MS33586
AND10400		Numerals & Letters-Aircraft Instrument Dial Standard	See MS33558
AND10401	No.4	Case-Standard Dimensions for 2-3/4 Dial Instrument (Without Sump)	Cancelled
AND10402	No.6	Case-Standard Dimensions for 2-3/4 Dial Instrument (With Sump)	Cancelled
AND10404	No.8	Pointers-Standard Design of Aircraft Instrument	Cancelled Use MS33585

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AND10406		Thermocouple Leads, Installation of	Cancelled
AND10407		Insulators-Installation of Bivration	Cancelled
AND10408		Thermocouple Leads-Chromel and Alumel, Installation of	Use MS33560
AND10409		Thermocouple Parrallel Arrangement Chromel & Alumel	Cancelled
AND10410		Pitot, Static and Pitot Tube, Wiring Diagram For	Cancelled
AND10411	No.1	Wiring Diagram-Percent Type Tachometer Indicator and Two Pole Tachometer Generator	Cancelled Use MS33632
AND10412	No.3	Case-2-Inch Size Instrument, Standard Dimensions for	Cancelled Use MS33598
AND10413		Instrument, Flight, Basic Standard Arrangement of	Use MS336535
AND10425	No.8	Insert Arrangements-Electrical Connector, Shell Sizes 8S, 10S, and 10SL	Cancelled Use MS33680
AND10426	No.7	Insert Arrangements-Electrical Connector, Shell Sizes 12S and 12	Cancelled Use MS33681
AND10427	Rev #9	Insert Arangements-Electrical Connector, Shell Sizes 14S and 14	Cancelled Use MS33682
AND10427	No.10	Insert Araangements-Electrical Connector, Shell Size 14S and 14	Cancelled Use MS33682
AND10428	No.8	Insert Arrangements Electrical Connector, Shell Size 16S and 16	Cancelled Use MS33683
AND10429	Rev #6	Insert Arrangements-Electrical Connector, Shell Size 18	Cancelled Use MS33684
AND10429	No.7	Insert Arrangements-Electrical Connector, Shell Size 18	Cancelled Use MS33684
AND10430	No.7	Insert Arrangements-Electrical Connector, Shell Size 20	Cancelled Use MS33685
AND10431	No.6	Insert Arrangements-Electrical Connector, Shell Size 22	Cancelled Use MS33686
AND10432	No.6	Insert Arrangements-Electrical Connector, Shell Size 24	Cancelled Use MS33687
AND10433	Rev #4	Insert Arrangements-Electrical Connector, Shell Size 28	Cancelled Use MS33688

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AND10433	No.7	Insert Arrangements-Electrical Connector, Shell Size 28	Cancelled Use MS33688
AND10434	No.6	Insert Arrangements-Electrical Connector, Shell Size 32	Cancelled Use MS33689
AND10435	No.6	Insert Arrangements-Electrical Connector, Shell Size 36	Cancelled Use MS33690
AND10436	No.4	Insert Arrangements-Electrical Connector, Shell Size 44	Cancelled Use MS33692
AND10437	Rev #2	Insert Arrangements-Electrical Connector, Shell Size 44	Cancelled Use MS33692
AND10438	Rev #2	Insert Arrangements-Electrical Connector, Shell Size 48	Cancelled Use MS33693
AND10439		Receptacle Installation-Fuel Nozzle Grounding	Cancelled Use MS33645
AND10440	No.4	Insert Design-Electrical Connector, Shell Size 18, Arrangement-16	Cancelled Use MS33694
AND10441		Battery Installation	Cancelled
AND10442		Wiring Diagram-REmote Camera Installation (Bombardment)	Cancelled
AND10443	Rev#1	Contacts-video coazial connector	Cancelled Use MS33695
AND10443	No.2	Contacts-Video Coazial Connector	Cancelled Use MS33695
AND10444	No.5	Insert Arrangements-Electrical and Coaxial Connector, Shell Size 32	Cancelled Use MS33696
AND10445		Jump Bar-Installation of Battery	Cancelled
AND10446	Rev A	Compass Wiring Diagram-Remote Indicating Magnetic	Cancelled
AND10447		Tachometer and Synchroscope Wiring Diagram Singe and Multi-Engine	Cancelled
AND10448	Rev A	Indicator Wiring Diagram-Air Position	Cancelled
AND10449		Circuit Breaker Installation	Use MS33590
AND10450	No.1	Indicator Wiring Diagram-Electric Direct Current Turn and Bank	Cancelled
AND10451	Rev A	Compass Wiring Diagram-Gyro Fluxgate	Cancelled
AND10452		Position Indicating Assembly Wiring Diagram Electrical Wheel & Flaps	Cancelled
AND10453		Switch-Toggle, Installation of	Cancelled
AND10454		Drive-Round Mounting Flange with Shaft & Key	Use MS33571
AND10456		Drive-Square Mounting Flange with Round Shaft & Key	Use MS33570

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AND10457		Drive-Square Mounting Flange with Involute Spline-Pionion Drive	Use MS33568
AND10458	Rev.2	Mounting Pad- Oil Connection, 3 and 4 Stud	Cancelled
AND10459	Rev.3	Connectors-Electrical, Plugs, Intergral Mounting	Cancelled Use MS33679
AND10461	No.1	Connections-Input Power Airborne Electronic Equipment;28 Volt DC, 225 Volt Singel Phase AC, and /Or 115/200 Volt 3 Phase AC	Cancelled Use MS25245
AND10462		Plug-External Power, AC, Wiring of	Cancelled Superseded by MS17793
AND10477		Cross Recess-Dimensions for	Cancelled
AND10478	No.1	Instruments-Electrical Indicating, Requirements for Sealed (Radio and Radar)	Cancelled
AND10479	No.3	Contorl Panel-Aircraft Equipment, Basic Dimensions	Cancelled Use MS25212
AND10480	No.1	Control Panel-Aircraft Equipment, Typical Installation	Cancelled Use MS25213
AND10482	No.4	Turnbuckles, Lock Wiring of	Cancelled Use MS33591
AND10483		Wiring Diagram-Torque Pressure, Manifold Pressure and Fuel Flow Indicating Systems	Cancelled Use MS33741
AND10525		Propeller Blade Ends-Standard Dimensions for Detachable Solid Aluminum Alloy	Cancelled
AND10526		Propeller Blade Ends-Standard Dimension for	Cancelled
AND10550		Rim Contours-Type I, Main Landing Gear Wheel	Cancelled
AND10551		Rim Contours-Type I, Tail Wheel	Cancelled
AND10552		Rim Contour-26x6. Type II Landing Gear Wheel	Cancelled
AND10553		Rim Contours-30x7 and 32x8, Type II Landing Gear Wheel	Cancelled
AND10554		Rim Contour-34x9, Type II, Landing Gear Wheel	Cancelled
AND10556		Rim Contour-38x10-18 High Pressure Master Landing Wheel	Cancelled
AND10557		Rim Contours-30x5-20,32x6-20, 40x10-20 High Pressure Master Landing Wheel	Cancelled
AND10558		Rim Contour-10x3 Type II, Tail Wheel	Cancelled
AND10559		Rim Contours-10-1/2x4. 12-1/2x 41/2 and 12-1/2 x5, Type VII Extra High Pressure, Tail Wheel	Cancelled
AND10561	No.2	Rim Contour-7.00-6 Type III Low Pressrue Main Landing Gear Wheel	Cancelled Use AND10562
AND10562		Rim Contours - 8.00-4, 6.00-6, 7.50-10, 8.50-10, 11.00-12, 15.00-16 and 19.00-23, Type Iii, Low Pressure, Main Landing and Beaching Gear Wheel	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
AND10563		Rim Contours - 16.00-16 and 17.00-16, Type lii (Low Pressure) Main Landing Gear Wheel	Cancelled
AND10566		Rim Contours - 15.50-20 and 17.00-20, Type lii, Low Pressure, Main Landing Gear Wheel	Cancelled
AND10567		Rim Contours - 5.00-4 and 9.00-6, Type lii, Low Pressure, Tail Wheel	Cancelled
AND10568		Rim Contours-Type IV Main Landing Gear and Tail Wheels	Cancelled
AND10569		Rim Contours-Streamline Master Landing Wheel	Cancelled
AND10570		Rim Contours-Type VI, Low Profile Nose Wheel	Cancelled
AND10571		Rim Contour - 10.00-7 Type lii (Low Pressure) Tail Wheel	Cancelled
AND10574		Rim Contours 17/1/2x6/1/2 Type VII, Extra High Pressure, Tail Wheel	Cancelled
AND10575		Rim Contour - 9.00-6, Type lii, Low Pressure, Beaching Gear Tail Wheel	Cancelled
AND10577	No.1	Rim Contours-8.90-12.50, Type III, Low Pressure Main Landing Gear Wheel	Cancelled
AND10579	Rev.A	Rim Contour-8.50-6 Type III, Low Pressure, Main Landing Gear Wheel	Cancelled
AND10580	Rev.A	Rim Contour-18.00-20, Type III, Low Pressure Main Landing Gear Wheel	Cancelled
AND10584		Rim Contours, 52x16 and 56x16 Type VII, Extra High Pressure, Main Landing Gear Wheel	Cancelled
AND10599A		Knurl Detail-Airplane Wheel Rim Flanges	Cancelled
AND10600		No.1 Trunnion Assembly-Camera	Cancelled
AND10601		Wedge, Instrument Mounting	Cancelled
AND10602		Stud-Vertical Aerial Camera Mount	Cancelled
AND10603		Support Vertical Aerial Camera Mount	See MS33526
AND20000		Drive-Type X Engine Accessory	Cancelled, Us MS3325
NAF-1007		Primer-Engine	Cancelled
NAF-1008		Rivet-Universal Head-Alum & Alum Alloy	Cancelled
NAF-1013		Fasterner, Snap-Triple Jaw-Curtain & Laundry Proof Types	Cancelled
NAF-1026	No.6	Gage Pressure (For Catapult Hydraulic Systems)	Inactive Use MS28085
NAF-1027		Grammet-Round Plain Brass	Cancelled
NAF-1029		Screw-Self Tapping-Steel	Cancelled
NAF-1031		Rivet-120°C Sunk Head-Alum & Alum Alloy	Cancelled
NAF-1032		Caster-Handling Truck	Cancelled
NAF-1036		Flange-21/2 O.D. Exhaust Stack-4 Stud Fastening	Cancelled
NAF-1037		Guard 7 Toggle Switch	Cancelled
NAF-1039		Glass & Plastic Transparent Sheet	Cancelled
NAF-1040		Aluminum and Aluminum Alloy	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
NAF-1041	Brass & Bronze	Cancelled
NAF-1042	Copper	Cancelled
NAF-1043	Steel	Cancelled
NAF-1044	Welding Rod-Solder & Flux	Cancelled
NAF-1045	Belt-Safety-Pilot's Type	Cancelled
NAF-1046	Belt-Safety Gunners Type	Cancelled
NAF-1047	Wire-Hook Up Radio	Superseded by MIL-W-76
NAF-1049	Swivel-Aerial Target	Superseded by NAF212556
NAF-1052	Switch Selector-Volt-Ammeter	Use AN3211
NAF-1054	Index Tools Airplane Engine Kit	Cancelled
NAF-1059	Gasket-Spark Plug-Internal Copper	Cancelled
NAF-1064	Clip-Bonding Cable	Cancelled
NAF-1065	Jumper Electrical Bonding Alum Alloy	Superseded by AN749
NAF-1068	Lamp-Electric	Cancelled
NAF-1069	Block-Juction-Type AL Radio	Cancelled
NAF-1071	Container, Potassium Chromate Fuel Tank	Cancelled
NAF-1072	Light-Tail Single Contact	Cancelled
NAF-1081	Spotlight and Container Double Contact	Cancelled
NAF-1083	Fastener-Slide Interlocking	Cancelled
NAF-1087	Shackle-Screw Pin	Cancelled
NAF-1092	Helmet Aviators-Four Piece	Cancelled
NAF-1093	Grommet-Drainage-Wing Panel	Cancelled
NAF-1096	Light Formation-Single Contact	Cancelled
NAF-1100	Pliers	Cancelled
NAF-1108	Wrench-Socket Set 1/4 Square Drive	Cancelled
NAF-1109	Wrenches-Socket-3/8 Square Drive	Cancelled
NAF-1110	Wrench-Socket-1/2 Square Drive	Cancelled
NAF-1111	Light Berth Single Contact	Cancelled
NAF-1113	Weight-Antenna-Type 71004	Cancelled
NAF-1116	Cutout Generator-12 & 24 Volt	Cancelled
NAF-1118	Switch-Remote Control 12 & 24 Volt	Cancelled
NAF-1125	Switch-Ignition Shield	Cancelled
NAF-1127	Hardware Miscellaneous	Cancelled
NAF-1129	Strip Tank Riveted Type Reinforcing	Cancelled
NAF-1130	Light Landing Type A-6A	Cancelled
NAF-1132	Valve Fuel Quantity Gage-Check	Cancelled
NAF-1133	Gage & Pump Fuel Quantity Hydrostatic	Cancelled
NAF-1139	Adapter-Conduit Instrument Light Single Contact	Cancelled
NAF-1141	Insert-Socket & Pin, Elec Connector For Size 16 Shell With 12 Contacts	Superseded by AND10428-11
NAF-1142	Jacket-Shearling-Winter-Light	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
NAF-1143	Jacket-Shearling-WInter-Heavy	Cancelled
NAF-1144	Trousers-Winter	Cancelled
NAF-1145	Light-Done Single Contact	Cancelled
NAF-1146	Container-10 Unit First Aid Kit Aircraft	Superseded by JAN-K-303
NAF-1148	Coupling-Conduit-45° Junction Box	Cancelled
NAF-1149	Coupling-Conduit-90° Junction Box	Cancelled
NAF-1153	Anchor-Patrol Plane-Sea	Superseded by AN 8009
NAF-1154	Fasteners-Miscellaneous	Cancelled
NAF-1155	Tools-Fastener	Cancelled
NAF-1156	Kit-Fastener	Cancelled
NAF-1157	Terminal & Tool-Cable Electric Crmip & Wedge Type Solderless	Cancelled
NAF-1159	Adapter and Gland-Conduit	Cancelled
NAF-1161	Coupling-Conduit Y	Superseded by AN3250-001
NAF-1163	Rivet-Brazier Head-Aluminum Alloy Special	Cancelled
NAF-1164	Screw-Machine Fillister Head, Coarse & Fine Thread	Superseded by AN502
NAF-1166	Mirror-Inspection	Cancelled
NAF-1167	Helmet-Winter-Ground & Deck Personnel	Cancelled
NAF-1168	Jacket-Winter Ground & Deck Personnel	Cancelled
NAF-1169	Trousers-Winter Ground & Deck Personnel	Cancelled
NAF-1170	Extinguisher-Portable-Carbon Dioxide Fire	Superseded by AN-6045
NAF-1175	Screw-Machine Recessed Flat Head Coarse Thread	Cancelled
NAF-1176	Screw-Machine Recessed Flat Head-Fine Thread	Cancelled
NAF-1177	Screw-Machine Recessed Round Head Coarse Thread	Cancelled
NAF-1178	Screw-Machine Recessed Round Head Fine Thread	Cancelled
NAF-1179	Globe and Shield-Resin Tail Light	Cancelled
NAF-1181	Adapter-Electric-Lamp-Photoflash	Cancelled
NAF-1182	Bearing-Ball-Felt Sealed	Superseded by AN-208, AN-209, AN-21
NAF-1186	Box-Recognition Light Switch Control	Superseded by AN3045
NAF-1188	Grip-Control Stick Pistol Type Molded Plastic	Superseded by AN8003
NAF-1189	Connections-Oxygen Cylinder Valve	Cancelled
NAF-1191	Light Signal 41/2 Dia Lamp	Cancelled
NAF-1192	Light, Cockpit Ultra Violet Fluorescent 24-28 Volt	Cancelled
NAF-1193	Screw Self Tapping-Recessed Head Steel	Cancelled
NAF-1194	Belt-Safety Gunner's	Cancelled
NAF-1196	Case-Map	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
NAF-1197		TUBE-Pilot's Relief	Superseded by AN8018
NAF-1199		Box-Cryptographic	Cancelled
NAF-1201		Belt-Safety Pilot's Lap Shoulder Type	Superseded by MS22033(We
NAF-1202		Spear-FIsh	Cancelled
NAF-1203		Light Signaling-Life Rafts & Life Jackets	Cancelled
NAF-1213		Circuit Breaker-Singel Pole-Push Button Trip Indicating	Superseded by AN3161
NAF-1214		Luggage-Seapack	Cancelled
NAF-1216		Device-Sea Anchor Quick Tripping	Superseded by MS22026(Ae
NAF-1218		Tube-Speaking Gasport	Cancelled
NAF-1237		Valve-Anti-Blackout-Type JP-9	Superseded by AN6538-2
NAF-1238		Filter-Anti-Blackout Valve Type JP-9	Superseded by AN-6538-3
NAF-1241		Indicator Direction, Master, G-2 Compass	Cancelled Use MS25387
NAF-1267		Switch Limit Mach Number	Cancelled
NAF-1269	No.C	Valve-Air Pressure Regulating, Turn and Slip Indicator, Type ME	Cancelled and Superseded by MS28087
NAF-1282		Indicator-Turn & Bank (Three Phases)	See MS28088
NAF-1283		Control Unit Vertical Gyro (Automatic Pilot Type 1)	Cancelled
NAF-1284		Control-Pedulum (Automatic Pilot Type 1)	Cancelled
NAF-1285		Controller-Stick Type (Automatic Pilot Type 1)	Cancelled
NAF-1286		Amplifier-Control (Automatic Pilot Type 1)	Cancelled
NAF-1287		Servo-Electric (Automatic Pilot Type 1)	Cancelled
NAF-1288		Adapter-Power G-2 Compass (Automatic Pilot Type 1)	Cancelled
NAF-1289		Control Unit-Vertical Gyro (Automatic Pilot Model P-3)	Cancelled
NAF-1290		Control Unit, Rate & Pedulum (Automatic Pilot Model P-3)	Cancelled
NAF-1291		Amplifier-Control (Automatic Pilot Model P-3)	Cancelled
NAF-1292		Control-Barometric Altitude (Automatic Pilot Model P-3)	Cancelled
NAF-1293		Controller-Stick Type (Automatic Pilot, Model P-3)	Cancelled
NAF-1294		Servo Electric (Automatic Pilot Model P-3)	Cancelled
NAF-1295		Control-Engaging (Automatic Pilot, Model P-3)	Cancelled
NAF-1296		Amplifier-Magneto Servo (Automatic Pilot Model P-3)	Cancelled
NAF-1297		Adapter G-2 Compass (Automatic Pilot Model P-3)	Cancelled
NAF-1304		Pulley Servo (Automatic Pilot Model P-3)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
NAF-1308	Rev.B	Indicator-Gyro Horizon, Manually Gaged, Electric, Type MB-1	Cancelled & Superseded For Future Procurement Use MS17313
NAF-1317		Indicating, Turn and Slip, Air Driven 1 7.8 Inch Size, Type MD-2A & MD-2	Superseded by MS28096
NAF-1332		Element-Sensing, Type CR-1 Fire Detector System	Cancelled
NAF-1333	Rev.A	Relay-Continuity Test, Type CR-1 Fire Detector System	Cancelled
NAF-1334	Rev.A	Connector-Plug, Type CR-1 Fire Detector System	Cancelled
NAF-1335	Rev.A	Connector-Receptacle, Type CR-1 Fire Detector System	Cancelled
NAF-1336	Rev.A	Connector-Double Receptacle, Type CR-1 Fire Detector System	Cancelled
NAF-1345		Wire-Electrical, 600-Volt, Copper	Superseded by MS25190(ASG)
NAF-1369		Indicator, Turn and Slip, Air Driven, 2 3/4 Inch Size, Type MD-6 and MD-7	Superseded by MS28097
R-117-B		28 V.DC Power System for Type V-32 A.P.U. Wiring Diagram	Cancelled
R-202-T		Lighting Approach Light, Installation	See MIL-E-006730B(WEP)
R-203-H		Lighting-Exterior, V Type Aircraft, Installation of	See MIL-E-006730B(WEP)
R-204-Q		Lighting, Exterior, Carrier Based Aircraft Wiring of	See MIL-E-006730B(WEP)
R-209-F		Lighting-Interior Aircraft	See MIL-L-18276B(WEP)
R-210-B		Lighting-Exterior for Airships, Installation of	Cancelled
R-212-F		Lighting, Exterior, Land-Based Aircraft Wiring for	See MIL-E-006730B(WEP)
R-318-E		Armament Hydraulic Gun Charging and Firing Wiring Diagram for M-3 Gun	Cancelled
R-319-D		Pneumatic Gun Charging and Firing Installation	Cancelled
R-320-G		Armament Wiring for VF Aircraft	Cancelled
R-321-J		Armament Wiring Diagram for VF General and VA without Bomb Bay	Cancelled
R-323-E		Armament Wiring Diagrma for Station Selector-Mark 2 for Mk. 9, Mod. 0,1,2,3, Rocket Launcher and Mk. 55, Mod. 0 Bomb Rack	Cancelled
R-325-A		Armament Wiring Diagram Station Selector Mk.2 for Aero 12A Rocket Launcher and Aero 1A Bomb and Mine Adapter	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
R-326-C	Armament Wiring Diagram VF Aircraft Guns and Rockets	Cancelled
R-327-C	Armament Wiring Diagrm VF General with Bombs, Guns and Rocketes	
R-328-D	Pneumatic Gun Charging and Firing Installation for Mk. 12 or Mk. 24 Guns	Cancelled
R-331-B	Armament, Aero Series Gun Heater System, Installation Wiring Diagram	Cancelled
R-402-J	Ignition Switch and Starting Vibrator Installation High Tension System	Cancelled
R-405-E	Ignition Control and Starter Circuit, R-4360 Single Engine Installation	Cancelled
R-407-D	Ignition Switch and Starting Vibrator Installation Low Tension System for R-3350 Engine	Cancelled
R-408-E	Twin Turbo Engine Electric Starter System, Wiring Diagram	See MS28911
R-409-E	Single Turbo Engine Electric Starter System, Wiring Diagram	See MS28911
R-410-B	Turbo Engine Starter Generator System	Cancelled
R-502-G	Jato Firing Wiring Diagram	Cancelled
R-601-C	Electrical Installation-Aircraft Camera (12 or 24 Volts) Pilot or Photographer Operated	Cancelled
R-602-A	Electrical Installation-Single Aircraft Camera-Mapping-Photographer Operated	Cancelled
R-603-G	K-25B Camera Installation	Cancelled
R-604-F	K-25B Camera and Flasher Unit	Cancelled
R-605-A	K-17B, K-18, or F-56 Camera-Installation Wiring Diagram	Cancelled
R-606-A	S-7S Camera-Installation Wiring Diagram	Cancelled
R-607-B	AN-N-6A Gun Camera Installation Wiring Diagram	Cancelled
R-702-A	Electrical Installation-AC Selsyn (Autosyn) Instruments	Cancelled
R-703-B	Fuel Flowmeter-Jet Aircraft Wiring Diagram	Cancelled
R-706-A	Electrical Installation Horsepower Indicator	Cancelled
R-707-K	Wheels and Flaps Indicator and Warning Circuit	See MIL-L-18276B(WEP)
R-708-C	Electrical Installation-Resistance Thermometer AN Type	Cancelled
R-710-A	Electrical Installation-Engine Gage Unit DC Selsyn	Cancelled
R-711-A	Electrical Installation-Manifold Pressure Transmitter and Indicator-DC Selsyn	Cancelled
R-712-A	Electrical Installation-Tachometer and Synchroscope Mark 5 Single and Multi-Engine	Cancelled
R-714-B	Electrical Installation-Carburetor Air Intake Thermoswitch and Warning Light	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
R-715-A	Electrical Installation-Resistance Thermometer AN Type for 4 Engine Airplanes	Cancelled
R-716-A	Electrical Installation-Drift Sight-Mark 6	Cancelled
R-717-E	Gyro Flight Indicators	Cancelled
R-720-C	Electrical Installation-Gyro Stabilized Drift Meter MS28012-AN5763	Cancelled
R-721-1	Type G-2 Compass-Electrical Installation of	Cancelled
R-723-B	P-3 Compass Wiring Diagram	Cancelled
R-724-E	Gyro Horizon Fast Erector System-Wiring Diagram	Cancelled
R-726-A	Sextant, Periscopic MS29011, Wiring Diagram	Cancelled
R-727-A	Type S-2 Compass System Wiring Diagram	Cancelled
XAS-1061	Meterological Station, Automatic AN/SMQ-4(BUOY) and AN/GMT-5(Sled)	Cancelled
XAS-1064	Recorder, Weather Data RO-379/GMH	Cancelled
AS 1000B	Catapult, Aircraft Ejection Seat, Rocket Mark 1 MOD 1 (Loaded Assembly)	Cancelled
AS 1054	Balloon Inflation Weight Set	Cancelled
AS 1057(AV)	Adapter, Indicator U-376(Xan-2)/A	Cancelled
AS 1067C	Critical Item Product Fabrication Spec. Warhead, Guided Missile MK 71 MOD 0 Empty (U)	Cancelled
AS-1070	Cartridge, Impulse Mark 127 Mod 0	Superseded by MIL-C-81595(AS)
AS-1071	Vibration Testing of Cartridges and Cartridge Actuated Devices (CAD)	Cancelled
AS-1072-1	Cartridges, Delay, Mark 4, Mod 2, Mark 5, Mod 2 and Mark 6 Mod 2	Superseded by MIL-C-81788(AS)
AS-1075	Ignition Element, Electrical, Mark 14 Mod 0	Superseded by MIL-I-81803(AS)
AS-1076	Purchase Description-Cartridge, Impulse Mark 125 Mod 0	Superseded by MIL-C-81804(AS)
AS-1077	Purchase Description-Cartridge, Impulse Mark 125 Mod 0	Superseded by MIL-C-81805(AS)
AS-1079	Cartridge Delay, Mark 137 Mod 0	Cancelled
AS-1080	Cartridges, Power Source: Preparation for Delivery of	Cancelled
AS-1081	Cable Assembly, Special Purpose, Electrical HRU-824/E	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	AS-1088	Bomb, Practice BDU-36/C	Cancelled
	AS-1089	Indicator, Cartridge Actuated JAU-1/B	Superseded by MIL-L-81845(AS)
	AS-1094B	Arming Assembly, Bomb Fuze, Mark 3 Mod 1 Mark 4 Mod 1 and Mark 5 Mod 1	Cancelled
	AS-1096	Eyelets, Metallic	Cancelled
	AS-1098A	Fuze, Bomb, Mark 374 Mod 0	Cancelled
	XAS-1113	Formation Control System For Aerial Targets	Cancelled
C	AS-1114A	Model Y AIM-54A(VE) Guided Missile Guidance Subsystem (Phoenix) (U)	Cancelled
C	AS-1115A	Model Y AIM-54A(VE) Guided Missile Armament Subsytem (Phoenix) (U)	Cancelled
C	AS-1116A	Model Y AIM-54A(VE) Guided Missile Control Subsystem (Phoenix) (U)	Cancelled
C	AS-1117A-1	AIM-54A Guided Missile Propulsion Section Using MK 47 Rocket Motor (Phoenix) (U)	Cancelled
C	AS-1119A	Model Y AIM-54-A Guided Missile (Phoenix) SE Secondary Power Subsystem (U)	Cancelled
	AS-1120A	Model YAIM-54A(VE) Guided Missile Interunit Wiring Harness (Phoenix)	Cancelled
	AS-1121A	Model YAIM-54A(VE) Guided Missile (Phoenix) Airframe Group (U)	Cancelled
	AS-1122A	Model YAIM-54A(VE) Guided Missile Developmental Telemetry Pack (Phoenix)	Cancelled
	AS-1123A	Model YAIM-54A(VE) Guided Missile Transmitting Group, Telemetric Data (Phoenix)	Cancelled
	AS-1124	MAU-83/A (XN-2) Launcher-Ejector Missile or Bomb, Aircraft (Wepons Bay)	Cancelled
	AS-1125	MAU-8A (XN-2) Component Kit, Launcher Pylon, F-111B	Cancelled
	XAS-1127A	Timer-Clamp Release, Flare, Aircraft, Assembly Of	Cancelled
	AS-1131A	Immersion Tin Plating	Cancelled
	AS-1142B	Intervalometer, Rocket Launcher	Cancelled
	XAS-1148(MA)	Dielectric Material, Clad and Unclad, For Microwave Frequency Applications	Cancelled
	XAS-1152	Film, Transparent, Flexible Electrostatic Free, Heavy Duty	Cancelled
	XAS-1153	Engineering Development Detail Specification for Guided Missile AIM-7C Sparrow	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
AS-1154	Air Conditioner, Self-Contained Light-weight, Air Cooled 50,000 BTU/HR, 208 Volt, 400 Cycle, 3 Phase	Cancelled
AS-1172C-1	Rocket Motor MK 51 MOD 5 And MK 54 MOD 5 (Loaded Assemblies)	Cancelled
AS-1178-2	Flare, Aircraft, Parachute MK45 Mod 0	Superseded by MIL-F-81738
AS-1179	Fuze, Flare MK 365 MOD 0	Cancelled
XAS-1194	Design and Development Performance Specifications for Guided Missile System AIM-7F	Cancelled
AS-1195	Recharging System, Liquid Oxygen	Cancelled
AS-1198	Motor, Rocket (Loaded Assembly) Mark 51 Mod 0	Cancelled
AS-1202(AV)	Indicator, Flight Director, ID-(*)/ ASQ-105	Cancelled
AS-1211(AV)-1	Converter, Frequency, Static	Cancelled
AS-1212(AV)	Wire, Electrical, Antenna	Cancelled
XAS-1213A-1	CH-53A/IHAS Retrofit Kit	Cancelled
XAS-1217(AV)-1	Omega Navigation Set AN/ARN-()	Cancelled
C XAS-1222(AV)	Recorder, Multipurpose RO-358/AQS-13A	Cancelled
XAS-1233	Experimental and Developmental Specification Calibration and Maintenance Console	Cancelled
C AS-1234	Digital Data HF/UHF Communication Systems (U) AN/USQ-1()	Cancelled
C XAS-1235A(AV)	Airborne Radar Video Tape Recorder/ Reproducer	Cancelled
XAS-1241(AV)	Radar Set AN/APS() Meterological Surveilance Radar	Cancelled
XAS-1242(AV)	Radar Set AN/APS() Meterological Height Finding Radar	Cancelled
AS-1244A	VLF Power Amplifier-Coupler Group (TACAMO IV B)	Cancelled
AS-1245A	Antenna Group OE-()/USC-1() (TACAMO IV B)	Cancelled
C AS-1247(AV)	Sonobuoy AS/SSQ-62(XN-3 and XN-4)	Cancelled, Use MIL-S-81895
AS-1253(AV)	Radio Set AN/ARC-()	Cancelled
C AS-1258(AV)	Sonobuoy AN/SSQ-1() (XN-1), Experimental	Cancelled
C AS-1260A	Sonobuoy AN/SSQ-() (XN-1), Developmental	Cancelled, Use MIL-S-85313
AS-1268(AV)	CAIR I (Countermeasures, Airborne Infrared)	Cancelled
AS-1271(AV)	Helicopter Countermeasures System	Cancelled
AS-1280(AV)	Chaff, Countermeasures RR-/ALE-38	Cancelled
AS-1281(AV)	Chaff, Countermeasures RR-/ALE-38	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	AS-1289(AV)	Dispensing set, Countermeasures Chaff AN/ALE-41	Cancelled
C	AS-1292(AV)-1	Reference Set, Sonobuoy AN/ARS-()(U)	Cancelled
	AS-1297(AV)	Navigation Set, Radio AN/URN-()	Cancelled
C	XAS-1310(RM)	Performance and Compatibility Requirements for Ordnance Section, Guided Missile, Standard Arm Division	Cancelled
	AS-1333	Radar Homing and Warning System, AN/APS-107A Receiving Set, Modified (U)	Cancelled
	AS-1334-1	Missile Control Module Assembly	Cancelled
	AS-1360	Motor Rocket (Loaded Assembly) EX-59	Cancelled
C	AS-1362	Reliability for Model EA-6B	Cancelled
	AS-1391	Air Cargo Handling System for KC-130F Aircraft	Cancelled
	AS-1399	Trailer, Munitions Handling Type Aero 51A-1	Cancelled
	AS-1429	Coveralls, Flying, Anti-Exposure, Ventilated, Wet Type, Polychloroprene Foam	Cancelled
	AS-1438B	Camera, Motion Picture, Strike, 16MM	Cancelled
	XAS-1469	Test Equipment Sub-System, Naval Weapon Station	Cancelled
	AS-1473	Electrical and Electronic Equipment, Aircraft System, Installation and Checkout of	Cancelled
	AS-1482	Container, Alternate Radome	Cancelled
	AS-1484	Round, Guided Missile, Type III Trainer (U)	Cancelled
	AS-1551	Design and Development of Shipping and Storage Container for Low-Speed Fuel Explosive Weapons	Cancelled
	AS-1553	Cradle, Guided Missile, Mark 15 Mod 0	Cancelled
C	AS-1564	Bomb, High Explosive Mark 115 Mod 0 Empty (U)	Cancelled
	AS-1569	Avionics Performance Specification for Advanced Carrier	Cancelled
	XAS-1571D-1	Joint Service In-Flight Data Transmission System	Cancelled
C	AS-1634	RadarHoming and Warning System A6B Aircraft, AN/APS-107B Receiving Set, Improved (U)	Cancelled
	AS-1649	Camera, Aircraft, Strike, 70MM	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
AS-1654	Viewer-Printer, Portable Type AR-1084A()	Cancelled
XAS-1656-2	Photographic Laboratory, Mobile, Aerial Reconnaisance Color Film	Cancelled
AS-1676-1	Rocket, Motor MK 53 Mod 3	Cancelled
AS-1677-1	Rocket, Motor MK 39 Mod 6	Cancelled
AS-1678	Thread, Aromatic Polyamide, High Temperature Resistant, Staple	Cancelled
AS-1680	Easel, Photographic, Roll Paper, Automatic	Cancelled
C AS-1682	Fuze Function Control Set AN/AWW-4	Cancelled
AS-1688	Fuze Function Control Set AN/AWW-4	Cancelled, Use MIL-F-81966
AS-1694	Cloth, Knitted, Aeromatic Polyamide, High Temperature Resistant	Cancelled, Use MIL-C-81812
AS-1822	Batting, Polymide Aeromatic High Temperature Resistant	Cancelled, Use MIL-B-81813
AS-1831	Attack Type Aircraft Carrier (CVA) Turbo Jet Engine Test Facility	Cancelled
AS-1837	Launcher, Rocket, LAU-70/A and LAU-71/A	Cancelled
AS-1882	Batting, Quilted, Aromatic Polyamide, High Temperature Resistant	Superseded by MIL-B-81813
AS-2003	Tester, Spray Voltage-Universal	Cancelled
AS-2015	Burster Assembly	Cancelled
AS-2135	Remover, Paint, For Amine-Cured Epoxy Systems	Cancelled
XAS-2137-2	Tester, Torque Wrench	Cancelled
AS-2160	Launcher, Rocket, LAU-70/A	Cancelled
AS-2161	Launcher, Rocket, LAU-71/A	Cancelled
AS-2174	Ignition Compound	Cancelled, use MIL-I-81970
AS-2183	Ink, Reactant	Cancelled, use MIL-I-81971
AS-2208	Coverall Assembly, Flying, Anti-Exposure, CWU-30/P	Cancelled
AS-2282	Installation of Buster Assembly and Fuse Mark 339 Mod 0 on the Dispenser and Bomb, Aircraft CBU-24 F/B and CBU-49F/B	Cancelled
XAS-2285	Jack, Tripod, 20 Ton Capacity, F-4 Aircraft	Cancelled
AS-2351	Coveralls, Flying, Summer, High Temperature Resistant, CWU-31/P	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
AS-2525	Dryer, Film, Table-Top, Photographic, Type EL-17( )	Cancelled
AS-2529	Coverall Assembly, Flying, Anti-exposure, CWU-33/P And CWU-34/P	Cancelled
AS-2564	Bomb Rack Assembly Tripple Ejector A/A 37B-6, 6B & 6E	Cancelled, Use MIL-R-85323
AS-2565	Bomb Rack Assembly Tripple Ejector A/A 37B-5, 5B & 5E	Cancelled, Use MIL-R-85323
AS-2570	Voltmeter, Digital Environment Resistant	Cancelled
AS-2586	Container, Shipping and Storage for Bomb, CNU-120/E	Cancelled
AS-2613	Gloves, Flyer's Summer, HAU-11/P	Cancelled
AS-2684	Engines, Aircraft, Turbojet and Turbofan, General Specification for	Superseded by MIL-E-5007D
AS-2694	Engines, Aircraft, Turboshaft and Turboprop, General Specification for	Superseded by MIL-E-8593
AS-2844	Lubricating Oil, Instrument, Ball Bearing, High Flash Point	Superseded by MIL-L-81846
AS-3474	Coating Compound, Thermal Insulation, (Ammonium Salt of 4-Nitroaniline-2 Sulfonic)	Superseded by MIL-C-81947(AS)
AS-3475	Coating Compound, Rocket Insulation Instumescent	Superseded by MIL-C-81945(AS)
AS-3476	Coating Compound, Thermal Insulation Ablative	Superseded by MIL-C-81904(AS)
AS-3477	Coating System, Thermal Insulation, Insulation, Intrumescent	Superseded by MIL-C-81946(AS)
AS-3581	Cloth, Non-Linting, Wiping	Cancelled, use MIL-C-85043(AS)
AS-3613	Cloth, Knitted, Polyamide, High Temperature Resistant	Cancelled, Use MIL-C-85038
AS-3696A	Vibration and Shock, Testing of Aircrew Escape Propulsion Systems	Cancelled, Use MIL-STD-2102
AS-3784	Bonding, Thermal Insulation, On Rotary Actuator ATU-72/B	Cancelled
AS-3789	Castings, Harpoon, Rework; Requirements For	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
C XAS-3800A	Prime Item Development Specification Guided Missiles, Surface Attack AGM-84A	Cancelled
XAS-3898	Integrated Logistics Support Specification, Aircrew Automated Escape System, for AH-1/G/J/Q	Cancelled, use MIL-D-85040(AS)
AS-3900	Detecting and Ranging Set, Infrared/Laser and Detecting Set, Infrared (U) Helicopter	Cancelled, Use MIL-I-85295
AS-4444A	Tow Bar and Bridle Assembly Target, Banner Aerial, TDU Series	Cancelled, Use MIL-T-85512
AS-4445A	Panel Assembly Target, Banner, Aerial, TDU Series	Cancelled, Use MIL-P-85511
AS-4622	Critical Item Development Specification For Safety-Arming Device, Bomb, FSU-9/B and FSU-13/B	Cancelled
C XWS-1505(PP)	Experimental Specification for A1.5 Kilowatt Long Endurance, Electro-mechanical, Solar Powered Satellite Power Plant	Cancelled
C XWS-1506(PP)	Experimental Specification for A1.5 Kilowatt, Long Endurance, Electro-mechanical, Solar Powered Satellite Power Plant	Cancelled
WS-1581	Catapult, Aircraft Ejection Seat, Rocket Mark 2 Mod (Loaded Assembly)	Cancelled
WS-1585	Igniter, Rocket Motor, Mark 196 Mod 0	Cancelled
C WS-1610-2	Rocket Motor, 5.0 Inch MK 36 Mods 0 and 1	Cancelled
WS-1616-1	Igniter, Rocket Motor, Mark 264 Mod 0	Cancelled
C WS-1618	5.0 Inch Rocket Motor Mark 16 Mod 2; Loaded Assembly	Cancelled
WS-1638A	Safety-Arming Device MK Mod 3	Cancelled
WS-1642-1	Switch, Firing, Electronic, MK73 Mod 1	Cancelled
WS-1645	Booster, Fuze, MK 46 Mod 0	Cancelled
WS-1646	Lead, Explosive, MK15 Mod 0	Cancelled
C WS-1660(RM)-1	Firing Device, Fuze, EX3 Mod 0 and Triggering Device, EX3, Mod 0	Cancelled
C XWS-1661(RM)	Firing Device; Fuze, EX2 Mod 0 Triggering, Fuze, EX4 Mod 0, and Triggering Device, Fuze, EX6 Mod 0	Cancelled
C XWS-1664(RM)	Fuze, Guided Missile, EX58, Mod 0	Cancelled
XWS-1666(F)	Wrench, Impact, Pneumatic, Portable, with Detachable Torsion Bars	Cancelled
XWS-1727(F)	Burs, High Speed Steel	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	XWS-1878(F)-1	Transportation Trailer for Small Aircraft Engine 3000 lbs. Capacity Rail Type	Cancelled
	WS-1881	Battery, Water Activated MK 82 Mod 0	Cancelled
	WS-1883	Squib, Electric, MK7 Mod 0	Cancelled Superseded by MIL-S-81196
	WS-1906A	Sonobouy, AN/SSQ-46 (XN-1)	Cancelled
	WS-1907A	Amplifier, Audio Frequency, WOX-32	Cancelled
	WS-1908A	Transmitter, Radio, WOX-3A	Cancelled
	WS-1909A	Hydrophone Array, WOX-13	Cancelled
	WS-1910	Timer, Interval, Mark 18, Mod 0	Cancelled
	WS-1911	Connector, Weapon, Mark 21 Mod 0	Cancelled
	WS-1912	Connector, Weapon, Mark 24 Mod 1	Cancelled
	WS-1913	Explosive Fitting Mark 11 Mod 1	Delete
	WS-1914	Explosive Fitting Mark 12 Mod 1	Delete
	WS-1915	Explosive Fitting Mark 14 Mod 1	Delete
	XWS-1925	Preliminary Development Design Specification for Multiband Telemetry Receiver	Cancelled
	XWS-1926-3	Developmental Specification Commuted Signal Simulator (For the Decommutator Section of the Converter System, (Telemetric Data AN/USQ-19(XN-2)))	Cancelled
	XWS-1927-3	Decommutator Section of the Converter System, Telemetric Data AN/USQ-19 (XN-2)	Cancelled
	WS-1928	Processing Unit, Motion Picture Film MK1 Mod)	Cancelled
C	XWS-1980(RU)	Experimental and Developmental Specification Buoy underwater Sound Source (BUSS) AN/SSQ-37(XN-2)	Cancelled
	XWS-1982	Test Set AN/ASM-00 (XN-1)	Cancelled
C	XWS-1983(RU)	Signal, Underwater Sound EX 65 Mod 0 (Shallow Line Charge)	Cancelled
	XWS-1993(F)	Tester-Aircraft Safety Belt, Harness and Inertia Reel	Cancelled
C	XWS-1994-1	Sonic Data Analyzer AN/ASA-40(XN-2)	Cancelled
	XWS-2016(FF)	Viewer, Still Picture, Photographic Interpretation	Cancelled
	XWS-2071(F)-1	Universal Air Shipment Stand for Jet Aircraft Engines Model ATS-1	Cancelled
	WS-2078A	Body, 1.375 Inch Rocket, MK1 Mod 2	Cancelled
C	WS-2086A	Fuze, Bomb, Mark 258 Mod 0	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	WS-2094	Rocket Motor MK34 Mod Loading, Assembling and Packing	Cancelled
	XWS-2119	Ultrasonic Equipment for Detection of Corrosion on Aircraft Surfaces	Cancelled
	XWS-2121(F)	Heater, Assembly, Electric Liquid Oxygen System, Purging	Cancelled
	WS-2123-1	Cartridge, Impulse, Mark 10 Mod 0	Cancelled
C	XWS-2146(RU)	Experimental and Developmental Specification	Cancelled
	XWS-2169(RM)	Arming Firing Device, Destructor, EX25 Mod 0	Cancelled
C	XWS-2173(RM)	Experimenal Development Specification for Oscillator, Microwave, MK2 Mod 0	Cancelled
	XWS-2174(RM)	Experimenal Development Specification for Oscillator, Microwave MK5 Mod 0	Cancelled
	WS-2175	Telemeter System, Fuze, MK2 Mod 0	Cancelled
C	XWS-2176(RM)	Experimenal Development Specification for Safety Arming Device EX30 Mod 0	Cancelled
C	XWS-2181(RM)	Experimenal Development Specification for Safety Arming Device EX29 Mod 0	Cancelled
	XWS-2182(RM)	Experimenal Development Specification for Battery, Ammonnia-Activated, EX90 Mod 0	Cancelled
	WS-2186(FWGS)	Attack Type Aircraft Carrier (CVA) Turbo-Jet Engine Test Facility	Cancelled
	WS-2191(F)	Gas Turbine Test Facility and Mobile Run-Up Stand Calibration and Service Van	Cancelled
	XWS-2192(FF)	Pod, Aerial, Film, Delivery	Cancelled
	WS-2194	Coveralls, Proective, High Thermal	Cancelled
	WS-2396	Sub-Systems and Components Upstart Target Missile Environment Criteria for	Cancelled
	WS-2398	Finish Battery Electrolyte Resistant	Cancelled
	WS-2401	Paint, Abrasive, Heat and Corrosion Resistant	Cancelled
	WS-2402	Epoxy Compound, Electrical and Electronic Component Potting	Cancelled
	WS-2403	Parachute Pack Assembly, Reflectrive Canopy	Cancelled
	WS-2404	Augmenyer - C - Band Arda	Cancelled
	WS-2405	Cutting Assembly	Cancelled
	WS-2406	Timer, Programmer, Seven Function	Cancelled
	WS-2408	Relay, Latching, DPDT	Cancelled
	WS-2411	Battery, NICAD, 7.2 Volts	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	WS-2412	Transponder, Miss Distance Indicator	Cancelled
	WS-2413	Relay and Socket Assembly	Cancelled
	WS-2414	Acceleration Switch, 9G	Cancelled
	WS-2415	Battery, Dry Charge, KOH Activated	Cancelled
	XWS-2508A(RU)	Experimental and Developmental Specification Signal, Underwater Sound (Line Charge)	Cancelled
C	XWS-2515(RU)	Buoy Underwater Sound Source (BUSS) AN/SSQ-37 (XN-3)(U)	Cancelled
	WS-2842	Fabrics, Mark V Anti-Exposure Flying Coveralls and Insulation Garment	Cancelled
C	XWS-2844(RU)	Experimental and Development Specification Directional Explosive Echo Ranging Sonobuoy AN/SSQ	Cancelled
C	XWS-2845(RU)	Experimental and Development Specification Directional Explosive Echo Ranging Analyzer	Cancelled
	XWS-2994(PP)	Lubricating Oil, Aircraft Turboprop and Turboshaft Engines, Synthetic Base	Cancelled
	WS-3090	Resolver, Electrical, Computing, Mark 4, Mod 0, Type 15R4	Cancelled
	WS-3091	Resolver, Electrical, Computing, Mark 4, Mod 1, Type 15R4a	Cancelled Superseded by MIL-R-23417/8
	WS-3093	Tachometer Henerator Mark 1 Mod 1 (Type 15TG4)	Cancelled Superseded by MIL-T-22821/2B
	XWS-3095	Transmitting Set, Radio AN/	Cancelled
	XWS-3096	Antenna, A T and Moun, MT	Cancelled
	XWS-3097	Microwave Converter, Radio CV	Cancelled
	XWS-3098	Receiving Antenna AR-	Cancelled
C	XWS-3100	Radar Set AN/APS-(*)(XN-1)	Cancelled
C	XWS-3101(AV)-1	Transponder Set AN/APX-(*)(XN-1)	Cancelled
	XWS-3103A(AV)	Ground Support Equipment for Avionic Systems	Cancelled
	XWS-3109-1	Radio Set AN/ARC-(*)	Cancelled
	XWS-3113-1	Radio Set AN/ARR-(*)	Cancelled
	XWS-3114(AV-1)	Navigational Set, Tacan AN/ARN (*) (XJ-1)	Cancelled
C	XWS-3116A	Integrated Light Attack Avionics System Program Definition Phase (Ilaas PDP)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
XWS-3117	Integrated Helicopter/VTOL Avionics System Program Definition Phase (Ihas PDP)	Cancelled
XWS-3119	Receiving Set, Airborne, Omega	Cancelled
XWS-3120	Traveling Wave Tube Amplifier	Cancelled
XWS-3123A	Receiver-Transmitter, Radar RT-( ) APX-69 Control Interrogator Responder Set C ( )/APX-69 and Mounting MT-( )/APX-69	Cancelled
XWS-3125(AV)	Radio Sets AN/ARC(*), AN/ARC-(*)/X	Cancelled
XWS-3126	Airborne Infrared Warning Set	Cancelled
XWS-3127-1	Alimeter-Encoder Set, Integrally Lighted Three Pointer, Altitude Responding	Cancelled
XWS-3128	Altitude-Encoder, Altitude Reporting Air Data Computer	Cancelled
XWS-3132(AV)	Hoisting Unit; Bomb; Electrical HLU-(*)/E	Cancelled
XWS-3136(AV)	Remote Frequency and Channel Indicator ID(*)/ARC	Cancelled
XWS-3139(AV)	Remote Frequency and Channel Indicator ID(*)/ARC	Cancelled
C XWS-3178	Project Definition Phase II Specification ILAAS System Specification (U)	Cancelled
WS-3180B	Detail Specification Guidance Section, Guided Weapon MK 27 all Mods	Cancelled, use MIL-G-81132(AS)
WS-3184C	Detail Specification Electron Tube, Vidicon	Cancelled, use AS-4429
XWS-3751B	Airborne Missile Control System AN/AWG-9(XN-2) (Phoenix)(U)	Cancelled
XWS-3756(PP)	Advanced Turbo Prop Engine Fuel System	Cancelled
XWS-3793(RM)-1	Oscillator, Microwave, EX4 Mod 0	Cancelled
XWS-3799B(RM)	Fuze, Guided Missile, EX334 Mod 0	Cancelled
WS-3821	Driver, Gas-Operated Mark 16 Mod 0	Cancelled
WS-3857	Grease, Low Foreign-Particle Content Instrument Bearing	Cancelled
WS-3858-1	Catapult, Aircraft Ejection Seat, Rocket Seat, Rocket Mark 6 Mod 0 (Loaded Assembly)	Cancelled
XWS-4026(FW)	Stand, Test-Aircraft Hydraulic Components	Cancelled
XWS-4060(FW)	Trailer, Engine-Generator Sets, 4 Wheel Steerable	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
XWS-4088(F)	Repair Heads, External Power, Cable Assemblies, Attachable Type	Cancelled
XWS-4089	Assembling Machine, Hose and Hose Fitting	Cancelled
XWS-4120A(RU)	Sonobuoy AN/SSQ-47 (XN-2)(U)	Cancelled
XWS-4121A(RU)	SH-3A (HSS) Airborne Recording Systems (U)	Cancelled
WS-4127	Hose, Flexible, Low Pressure, Air or Oxygen	Cancelled Superseded by MIL-I-81581
WS-4136	Indicator, Cartridge, Actuated, Delay MK11 Mod 0	Cancelled Superseded by MIL-I-81316A
WS-4138	Cartridge, Impulse Mark 73 Mod 0	Cancelled Superseded by MIL-C-81331
XWS-4169	Support Requirements Progress and Status Reporting	Cancelled, Superseded by AR-31
XWS-4170A	Air Conditioning Unit, Mobile, Diesel Powered, Cooling and Dehumidified Heating, Model NR-8	Cancelled, Superseded by XAS-1574
XWS-4171A	Phoenix Missile Launcher/Bomb Ejector, Aircraft:MAU 48(XN-1)/A	Cancelled
XWS-4173(FW)	Pre-Oiler, Jet Oil Servicing	Cancelled Superseded by MIL-P-23511(WP)
XWS-4304(RU)	Sonobouy AN/ASQ-46(XN-1)	Cancelled
WS-4376-2	Ignition Element, Electric, Mark 22 Mod 0	Cancelled Superseded by MIL-C-81524
WS-4383-1	Cartridge, Impulse, Mark 64 Mod 0	Cancelled
WS-4386-2	Indicator, Cartridge, Actuated, Delay Mark 12, Mod 0	Cancelled Superseded by MIL-I-81564
WS-4392-1	Cartridge, Delay, Mark 101, Mod 0	Cancelled Superseded by MIL-I-81567
XWS-4602(F)	Tank, Oil Cooler Leak Test	Cancelled
XWS-4612(PP)	Experimental Specification for Turbo-Jet Universal Fuel Control	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
XWS-4614	Experimental and Developmental Specification, Instrumentation, Radar, AN/FPQ-( )	Cancelled
XWS-4617-2	Gas Turbine Self Containing Starting System for Aircraft Gas Turbine Engines	Cancelled
WS-4626	Composition, Starter	Cancelled, use MIL-C-81974
WS-4627-1	Squib, Electric, MK12, Mod 0	Cancelled
WS-4643A	Transmitter Control Test Set, AN/SRM-7	Cancelled
WS-4644A	Test Set, Coder, AN/SRM-8	Cancelled
WS-4645A	Transmitter Control Subassembly Test Set, AN/SRM-10	Cancelled
WS-4646A	Coder Subassembly Test Set, AN/SRM-11	Cancelled
XWS-4722(F)	Test Set, Aircraft Electrical Power Equipment 55 HP, Specification for	Cancelled
WS-4723	Gloves, MK 5A Anti-exposure Coveralls	Cancelled
XWS-4774(FA)	Converter-Indicator Groups: Runway Visual Range	Cancelled
WS-4788	Bolt, Explosive, MK4 Mod 0	Cancelled
WS-4802A-1	Battery Assembly, Silver Zinc-Alkali for AGM-37A Missile Target (KD2B-1)	Cancelled
C XWS-4807	Specification for 2000 Amperes 180KW Countermeasures, Set AN/ALQ-60(XN-2)	Cancelled
XWS-4813(F)	Tester, Portable, Aircraft, Ignition Coil	Cancelled
WS-4847	Tank, Storage, Liquid-Oxygen-Nitrogen Low Loss, Skid Mounted, 500 Gallon Capacity with Vacuum Insulated Liquid Supply Manifold	Cancelled
XWS-4869(FF)	Camera, Still Picture, Panoramic, Weather-Proof 35MM	Cancelled
C XWS-4871(RM)	Fuze, Guided Missile, EX59 Mod 0	Cancelled
C XWS-4882(RM-1)	Probe, Pressure EX2 Mod 0	Cancelled
XWS-4887(RM)	Short Pulse PSK Psuedo Ramdon Coded Correlation Detection Miss-Distance Measuring Systems	Cancelled
XWS-4888(RM)	Triggering Device, Fuze, EX13 Mod 0	Cancelled
C XWS-4891(RM)	Design, Development, Qualification, and Production Specification for Safety-Arming Device EX33 Mod 0	Cancelled
C XWS-4911	Experimental and Developmental Specification Sonobuoy AN/SSQ-(XN-1)	Cancelled
WS-4956	Reliability Assurance Requirements for Model OV-10A (Light Armed Reconnaissance) Airplane	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	WS-4957	Air Conditioner, Skid Mounted, Air Cooled, 30,000 to 60,000 BTU/HR, 208 Volt, 400 Cycle, 3 Phase	Cancelled
	WS-4962B	Test Set AN/AWM-23(XN-2) for AN/AWG-9 Airborne Missile Control System (Pheonix)	Cancelled
C	XWS-4978	Experimental and Development Specification Passive and Active Signal Digital Correlator and Analyzer (Pandora)	Cancelled
	WS-5000R	Fuze, Mechanical, Time MK339 Mod 0	Cancelled
C	XWS-5017(RU)	Directional Explosive Echo Ranging Sonobuoy AN/SSQ-49 (XN-2)	Cancelled
	XWS-5024(PP)	Liquid Metal Regenerator System	Cancelled
	XWS-5025(PP)	Fail-Safe Bearing and Gear Lubrication	Cancelled
	WS-5027	Petroleum Fuel Storage and Dispensing System, Collapsible Pillow Tank Type	Cancelled
	WS-5028	Aviation Lubricating Oil Storage and Dispensing System, Collapsible Pillow Tank Type	Cancelled
	WS-5029	Fuel Servicing Unit	Cancelled
C	WS-5030	Design, Development Qualification, and Production Requirements for Propulsion Systems for the Sparrow III-6b and Shrike Guided Missiles	Cancelled
C	WS-5039	Relays, Solenoid, Stripline	Cancelled
C	WS-5043	Isolators, Radio Frequency Reflection	Cancelled
	WS-5045-2	Shipping and Storage Container Mark 398 Mod 0	Cancelled
	XWS-5047(RM)	Inhibitor, Polyurethane	Cancelled
	XWS-5048(RM)	Polyester Resin (Polyglcol Adipate)	Cancelled
	XWS-5049(RM)	Toluene Diisocyanate (Toluene-2, 4 Diisocyanate)	Cancelled
	WS-5056	Cloth, Herring Bone, Twill Polyamide, High Temperature Resistant	Cancelled
C	WS-5502	Dummy Warhead, 2.75 Inch Rocket Mark 61 Mod 0	Cancelled
	XWS-5527	Cleaning Machine, Aircraft, Mobile	Cancelled
	WS-5528	Catapults, Aircraft Ejection Seats, Rocket (Loaded Assemblies) MK 8 Mod 0 and Mark 9 Mod 0	Cancelled
	WS-5529A	Catapults, Aircraft Ejection Seats, Rocket (Loaded Assemblies) EX 7 Mod 0 and EX 14 Mod 0	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	XWS-5565(RU)	Torpedo Tube Timing Test Set	Cancelled
C	WS-5574	Reliability and Avionics Subsystem Performance Specification for the E-2A Airplane Weapon System (Airborne Early Warning Airplant)	Cancelled
	WS-5893H	Fuze, Bomb, Mark 344, Mod 0	Cancelled
	XWS-5900	Launcher-Ejector, Missile or Bomb Aircraft (Weapons Bay)	Cancelled
C	XWS-5901	Launcher-Ejector, Missile or Bomb Aircraft (Functional Equipment)	Cancelled
	XWS-5903	MMG-2 Mobile Electrical Power Plant	Cancelled
	XWS-5906	Dash, Shipboard Operational Telemetry System, AN/SKR-1	Cancelled
C	XWS-6011(RM)	Rocket Motor, MK 50 Mod 0 (Chaparal)	Cancelled
	WS-6051	Weapon Loader, Aircraft, Self-Propelled, Aero 46A	Cancelled
	XWS-6063(F)	Design Criteria and Performance Requirements Test Stand, Oxygen System Components	Cancelled
	WS-6097	Low Pressure Generating Plant, Liquid Oxygen/Nitrogen Trailer Mounted	Cancelled
	XWS-6098	Pump Unit, Hydraulic, Portable	Cancelled
C	XWS-6305	Radio Receiver for Buss AN/SSQ-37	Cancelled
C	XWS-6419	Design, Development and Test Requirements for the Rocket Motor of the AIR-7F Guided Missile (MK58 Mod 0)	Cancelled
	WS-6422F	Safety Device, Bomb Fuze, MK31 Mod 1	Cancelled
	WS-6432	Marker Dye System, Crash	Cancelled
	WS-6510A	Case, Fire, Bomb, Mark 20 Mod 0	Cancelled
	WS-6514A-1	Ignition Compound	Superseded by AS-2174
	WS-6541	7.62MM TAT-101E Gun Turret System	Cancelled
	WS-6543	Design, Development, Qualification and Production Requirements for Personnel Escape Propulsion Systems	Superseded by AS-1578
C	XWS-6544A(AV)	Experimental and Developmental Specification Signal Generator AN/ASA-57(XN-2)	Cancelled Superseded by MIL-G-81665(AS)
C	WS-6723	Guided Missile Model AIM-7F (Sparrow)	Cancelled, Use AS2531

Source: https://assist.dla.mil -- Downloaded: 202640-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
C XWS-6964	Guided Missile System Model AGM-53A (Condor)(U)	Cancelled
C XWS-6965A	Missile, Guided Model AGM-54A (Condor)(U)	Cancelled
C XWS-6966A	Pod, Aircraft Subsystem AGM-53A (Condor) Guided Missile Susyem (U)	Cancelled
C XWS-6967	Modification Kit, A-6A, Aircraft AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-6968A	Guidance System AGM-53A (Condor) Guided Missile (U)	Cancelled
C XWS-6969A	Fuze, Armament System AGM-53A (Condor) Guided Missile (U)	Cancelled
C XWS-6970A	Warhead, Armament System AGM-53A (Condor) Guided Missile (U)	Cancelled
C XWS-6971A	Autopilot System AGM53-A (Condor) Guided Missile (U)	Cancelled
C XWS-6972A	Control Actuation System Flight Control System AGM-53A (Condor) Guided Missile (U)	Cancelled
C XWS-6973A	Propulsion System AGM-53A (Condor) Guided Missile (U)	Cancelled
C XWS-6975A	Airframe, AGM-53A (Condor) Guided Missile (U)	Cancelled
C XWS-6976A	Internal Power System AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-6977A	Telemetry System AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-6978	Video Receiver and Command Transmitter Aircraft Subsystem AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-6979	Tracking Antenna Subsystem, Aircraft Subsystem AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-6980	Mission Recorders, Aircraft Subsystem AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-6981	Cooling System, Pod Electronics AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-6985	Display, Television and Radar A-6A Aircraft Modification Kit AGM-53A (Condor) Guided Missile System (U)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
C XWS-6990	Trainer Missile Operator, AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-6991	Trainer Maintenance A-6A AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-6992	Training Unit, Captive, AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-6995A	Test Set, Missile AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-6996	Test Set, Guidance Module AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-6997	Test Set, Autopilot Module AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-6998A	Test Set, Actuator/Invertor-Convertor AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-6999	Test Set, Missile Data Link Module AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-7000	Test Set, Gyro AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-7001	Test Set, Missile Data Link System AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-7002A	Test Set, Autopilot AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-7003	Test Set, Guidance AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-7004	Test Set, Missile Harness AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-7005	Test Set, Pyrotechnic AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-7006	Test Set, Shop, Aircraft Equipment AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-7007	Simulator, Optical Target AGM-53A (Condor) Guided Missile System (U)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 20261O-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
C XWS-7008A	Test Set, Aircraft System (Line) AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-7010A	Test Stand, Missile AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-7011A	Test Stand, Guidance Section AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-7012A	Test Stand, Data Link and Control Section AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-7013A	Work Stand, Missile AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-7015A	Work Stand, Guidance Section AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-7016A	Work Stand, Data Link and Control Section AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-7017A	Adapter, Aero 16B Missile Skid AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-7018A	Adapter, Aero 21A Weapon Skid AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-7019A	Adapter, MK7 Mod 0 Bomb Trailer AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-7020A	Adapter, Stanchion AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-7022	Adapter, Aero 12B Bomb Skid (Warhead, Propulsion and Data Link and Control Section) AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-7023	Adapter, Aero 12B Non Skid (Pod) AGM-53A (Condor) Guided Missile System (U)	Cancelled
C XWS-7024A	Container, Shipping AGM-53A (Condor) Guided Missile System (U)	Cancelled
WS-7119A	Container, Shipping and Storage	Cancelled
C XWS-7140	Infrared Subsystem (Pheonix) (U)	Cancelled
C XWS-7141	Radar Subsystem (Pheonix)(U)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 20261O-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
C XWS-7142	Airborne Digital Computer (Pheonix)(U)	Cancelled
C XWS-7143	Controls and Displays (Pheonix)(U)	Cancelled
C XWS-7144	Power Subsystem (Pheonix)(U)	Cancelled
C XWS-7145	Missile Auxiliaries Subsystem (Pheonix)(U)	Cancelled
C XWS-7146	Racks and Mounting Subsystem (Pheonix)(U)	Cancelled
XWS-7147	Interface and Power Supply Digital Computer (Pheonix)(U)	Cancelled
C XWS-7148	Mission Recorder (Pheonix)(U)	Cancelled
WS-7173	Tris 92-Methyl Ethyleneimine Phosphine Oxide	Cancelled
C WS-7190	Rocket Motor Solid Propellant MK52 Mod 0 (U)	Cancelled
C WS-7191	Rocket Motor Solid Propellant MK53 Mod 0 (U)	Cancelled
C XWS-7216	Computer Program (Pheonix)(U)	Cancelled
WS-7628	Detonator, Electric, M62	Cancelled
WS-7649A	Developmental Specification Pulse Doppler Radar Modification	Cancelled
C OS-2175	To Govern the Manufacturing, Assembly and Inspection of Aircraft Emergency Signals Mark VI and VII	Cancelled
C OS-6336A	Design and Development of an Airborne Ranging Only Radar (AN/APG-39(XN-1)	Cancelled
OS-6427	Painting and Marking of JATO Units and Guided Missile, Boosters, and Sustainers	Cancelled
C OS-6522	Control Monitor Group AN/APA-80(XN-2)	Cancelled
OS-7995B	Booster, Fuze MK34 Mod 1	Cancelled
OS-8786C	Flare, Parachute, Aircraft MK24 Mod 1	Cancelled
OS-8803	Design, Development and Qualification Testing of Personnel Ejection Rocket Catapults	Cancelled
OS-9375	Dolly Assemblies, First And Second Stage	Cancelled
C OS-9505	JATO 5KS4500 MK7 Mod 1	Cancelled
C OS-9506	Igniter, MK166 Mod 0	Cancelled
C OS-9885A	Warhead, Guided Missile, Mark 18 Mod 0 Explosive Loaded Assembly	Cancelled
OS-10363	2, 4, 6, TRI (Dimethylamindmethly) Phenol (For Use in Solid Rocket Propellant)	Cancelled
OS-10370	Aluminum Powder	Cancelled
C OS-11623	Propellant, Double-Base Sheet, Standard N-8	Cancelled, Use AS-2850
OSTD-2	Method of Marking Ordnance Material	Superseded by MIL-STD-130 and MIL-P-15024

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
OSTD-78	Ordnance Classification of Defects	Superseded by WR-43
NAVORD OSTD 52	Painting of Naval Ordnance Equipment	Superseded by MIL-STD-1303(OS)
NAVORD STD 65	Ordnance Alterations and Modifications Preparation, Issue and Accomplishment	Superseded by OR-3

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
AN-A-6A-1	Amplifiers; Gyro Flux Gate Compass	Cancelled
AN-A-42	Aluminum Alloy (A1-24C2), Artificial Aging of	Superseded by MIL-A-8705(ASG)
AN-B-9b-2	Bulletins, Contractor Service (For Airframes, Engines and Accessories)	Cancelled
AN-B-30	Base Assembly, Generator Voltage Regulator	Cancelled
AN-C-23	Aircraft-Materials Properties & Design Criteria, Sandwich Construction For	Cancelled
AN-C-52	Compound, Exterior-Surface, Film Corrosion-preventive (MIL-C-6708 Superseded by MIL-C-11796 & MIL-C-16173)	Cancelled, Use MIL-C-6708
AN-C-56-3	Colors; Aeronautical Lights and Lighting Equipment	Superseded by MIL-C-25050(ASG)
AN-C-68	Cord, Flexible Electrical	Superseded by MIL-C-5756B(ASG)
AN-C-102	Charts; Maintenance Instruction	Cancelled
AN-C-124a-3	Compound; Soft-Film Corrosion Preventive	Superseded by MIL-C-16173A and MIL-C-11796A
AN-C-128a-1	Compound; Insulating and Sealing, Electrical Connections	Superseded by MIL-I-8660
AN-C-135b	Cable Assemblies; Proof Testing and Prestretching of	Cancelled
AN-C-137a	Container, Reusable Collapsible Shipping (Radial Aircraft Engines)	Superseded by MIL-C-4116
AN-C-138-1	Compasses; Remote Indicating Magnetic	Superseded by MIL-C-8649
AN-C-166-1	Copper, Beryllium, Bar, Rod and Wire	Superseded by QQ-C-530
AN-C-167	Copper-Beryllium; Sheet and Strip	Cancelled
AN-D-18-1	Discharger; Static (AN/ASA-3)	Superseded by MIL-S-9129A
AN-E-13	Enamel; Lustreless Synthetic (For Ground Equipment)	Superseded by TT-E-485 and TT-E-527
AN-E-20	Engines; General Specification for Aircraft Turbo-Prop	Superseded by MIL-E-8593(ASG)
AN-E-22	Engines: Aircraft Turbo-Prop Qualification Tests for	Superseded by MIL-E-8595
AN-E-23	Engines; Acceptance Test for Aircraft Turbo-Prop	Superseded by MIL-E-8596(ASG)
AN-E-25-1	Engines; Preliminary Flight Rating Tests for Experimental Aircraft Turbo-Prop	Superseded by MIL-E-8597(ASG)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
AN-F-40-2	Film; Aerial Photographic	Superseded by MIL-F-32
AN-G-16a-3	Generators; Electric Tachometer	Superseded by MIL-G-5413
AN-G-22a	Glasses; Flying Sun	Superseded by MIL-G-6250B
AN-I-5-3	Instrument Systems; Installation of Vacuum Operated	Cancelled
AN-I-7a-1	Indicators; Gyro Flux Gare Compass Master	Cancelled
AN-I-8a-1	Installation of Engine Charge Air Filters Design Requirements for	Superseded by MIL-I-8599(ASG)
AN-I-10b-3	Inverters; Rotary	Superseded by MIL-I-7032C(ASG)
AN-I-27a	Interference Limits; Aircraft and Vehicular Engine Radio	Cancelled
AN-I-28-2	Indicators; Directional Gyro	Cancelled
AN-I-41	Inverters; Instrument, Rotary	Superseded by MIL-I-7032C(ASG)
AN-J-1a-1	Jumpers; Bonding and Current Return	Cancelled
AN-J-5-2	Jack Pads; Design and Installation of (For Aircraft)	Superseded by MIL-J-8711
AN-K-3a-1	Knobs; Pointer	Superseded by MIL-K-25049
AN-L-1a-1	Luminescent Material; Fluorescent	Superseded by MIL-L-25142(ASG)
AN-L-11a-3	Light Assemblies; Electrically Retractable Landings	Superseded by MIL-L-8346A
AN-L-25a-1	Lamps; All-Glass Sealed Reflector	Superseded by MIL-L-25198
AN-L-28	Lamp; Red Coated Miniature Incandescent	Superseded by MIL-L-25064
AN-L-35-1	Lists; Parts Application Data	Cancelled
AN-L-38	Lists; Contractor-Furnished Equipment and Accessories	Cancelled
AN-M-19-1	Motors; Casing (For Gyro Flux Gate Compass)	Cancelled
AN-M-34-2	Mounts; Vertical Aerial Camera	Superseded by MIL-M-8488(ASG)
AN-M-40	Motors; Aircraft Direct Current, 24 Volt System	Superseded by MIL-M-8609(ASG)
AN-N-2b-1	Nuts; Aircraft	Superseded by MIL-N-6034
AN-N-5b-1	Nuts; Self Locking 250°F	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
AN-N-6A-2	Nozzles; Aircraft Fuel and Oil Servicing	Superseded by MIL-N-4180B
AN-N-10a-1	Nuts; Self Locking, 550°F	Cancelled
AN-O-1c-3	Oxygen; 99.5 Percent Pure	Cancelled
AN-P-20-1	Power-Plants; Aircraft Accessory (Auxiliary) General Spec	Cancelled
AN-P-36a-3	Preservation & Packing of Bearings & Bearing Plates	Superseded by MIL-P-197A
AN-P-40-1	Pulleys; Plain Bearing Control	Cancelled
AN-P-48a-2	Pumps; Plastic Hand Air	Cancelled
AN-P-51-1	Petrolatum	Superseded by VV-P-236
AN-P-52a	Pumps; Power Driven Fuel (General Specification for)	Superseded by MIL-P-25030(ASG)
AN-P-55	Pumps; 200 GPH Power Driven Fuel	Cancelled Superseded by MIL-P-25032(ASG)
AN-P-56a	Pumps; 400 GPH Power Driven Fuel	Superseded by MIL-P-25033(ASG)
AN-P-57a-1	Pumps; 700 GPH Power Driven Fuel	Superseded by MIL-P-25034(ASG)
AN-P-65	Power Plants; Model Specification for Aircraft Accessory (Auxiliary) (Instructions for Preparation)	Cancelled
AN-P-75-3	Parachutes; General Specification for	Cancelled
AM-R-15a	Regulators; Automatic Continuous Flow Oxygen	Superseded by MIL-R-8636(ASG)
AN-R-29-2	Reels; Shoulder Harness, Take-Up	Superseded by MIL-R-8236(ASG)
AN-S-4a-1	Steel; Carbon (1035) Bar and Rod	Superseded by MIL-S-8617(ASG)
AN-S-9a-1	Steel; Molybdenum (4037) Bar and Rod	Superseded by MIL-S-8659(ASG)
AN-S-12-3	Steel; Chrome-Nickle-Molybdenum (8630) Sheet and Strip	Superseded by MIL-S-18728(ASG)
AN-S-13b	Steel; Chrome-Nickle-Molybdenum (8620) Bar and Rod	Superseded by MIL-S-8690(Aer)
AN-S-22-2	Steel; Sheet and Strip (.33 to .38 Carbon) Chrome Nickle Molybdenum	Superseded by MIL-S-18730(ASG)
AN-S-40-3	Strainer; Fuel System	Superseded by MIL-S-8710(ASG)
AN-S-48-1	Switch Boxes; Caging (For Gyro Flux Gate Compass)	Cancelled
AN-S-57	Steel; Chrome-Vanadium (6150) Sheet and Strip	Superseded by MIL-S-18731(ASG)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
AN-S-58	Steel; Chrome-Vanadium (6150) Rod and Wire	Superseded by MIL-S-8696(ASG)
AN-S-63	Switches; Rotary, Selector, General Specification for	Superseded by MIL-S-6807A(ASG)
AN-T-10	Tubes; Power Venturi	Cancelled
AN-T-11a	Tower, Aerial Navigation Beacon	Superseded by MIL-T-8637
AN-T-17-1	Towing and Mooring Gear for Seaplanes Flying Boars and Amphibians; Design and Installation of	Superseded by MIL-T-7791
AN-T-24a-1	Transmitters; Gyro Flux Gate Compass	Cancelled
AN-T-50a	Test Procedure for Aircraft Heating and Ventilating Equipment	Cancelled
AN-T-52-1	Test for Sea Rescue Equipment Installations; Flight and Ground	Cancelled
AN-T-55-1	Test Procedure for ircraft Anti-Icing and De-Icing Equipment	Cancelled
AN-T-58a	Test Procedure for Aircraft Photo-graphic Equipment	Cancelled
AN-T-62-1	Test Procedure for Aircraft Power Plant Installations	Cancelled
AN-T-64	Test Procedure for Aircraft Pressure Cabins	Cancelled
AN-T-65-1	Test Procedure for Airborne Electronic Equipment	Cancelled
AN-V-12	Valves; High Pressure Oxygen Line	Superseded by MIL-V-8612
AN-V-16b	Valves; Oil Dilution and Separately Mounted Priming Solenoid	Cancelled
AN-V-17-1	Valves; Oxygen Cylinder	Cancelled
AN-W-11b	Weight and Balance Control Data (For Airplanes & Rotorcraft)	Superseded by MIL-W-25140(ASG)
AN-9500d	Engines; General Specification for Aircraft Reciprocating	Superseded by MIL-E-25019(ASG)
AN-9501d	Engines; Model Specification for Aircraft Reciprocating (Instructions)	Superseded by MIL-E-25110(ASG)
AN-9502d	Engines; Qualifications Test for Aircraft Reciprocating	Superseded by MIL-E-25111(ASG)
AN-9503d	Engines; Acceptance Test for Aircraft Reciprocating	Superseded by MIL-E-25112(ASG)
11C1(AER)-2	Compressor, Air, Gasoline Driven High Pressure Type (Portable)	Cancelled
14L16(Aer)	Lubricating Oil, Instrument, Jewel-Bearing, Nonspreading, Low-Temperature	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
15C15(Aer)	Cord, Microphone, Three Conductor, Retractible	Superseded by MIL-M-18314(Aer)
16A40(Aer)	Antennas, AS-333/AP (Aircraft Use)	Cancelled
16A41(Aer)	Antennas, AT-145/A (Aircraft Use)	Superseded Use MIL-A-18357(Aer)
16A43(Aer)	Antennas, AT-121/AP, AT-310/AP, and AT-138/AO and Antennna Base AB-117/AP (For Aircraft Use)	Superseded by MIL-A-18376(Aer)
16A47(Aer)	Attenuator, CN-45/UP	Superseded by MIL-A-18199(Aer)
16A49(Aer)	Antenna Components, Anti-Precipitation Static	Superseded by MIL-A-7965(Aer)
16C42(Aer)	Control, Radio Set, C-127A/ARC (AN Nomenclature: Control Panel C-127A)	Cancelled
16C46(Aer)-1	Control-Units, Radio Set, Interphone AN/AIC-4	Superseded by MIL-I-6052
16F5(Aer)-1	Antenna Filters F-65/A and F-66/A (For Aircraft Use)	Superseded by MIL-C-18187(Aer)
16F6(Aer)	Filters, Antenna, High Pass and Low Pass, F-79/APX and F-78/ARC-1 (Aircraft Use)	Superseded by MIL-F-18399(Aer)
16G4(Aer)	Generators, RF Signal, TS-403/U (AN Nomenclature: Signal Generator TS-403/U)	Superseded by MIL-T-18197(Aer)
16G5(Aer)	Generators, RF Signal, TS-419/U (AN Nomenclature: Signal Generator TS-419/U)	Superseded by MIL-G-17994(Aer)
16G6(Aer)	Generators, RF Signal, TS-418/U (AN Nomenclature: Signal Generator TS-418/U)	Superseded by MIL-G-17995(Aer)
16H3(Aer)	C Homing Equipment (Infra Red) AN/ASQ-5	Cancelled
16-1-19(Aer)-1	Indicators, Bomb Release (Radar), AN/APA-5 and Control Units Indicator (Radar), C-369/APA-5A	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
16-1-20(Aer)	C Indicator Groups, Azimuth (Radio) AN/ASA-6	Cancelled
16-1-21(Aer)	R Indicator, Range and Azimuth (Radar) ID-158/APS-19	Cancelled
16-1-23(Aer)	Indicator-Group, Range and Azimuth (Radar), AN/APA-71	Cancelled
16-1-25(Aer)-1	Indicator Group, Radar, AN/APA-81	Cancelled
16L5(Aer)	Load, Dummy, TS-338/UP	Superseded by MIL-L-18270(Aer)
16M18	Mock-up-Replicas (For Electrical, Electronic & Mechanical Equipment)	Cancelled
16M21(Aer)	Meter, Field Strength, (Radio), TS-509/UR	Superseded by MIL-F-18198(Aer)
16M22(Aer)	Modification Kit, Radio, MX1009/ARC-1	Cancelled
16-0-5(Aer)	Oscilloscope (Test), TS-239/UP (An Nomenclature; Oscilloscope TS-239/	Cancelled
16-0-6(Aer)	Oscilloscope, TS-34A/P	Cancelled
16R74(Aer)	Radomes; Sandwich Type (For AN/APS-10 Equipment in R5D-3 Airplanes)	Cancelled
16R77(Aer)-2	Receiving Sets, Radio, AN/ARC-15 (For Aircraft Use)	Cancelled
16R79(Aer)-2	Receiving Sets; Radio, AN/ARR-15 (For Aircraft Use	Cancelled
16-R-80(Aer)-4	Radar, AN/APS-20C	Cancelled
16-R-90(Aer)-3	Radio Set, AN/ARC-2	Cancelled
16R82(Aer)	Radio Sets, AN/CRC-7	Cancelled
16R84(Aer)-2	Receiver, Radio, R-23A/ARC-5	Superseded by MIL-R-18353(Aer)
16R85(Aer)-2	Reflectometer, TS-377/U	Superseded by MIL-R-18274(Aer)
16R86(Aer)-2	Radar Set, AN/APX-13A	Cancelled
16R91(Aer)-3	Radar Set, AN/APX-6, Identification Set (For Aircraft Use)	Cancelled
16R92(Aer)-1	Receiving Equipment, AN/ARR-2, AN/ARR-2A and AN/ARR-2X, AN/ARR-2AX	Cancelled
16R93(Aer)	Radio Set, AN/ARC-28	Cancelled
16R96(Aer)	Receiving-Set, Radio, AN/ARW-37	Cancelled
16R97(Aer)-1	Radio Set, AN/ARC-1A	Cancelled
16R98(Aer)-1	Receiving Set, Radio, AN/ARW-61	Cancelled
16R99(Aer)-2	Radio Receiving Set, AN/ARR-27	Cancelled
16R100(Aer)-2	Radio Set, AN/ARC-19	Cancelled
16R103(Aer)-1	Telemeter Receiving Set, AN/UKR-5	Superseded by MIL-R-7022(Aer)

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
16S26(Aer)	Slotted Section - Probe TS-339/UP	Superseded by MIL-S-18271(Aer)
16T37(Aer)	Transmitting Sets, Telemeter, (Radio) AN/AKT-5A	Cancelled
16T38(Aer)	Transmitting Sets, Telemeter, (Radio) AN/AKT-12	Cancelled
16T39(Aer)	Radar Training Set AN/APS-4-T2	Cancelled
16T40(Aer)	Test Sets, Radar, (FM), TS-223/APS (An Nomenclature Test Set TS-223/AP)	Cancelled
16T41(Aer)-1	Terminal-Box (Radar), J-272/APS-19	Cancelled
16T43(Aer)	Test-Load (Radar) TS-346/UP	Superseded by MIL-T-18273(Aer)
16T44(Aer)	Test-Set (Radio) TS-345/ART-22	Superseded by MIL-T-18272(Aer)
16T49(Aer)-1	Telemeter Transmitting Set, AN/AKT-10	Superseded by MIL-T-7926(Aer)
17B14(Aer)	Batteries, One Cycle (Aircraft Use)	Cancelled
17C34(Aer)-2	Converters, Electric Power (For Ground Use); General Spec for	Cancelled
17C36(Aer)	Cutout, Reverse Current	Cancelled
17E4b	Electrodes, Welding (Covered), Nickel-Copper-Alloy	Deleted
17F19(AerP-1)	Frequency-Changers, General Specification (For Aircraft Use)	Cancelled
17G12A(Aer)-1	Generators, Engine-Driven Aircraft	Cancelled
17-I-21	Instruments, Electrical-Measuring, Voltage-Current-Indicating; Varmeters, Wattmeters, and Power-Factor Meters	Superseded by 17-I-25
17-I-59(Aer)-1	Intercommunication-Sets, AN/ARC/AIC-7	Cancelled
17L22(Aer)	Light Assembly, 4 Inch Diameter Signal (Aircraft Use)	Cancelled
17M23(Aer)	Meter, Voltmeter, Vacuum Tube, TS-487/U	Superseded by MIL-V-18195(Aer)
17M24(Aer)-1	Meters, Frequency, RF (LM-10, 11, 12, 13, 14, 15, 16, 17, 18, 19)	Superseded by MIL-M-18550(Aer)
17R21(Aer)-1	Regulators; Generator Voltage (Aircraft Use)	Cancelled
17R23(Aer)	Relays, Radio Frequency	Superseded by MIL-S-3928
17T34(Aer)	Teletypewriter, TT-30/AGA-1 (For Aircraft Radio Use)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
17T35(Aer)	Teletypewriter Terminals, TT-32/AG (For Aircraft Use)	Cancelled
17V4(Aer)-1	Voltmeters, Vacuum Tube, TS-375/U (AN Nomenclatures: Voltmeter TS-375/U)	Superseded by MIL-T-18196(Aer)
17W2c-1	Wire and Ribbon, Resistance	Superseded by MIL-W-16870(Ships)
18A8(Aer)	Apron, Matte, Print Dryer, Photographic	Cancelled
18A9(Aer)	Apron, Glossy Print Dryer, Photographic	Cancelled
18C33(Aer)	Camera, Still, Folding, Roll Film	Cancelled
18-I-14(Aer)	Indicators, Remote Compass (Rotable Dial Type)	Cancelled
18P15	Pyrometers, Thermoelectric	Superseded by MIL-P-16304(Ships)
18T36	Thermometers, Resistance	Superseded by MIL-T-2867
18T37(Aer)	Timer, Photographic, Mechanical Continuous	Cancelled
22R3i	Rope, Wire	Cancelled
23-I-2(Aer)-1	Inflation Gear, Pararaft and Packet Raft	Superseded by MIL-I-18368(Aer)
23-I-3(Aer)-1	Inflation Gear; Multi-Place Life Raft abd Model AR-4 Lifeboat	Superseded by MIL-I-18369(Aer)
23K3(Aer)-1	Kits; Pararaft, Model PK-2	Superseded by MIL-K-8664(Aer)
23M5(Aer)-1	Mirror, Signaling, Search and Rescue	Superseded by MIL-M-18371(Aer)
24C8h	Canvas, Cotton	Deleted
24C20-1	Canvas, Cotton; Fire-, Water-, and Weather-Resistant	Superseded by MIL-C-17106(Navy)
27C22f	Cloth, Jungle	Superseded by MIL-C-20018
27F8c	Flannel, Blue (Dark)	Superseded by MIL-C-16291(S&A)
27C67(Aer)	Composition Coverings; Lightweight	Cancelled
27F6	Flannel, Cotton, Damet, Bleached (Aircraft Use)	Cancelled
27N5(Aer)	Navy Cloth; Aerial Sleeve Target	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
27S11a	Sheeting, Cotton, Bleached and Unbleached, Preshrunk	Deleted
32B8a	Brick, Silicon-Carbide, Refractory	Superseded by MIL-B-20215
33H15b	Hose, Metallic, Flexible	Cancelled
33H19c-1	Hose, Paint-or-Dope-Spray	Superseded by ZZ-H-521a
33H21a	Hose, Oil-and-Gasoline-Suction-and Discharge, Smooth-Bore, Light-Weight, Wire-Stiffened	Deleted
33H28	Hose, Fuel, Buoyant, Unvarmored	Superseded by MIL-H-2768
33H31a	Hose, Garden, Synthetic-Rubber, Wire Stiffened	Cancelled
33H33(Aer)-1	Hose-Fittings, End, Detachable (For Self-Sealing Fuel Hose)	Superseded by MIL-F-18287(Aer)
33L3b	Leather, Hydraulic-Packing (Mineral-Tanned)	Superseded by MIL-L-17314A
37M3b-1	Masks (For Protection of Respiratory Organs from Toxic Fumes and Dust)	Deleted
33P23c	Packing, Synthetic Rubber-Graphite, Unvulcanized (Symbol 2352)	Superseded by MIL-P-2778
33P39	Plastic, Transparent, Sheet, Vinyl Chloride-Vinyl Acetate Copolymer Cables)	Use L-V-351
33P46(Aer)	Phenolic Material, Laminated, Graphite	Superseded by MIL-P-5431 (Aer)
33T4	Tubing, Flexible, Metallic, Lightweight (For Voice Tubing)	Cancelled
37C12(Aer)	Curtains, Flak Protective	Superseded by MIL-C-18491(Aer)
37H8(Aer)	Helmets; Flight Deck	Superseded by MIL-H-18426(Aer)
37S7b(INT)	Suits, Wading, Aviation	Cancelled
37S10	Suits, Asbestos (Flameproof)	Superseded by MIL-S-20093
37V1(Aer)	Vest, Flak Protective	Superseded by MIL-V-18628(Aer)
39A2	Ash, White (Aircraft Use)	Cancelled
40G5(Aer)	Grinder, Surface, Motor Driven	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
40-1-1(Aer)	Inspection, Magnetic Particle; Requirements for (Applicable to Overhaul of Air-Frames, Engines, Propellers, and Accessories)	Superseded by MIL-I-18620(Aer)
40J2(Aer)	Jointer, Wood, Motor-Driven	Cancelled
40L7(Aer)	Lathes, Turret, Motor Driven	Cancelled
40M15(Aer)	Milling-Machines, Universal, Horizontal, Motor-Driven	Cancelled
40P4(Aer)	Presses; Arbor, Hydraulic, Hand-Operated	Cancelled
40S7(Aer)	Saw, Hack, Motor Driven (6-Inch)	Cancelled
40S8(Aer)	Screw-Machine, Automatic, Motor Driven (High Speed)	Cancelled
40S9(Aer)	Surfacer, Belt and Disc, Motor-Driven	Cancelled
41E3a	Extractors, Screw	Superseded by MIL-E-1254
41-I-1e	Irons, Soldering, Electric	Deleted
41S41a	Sprayers, Metal: Guns and Accessories	Superseded by MIL-M-3800
41T25c	Torches; Oxyacetylene, Oxyhydrogen; Welding Hand (Aircraft Use)	Deleted
42B5(INT)-2	Bearing,s Ball	Deleted
42C29(INT)	Cans, Steel (Tin Plate and Terne-Plate); and Cases, Shipping	Cancelled
43W2e	Washers, Brass	Superseded by MIL-W-1165
44P2g	Pipe, Copper, Seamless, Iron-Pipe Size, Standard Aircraft	Cancelled BuSer Uses
44T16b	Tubing, Brass, Seamless, for Pressures from 451 to	Superseded by MIL-T-20168
44T23a	Tubing, Copper-Silicone-Bronze, Round, Seamless	Deleted
45G4b	Gages, Pressure	Cancelled
45R1g-1	Regulators, Gas (Acetylene, Hydrogen, and Oxygen Cylinders)	Cancelled
45R3	Regulators, Gas (Acetylene, Hydrogen, and Oxygen Cylinders), Two-Stages	Cancelled
45V33(Aer)-2	Valves, Oxygen-Cylinder, High-Pressure, Automatic Opening (Aeronautical Use)	Superseded by MIL-V-8622
46B19a	Bronze, Aluminum (Composition AL-1), Ingot	Cancelled Use QQ-C-521

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
46C5d	Copper, Ingot	Superseded by MIL-C-20159
46C8g	Copper-Nickel-Alloy (70-30); Castings	Superseded by MIL-N-20164
46E4(INT)-5	Electrodes, Welding (Covered), Corrosion-Resisting) (Austenitic Type) Steel	Superseded by MIL-E-16715
46M1g	Nickel-Copper-Alloy; Castings	Superseded by MIL-N-20164
46N4c-1	Nickel-Chromium Alloy: Bars and Rods (For Boiler Refractory Anchor Bolt)	Superseded by MIL-N-15721(Ships)
46R1(INT)-1	Rods, Welding, Nonferrous, Copper and Nickel-Base Alloy (For Carbon-Arc and Gas Welding)	Cancelled
46S40b	Steel, Tool, Carbon	Cancelled
46R2d	Rods, Welding (Oxyacetylene), Steel (Corrosion-Resisting, 18-8 Type) (Columbian Bearing)(Aircraft Use)	Superseded by MIL-R-5031
46R3c	Rods, Welding, Tungsten-Carbide	Cancelled
46R5b	Rods, Welding, Chromium-Cobalt Composition	Cancelled
46S17d	Steel, Chrome-Vanadium and Silicon-Chromium, Rod (For Helical Springs) (Aircraft Use)	Deleted
46S40b	Steel, Tool, Carbon	Deleted
46Z3	Zinc-Coating (Hot Dip Galvanized)	Deleted
47A7	Aluminum Alloy (Aluminum-Manganese), Plate, Floor, Rolled	Superseded by MIL-F-17132A
47B3	Brass, Rolled: Plates (Admiralty Metal)	Superseded by MIL-B-20151
49M1	Masks, Face, Aviator's Leather	Cancelled
49S9	Springs, Helical (Aircraft Use)	Superseded by MIL-S-6715
51A2e-1	Acid, Sulphuric (For Storage-Battery Electrolyte)	Superseded by Q-A-111
51B3e	Benzol	Superseded by VV-B-231
51C14	Compounds, Carburizing	Superseded by MIL-C-20217

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
51C22d	Compound, Valve-Grinding	Superseded by SS-C-614
51C39a	Compound, Antifreeze	Superseded by MIL-C-878(Ships)
51C54	Carbon-Dioxide, Solidified (Dry Ice)	Superseded by MIL-C-20069
51C55b	Compound, Carbon-Removing	Superseded by P-V-111(Navy Ships)
51C58a-3	Compound, Oil and Water Absorbing (For Floors and Decks)	Superseded by MIL-C-15043(Ships)
51F3a-1	Flux, Gas-Welding, For Corrosion-and Heat Resisting Steel (Aircraft Use)	Cancelled BuAer uses MIL-F-7516
51F4a	Flux, Brazing (Silver)	Cancelled
51F7	Flux, Gas-Welding For Nickel-Chromium-Iron Alloy (Aircraft Use)	Cancelled BuAer uses MIL-F-7615
51G3	Gas, Oxygen, Cutting and Welding (Shore Use)	Cancelled
51S31a	Sodium Nitrate	Cancelled
52F1c	Filler, Wood, Liquid	Superseded by TT-F-336
52P46a	Paint, Outside, Ocean-Gray, No. 17 (Formula No. 5-0)	Superseded by MIL-P-1265
52R15(Aer)-2	Remover, Paint; Non-Inflammable, Water-Rinsible Type	Superseded by MIL-R-8633(Aer)
52R16(Aer)	Remover, Paint; Non-Inflammable, Water-Rinsible (For use in contact with Synthetic Rubber)	Superseded by MIL-R-18553(Aer)
52R17(Aer)-1	Rubbing Compound (For Lacquered Surfaces)	Superseded by MIL-R-18552(Aer)
52S12(Aer)-1	Sealing Compound, Water-Dispersed, Fillet Type (For Integral Fuel Tank)	Superseded by MIL-P-18336(Aer)
52Z3e	Zinc Dust	Cancelled, Procurement made under TT-Z-291
55H7(Aer)	Hood, Parka, Detachable	Superseded by MIL-H-18374(Aer)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
55J13(Aer)-2	Jacket, Flight, Alpaca-Lined, Al-1	Superseded by MIL-S-18342(Aer)
55S37(Aer)-1	Suit, Flight, Coverall (AL-1)	Superseded by MIL-S-18342(Aer)
55S40(Aer)	Shirts, Flight, Woolen	Superseded by MIL-S-18130(Aer)
55T18(Aer)-1	Trousers, Flight, Lined, WL-1	Superseded by MIL-S-18342(Aer)
55H1a-1	Hose, Fore-Extinguisher (Portable, 15-Pound, Carbon Dioxide)	Superseded by MIL-H-16236(Ships)
74W1a	Whistles, Signaling	Superseded by MIL-W-1053
81E1(Aer)	Exhaust Systems, Reciprocating Engine Types	Cancelled
83B1(Aer)	Bailout Equipment, Oxygen-Breathing, Emergency	Cancelled
83C1	Covers; Cockpit, Engine, Tail, Wing, (Aircraft Use)	Cancelled BuAer uses MIL-C-5462 and MIL-C-5578
85R2	Rings, Piston (Aircraft Use)	Cancelled
86R1	Radiators, Aeronautical (For Use with Ethylene-Glycol Coolant where temperatures do not exceed 350°F)	Superseded by MIL-C-7824-7(Aer)
88C10(Aer)-1	Controllers; Stick Type (P-1 Automatic Pilot)	Superseded by MIL-C-7825(Aer)
88G2(Aer)	Gyroscope, Rate of Turn	Cancelled
88G5(Aer)	Gage; Brake Mean Effective Pressure	Cancelled
88-1-5(Aer)-1	Indicators; Control Turn and Bank (P-1 Automatic Pilot)	Superseded by MIL-I-7826(Aer)
88-1-9(Aer)	Indicators, Variation Setting (P-1 Automatic Pilot of P-3 Compass)	Superseded by MIL-I-8590(Aer)
88S3(Aer)-1	Servos; Electric (P-1 Automatic Pilot)	Superseded by MIL-S-7787 (Aer)
88S4(Ser)-1	Switches, Clutch (P-1 Automatic Pilot)	Superseded by MIL-S-7827(Aer)
88S5(Aer)	Selectors, Controller (P-1 Automatic Pilot)	Cancelled
88T2(Aer)	Testers, Engine-Cylinder, Thermometer	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
88T4(Aer)	Tester, Engine-Tachometer	Superseded by MIL-T-8688(Aer)
88T5(Aer)-1	Transmitters, Gyro Flux Gate	Superseded by MIL-T-6080(Aer)
94G1(Aer)	Grips, Ranging-Throttle Aero 4B	Superseded by MIL-G-18928(Aer)
94S2(Aer)	Shackle, Bomb, Mark 8, Mod 2	Superseded by MIL-S-7804
94T2(Aer)-4	Turret, Tail, Aero 11-A and Aero 11B	Cancelled
94T3(Aer)-4	Turret, Nose, Aero 9A	Cancelled
94T4(Aer)	Turret, Tail, Aero 6A	Cancelled
94T5(Aer)	Turrets, Aircraft Model 220CH 1-A	Cancelled
94T7(Aer)-1	Aircraft Turret 250CE 325	Cancelled
94T9(Aer)-2	Target, Aerial, Banner, Aero 25A	Superseded by MIL-T-18078(Aer)
94V1(Aer)	Valve, Pneumatic, Gun Charging, Aero 1A	Cancelled
M-20-2	Microphones; Mask, Aircraft Radio	Cancelled
M-25-3	Microphones; Lip; Noise Cancelling Type M-6/UR	Superseded by MIL-M-5794A
M-162d-3	Oars; Metal, Sectional (Aircraft Use)	Superseded by MIL-O-8626
M-321b	Rubberized Fabric for Ballons and Airships	Cancelled
M-322a-2	Carbon Dioxide Transfer Apparatus	Cancelled
M-386b	Gloves; Leather, Unlined, Summer, Aviators'	Superseded by MIL-G-9087A(ASG)
M-456b	Clothing, Flight; Electrically-Heated	Cancelled
M-491-1	Tubing, Steel (X4340) Chrome-Nickel-Molybdenum, Seamless Round	Cancelled
M-495a-2	Vapor Dilution System - Fuel Tank	Cancelled
M-525	Carbon Monoxide Indicators; Hopcalite Type (Aircraft Flight Test Use)	Cancelled
M-533	Flashlights, Electric, Penlight	Cancelled
M-560a	Flight Mess Gear	Cancelled
M-563	Reducer; Oxygen Pressure (Aircraft Use)	Superseded by MIL-R-18318(Aer)
M-566b-3	Life Vest Dye Markers	Superseded by MIL-P-17980(Aer)
M-608	Mirror; Rear Vision	Cancelled
M-618a	MX-137/A Corner Reflector Target	Cancelled
M-619a-1	MX-138/A Corner Reflector Target	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
M-656	Signal Assembly; Carbon Monoxide, Type K-1-N (Aircraft)	Cancelled
M-669	Indicators; Oxygen Flow (Aircraft Use)	Superseded by MIL-I-18356(Aer)
M-678-1	Gages; High Pressure Oxygen (Aircraft Use)	Cancelled
M-679	Circuit Breakers; Non-Override	Cancelled
M-686a	Axle Jacks	Superseded by MIL-J-18594(Aer)
M-710-2	Absorbing Material for Electromagnetic Radiation (Gen Spec for)	Cancelled
M-711-1	Absorbing Material for Electromagnetic Radiation (MX-355/AP)	Cancelled
M-712-1	Absorbing Material for Electromagnetic Radiation (MX-410/AP)	Cancelled
M-717	Panels; Non-Metallic Support for Self Sealing Fuel Tanks	Superseded by MIL-P-8045A
M-721	Absorbing Material for Electromagnetic Radiation (MX-410A/AP)	Cancelled
M-726	Glass; Flat Laminated-Extended Plastic Edge and Extended Plastic Edge with Metal Reinforcement	Cancelled
M-740-2	Oxygen Regulator; Automatic Positive Pressure Diluter Demand (Aircraft Use)	Superseded by MIL-R-18059(Aer)
M-742	Cylinders; Aircraft Fire Extinguisher Carbon Dioxide - Charged	Cancelled
M-745	Tester-Diluter Demand Oxygen Equipment Flowmeter Type	Cancelled
M-767-1	Test Stand; Diluter Demand Oxygen Regulator, Flowmeter Type	Superseded by MIL-T-18328(Aer)
M-770	Type (F) Engine Test House (Consisting of One (1) Test Stand and One (1) Control Room) Semi-Portable Type for Service Testing of Aircraft Engines Designed for Advance Base Use	Deleted
M-771	Type (H) Engine Test House (Consisting of Two (2) Test Stands and One (1) Control Room) Semi-Portable Type for Service Testing of Aircraft Engines Designed for Advance Base Use	Deleted

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
M-772	Type (G) Engine Test House (Consisting of Two (2) Test Stands and One (1) Control Room) Army-Navy Semi-Portable Type for Service Testing of Aircraft Engines Designed for Advance Base Use	Deleted
SQ-117	Binoculars; Watertight Type 7 Power, 50 MM Aperature	Superseded by MIL-B-8568(Aer)
SQ-121	Collimotor; Three Point Sextant	Cancelled
SQ-122	Collimotor; Binocular	Cancelled
SQ-127a-3	Compasses; Magnetic, Pocket Card Type	Superseded by MIL-C-17850(Aer)
SQ-128-4	Tester Assembly; Magnesyn Remote-Reading Compass System (Field)	Cancelled
SQ-129	Tester Assembly; Selsyn Instruments	Cancelled
SQ-145-1	7 x 50 Binocular; Wide Field Individual Focus	Cancelled
SQ-146	Dead Weight Pressure Gage; Tester Range 0, 5000 lbs.	Cancelled
SQ-148	6 x 42 Binocular; Wide Angle Individual Focus, with Rubber Eyeguards	Superseded by MIL-B-8568(Aer)
SQ-159-2	Manifold Pressure Gage Remote Indicating 400 Cycles Synchronous Electrical Type	Cancelled
C-48g	Cable, Electric, Radio	Cancelled
C-57-2	Cable, Radio, Flexible, Shielded	Cancelled
C-60a	Cable, High-Voltage Radio	Cancelled
C-65d	Chain Control	Superseded by MIL-C-18459(Aer)
C-85-2	Cord, Headphone	Cancelled
C-87b-3	Casters for Handling Trucks	Cancelled
C-93	Control, Thermostatic; Carburetor Air Temperature	Cancelled
C-97	Compound, Cleaning and Detinning	Cancelled
C-111	Compound, Sulfer; (For) Cutting Oil	Cancelled
C-120-1	Compound, Cleaning (For Aircraft Surfaces)	Superseded by MIL-C-18687 (Aer)
C-139	Covers; Insulated, Airplane Engine	Cancelled
C-151	Cushions, Radiator and Tank	Cancelled
D-20b	Dynamotor Units, Aircraft Radio	Cancelled
D-32	Dynameters, Elastic Loop, Variable Sensitivity	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
D-33	Dye; Aviation, Dec Crew Clothing	Cancelled
E-59d	Cooling Requirements of Power Plant Installation (Reciprocating Engines)	Superseded by MIL-C-8678
F-23	Filter, Optical, General Spec for	Cancelled
G-10d	Guns, Lubricating, Pressure-Grip	Cancelled
G-31-2	Generator Test Unit, Movable Type	Cancelled
G-32-1	Gun-Ignition Sealing Compound Injector	Cancelled
H-13-1	Hammers; Pneumatic, Portable Static Tube Airspeed	Cancelled
K-2a	Kit, Fastener	Cancelled
L-16	Lead Antimony Aloy; Pig	Cancelled
O-2b-3	Oil, Penetrating	Cancelled
P-52a	Pump, Electric-Motor Driven, Portable Bilge and Refueling	Cancelled
P-54	Plugs - Bullet Holes - Seaplanes	Cancelled
P-58	Paper, Wiping, Tissue, Woodpulp	Cancelled
P-59	Pilot; Radio Controlled Automatic	Cancelled
P-65-2	Pyrometers; Portable, Handheld	Superseded by MIL-P-18722(Aer)
P-70	Plastic; Formable Thermosetting Laminate (Cotton Fabric Base)	Superseded by MIL-P-8655(Aer)
R-25a	Reel, Antenna, Motor Driven Equipment	Cancelled
R-26	Rings, Sealing, Bronze Casting	Cancelled
R-29	Regulators, Air Pressure, For Testing Life Jackets	Cancelled
R-31a-1	Radome, Type CW-30A/A	Cancelled
R-32a-1	Radome, Type CW-93/A	Cancelled
R-34a-1	Radome; Sandwich PB4Y-2 (For AN/APS-15 Equipment)	Cancelled
R-36a	Radome; Sandwich PV-2D (For AN/APS-3 Equipment)	Cancelled
R-37a-1	Radome; Sandwich XR60 (For AN/APS-3 or AN/APS-31 Equipment)	Cancelled
R-38a-1	Radome; 4 Quadrant PBM (For AN/APS-15 Equipment)	Cancelled
R-39a-1	Radome; XP2V-1 (For AN/APS-33 Equipment)	Cancelled
R-40a-1	Radome; Sandwich F7F (For AN/APS-3 or AN/APS-6 Equipment)	Cancelled
R-41	Rods, Nickel-Chromium-Boron Alloy Welding	Superseded by MIL-R-5699

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
R-42	Radome; Type CS-149/APS-15 and AN/APS-20 Equipments	Superseded by MIL-R-6908(Aer)
R-43-1	Radome; Type CW-106/A (For AN/APA-17 Equipment)	Cancelled
R-44	Radome; Lark Nose Type (For AN/APS-23 Equipment)	Cancelled
R-50	Radome; Sandwich Type (SCR-720 Series Equipment)	Cancelled
S-48h	Combination Switches, Motor Starting	Cancelled
S-72	Sodium Cyanide (For Cadmium Plating) (Aircraft)	Cancelled
S-75a-4	Switches, Ignition, Shielded (NAF38919-For Replacement Only)	Cancelled
S-81a	Switches, Selector, Radio	Cancelled
S-133-2	Sight, Pelorous-Drift, Mark II-C	Cancelled
S-134	Solder; For Use on Aluminum Alloy	Cancelled
S-136a-1	Solenoid Assembly, 24-Volt	Cancelled
S-141a	Scarf, Aviator's	Superseded by MIL-S-17911(Aer)
S-147-2	Selectors and Modulators	Cancelled
S-149-1	Sealants; Seam (For Floats and Hulls)	Cancelled
S-150	Sealant; Fuel Tank (Gas Curing)	Cancelled
S-151	Sealant; Fuel Tank (Air Curing)	Cancelled
T-38e-1	Microphones; Intercommunication and Radio Telephone Anti-Noise, For Aircraft	Superseded by MIL-M-18314(Aer)
T-72-2	Altimeter, Sensitive Type, Test Equipment	Cancelled
T-75-2	Indicator, Turn and Bank Test Equipment for	Cancelled
T-80-1	Drift Sight Test Equipment Plumb Aligner	Cancelled
T-83-1	Drift Sight-Test Equipment for; Collomotor	Cancelled
T-85-2	Trunks, Bathing, Garbadine	Superseded by MIL-T-18267(Aer)
T-89b-4	Transmitter Type GS and Receiver Type Ray	Cancelled
T-97	Thinner; Permanent Resin Coating	Cancelled
U-1b-3	Units, Fuel System	Cancelled
V-19a	Valve, Suction Regulating Test Equipment for	Cancelled
W-44b	Webbing; Cotton, Light (Aircraft Use)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
W-47b	Wrenches, Socket	Cancelled
W-50	Webbing, Shipping, Cotton	Cancelled
W-51a	Walkway Matting, Airplane	Superseded by MIL-W-18720(Aer)
AO-1c	Overhaul of Naval Aircraft and Associated Components	Superseded by SAR-306
PB-1a	Blades; Balancing Impeller for Mark VA.A. Target Reels	Cancelled
PB-2	Bluing Steel Parts; Process for	Cancelled
PB-3a	Bars; Catapult Tension, Process for Manufacture of	Cancelled
PC-9A-1	Plating Zinc; Process for	Cancelled
PC-12	Process for Tin Plating	Cancelled
PC-16a	Sheep Shearing Flight Clothing; Cleaning, Process for	Cancelled
PF-1i	Protective Coatings and Finishes	Cancelled
PF-18b	Hooks; Application and Design of Hard Surfacing on Arresting Gear	Cancelled
PH-1	Annealing of Copper Tubing (Aircraft)	Cancelled
PH-3b	Process for Heat Treatment of Exhaust Stacks, Collector Rings, etc.	Cancelled
PH-4a	Strain and Embrittlement Relief of Steel Springs	Cancelled
PH-9	Heat Treatment-Arresting Gear Hooks, Process for	Cancelled
PH-10-2	Heat Treatment of Aircraft and Aircraft Engine Steels Not Covered by Army-Navy Aeronautical Specification AN/QQ-H-201	Cancelled
PH-12	Heat Treatment of Swagging Terminals, Process for	Cancelled
PM-1a	Maintenance and Repair of Aluminum Sprayed Parts: Process for	Cancelled
PO-23e	Overhaul of Life Rafts and Lifeboats; Process for	Cancelled
PO-37a	Overhaul of Model GF Radio Receiver and Transmitter, Process for	Cancelled
PO-38b	Overhaul of Models RU-2, RU-2a, RU-3, RU-3a, RU-4, RU-4a, RU-5, RU-5a, RU-6 Aircraft Receiver Equipment	Cancelled
PO-40-2	Overhaul of Type GF-RU Series Dynamotors	Cancelled
PO-47a	Overhaul of Type GO Series Transmitting Equipment	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
PO-64c	Overhaul Repair and Testing of Mk2 Life Vests Process for	Cancelled
PO-65a	Overhaul; Inflation Gear, Pneumatic Raft and Boat	Cancelled
PP-1b	Process for Cadmium Plating	Cancelled
PP-44d	Aircraft Propeller Overhaul Finish of Metal Propeller Blades	Cancelled
PP-80g-1	Aircraft Propeller Overhaul Standard Adjustable Propellers Detachable Propeller Blades and Hubs	Cancelled
PP-107c	Aircraft Propeller Overhaul Hamilton Hydro-Controllable Pitch Propeller	Cancelled
PP-112b	Inspection and Maintenance of Metal Test Clubs	Cancelled
PP-113a-1	Installation and Removal of Airplane Propellers	Cancelld
PP-114b	Aircraft Propellers Overhaul Curitiss Controllable Pitch and Constant Speed Feathering Propellers	Cancelled
PP-120a	Aircraft Propeller Overhaul Hamilton Hydromatic Propeller	Cancelled
PP-126	Overhaul of Wood Propellers	Cancelled
ANA-131	Lamp Assembly; Fresnel Size Unit Mobile Floodlight	Cancelled
PP-294	Engine Accessories and Auxiliaries Required for Installation of R2800-31 Engines in the PV-1 Airplane	Cancelled
PP-343i	Aircraft Engine Overhaul Procedures	Cancelled
PP-3a	Process for Reconditioning Aviation Clothing	Cancelled
PP-6b-1	Rings; Catapult Tension Process for Manufacture of	Cancelled
PR-7	Process for Repair of Interlocking Slide Fastener	Cancelled
PR-8	Rings, Catapult, Precision Tension; Process for Manufacture of	Cancelled
PS-5a-2	Process Specification for Sand Blasting Metal Parts (Aircraft)	Cancelled
PS-8a	Storage of Parachute Silk, Process for	Cancelled
PS-10-1	Studs, Damaged, Broken or Stripped Replacement of, Process for	Cancelled
PS-11	Storage for Flight Clothing, Process for	Cancelled
PT-1a	Process Specification for Drop Testing of Airplane	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
PT-4	Process Specification for Pickling Steel (Aircraft) Gasoline and Oil Tank	Cancelled
PT-10-1	Process Specification for Impregnating Porous Castings by Sodium Silicate Method	Cancelled
PT-11b-1	Pressure Testing of Airplane Fuel and Oil Tanks, Process for	Cancelled
PT-15a	Process Specification for Reconditioning of Abraded or Corroded Aluminum Alloy Surfaces by Use of Chromic Acid Solution or by Metallic Aluminum Spray	Cancelled
PT-16b	Overhaul of Corrosion Resisting Steel Steamline Tie Rods	Cancelled
PT-17	Process for Testing Hulls and Floors for Water-Tightness	Cancelled
PT-19	Anodic Oxidation Treatment for Aluminum and Aluminum Alloy (Chromic aice Process)	Cancelled
PT-23	Terminals; Zinc-Poured Socket Process for Preparation of	Cancelled
PW-2b	Welding of Aluminum Alloys; Process for	Superseded by MIL-W-8604(Aer)
PW-5c	Welding of Magnesium Alloys; Process for	Superseded by MIL-W-18326(Aer)
PW-7b-1	Fusion Welding of Steels and Corrosion and Heat Resisting Alloys; Process for	Superseded by MIL-W-8611(Aer)
RM-45b-1	Amyl Alcohol	Cancelled
RM-58-1	Butyl Lacetate	Cancelled
RM-133-3a-1	Cadmium Reel	Superseded by MIL-C-18668(Aer)
RM-160-2	Potassium Nitrate (For Use in the Heat Treatment of Alum Alloy)	Deleted
SA-4d-1	Forming Aluminum Alloy Sheet	Cancelled
SB-6e-1	Process for Bending Aircraft Tubing	Cancelled
SF-1c	Design and Construction of Float Type Alighting Gear	Superseded by MIL-H-8661(Aer)
SW-26-1	Allowable Defects in Manufacturing Wood Aircraft Parts, For Inspection	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
SR-2h	Insignia and Markings for Naval Aircraft	Superseded by MIL-L-18464(Aer)
SR-6K-2	Contact Design Data Requirements for Aircraft	Superseded by MIL-D-8706(Aer)
SR-21e	Installation of Fixed Guns and Associated Equipment in	Superseded by MIL-I-8670(Aer)
SR-22e	Droppable Stores and Associated Release Systems Installation of	Superseded by MIL-I-8671(Aer)
SR-24b	Aircraft Pyrotechnic Installations	Superseded by MIL-I-8672(Aer)
SR-26b	Flexible Gun Station Installations	Superseded by MIL-I-8672(Aer)
SR-34a	Smoke Screen Equipment Installation	Superseded by MIL-I-8674(Aer)
SR-35D	Aircraft Armor Installations	Superseded by MIL-D-8675(Aer)
SR-38e-1	Demonstration of Piloted Airplanes	Cancelled
SR-40d	Design of Airplane Arresting Hook Installations	Superseded by MIL-D-18717(Aer)
SR-41b	Models, Display; Piloted Aircraft, Guided Missiles and Target Aircraft	Cancelled
SR-45b	Measurement of Wing and Control Surface Areas	Cancelled
SR-47b	Design of Hoisting Sling for Airplanes	Cancelled
SR-50e	Mock-ups, Piloted Aircraft Construction of	Superseded by MIL-M-8650(Aer)
SR-59c	Transverse Stability of Seaplanes Displacement & Location of Auxiliary Floats	Cancelled
SR-65e-1	General Design Information Requirements for Informal Airplane Proposal	Superseded by SAR-304
SR-70e-4	Application of Protective Coatings to Fabric Surfaces of	Superseded by MIL-C-18187(Aer)
SR-73d-1	Installation and Test of Fuel Systems	Superseded by MIL-F-17874
SR-74b-1	Installation of Class 88 Aircraft Instruments and Navigational Equip	Superseded by MIL-I-18373(Aer)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
SR-76e-1	Landplane Catapulting	Superseded by MIL-C-18805(Aer)
SR-83-1	Charging Aircraft Cylinders with Carbon Dioxide	Cancelled
SR-88a	Surface Controls and Cockpit Clearance Diagram for Naval Aircraft	Cancelled
SR-93c	Carbon Monoxide Elimination; Requirements for	Superseded by MIL-C-18591(Aer)
SR-96b	Accelerated Service Tests of Naval Airplanes	Superseded by SAR-307
SR-105b-1	Thermal Anti-Icing Equipment, Wing and Empennage	Superseded by MIL-T-18607(Aer)
SR-106-1	Installation of Auxiliary Power Plants	Cancelled
SR-107b-2	Heating and Ventilating Equipment, Aircraft Installation of	Superseded by MIL-H-18609(Aer)
SR-108a	Installation and Maintenance of De-Icer Boots	Cancelled
SR-110b	Installation of Mechanically Ejected Multi-Place Life Rafts in Aircraft	Superseded by MIL-I-18370(Aer)
SR-112a	Installation of Self-Sealing Fuel Tanks	Superseded by MIL-I-18783(Aer)
SR-114c-2	Installation of Oxygen Equipment in Aircraft	Superseded by MIL-I-8683(Aer)
SR-115e	Tanks, External Auxiliary Fuel, design and Installation of	Superseded by MIL-T-18847(Aer)
SR-117-2	Pre-Delivery Treatment, Protection, and Tests of Aircraft Armament Equipment	Cancelled
SR-119B	Flying Qualities of Piloted Airplanes	Superseded by MIL-F-8785(Aer)
SR-122b	Records; Factory Change, Preparation and Distribution	Cancelled
SR-123b	Plates: Identification, Naval Aircraft and Major Assemblies, Design and Installation of	Superseded by MIL-P-8651(Aer)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
SR-126a	Installation of Fuel and Oil Line Connections in Naval Aircraft	Superseded by MIL-I-18802(Aer)
SR-127b	Aircraft Interior Lighting Installation of	Superseded by MIL-L-18276(Aer)
SR-128	Tanks (Metal); Fuel, Aircraft	Superseded by MIL-T-6396A(ASG)
SR-129	Tanks (Metal); Oil, Lubricating-Aircraft	Superseded by MIL-T-6386A
SR-130a	Installation and Test of Aircraft Power Plant Oil Dilution Systems	Cancelled
SR-131	Model PP-18/AR Vbrator Power Supply with MR-107/AR Mounting Plate	Cancelled
SR-133b	Heating and Ventilating Requirements	Superseded by MIL-H-18325(Aer)
SR-134	The Requirements of Power Plant Vibration Isolator Isolation for Naval Airplanes	Superseded by MIL-P-17842(Aer)
SR-138	Fixed Gun Firing Test Stand	Cancelled
SR-139	Engineering Acceptance of Photographic Prototype Aircraft; Gen Spec.	Cancelled
SR-141	Gun Camera Installation	Cancelled-covered by MIL-I-8677(Aer)
SR-142	Test Procedure for Testing of External-ly Mounted Aircraft	Superseded by MIL-T-8676
SR-153	Windshield and Bomber's Window De-Icing and De-Greasing System; General Specification for	Superseded by MIL-I-18259(Aer)
SR-154a-1	Fire Extinguishing and Detecting Systems Aircraft Engine (Fixed Installation)	Cancelled
SR-155	Tanks (Metal); Water (Water-Injection)-Aircraft	Superseded by MIL-T-6396A(ASG)
SR-159-2	Stability and Control Calculations	Cancelled
SR-160	Calculation of Duct Losses Turbo-Jet and Gas Turbine Engines	Superseded by MIL-R-17984(Aer)
SR-161-1	Design and Construction of Airplane Hulls	Superseded by MIL-H-8661(Aer)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
SR-162	Microfilm Drawing Indexes	Superseded by MIL-M-18872(Aer)
SR-163b	Air Conditioning and Cabin Pressurizing Systems	Superseded by MIL-P-18927(Aer)
SR-164	Installation Provisions for Forward Firing Rockets	Cancelled
SR-169a	Flight Control System: Design, Installation and Test of, Aircraft (General Specification for)	Superseded by MIL-F-18372(Aer)
SR-171	Abridged Handbooks: Operation, Service and Overhaul Instructions with Parts Catalog for Aircraft Instruments and Accessories	Superseded by MIL-H-7982(Aer)
SR-172b	Seats, Ejection, Airplane, Design and Installation of	Superseded by MIL-S-18471(Aer)
SR-178A	Operation Instructions for Special Photographic Equipment	Cancelled
SR-181	Acoustical Noise Level (Applicable only to Combat Aircraft)	Superseded by MIL-A-18150(Aer)
SR-183	Photographs (Research & Development Aircraft Programs)	Cancelled
SR-184A	Mock-Ups; Aircraft Engines Including Rocket Engines	Superseded by MIL-M-17891
SR-187	Installation of Armament Control Systems and Associated Aircraft	Superseded by MIL-I-8677
SR-189	Aerodynamic, Structural and Power Plant Requirements for Helicopters	Cancelled
SR-190	Design Data Requirements for Contracts Covering Electronic Equipment	Superseded by MIL-D-18300(Aer)
SR-192	Instructions for Preparation of Detail Specifications for	Cancelled
SR-193A	Reports: Contractors Engineering (For Aircraft Electronic Equipment)	Superseded by MIL-R-18301(Aer)
SR-194	Reports; Armament Development Progress Specification for	Superseded by MIL-R-18046(Aer)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
SR-195A	Requirements Governing the Use of "Dog" Equipment	Superseded by MIL-D-18305
SR-196	Design for Name Plates for Armament Equipments	Superseded by MIL-D-18047(Aer)
SR-197-1	Nomenclature and Nameplates for Electronic and Associated Equipment	Superseded by MIL-N 18307
SR-198	Test Equipment and Test Bench Harness Requirements Electronic Equipment Research and Development Contracts	Superseded by MIL-T-18306(Aer)
SR-199	Arresting Hooks, Aircraft; Inspection and Overhaul Progress for	Superseded by MIL-A-18269(Aer)
SR-200	Handbooks for Developmental Electronic Equipment; Preparation of	Superseded by MIL-D-18304(Aer)
SR-201	Boots, Aircraft De-Icing Systems	Superseded by MIL-D-8804
SR-202	Exterior Color Requirements for Naval Aircraft	Superseded by MIL-C-18263(Aer)
SR-203	Reports: Contractors Progress (For Aircraft Electrical & Electronic Equipment)	Superseded by MIL-R-18302(Aer)
SR-211A	Electronic, Electrical and Related Equipment Production Contracts	Superseded by SAR-301
SR-212	Design Data Requirements for Contracts Covering the Development of Aeronautical Power Plant Equipment	Cancelled
SR-214	Establishment of Characteristics of Aircraft Conversion Equipment	Cancelled
SR-220	Test Procedures, Preproduction and Inspection, Format for	Superseded by MIL-T-18303(Aer)
SR-221	Operational Flight Trainer Airframe Parts Provisioning Document for Bureau of Aeronautics Airframe Production Contracts	Superseded by SAR-302

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
SR-222	Special Aeronautical Requirements Training Parts Provisioning Document for Bureau of Aeronautics Airframe Production Contracts	Superseded by SAR-303
SAR-300A	Special Aeronautical Requirements Material Changes and Material Bulletins Preparation	Cancelled BuWep Inst. 5218.8 1/30/63
SAR-301	Spare Parts Provisioning Document for ASO Electronic Electrical and Related Equipment Production Contracts	Superseded by SAR-400
SR-303	Special Aeronautical Requirements Training Parts Provisioning Document for Bureau of Aeronautical Contracts	Cancelled Superseded by WR-32
SAR-304A-1	General Design Information on Requirements for Informal Aircraft Proposals	Superseded by WR-94
SAR-305A	General Design Requirements for Informal Proposals for Guided Missile, Weapon Systems, and Glass KD Targets	Cancelled
SAR-306	Overhaul of Naval Aircraft and Associated Components	Superseded by AR-62
SAR-306A	Overhaul of Naval Aircraft and Associated Components	Superseded by AR-62
SAR-308	Special Support Equipment and Spare Parts Therefor Provisioning Document for BuAer Production Contracts	Superseded by SAR-400
SAR-312-2	Special Aeronautical Requirements Aircraft Armament Changes and Bulletins; Preparation of	Superseded by SAR-300A

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
SAR-314	Engines, Aircraft, Experimental Turbojet, Preliminary Flight Rating Test for	Cancelled
SAR-370A	Design Data Requirements for Contracts Covering Airborne Weapon Launchers and Associated Equipment	Cancelled Future Procurement under MIL-D-7018(Wep) and MIL-D-18300(Wep)
SAR-371	Production Compression Capability Planning General Specification for	Cancelled Superseded by WR-36
SAR-372A	Aviation Personnel Planning Data, Preparation and Submission of	Superseded by WR-6
SAR-377-1	Revised Pages for Aircraft Contact Detail Specifications	Superseded by WR-8
SAR-380	Frequency Allocation and Equipment Spectrum Signature Date, Requirement for	Superseded by WR-29
SAR-398	Contractor Material Support Document for United States Navy Contracts	Superseded by WR-2
SAR-400	Special Aeronautical Requirements Supply Item Provisioning Document for United States Navy Production Contracts	Superseded by WR-1 and WR-5
SAR-402	Progressive Aircraft Rework of Naval Aircraft	Superseded by AR-62
SR-1001	Mock-ups; Construction of for Pilotless Aircraft (Missiles and Target Type)	Superseded by MIL-M-18828(Aer)
SR-1003	Stability and Control Calculations and Preflight Tests for Test for Pilotless Aircraft (Missile Type)	Cancelled
SR-1004	Armament Design Data Requirements for Pilotless Aircraft	Cancelled
SR-1005	General Design Information Requirements for Informal Proposals for Pilotless Aircraft	Superseded by SAR-305

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
SR-1006	Contracts Design Data Requirements for Guided Missiles	Superseded by MIL-M-8684(Aer) and MIL-D-8685(Aer)
SR-1008-1	Reports; Contractor's Fiscal (For Guided Missiles and Target Drones)	Cancelled
SD-2000	Design and Construction of Pilotless Aircraft for the U.S. Navy	Superseded by MIL-D-18232(Aer)
PH-1	Mount, Camera, Portable, Carrier Flight Deck Edge	Cancelled
PH-16	Projector, Stereo, Type I	Cancelled
PH-20	Printers; 35MM Motion Picture	Cancelled
PH-30	Cooling Unit, For Photographic Processing Solutions	Cancelled
PH-32	Cooler, Electric, Film Storage	Cancelled
PH-33	Cooling Cabinet Temperature Controlled for Dry Storage of Photographic Film	Cancelled
PH-35	Timer, Photographic, Automatic Interval, Electronic	Cancelled
PH-37B	Camera, Recording, Type A	Cancelled
PH-38B	Magazine, Recording Camera, Type A	Cancelled
PH-39B	Adapter, Radar Recording, Type A	Cancelled
PH-40B	Periscope, Recording Camera, Type A	Cancelled
PH-41B	Control, Recording Camera, Type A	Cancelled
PH-42	Printer, Contact, Type A-8 (Portable)	Cancelled
PH-45B	Kit, Installation, Radar Recorder, Type A	Cancelled
PH-49	MK 1 Mod. 0 and MK 11, Mod. 1 Submarine Periscope	Cancelled
PH-51	Camera, 35MM Motion Picture, Portable	Cancelled
PH-52	Camera, 16MM Motion Picture, Portable	Cancelled
PH-53	Camera. 16MM Motion Picture, Portable Magazine Type	Cancelled
PH-55	Tripod, Camera, Stand T peeith Tilting Top	Cancelled
PH-56	Camera, Identification 35MM	Cancelled
PH-57A	Camera; 16MM, Motion Picture, Sound Recording, Type SR-16	Cancelled
PH-59A	Camera, Copying, Darkroom Type, Size 20 by 20 Inches	Cancelled
PH-60	Tripod, Motion Picture Camera, Type T-1	Cancelled
PH-61	Shiftover for Use with Bell and Hewwll Eyeme Camera	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
PH-62	Camera; 16MM Motion Picture, Portable, Magazine Type M-3	Cancelled
PH-63	Camera; 16MM Motion Picture, Portable Type M-4	Cancelled
PH-64	Camera; 4 by 5 Inch (Speed Hr phic Type)	Cancelled
PH-65	Enlarger, Vertical Type, For Negatives up to 2 1/4 by 3 1/4 inches	Cancelled
PH-67	Enlarger, Vertical Type, For Negatives up to 7 by 7 inches	Cancelled
PH-68	Enlarger, Vertical Type, For Negatives up to 10 by 10 inches	Cancelled
PH-69	Splicer, Aerial Roll Film, Type A-1	Cancelled
PH-70	Camera, Copying, Galley Type, for Film up to 24 by 24 Inches	Cancelled
PH-71	Lamps, Arc, Double Deck Single Arc, 35 Amperes	Cancelled
PH-72	Plate Whirler Coating Machine	Cancelled
PH-74	Table; Transparent Tilting Top	Cancelled
PH-75	Darkroom Film Cabinet	Cancelled
PH-76	Holders, Card, Transparent 2 1/4 by 3 3/4 Inches, Acetate .015 Thick	Cancelled
PH-78	Transparent Top Layout Table (Size Approximately 30 X 40 Inches)	Cancelled
PH-80A	Printing Frame, Vacuum, Bench Type, Horizontal, Non-Tilting, 20 by 24 Inches	Cancelled
PH-81	Sink, Photographic Darkroom, with Negative Viewing Attachment	Cancelled
PH-82	Lamp, Arc, Single Deck, Single Arc, 35 Amperes	Cancelled
PH-83	Lamp, Arc, Single Deck, Single Arc, 35 Amperes (One Set Consisting of Two Complete Lamps)	Cancelled
PH-84	Press, Litographic, Offset, Rotary	Cancelled
PH-87	Table, Transparent Top eith Geared Straight Edges, Working Surface Size 26 by 29 Inches	Cancelled
PH-88	Tank, Photographic Darkroom, Shallow	Cancelled
PH-90	Table, Transparent Top with Geared Straight Edge, Working Surface 23 by 29 Inches	Cancelled
PH-91	Tank, Photographic Darkroom, Shallow (Inside Dimensions 26 by 30 Inches by Approximately 4-Inches Deep)	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
PH-92	Tripod, 16MM Motion Picture Camera, Type T-2	Cancelled
PH-93A	Developing Machine, Film Type K-3A (Photographic)	Cancelled
PH-94	Viewer, Continuous Strip, Stereo, For Prints and Transparencies	Cancelled
PH-95	Printing Frame, Contact, Vacuum, Tubular Stand Model (Plate Size 16 X 20 1/2 Inches)	Cancelled
PH-96	Printing Frame, Contact, Vacuum, Tubular Stand Model (Plate Size 27 1/2 X 36 Inches)	Cancelled
PH-97	Comparator, PH Indicator, Portable Type with Case	Cancelled
PH-99	Camera, Copying, Darkroom Type, For Film up to 24 by 24 Inches	Cancelled
PH-102	Magazine; Camera, Type A-5A (Aircraft)	Cancelled
PH-106	Camera; Aircraft, Type K-20 (4 by 5 Inches)	Cancelled
PH-108A	Camera; Aircraft, Type K-25	Cancelled
PH-109	Mount, Camera; Vertical, for Use with Various Types of Aircraft Cameras	Cancelled
PH-111	Mount, Rotating For Type K-25 Camera (Aircraft)	Cancelled
PH-112	Prism, Oblique for K-25 Camera	Cancelled
PH-113	Developing Outfit, Portable for Aerial Film, Type D-1	Cancelled
PH-114	Developing Outfit, Portable for Aerial Film, Type D-2	Cancelled
PH-115	Developing Outfit, Portable for Aerial Film, Type D-3	Cancelled
PH-116	Developing Outfit, Portable, For 16MM and 35MM Motion Picture Film, Type D-5	Cancelled
PH-117	Mount (Fixed Type) and Camera Timing Control Equipment for Type K-25A Aircraft Camera	Cancelled
PH-119-1	Camera - 4 x 5 Inch (Graphic Combat Type)	Cancelled
PH-122A	Camera, Aircraft, Mapping, Precision, US Navy Type CA-8	Cancelled
PH-125A	Camera, Gunsight, CG-4	Cancelled
PH-129	Camera, Submarine Periscope, Mark 4, for 16MM Universal Film on Houston K-3A Machines	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
PH-130-A	Powders, Hardener, Pre-Developing (For Photographic Use) Auto-Focus Type A	Superseded by MIL-P-1293
PH-132	Enlarger, Vertical, For Negatives up to 4 by 5 inches	Superseded by MIL-E-7041(Aer)
PH-140	Holder, Paper, (Easel) 20 by 24 Inches Type I	Cancelled
PH-143	Camera, Recording, 16MM, Type C	Cancelled
PH-144	Camera, Radar Recording, Type B	Cancelled
PH-145	Board, Lens, 4 by 4 Inches	Cancelled
BuAero. 15-1	Laboratory, Photographic, Portable, Collapsible Type	Cancelled
BuAero. 20-1	Camera, Hand Type, 2 1/4" by 3 1/4" Exposure Size	Cancelled
BuAero. 26-1	Camera, Gfaflex Type, 4 by 5 Inches	Cancelled
BuAero. 30-42	Adapter, Film Pack, 4 by 5 Inches, for Graflex Cameras	Cancelled
BuAero. 33-1	Magazines, Film (Cut), 4 by 5 Inches, for Graflex Cameras	Cancelled
BuAero. 36-42	Adapter, Film Pack, 4 by 5 Inches for Speed Graphic Cameras	Cancelled
BuAero. 50-1	Flash, Synchronizer Unit, for Use with Small Hand Cameras	Cancelled
BuAero. 60-1	Stereoscope, Folding, Reflecting Mirror and Prism Type	Cancelled
BuAero. 61-1	Stereoscope, Folding Pocket Type	Cancelled
BuAero. 71-1	Camera, Enlarging, Reducing and Copying 8 by 10 Inches	Cancelled
BuAero. 75-95	Filter Unit, Lens, Type A-5 (For Type K-17 Aircraft Camera)	Cancelled
BuAero. 80-1	Mount, Aircraft Camera, Vertical, Mapping Photography	Cancelled
BuAero. 81-1	Mount, Aircraft Camera, Vertical, Fixed Position Type	Cancelled
BuAero. 82-1	Adapter, Vertical, Camera Mount	Cancelled
BuAero. 89-1	Developing Outfit, Aerial Film, Portable Type B-4	Cancelled
BuAero. 90-1	Developing Outfit, Portable for Aerial Film Model No. 5.25-300	Cancelled
BuAero. 91-1	Developing Outfit, Portable, for Aerial Film Model K	Cancelled
BuAero. 115-1	Printer, Contact, for Aerial Film 9 Inch Wide, Type A-6	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
BuAero. 212-1	Filters; Photographic (For Aircraft Cameras)	Cancelled
BuAero. 221-1	Magazine; Camera, Type A-5 (Aircraft)	Cancelled
BuAero. 22-21	Magazine; Camera, (Aircraft) Type A-1B	Cancelled
BuAero. 301-1	Camera; 35MM, Motion Picture	Cancelled
BuAero. 305-1	Tripod; Motion Picture Camera	Cancelled
SB-64	Distribution and Magnitude of Water Loads on Hull Bottoms for the Bow Landing Condition	Cancelled
SB-65c	Chordwise Air Load Distribution on Airfoils	Cancelled
SB-73A-1	Strength of Aircraft Elements	Superseded by MIL-A-8629(Aer)
SB-74	Relative Lift on Biplane Wings	Cancelled
SB-75	V-g Recorders Instructions for Installation, Operation and Handling	Cancelled
SM-6	Weight and Strength Comparisons for Wing Panels of Various Structural Materials	Cancelled
SM-7	Methods of Determing Structural Efficiency of New Materials	Cancelled
SM-8	A New Type of Wing Construction Utilizing Magnesium Alloy	Cancelled
SM-9	Crinkling Strength of Extruded Sections	Cancelled
SM-10	Compressive Tests of Solid Sheet Metal with Solid Guides for Lateral Support	Cancelled
SM-13	An Analytical Solution of the Flutter Stability Determinant	Cancelled
SM-15	Critical Range of Rivet Spacing in 24S-T Aluminum Alloy Sheet Stringer Panels	Cancelled
SM-16	Multipule Channel Strain Gage Recording Equipment	Cancelled
SM-17	Weight and Strength Comparisons for Wing Panels of Various Materials	Cancelled
SM-18	Intent of Bureau of Aeronautical Specification No. SS-20A	Cancelled
SM-20	An Evaluation of the Gunfire Resistance of Materials Used in Aircraft Structures, Developed by Dr. Leonard M. Green	Cancelled
SM-21	Discussion of the Theory of Flow of Compressible Fluids as	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
SM-22	A Study of the Magnesium Alloy Sheet Stringer Panels in Compression	Cancelled
SM-23	Engine Section Structural Vibration Failures in Naval Aircraft	Cancelled
SM-26	A Vector Solution of the Flutter Stability Determinant	Cancelled
SM-27	Integral Fuel Tanks	Cancelled
SM-28	The Application of High-Strength Alloys in the Construction of an Experimental Wing for the Model SF7F-1 Airplane	Cancelled
SM-29	An Interpretative Discussion of Bureau of Aeronautical Specifications SS-1B	Cancelled
SM-30	Tables for the Calculation of Aerodynamic Coefficients of an Oscillating Airfoil Flap System in Incompressible Fluid	Cancelled
SM-31	Gun Reaction Load Data for Caliber .50, Caliber .60, and 20MM Aircraft Guns	Cancelled
SM-32	Designing for Repeated Loads	Cancelled
SS-1c-2	Airplane Strength and Rigidity	Superseded by MIL-A-8629(Aer)
SS-4a	Preparation of a Stress Analysis Report Entitled "Strength Summary and Operating Restrictions"	Superseded by MIL-A-8629(Aer)
SS-20a	The Form and Contents of Reports of Structural Calculations and Test	Superseded by MIL-A-8629(Aer)
SS-22	Design of Aircraft Structures for Ditching Loads	Superseded by MIL-A-8629(Aer)
SS-23-1	The Prevention of Flutter of Aircraft Structures	Superseded by MIL-A-8629(Aer)
JPI-2-1	Preservation, Packaging and Packing of Groun Air Cooled Engine Units	Superseded by MIL-E-10062A
JPS-6-1	Packaging and Packing of Spare Parts for Internal Combustion Engines	Superseded by MIL-R-96A

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER		TITLE	REMARKS
JPI-8		Packaging and Packing of Machine Tools and Accessories	Cancelled Future Procurement Under MIL-P-19058 or MIL-STD-107
JPI-12-1		Packaging and Packing of Hand Tools	Cancelled Covered by MIL-P-15424
JPI-15		Packing for Overseas Bulk Shipment; Nail Joint, Packaging Instructions	Cancelled
JPI-17-1		Packaging and Packing of Dynamite (Ammonia, Ammonia-Geletin, and Geletin Types) (In Cartridges)	Cancelled
AR-3A		Research and Development Progress Reports for Avionics Equipment, Preparation of (Report Symbol NAVAIR 3900-1)	Cancelled
AR-4		Configuration Management for Avionics Equipment	Cancelled
AR-5		Microelectronic Devices Used in Avionics Equipments, Procedures for Selection and Approval of	Cancelled Use MIL-STD-965
AR-6A		Technical Data Requirements for MK58 Mod 0 Rocket Motor	Cancelled
AR-7A		Technical Data Requirements for EX33 Mod 0 Safety-Arming Device	Cancelled
AR-8B		Versatile Avionic Ship Test System/Avionics System Compatibility, General Requirements for	Cancelled, Use MIL-STD-2076(AS)
AR-9B		Versatile Avionic Ship Test System/Test Program General Requirements for	Cancelled, Use MIL-STD-2077(AS)
AR-10A	No.1	Maintainability of Avionics Requirement and Systems, Gen Spec For	Cancelled
AR-11A		Nonstandard Electronic Parts Procedures for Evaluation and Approval of	Cancelled
AR-15		General Purpose, Programmable Airborne Digital Computer System Program Data, General Requirement for	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
AR-18	T-28 B/C Aircraft Aircrew Systems Improvement Requirements	Cancelled
AR-22	Aeronautical Requirements Format and Content of Formal Directions	Cancelled, Use MIL-F-81992(AS)
AR-24	T-28 B/C Aircraft Aircrew Systems Improvement Integrated Logistics Support Requirements	Cancelled
AR-25	Military and Civilian Training Requirements for Contractor Supported Training on Naval Aircraft, Weapon Systems or Components	Cancelled, Use MIL-STD-1379
AR-26	T-28 B/C Aircraft Aircrew Personal Ventilation Garment Airconditioning System Requirements	Cancelled
AR-27	T-28 B/C Aircraft Cockpit Ventilation System Requirements Part I	
AR-31	Support Requirements, Progress and Status Reporting	Cancelled
AR-34	Failure Classification for Reliability Testing, General Requirements for	Cancelled, Use MIL-STD-2074(AS)
AR-42	Aeronautical Requirements Research and Technology Standard for Proposed Technical Approaches (PTA)	Cancelled
AR-45	Thermal Design and Analysis Procedures for Airborne Electronic Equipment and Systems	Cancelled
AR-49B	Automated Aircrew Escape Systems Reliability and Maintainability (R/M) Program: Requirements for	Cancelled, Use MIL-STD-2067(AS)
AR-58	Catapulting and Arresting Gear Forcing Functions for Aircraft Structural Design	Cancelled
AR-60	Level of Repair for Aeronautical Material General Requirements	Cancelled and Superseded by MIL-STD-1390(Navy)
AR-62	Periodic Depot Level Maintenance of Naval Aircraft, Development of PDLM Requirements and Preparation of PDLM Specifications	Cancelled
AR-63	Multiple Interior Communications Systems (MINCOMS), General Requirements for	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202640-26T14:03Z
Check the source to verify that this is the current version before use.

(f.) Inner conductor to core: 7 pounds, minimum; 50 pounds, maximum

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
AR-64	Multiple Interior Communications Systems (MINCOMS), Terms and Definitions for	Cancelled
AR-66	Requirements for Classifying Characteristic on Drawings for Pheonix YAIM-54A Missile	Cancelled
AR-69A	Proposed Technical Approaches for Avionics Requirements, Preparation of	Cancelled
AR-70	Aeronautical Requirements Design Selection Procedures	Superseded by MIL-STD-680
AR-73	Specifications and Standards Applicable to Aircraft Engines and Propellers, Use of	Cancelled
AR-75	Aeronautical Requirement Microform Compatible Technical Manuals General Style and Format Preparation of	Superseded by MIL-M-81927(AS)
AR-76	Microform Compatible Technical Manuals Aircraft, Equipment, and Component Maintenance-Preparation of	Superseded by MIL-M-81928(AS)
AR-78	Microform Compatible Technical Manuals Illustrated Parts Breakdown Preparation of	Superseded by MIL-M-81929(AS)
AR-81	SIIS-3 Ejection Seat Installation in AV-8A Aircraft, Integrated Logistics Support Preliminary Requirements	Cancelled
AR-82	Aeronautical Requirements for the Preparation of Aircraft Power Plant Depot Level Rework Specification	Cancelled
AR-84	16MM Microfilm of Technical Manuals Requirements of	Superseded by MIL-M-81930(AS)
AR-87	Work Unit Code Tests, Preparation of	Cancelled, Use MIL-STD-780E
AR-88	Visual Inspection Standards and Procedures for Inspection	Cancelled, Use MIL-STD-644A
AR-104	Reliability Development Test for Avionic Equipment	Cancelled, Use MIL-STD-2068

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
AR-108	Fluid and Mechanical Airframe Subsystems and Airborne Special Mission Systems; Reliability Development Test Program for	Cancelled, Use MIL-STD-2068
AR-111	Reliability Development Test Program for Armament Equipment, Gun System, and Associated Stores Management Systems	Cancelled, Use MIL-STD-2068
AR-112	Reliability Development Test Program for Crew Systems Equipment	Cancelled, Use MIL-STD-2068
AR-113	Reliability Development Test Program for Ground Support Equipment	Cancelled, Use MIL-STD-2068
AR-114	Reliability Development Test Program for Range Instrument Equipment	Cancelled, Use MIL-STD-2068
AR-115	Reliability Development Test Program for Ship Installation Equipment	Cancelled, Use MIL-STD-2068
AR-116	Reliability Development Test Program for Photographic Equipment	Cancelled, Use MIL-STD-2068
AR-117	Reliability Development Test Program for Meteorological Equipment	Cancelled, Use MIL-STD-2068
AR-120	Preparation of Ground Support Equipment Rework Specification	Cancelled, Use MIL-STD-2078
WR-1	Supply Item Provisioning for Bureau of Naval Weapons Contracts	Superseded by MIL-STD-1375
WR-6	Aviation Personnel Planning Data Preparation and Submission of	Superseded by AR-50
WR-8	Revised pages for Aircraft Contract Detail Specifications	Superseded by AR-23
WR-10A	Documentation of Packaging, Packing, and Materials Handling Procedures and Equipment for Weapons Systems and Components	Superseded by OR-10
WR-11	Design and Test of Packaging, Packing Shipping and Handling Equipment for Weapon System Components	Superseded by OR-11

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
WR-25A	Requirements for Contractor Supported Training on Naval Weapons Systems or Components	Superseded by AR-25
WR-27	Naval Weapons Design Guide to Preclude Hazards from Environmental Electromagnetic Fields	Superseded by MIL-P-24014(Wep)
WR-29b-1	Compatibility, Frequency Allocation, and Equipment Spectrum Signature Requirements for	Superseded by AR-29
WR-30	Integrated Maintenance Management for Aeronautical Weapons, Weapon Systems, Related Equipment	Superseded by AR-30
WR-32	Training Parts Provisioning Document for Bureau of Naval Weapons Contracts	Superseded by AR-32
WR-37A	Research and Development Progress Reports for Avionics Equipment, Preparation of (Report Symbol BuWeps 3900-1)	Superseded by AR-3
WR-38-1	Mark and Mod Nomenclature System and Assignments to Ancillary Items in AEC Nomenclature System	Superseded by OR-1
WR-41	Reliability Evaluation	Cancelled-Superseded by MIL-STD-757
WR-48	Preparation of Weapon System Performance and Compatibility Requirements (P & CR) for Use in Container and Handling Equipment Design	Superseded by MIL-STD-1319(Navy)
WR-51	Shipping and Handling Instructions for Weapon System Components in Trucks and Trailers (See MIL-HDBK-236)	Superseded by MIL-STD-1320
WR-51/1	Weapons Requirement, Truckloading Palletized Unit Loads Single Row Load Pattern	Superseded by MIL-STD-1320-1

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
WR-51/2	Weapons Requirement Truckloading Palletized Unit Loads Double Row Load Pattern	Superseded by MIL-STD-1320-2
WR-51/3	Weapons Requirement, Truckloading Palletized Unit Loads Chimney Pattern	Superseded by MIL-STD-1320-3
WR-51/4	Weapons Requirement, Truckloading Mine, MK 25, Mod 0 1 & 2 (Crated)	Cancelled, Use MIL-STD-1320-4
WR-51/4	Weapons Requirement, Truckloading Fleet Issue Unit Load MK 15 Mod 0 for 250 lb L.D. Bomb	Cancelled, Use MIL-STD-1320-4
WR-51/6	Weapons Requirement, Truckloading Fleet Issue Unit Load, MK 36, Mod 0 for 500 lb. L.D. Bomb	Cancelled, Use MIL-STD-1320-6
WR-51/7A	Weapons Requirements, Truckloading Fleet Issue Unit Load, MK 40 Mod 0 for 1,000 Lb. L.D. Bomb	Superseded by MIL-STD-1320(Navy)
WR-51/8	Weapons Requirement, Truckloading Container, Shipping and Storage MK 286 Mod 0 For Talos Missile Innerbody	Cancelled
WR-51/9	Weapons Requirement, Truckloading Container, Shipping & Storage, MK 26 Mod 1 for Terrier Sustainer	Cancelled
WR-51/10	Weapons Requirement, Truckloading Container, Shipping & Storage, MK 265 Mod 0 for Talos Innerbody	Cancelled
WR-51/11	Weapons Requirement, Truckloading Container, Shipping & Storage, MK 30 Mod 0 Terrier Guided Missile	Cancelled
WR-51/12	Weapons Requirement, Truckloading Torpedo Main Assembly MK 44 & Mods 8 MK 46 Mod 1 in Container MK 197 Mod 1	Superseded by MIL-STD-1370-12
WR-51/14	Weapons Requirement, Truckloading, Container, Shipping & Storage, MK 183 Mod for ASROC Missile	Canelled, Use MIL-STD-1320-14
WR-52/13	Weapon Requirement, Truckloading Container, Shipping & Storage MK 25 Mod 0 for Terrier Booster	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
WR-51/15	Weapons Requirement, Truckloading, Container, Shipping & Storage, MK 178 Mod 0 for ASROC Rocket Motor	Superseded by MIL-STD-1320-15
WR-51/17B	Weapons Requiremets, Truckloading Terrier Missile in Contrainer MK 199 Mod 0, 1	Cancelled, Use MIL-STD-1320-17
WR-51/18	Weapons Requirement, Truckloading Terrior Booster in Container MK 200 Mod 0, 1	Superseded by MIL-STD-1320-18
WR-51/19	Weapons Requirement, Truckloading Container, Shipping & Storage MK 372 Mods 0 and 1 for Tartar Missile	Cancelled, Use MIL-STD-1320-19
WR-51/20	Weapons Requirement, Truckloading Fleet Issue Unit Load, MK 42 Mod 0 LAU/10A Launcher	Cancelled
WR-51/21	Weapons Requirement, Truckloading Container, Shipping & Storage MK 264 Mod 0 for Talos Missile	Cancelled, Use MIL-STD-1320-21
WR-51/22	Weapons Requirement, Truckloading Container, Shipping & Storage, MK 262 Mod 0 for Talos Booster	Cancelled
WR-51/23	Weapons Requirement, Truckloading Bomb, GP, 250 lb, AN-M57	Cancelled, Use MIL-STD-1320-23
WR-51/24	Weapons Requirement, Truckloading Bomb, Fragmentation, 260 lb, AN-M81	Cancelled, Use MIL-STD-1320-24
WR-51/25	Weapons Requirement, Truckloading Guided Weapon MK 1 Mod 0 (Walleye) in Container MK 426 Mod 0	Cancelled, Use MIL-STD-1320-25
WR-51/26	Weapons Requirement, Truckloading Chemical Bomb MK 116 Mod 0 (Weteye) in Container MK 398 Mod 0	Cancelled
WR-51/27	Weapons Requirement, Truckloading Warhead MK 58 Mod 0 in Warhead Section Container MK 435 Mod 0	Cancelled, Use MIL-STD-1320-27
WR-51/28	Weapons Requirement, Truckloading Bullpup AGM-12C AFT Section-Liquid Propellant Motor	Cancelled, Use MIL-STD-1320-28
WR-51/29	Weapons Requirement, Truckloading Bomarc "A" Missile	Cancelled, Use MIL-STD-1320-29
WR-51/30	Weapons Requirement, Truckloading Fire Bomb Case MK 20 Mod 0, (For Fire Bomb MK 122 Mod 0) in Container MK 106 Mod 0	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
WR-51/31	Weapons Requirement, Truckloading Chemical Bomb, MK 94 in Container, MK 410 Mod 0	Cancelled, Use MIL-STD-1320-31
WR-51/32	Dispenser and Bomb, Aircraft: CBU-1A/A, CBU-2A, CBU-2A/A, CBU-2B/A, CBU-3/A, CBU-8/A, CBU-9/A, CBU-9A/A in Container M468	Cancelled
WR-51/33	Weapons Requirement, Truckloading Bomb AN Series 1000 lb. General Purpose, Live	Cancelled, Use MIL-STD-1320-33
WR-51/34	Weapons Requirement, Truckloading, Trailer On-Flat-Car (TOFC) or Container, On-Flat-Car (COFC) 500 lb. Bomb MK 82 & Mods, Palletized Fleet Issue Unit Load WR-54/31	Cancelled, Use MIL-STD-1320-34
WR-51/35	Weapons Requirement, Truckloading Trailer-On-Flat-car (TOFC) or Container On-Flat-Car (COFC) 500 lb. L.D. Bomb Mk 82 & Mods, Palletized Domestic Unit Load WR-53/702 (With Plastic Nose Plugs)	Cancelled, Use mIl-STD-1320-35
WR-51/36	Weapons Requirement, Truckloading 500 lb. L.D. Bomb MK 82 & Mods, Palletized Domesitc Unit Load WR-53/702 (With Plastic Nose Plugs)	Cancelled, Use MIL-STD-1320-36
WR-51/37	Weapons Requirement, Truckloading Trailer-On-Flat-Car (TOFC) or Container On-Flat Car (COFC) Propellant Grain MK 43 Mod 0 (In Container MK 10 & Mods) Packed in Pallet Crate MK 2 Mod 0	Cancelled, Use MIL-STD-1320-37
WR051/39	Weapons Requirement, Truckloading Bomb, Demolition, MK 750 lb. M117A1	Cancelled, Use MIL-STD-1320-39
WR-51/41	Weapons Requirement, Truckloading Trailer-On-Flat-Car (TOFC) or Container-On-Flat-Car (COFC) 250 lb. Bomb MK 81 & Mods, Palletized Domestic Unit Load WR-53/704 (With Plastic Nose Plugs)	Cancelled
WR-51/42	Weapons Requirement Truckloading 2000 lb. L.D. Bomb MK 84 & Mods Loose (With Plastic Nose Plugs)	Cancelled, Use MIl-STD-1320-42
WR-51/44	Weapons Requirement, Truckloading 8"/55 Projectiles MK 21, 24 and 25 & Mods in Adapter MK 74 Mod 0	Superseded by MIL-STD-1320/44
WR-51/45	Weapon Requirement, Truckloading 2000 lb. L.D. Bomb MK 84 & Mods, Empty (With Plastic Nose Plugs)	Cancelled, Use MIl-STD-1320-45

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
WR-51/47	Weapons Requirement, Truckloading 5"/54 Gun Barrel Tube MK 18 Mod 3 & MK 19 Mod 0 Skidded	Cancelled, Use MIL-STD-1320-47
WR-51/48	Weapons Requirement, Truckloading 5"/54 Gun Barrel Liner MK 18 Mod 3 & MK 10 Mod 0 Skidded	Cancelled, Use MIL-STD-1320-48
WR-51/53	Weapons Requirement, Truckloading Bomb, General Purpose MK 84 & Mods (2000 lb.) (with Plastic Nose Plug) in Adpater, Unit Load, MK 70 Mod 0 Fleet Issue Unit Load	Superseded by MIL-STD-1320/53
WR-51/56	Weapons Requirement, Truckloading 5"/38 Cartridges in Tank MK 9 Mod 1 or MK 15 Mod 1 Domestic Unit Load	Superseded by MIL-STD-1320/56
WR-51/65	Weapons Requirement, Truckloading Cluster Bomb MK 20 and Mods (Rockeye II) in Container MK 421 Mod 0 Fleet Issue Unit Load	Superseded by MIL-STD-1320/65
WR-51/69	Weapons Requirement, Truckloading Bullpup "B" AGM-12C-2 Weapon in Container MK 443 Mod 0	Cancelled
WR-51/125	Weapons Requirement, TE Booster MK 7-BW1 in CNTR MK 25	Cancelled
WR-51/133	Weapons Requirement - GP Bomb MK 82, 500 lb. Air Force U/L	Cancelled
WR-51/134	Weapons Requirement, TOFC or COFC Bomb MK 82, 500 lb. Air Force U/L	Cancelled
WR-51/135	Weapons Requirement, 175 MM in PLT ADPT MK 95-0	Cancelled
WR-52	Carloading of Weapons and Major Weapons System Components	Superseded by MIL-STD-1325
WR-52/1	Weapons Requirement, Carloading Small Arms Ammunition in Ammunition Box MK 1 Mod 0 on 35" x 45-1/2" Pallet	Cancelled
WR-52/2	Weapons Requirement, Carloading Small Arms Ammunition in Ammunition Box MK 1 Mod 0 on 35" x 45-1/2" Pallet	Cancelled
WR-52/3	Weapons Requirement, Carloading Small Arms Ammunition in Ammunition Box MK1 Mod 0 on 35" x 45-1/2" Pallet	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
WR-52/4	Weapons Requirement, Carloading Small Arms Ammunition in Ammunition Box MK 1 Mod 0 on 40" x 48" Pallet	Cancelled
WR-52/5	Weapons Requirement, Carloading Small Arms Ammunition in Ammunition Box MK 1 Mod 0 on 40" x 48" Pallet	Cancelled
WR-52/6	Weapons Requirement, Carloading Small Arms Ammunition in Ammunition Box MK 1 Mod 0 on 40" x 48" Pallet	Cancelled
WR-52/9	Weapons Requirement, Carloading 250 lb. L.S. Bomb 81 Mod 0, Palletized Fleet Unit Load MK 15 Mod 0	Superseded by MIL-STD-1325-9
WR-52/13	Weapon Requirement, Carloading 5"/38 Projectile MK 35, 29, and Mods in Adapter MK11 & Mods on 40" x 48" Pallet	Superseded by MIL-STD-1325-13
WR-52/15	Weapons Requirement, Carloading 5"/54 Projectile MK 41, 48 & Mods in Adapter MK11 & Mods on 40" x 48" Pallet	Superseded by MIL-STD-1325-15
WR-52/18	Weapons Requirement, Carloading Bomb MK 81 and Mods 250 lb. General Purpose, Live	Superseded by MIL-STD-1325-18
WR-52/33	Weapons Requirement, Carloading, Bomb Fins MK 14 Mod 1 in Crate MK 12 Mod 2 (Fleet Issue Unit Load)	Superseded by MIL-STD-1325-33
WR-52/37	Weapons Requirement, Carloading Rocket Motor MK 16 Mod 1 in Container MK 30 Mod 0 Fleet Issue Unit Load	Superseded by MIL-STD-1325-37
WR-52/38	Weapons Requirement, Carloading Zuni Rocket Heads 5".0 MK 24, 32 and Mods (F.I.U.L. MK 38 Mod 0)	Superseded by MIL-STD-1325-38
WR-52/39	Weapons Requirement, Carloading LAU/10A Launcher in Unit Load Adapter MK58 Mod 1	Superseded by MIL-STD-1325-39
WR-52/55	Weapons Requirement, Carloading Adaption Kit MK 28 Mod 1 in Container MK 182 Mod 1	Superseded by MIL-STD-1325-55

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
WR-52/56	Weapons Requirement, Carloading Asroc Torpedo MK 44 Mod 0 in Container MK 187	Superseded by MIL-STD-1325-56
WR-52/59	Weapons Requirement, Carloading Asroc 11'.65 Rocket Motor MK 37 Mod 0 in Container MK 178 Mod 0	Superseded by MIL-STD-1325-59
WR-52/80	Weapons Requirement, Carloading 8"/55 Projectiles MKs 24, 25 & Mods in Adapter MK 74 Mod 0	Superseded by MIL-STD-1325-80
WR-52/81	Weapons Requirement, Carloading 8"/55 Projectiles MK 21 & Mods in Adapter MK 74 Mod 0	Superseded by MIL-STD-1325-81
WR-52/83	Weapons Requirement, Carloading 8"/55 Cartridge Tank MK 11 Mod 0 in Adapter MK 76 Mod 0	Superseded by MIL-STD-1325-83
WR-52/85	Weapons Requirement, Carloading 2000 lb. L.D. Bomb MK 84 & Mods in Unit Load Adapter MK 79 Mod 0 (With Plastic Nose Plugs)	Superseded by MIL-STD-1325-85
WR-52/86	Weapons Requirement, Carloading Mine Underwater MK 52 and Mods in Crate Underwater Mine MK 52 Mod	Superseded by MIL-STD-1325-86
WR-52/95	Weapons Requirement, Carloading, 500 Lb. L.D. Bomb MK 82 and Mods with Platic Nose Plugs, in Pallet Adapter MK 78 Mod 0 Fleet Issue Unit Load	Cancelled
WR-52/97	Weapons Requirement, Carloading Explosive Section MK 1 Mod 1 in Crate MK 101 Mod 0 Fleet Issue Unit Load	Superseded by MIL-STD-1325 97
WR-52/100	Weapons Requirement, Carloading Typical Palletized Unit Loads	Superseded by MIL-STD-1325-100
WR-52/101	Weapons Requirement, Carloading Typical Palletized Unit Loads (3 Rows Across Bar)	Superseded by MIL-STD-1325-101

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
WR-53	Palletizing Domestic Unit Loads	Superseded by MIL-STD-1322
WR-54	Palletizing Fleet Issue Unit Loads	Superseded by MIL-STD-1323
WR-54/2	Weapons Requirement, Palletizing Fleet Issue Unit Load MK 2 Mod 0 3"/70 Cartridge	Cancelled
WR-54/4	Weapons Requirement, Palletizing Fleet Issue Unit Loading MK 4 Mod 0 5"/38 Projectile	Superseded by MIL-STD-1323-4
WR-54/6	Weapons Requirement, Palletizing Fleet Issue Unit Load Mk 6 Mod 0 5"/54 Projectile	Superseded by MIL-STD-1323-6
WR-54/13	Weapons Requirement, Palletizing Fleet Issue Unit Load Mk 13 Mod 0 Aero 6A Launcher	Cancelled
WR-54/18	Weapons Requirement, Palletizing Fleet Issue Load MK 18 Mod 0 5".0 Rocket Head	Superseded by MIL-STD-1323-18
WR-54/25	Weapons Requirement, Palletizing Fleet Issue Unit Load Mk 25 Mod 0 5".0 Rocket Head (Boxed)	Cancelled
WR-54/33	Weapons Requirement, Palletizing Fleet Issue Unit Load M 38 Mod 0 Zuni Rocket Head	Superseded by MIL-STD-1323-33
WR-54/53	Weapons Requirement, Palletizing Fleet Issue Unit Load Mk 42 Mod 1 LAU/10A Launcher	Cancelled
WR-54/106	Weapons Requirement, Palletizing Fleet Issue Unit Load Mk 73 Mod 0 Sidewinder - 1C Fins	Cancelled
WR-54/152	Weapons Requirement, 500 Lb. Low Drag Bomb (GP) Mk 82 & Mods with Plastic Nose Plug on Pallet Adapter MK 78 Mod 0	Cancelled
WR-54/216	Weapons Requirement, Charge Kit, Torpedo EX 61-0 in CNTR EX 514-0 in P.A Mk 103-0	Cancelled
WR-55	Palletizing Amphibious Unit Loads	Superseded by MIL-STD-1324
WR-62	Naval Weapons Requirements Specifications and Standards, Use of	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
WR-87	Requirements for the Preparation of Weapon Systems Installation Test Requirement Outlines NavWeps Ordnance Data Publications	Superseded by OR-87
WR-92	Requirements for Reporting Weight and Center of Gravity of Shipboard Weapons Requirements	Superseded by OR-92
WR-96	Safety and Test Requirements, Minimum, For Anti-Compromise and Other Destruct Systems of Weapons and Targets	Superseded by OR-96
WR-97	Naval Weapons Requirements Aircraft Electronics Equipment, Reliability Requirements for Design of	Cancelled
WR-98	Microelectronic Devices Used in Avionics Equipment, Procedures for Selection and Approval of	Superseded by AR-5
WR-100A	Handbook of BuWeps (Engineering Division) Instructions	Cancelled
EI-101	Radar Equipment AN/APN-7 Installation Specification	Cancelled
EI-102	Installation Spec for Model AN/ARR-3A Sono-Radio Bouy Equipment	Cancelled
EI-103b	Installation Specification for Model AN/APN-1 Series Airborne Radio Altimeters	Cancelled
EI-105-1	Radar Model AN/APA-2F Installation Specification	Cancelled
EI-107B	Installation Spec Model AN/APX-8	Cancelled
EI-108-1	Installation Specification Model AN/APS-15A Airborne Radar Equipment	Cancelled
EI-109	Radar Model AN/APA-3 Installation Specification	Cancelled
EI-110	Installation Spec Model AN/APS-6 & AN/APS-6A	Cancelled
EI-111	Installation Specification for the Electric Console	Cancelled
EI-112a-1	Radar, Model AN/APS-4; Airborne Equipment, Installation Spec for	Cancelled
EI-113-1	Radar Model AN/APS-2G Installation Specification	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
EI-114a	Installlation Specification Model AN/APQ-5B Airborne	Cancelled
EI-116-1	Model AN/APG-4 Airborne Radar Equipment Installation Spec for	Cancelled
EI-117-1	Model AN/APX-1 System 2	Cancelled
EI-119	Model SCR-720-C Airborne Radar Equipment	Cancelled
EI-120a	Installation Specification Model AN/APS-15B Installation	Cancelled
EI-122	Installation Specification for Model AN/ARW-3 Airborne Radio Equipment	Cancelled
EI-123	Radio, Model RAY; Airborne Equip. Installation Spec for	Cancelled
EI-124	Installation Spec for Model GS Airborne Radio Equipment	Cancelled
EI-125	MAD Equip Model AN/ASQ-3, Airborne Installation	Cancelled
EI-126	Installation Spec for Model AN/APA-24 Direction Finder Equip	Cancelled
EI-127	Model AN/APA-6A Pulse Analuzer Equipment Installation Spec.	Cancelled
EI-128	Installation Specification for Model AN/APA-16 Airborne Radar Bombsight Equipment	Superseded by MIL-R-18983(Aer)
EI-129	Radio Receiver Model AN/APR-1	Cancelled
EI-131	Model AN/APA-11 Pulse Analyzer	Cancelled
EI-132a	Model AN/APA-17 Direction-Finder Equipment Installation Spec	Cancelled
EI-133	Installation Spec for Model AN/ARC-5 Airborne Radio Receiver	Cancelled
EI-135-1	Model AN/APX-1 System No. 1	Cancelled
EI-136	Installation Specification for VF Aircraft Radio System No. 12	Cancelled
EI-137	Radar Model AN/AP-13A Installation Specificaton for	Cancelled
EI-139	Radar Model AN/APA-3A	Cancelled
EI-141-2	Installation Specification for Model AN/APG-5 Airborne Radar Equip	Cancelled
EI-142	Installation Specification for Model AN/APG-5 Airborne Radar Equip	Cancelled
EI-143	Radar Model AN/APG-15	Cancelled
EI-145	Radar Sets AN/APS-31, AN/APS-31A, AN/APS-31B and AN/APS-31C, Installation Instructions	BASE SPEC MIL-R-6103 Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
EI-146	Model AN/ASQ-1A Detection Equip	Cancelled
EI-147	Radar Model AN/APA-30 Installation Specification	Cancelled
EI-149	Installation Specification for VF Aircraft Radio System No. 7	Cancelled
EI-150	Installation Specification for Model AN/APX-2 and AN/APX-21 IFF Equipment in Single Place Aircraft	Cancelled
EI-151	Installation Spec for VF Aircraft Radio System No. 6	Cancelled
EI-152	Radio, Model AN/ARW-34; Airborne Equipment Installation Spec for	Cancelled
EI-153a-2	Bomb Director Equipment; Model AN/ASG-10 Airborne, Installation Spec for	Cancelled
EI-154-1	VF Aircraft Radio System No. 1 Installation Spec for	Cancelled
EI-155	Installation Spec for VF Aircraft Radio System No. 11	Cancelled
EI-156-1	Installation Spec for VF Aircraft Radio System No. 14	Cancelled
EI-157	VF Aircraft Radio System No. 1	Cancelled
EI-159	Radar Sets AN/APS-31 Series	Cancelled
EI-161B	Radar Sets AN/APS-33, AN/APS-33A, AN/APS-33C, AN/APS-33D, and AN/APS-33F	Cancelled
EI-163-1	Installation Specification for Model AN/APX-2 for Single Place Aircraft with Console	Cancelled
EI-164	Model AN/APX-13 Airborne IFF Equipment Installation Specification	Cancelled
EI-165a	Installation Spec for AN/APA-5A Airborne Radar Bombing Equipment	Cancelled
EI-166	Radar Identification Set AN/APX-6 Installation Spec for	Cancelled
EI-168	Installation Specification Model AN/ARW-35 Airborne Radio Equipment	Cancelled
WI-169-2	Installation Specification for Bomb Director Mark 1 Mod 2, AN/ASG-10A Airborne Installation	Cancelled
EI-170	Installation Specification Model AN/ART-22 Airborne Relay Transmitter Equipment	Cancelled
EI-171	Installation Spec Model AN/APX-1B Airborne IFF Equipment	Cancelled

Source: https://assist.dla.mil -- Downloaded: 202610-26T14:03Z
Check the source to verify that this is the currentversion before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
EI-172	Installation Spec Model AN/APX-2B Airborne IFF Equipment	Cancelled
EI-174	Installation Specification VTB-VSB System No. 11 Airborne Radio Equipment	Cancelled
EI-177-1	Installation Specification for VF System No. 16 Airborne Radio Equipment	Cancelled
EI-178	Installation Spec Model AN/APN-9 Equipment	Cancelled
EI-179	Installation Spec Model AN/APN-4 Airborne Loran Equipment	Cancelled
EI-180	Installation Specification Model AN/APS-4A Airborne Radar Equipment	Cancelled
EI-181	Airborne Radar Equipment AN/APS-19, Installation Instruction	Cancelled
EI-182	Installation Spec Soldering and Waterproofing of Electrical Connectors	Cancelled
EI-184	Installation Specification VTB-VSB Aircraft Radio System No. 13	Cancelled
EI-185	Installation Specification VF Aircraft Radio System No. 18	Cancelled
EI-186	Installation Specification VF Aircraft Radio System No. 27	Cancelled
EI-187	Installation Specification VTB-VSB Aircraft Radio System No. 12	Cancelled
EI-188	Installation Specification for VTB-VSB Aircraft Radio System No. 16	Cancelled
EI-198a	Installation Spec for Altitude Injection Assy. AN/APA-61	Cancelled
EI-199-3	AN/APA-64 Pulse Analyzer	Cancelled
EI-200A	Installation & Test of Electronic Equipment in Aircraft, Gen Spec	Cancelled
EI-201C	Receiving Set, Countermeasures AN/ALR-8, Installation Instruction	Cancelled, Use EI-209
EI-202	Model AN/AKT-5A Airborne Telemetering Equipment	Cancelled
EI-204	Radar Receiving Equipment, AN/APR-4, Instalaltion Instruction	Cancelled
EI-205	Installation Specificaton for Homing Equipment AN/APA-70	Cancelled
EI-206-2	Radio Transmitting Set, AN/ART-26, Installation Instruction	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
EI-207-1	Control Panels, Electrical and Electronic Equipment Rack or console Mounted, Installation of	Cancelled
EI-210A	Radar Set AN/APQ-30A, Installation Instruction	Cancelled
EI-211-2	Radio Receiving Sets AN/ARR-27 & AN/ARR-27A	Cancelled
EI-212C	Detecting Set AN/ASQ-8 & AN/ASQ-8A, Installation Instruction	Cancelled
EI-213	Detecting Set; AN/ASQ-8 Installation in Lighter-then-Air Aircraft	Cancelled
EI-214	Ground Position Indicatros AN/APA-57 and APA-57A; Installation of	Cancelled
EI-215	Radar Indicator Group AN/APA-81	Cancelled
EI-216B	Radio Set AN/ARC-27 and AN/ARC-27A, Installation Instructions	BASE SPEC MIL-R-5068 Cancelled
EI-217-2	Sonar Sets, AN/AQS-4A & AN/AQS-4B, Installation Instruction	Cancelled
EI-218-1	Direction Finder Group AN/ARA-25 Installation of	Superseded by EI-236
EI-219	Homing Equipment AN/APA-70B and AN/APA-70C Installation of	Cancelled
EI-220	Receiving Sets, Radio AN/ARR-26, and AN/ARR-26A, Installation of	Cancelled
EI-221-1	Radio Set AN/ABC-2	Cancelled
EI-222A	Radar Beacons AN/DPN-17, AN/DPN-17A and AN/DPN-25	Cancelled
EI-223B-1	Radar Set AN/APN-22, Installation Instruction	BASE SPEC MIL-C-18054 Cancelled
EI-224B	Radio Set AN/ARN-21 and AN/ARN-21A	Cancelled
EI-225	Radio Transmitting Set, AN/ART-28 Installation of	Cancelled
EI-226	Radar Receiving Set AN/APR-12	Cancelled
EI-227-1	Radar Set AN/APS-44 and AN/APS-44A	Cancelled
EI-229-2	Sonar Set AN/AQS-2 Installation of	Cancelled
EI-230-2	Radar Set AN/APS-42, AN/APS-42A and AN/APS-42B	Cancelled
EI-231B	Radar Set AN/APS-45 Installation of	Cancelled
EI-232-1	Ground Position Indicators AN/APA-57B and AN/APA-57C Installation of	Cancelled
EI-233	Radar Set AN/APQ-41	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
EI-234	Radar Identification Set AN/APX-6B Installation Specification for	Cancelled
EI-235	Recorder-Reproducer Set, AN/ANQ-4, Installation of	Cancelled
EI-237A	Radar Set; AN/APS-20E Installation of	Cancelled
EI-238	AM-40A/AIC Amplifier Installation of	Cancelled
EI-240-1	Radio Receiving Set AN/ARN-18 Installation of	Cancelled
EI-241-1	Signal Analyzer Group AN/APA-74, Installation Instruction	BASE SPEC MIL-A-7994 Cancelled
EI-245	Coder Group AN/APA-89	Cancelled
EI-246	Oscilloscope AN/USM-25	Cancelled
EI-247-1	Intercommunication Set AN/AIC-5B Installation of	Cancelled
EI-250A	Dispenser, Chaff, MX900A/A, MC-900b/A and Dispenser Control C-907A Installation of	Cancelled
EI-251A	Radar Set AN/APS-38A	Cancelled
EI-252	Radio Compass AN/ARN-6	Cancelled
EI-254	Control-Monitor Group AN/ALA-8 Installation of	Cancelled
EI-255	Radar Set AN/APQ-43	Cancelled
EI-256	Indicator Assembly, AN/APA-56 Installation of	Cancelled
EI-257	Radar Set AN/APS-57	Cancelled
EI-259A	Searchlight Sets AN/AVQ-2A and AN/AVQ-2C, Installation Instruction	BASE SPEC MIL-S-8577 Cancelled
EI-262	Radar Set AN/APS-20C Installation of	Cancelled
EI-264	Radar Set AN/APQ-51 Installation Instructions	Cancelled
EI-265A	Radio Receiving Set AN/ARR-41 Installation of	Cancelled
EI-266A-1	Radar Set AN/ARC-38, Installation Instruction	BASE SPEC MIL-R-18173 Cancelled
EI-268	Indicator Group AN/APA-91B	Cancelled
EI-270	Power Supply PP-1063/DPN	Cancelled
EI-272	Radar Set AN/APS-37	Cancelled
EI-273	Indicator Group AN/APA-88	Cancelled
EI-274A-1	Installation Instructions for Automatic Chaff Dispenser Set AN/ALQ-2	Cancelled
EI-275	Radio Set AN/ARC-48	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
EI-172	Installation Spec Model AN/APX-2B Airborne IFF Equipment	Cancelled
EI-174	Installation Specification VTB-VSB System No. 11 Airborne Radio Equipment	Cancelled
EI-177-1	Installation Specification for VF System No. 16 Airborne Radio Equipment	Cancelled
EI-178	Installation Spec Model AN/APN-9 Equipment	Cancelled
EI-179	Installation Spec Model AN/APN-4 Airborne Loran Equipment	Cancelled
EI-180	Installation Specification Model AN/APS-4A Airborne Radar Equipment	Cancelled
EI-181	Airborne Radar Equipment AN/APS-19, Installation Instruction	Cancelled
EI-182	Installation Spec Soldering and Waterproofing of Electrical Connectors	Cancelled
EI-184	Installation Specification VTB-VSB Aircraft Radio System No. 13	Cancelled
EI-185	Installation Specification VF Aircraft Radio System No. 18	Cancelled
EI-186	Installation Specification VF Aircraft Radio System No. 27	Cancelled
EI-187	Installation Specification VTB-VSB Aircraft Radio System No. 12	Cancelled
EI-188	Installation Specification for VTB-VSB Aircraft Radio System No. 16	Cancelled
EI-198a	Installation Spec for Altitude Injection Assy. AN/APA-61	Cancelled
EI-199-3	AN/APA-64 Pulse Analyzer	Cancelled
EI-200A	Installation & Test of Electronic Equipment in Aircraft, Gen Spec	Cancelled
EI-201C	Receiving Set, Countermeasures AN/ALR-8, Installation Instruction	Cancelled, Use EI-209
EI-202	Model AN/AKT-5A Airborne Telemetering Equipment	Cancelled
EI-204	Radar Receiving Equipment, AN/APR-4, Instalaltion Instruction	Cancelled
EI-205	Installation Specificaton for Homing Equipment AN/APA-70	Cancelled
EI-206-2	Radio Transmitting Set, AN/ART-26, Installation Instruction	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
EI-207-1	Control Panels, Electrical and Electronic Equipment Rack or console Mounted, Installation of	Cancelled
EI-210A	Radar Set AN/APQ-30A, Installation Instruction	Cancelled
EI-211-2	Radio Receiving Sets AN/ARR-27 & AN/ARR-27A	Cancelled
EI-212C	Detecting Set AN/ASQ-8 & AN/ASQ-8A, Installation Instruction	Cancelled
EI-213	Detecting Set; AN/ASQ-8 Installation in Lighter-then-Air Aircraft	Cancelled
EI-214	Ground Position Indicatros AN/APA-57 and APA-57A; Installation of	Cancelled
EI-215	Radar Indicator Group AN/APA-81	Cancelled
EI-216B	Radio Set AN/ARC-27 and AN/ARC-27A, Installation Instructions	BASE SPEC MIL-R-5068 Cancelled
EI-217-2	Sonar Sets, AN/AQS-4A & AN/AQS-4B, Installation Instruction	Cancelled
EI-218-1	Direction Finder Group AN/ARA-25 Installation of	Superseded by EI-236
EI-219	Homing Equipment AN/APA-70B and AN/APA-70C Installation of	Cancelled
EI-220	Receiving Sets, Radio AN/ARR-26, and AN/ARR-26A, Installation of	Cancelled
EI-221-1	Radio Set AN/ABC-2	Cancelled
EI-222A	Radar Beacons AN/DPN-17, AN/DPN-17A and AN/DPN-25	Cancelled
EI-223B-1	Radar Set AN/APN-22, Installation Instruction	BASE SPEC MIL-C-18054 Cancelled
EI-224B	Radio Set AN/ARN-21 and AN/ARN-21A	Cancelled
EI-225	Radio Transmitting Set, AN/ART-28 Installation of	Cancelled
EI-226	Radar Receiving Set AN/APR-12	Cancelled
EI-227-1	Radar Set AN/APS-44 and AN/APS-44A	Cancelled
EI-229-2	Sonar Set AN/AQS-2 Installation of	Cancelled
EI-230-2	Radar Set AN/APS-42, AN/APS-42A and AN/APS-42B	Cancelled
EI-231B	Radar Set AN/APS-45 Installation of	Cancelled
EI-232-1	Ground Position Indicators AN/APA-57B and AN/APA-57C Installation of	Cancelled
EI-233	Radar Set AN/APQ-41	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
EI-234	Radar Identification Set AN/APX-6B Installation Specification for	Cancelled
EI-235	Recorder-Reproducer Set, AN/ANQ-4, Installation of	Cancelled
EI-237A	Radar Set; AN/APS-20E Installation of	Cancelled
EI-238	AM-40A/AIC Amplifier Installation of	Cancelled
EI-240-1	Radio Receiving Set AN/ARN-18 Installation of	Cancelled
EI-241-1	Signal Analyzer Group AN/APA-74, Installation Instruction	BASE SPEC MIL-A-7994 Cancelled
EI-245	Coder Group AN/APA-89	Cancelled
EI-246	Oscilloscope AN/USM-25	Cancelled
EI-247-1	Intercommunication Set AN/AIC-5B Installation of	Cancelled
EI-250A	Dispenser, Chaff, MX900A/A, MC-900b/A and Dispenser Control C-907A Installation of	Cancelled
EI-251A	Radar Set AN/APS-38A	Cancelled
EI-252	Radio Compass AN/ARN-6	Cancelled
EI-254	Control-Monitor Group AN/ALA-8 Installation of	Cancelled
EI-255	Radar Set AN/APQ-43	Cancelled
EI-256	Indicator Assembly, AN/APA-56 Installation of	Cancelled
EI-257	Radar Set AN/APS-57	Cancelled
EI-259A	Searchlight Sets AN/AVQ-2A and AN/AVQ-2C, Installation Instruction	BASE SPEC MIL-S-8577 Cancelled
EI-262	Radar Set AN/APS-20C Installation of	Cancelled
EI-264	Radar Set AN/APQ-51 Installation Instructions	Cancelled
EI-265A	Radio Receiving Set AN/ARR-41 Installation of	Cancelled
EI-266A-1	Radar Set AN/ARC-38, Installation Instruction	BASE SPEC MIL-R-18173 Cancelled
EI-268	Indicator Group AN/APA-91B	Cancelled
EI-270	Power Supply PP-1063/DPN	Cancelled
EI-272	Radar Set AN/APS-37	Cancelled
EI-273	Indicator Group AN/APA-88	Cancelled
EI-274A-1	Installation Instructions for Automatic Chaff Dispenser Set AN/ALQ-2	Cancelled
EI-275	Radio Set AN/ARC-48	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
EI-276	Pulse Analyzer Group AN/ALA-3 Installation of	Cancelled
EI-278	Radar Set AN/APS-33B	Cancelled
EI-279	Indicator Group AN/ARA-38	Cancelled
C EI-280A	Installation Instructions for Receiving Set, Countermeasures AN/ALR-3	Cancelled
EI-282	Radar Set AN/APG-51A and AN/APG-51B	Cancelled
EI-283	Radio Receiving Set AN/ARN-41 Electronics Installation Instructions for	Cancelled
EI-284A	Countermeasures Transmitting Set AN/ALT-2	Cancelled
EI-286	Test Set Radar AN/UPM-44B	Cancelled
EI-291B	Indicator Group AN/AQA-1 Installation Instructions for	Cancelled
EI-294A	Magnetic Detecting Set AN/ASQ-10, Installation Instruction	BASE SPEC MIL-D-19142 Cancelled
EI-295	Radio Receiving Set AN/ARN-41 Installation Instructions	Cancelled
EI-296	Radio Transmitting Set AN/FRW-2	Cancelled
C EI-298	Radio Receiving Set AN/ARW-56, Audio Decoder KY-52/ARW and Antenna AT-335/ARW	Cancelled
C EI-299	Radio Receiving Set AN/ARW-59, Audio Decoder KY-55/ARW & Antenna AT-335/ARW	Cancelled
EI-302	Radar Set AN/APQ-50 and Associated Component (Aero 13 Armament Control System)	Cancelled
EI-303	Radar Set AN/UPM-32	Cancelled
EI-304	Installation Instructions for Recorder Set, Sound AN/UNH-6	Cancelled
EI-308	Radio Set AN/ARC-39	Cancelled
EI-309	Sonar Set AN/AQS-4D, Installation Instruction	Cancelled
EI-313-2	Armament Control Systems Aero 27A, Aero 27B, and Aircraft Fire Control System AN/AWG-3, Installation Instructions	Cancelled
EI-314	Detecting Set, Submarive AN/ASR-3, Installation Instructions	Cancelled
EI-316A	Indicator Group AN/AQA-3A, Installation Instructions	Cancelled
EI-318	Radio Set AN/ARC-44	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
C EI-320	Receiving Set, Countermeasures AN/ALQ-28, Installation Instructions	BASE SPEC MIL-R-22022 Cancelled
EI-322	Tactical Display Plotting Board PT-429/A Installation Instruction	Cancelled
EI-323	Dispenser Set, Depth Charge A/A37U-1, Installation Instruction	Cancelled
EI-326	Radio Receiving Set AN/ARR-58	Cancelled
EI-331	Countermeasures Set AN/ALQ-19, Installation Instruction	Cancelled
EI-336	Radar Set AN/APG-56, Installation Instruction	Cancelled
EI-337-2	Radar Navigation Set AN/APN-122(V), Installation Instruction	BASE SPEC MIL-R-21268 Cancelled
EI-338	Radar Set AN/APN-117, Installation Instruction	Cancelled
EI-346	Data Display Group, AN/ASA-25	Cancelled
EI-350A	Radar Set AN/APQ-838(U)	Cancelled
EI-354	Integrated Electronic Central AN/ASQ-17 and AN/ASQ-17B, Installation Instruction	Cancelled
C EI-358	Countermeasures Set AN/ALQ-41, Installation Instructions	BASE SPEC MIL-C-22516 Cancelled
EI-366	Countermeasures Set AN/ALQ-35, Installation Instructions	BASE SPEC MIL-C-22510 Cancelled
EI-375	Indicator Group AN/AQA-4(V), Installation Instructions	Cancelled
EI-378	Countermeasures Set AN/ALQ-51, Installation Instructions	BASE SPEC MIL-C-22370 Cancelled
EI-391A	Indicator Group AN/AQA-5(U)	Cancelled
EI-392A	Transmitting Set, Countermeasures AN/ALT-21A	Cancelled
EI-441	Computer Set, Navigational AN/AYK-2; Installation Instruction	Cancelled
EI-501b-3	Installation Specificaton for AN/APX-2	Cancelled
EI-502	Installation Spec for AN/APX-1 IFF Equipment	Cancelled
EI-538	Converter, Air Data CV-2255/ASQ-104; Installation Instruction	Cancelled
EI-539	Navigational Set, Electronic AN/APN-172; Installation Instruction	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
EI-540	Converter, Synchro to Digital, CV-2253/ASQ-104; Installation Instruction	Cancelled
EI-541	Converter, Digital to Synchro, CV-2252/ASQ-104; Installation Instruction	Cancelled
EI-543	Controller, Bearing-Distance-Heading Indicator C-7165/ASQ-104; Installation Instruction	Cancelled
EI-544	Plotter, Map Display PT-500A/ASQ-104; Installation Instruction	Cancelled
EI-545	Attitude Heading Reference System AN/ASN-73; Installation Instruction	Cancelled
EI-546	Computer Set, Navigation AN/ASN-78	Cancelled
EI-547	Attitude Gyroscope Control Assemblies A/A24G-27 and A/A24G-27A; Installation Instruction	Cancelled
ET-104	Model AN/APA-6A Airborne Pulse Analyzer	Cancelled
ET-105a	Radar Assembly, AN/APA-16, Test Specification for	Superseded by MIL-R-18984(Aer)
ET-107B	Radar Assembly, AN/APA-5A, Test Specification for	Cancelled
ET-108	Model AN/APS-4 Airborne Radar Installations, Test Specification for	Cancelled
ET-109-1	Model AN/ARC-5 Airborne LF, MF, MF Transmitting Equipment Installations	Cancelled
ET-112	AS-242/A Direction Finding Antenna System	Cancelled
ET-113a	Model AN/APS-33 Airborne Radar Equipment Flight and Flight Test of	Superseded by ET-161
ET-114	Model AN/APN-9 Equipment	Cancelled
ET-115a	Model AM-40/AIC Airborne Interphone Amplifier	Cancelled
ET-116A	Radar Set, AN/APS-19A, Test Specification for	Cancelled
ET-118	AN/AIA-2A Interphone Radio Control Assembly	Cancelled
ET-120	Models AN/APX-1 & AN/APX-1A Aircraft IFF Installations	Cancelled
ET-121A-1	Model AN/APN-4 Equipment	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

" proprietary technical information that might be disclosed herein "

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
ET-122b-2	Radio Set, AN/ARC-1 and AN/ARC-1A, Test Specification for	Cancelled
ET-125	AN/APA-17 Radar of Equipment Test Specification for	Cancelled
ET-126-1	AN/APR-5A Receiving Equipment	Cancelled
ET-127	Model AN/ARR-5 Airborne Receiving Equipment	Cancelled
ET-132	Model AN/ARW-17 Airborne Control Equipment	Cancelled
ET-134-2	Model AN/ARC-5 Airborne, LF, MF, HF Radio Receiving Equipment Installations	Cancelled
ET-139A	Radio Model AN/APN-1, AN/APN-1B, and AN/APN-1X, Test Instructions for	Cancelled
ET-140	Model AN/ASQ-1 Airborne Detection Installation	Cancelled
ET-142	Model AN/ASQ-10A Installation	Cancelled
ET-143-1	Models AN/APX-2 and AN/APX-2A Aircraft IFF Installations	Cancelled
ET-144-1	Model AN/ART-13 (ATC) Airborne, LF, MF, HF	Cancelled
ET-145	Radar Sets AN/APS-31, AN/APS-31A, AN/APS-31B and An/APS-31C, Test Instruction	BASE SPEC MIL-R-6103 Cancelled
ET-146-1	Model AN/ARC-2 Airborne Communication Equipment	Cancelled
ET-147	AN/ARC-28 VHF Radio Relay Equipment	Cancelled
ET-148A	Test Specification for Radio Receivers AN/ARR-15 and AN/ARR-15A Bench, Preflight and Flight Test og	Cancelled
ET-149	Test Spec for Altitude Injection Assembly, AN/APA-61	Cancelled
ET-150	Test Specification for Radar Set AN/APX-13A	Cancelled
ET-151a	Radio Transmitting Set, AN/ART-26 Test Spec for	Cancelled
ET-152	Radar Set AN/APS-19A, Test Specification for	Cancelled
ET-154-2	Radar Identification Set, AN/ART-26 Bench, Preflight and Flight Test of	Cancelled
ET-155	Ground Position Indicators, AN/APA-57, AN/APA-57A Bench, Preflight and Flight Test of	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	ET-157	Position Deviation Indicator ID-378/ASQ-8; Bench, Pre-Flight, & Flight Test Intructions	Cancelled
	ET-158	Radio Sets AN/ARC-27 and AN/ARC-27A Bench, Preflight and Flight Test of	Cancelled
	ET-159	Sonar Sets; AN/AQS-4a, AN/AQS-4B, Bench, Preflight and Flight Test of	Cancelled
C	ET-160	Homing Equipment: Radar AN/APA-70A, AN/APA-70B and AN/APA-70C	Cancelled
	ET-161	Receiving Set, Radio, AN/ARR-26 Bench, PReflight and Flight Test of	Superseded by ET-220
	ET-164	Radio Transmitting Set, AN/ART-28 Bench, Preflight and Flight Test of	Superseded by ET-225
	ET-212B	Detecting Set AN/ASQ-8 & AN/ASQ-8A, Preflight and Flight Test Instructions	Cancelled
	ET-220A	Receiving Set, Radio, AN/ARR-26 and AN/ARR-26A Bench, Preflight and Flight Test of	Cancelled
	ET-222	Radar Beacons AN/DPN-17, AN/DPN-17A and AN/DPN-25, Bench, Preflight and Flight Test Instructions	Cancelled
	ET-223A-3	Radar Set AN/APN-22, Bench, Preflight and Flight Test	BASE SPEC MIL-C-18054 Cancelled
	ET-224A	Radio Set AN/ARN-21(); Bench, Preflight and Test Instruction	Cancelled
	ET-225	Radio Transmitting Set, AN/ART-28 Bench, Preflight and Flight Test of	Cancelled
C	ET-227	Radar Set AN/APS-44B, Bench, Preflight and Preflight Test	BASE SPEC MIL-R-7165 Cancelled
C	ET-229A-1	Sonar Set AN/AQS-2 Bench, Preflight and Flight Test	BASE SPEC MIL-S-7900 Cancelled
C	ET-231A	Bench, Preflight and Flight Test Instructions for Radio Set AN/APS-45A	Cancelled
	ET-232	Ground Position Indicators AN/APA-57, AN/APA-57A, AN/APA-57B, AN/APA-57C Bench, Preflight and Flight Test of	Cancelled
	ET-233	Radar Set AN/APQ-41	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

	DRAWING NUMBER	TITLE	REMARKS
	ET-234-2	Radar Identification Set AN/APX-6B Bench, Preflight and Flight Test of	Cancelled
	ET-235	Recorder-Reproducer Set AN/ANQ-4 ench, Preflight and Flight Test of	Cancelled
	ET-237A	Radar Set AN/APS-20E Bench, Preflight and Flight Test of	
	ET-240	Radio Receiving Set AN/ARN-18 Bench, Preflight and Flight Test of	Cancelled
C	ET-241	Signal Analyzer Equipment AN/APA-74 Bench, Preflight and Flight Test of	Cancelled
	ET-247	Intercommunication Sets AN/AIC-5A an AN/AIC-5B Bench, Preflight and Flight Test of	Cancelled
C	ET-250	Chaff Dispenser MX-900A, MX-900A/A MX-900B/A Bench, Preflight and Flight Instructions for	Cancelled
	ET-251A	Radar Set AN/APS-38A	Cancelled
	ET-256A	Indicator Assembly, AN/APA-56B Bench, Preflight and Flight Test of	Cancelled
	ET-258	Marker Beacon Receiving Set AN/ARC-12 Bench, Preflight and Flight Test of	Cancelled
	ET-260	Antenna Group, OA-492/APS-20B	
	ET-262	Radar Set AN/APS-20C Bench, Preflight and Flight Test of	Cancelled
	ET-263	Radio Receiving Set AN/ARN-30 Bench, Preflight and Flight Test of	Cancelled
C	ET-264-1	Radar Set AN/APQ-51 Bench, Preflight and Flight Test	BASE SPEC MIL-R-18126 Cancelled
	ET-265	Radio Receiving Set AN/ARR-41 Bench, Preflight and Flight Test Instructions for	Cancelled
	ET-266B	Bench, Preflight and Flight Test Instructions for Radio Set AN/ARC-38	Cancelled
	ET-268	Indicator Group AN/APA-91B	Cancelled
	ET-269-1	Bench, Preflight and Flight Test Instructions for Radio Set AN/ARC-38	Cancelled
	ET-270	Power Supply PP-1063/DPN	Cancelled
	ET-272	Radar Set AN/APS-37	Cancelled
C	ET-274A-1	Electronics Bench Preflight and Flight Test Instructions for Automatic Chaff Dispenser Set AN/ALQ-2	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
ET-275	Radio Set AN/ARC-48, Bench, Preflight and Flight Test Instructions for	Cancelled
C ET-276	Pulse Analyzer Group AN/ALA-3A Bench Preflight and Flight Test Instructions for	Cancelled
ET-278	Radar Set AN/APS-33B	Cancelled
C ET-280A	Electronics Bench, Preflight, Flight Test Instructions for Receiving Set, Countermeasures AN/ALR-3	Cancelled
ET-284A	C/M Transmitting Set AN/ALT-2	Cancelled
ET-291	Indicator Group AN/AQA-1	Cancelled
ET-294A	Detecting Set, Magnetic AN/ASQ-10, Bench Preflight and Flight Test	BASE SPEC MIL-D-19142 Cancelled
ET-295	AN/ARN-41 and AN/ARN-41A Radio Receiving Set, Bench Preflight and Flight Test Instructions	Cancelled
C ET-298	Radio Receiving Set AN/ARW-56, Audio Decoder KY-52/ARW- & Antenna AT-335/ARW Bench, Preflight and Flight Test Instructions for	Cancelld
C ET-299	Radio Receiving Set AN/ARW-59, Audio Decoder KY-55/ARW, & Antenna AT-335/ARW Bench, Preflight Test Instruction	Cancelled
ET-302	Armament Control System Aero 13	Cancelled
ET-303	Radar Test Set AN/UPM-32	Cancelled
ET-308	Bench Preflight Test Instructions for Radio Set	Cancelled
ET-309	Sonar Set AN/AQS-4-D, Bench, Preflight and Flight Test Instructions	Cancelled
ET-313	Armament Control Systems and Aircraft Fire Control System AN/AWG-3, Bench Preflight & Flight Test Instructions	Cancelled
ET-314	Detecting Set, Submarine AN/ASR-3, Bench, Preflight & Flight Test Instructions	Cancelled
ET-316A	Indicaotr Group AN/AQA-3, Bench, Preflight & Flight Test Instructions	Cancelled
ET-318	Bench, Preflight & Flight Test Instructions for Radio Set AN/ARC-44	Cancelled
C ET-320A	Receiving Set, Countermeasures AN/ALQ-28, Bench, Preflight	BASE SPEC MIL-R-22022 Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
ET-322	Tactical Display Plotting Board PT-429/A Bench, Preflight and light Test Instruction	Cancelled
ET-323	Depth Charge Dispenser Set A/A37U-1 Bench, Preflight & Flight Test Instructions	Cancelled
ET-326	Radio Receiving Set AN/ARR-58	Cancelled
ET-331	Countermeasure Set AN.ALW-19, Bench, Pre-flight & Flight Test Instructions	Cancelled
ET-332	Navigational Computer Group AN/ASA-13A, Bench, Preflight & Flight Test	BASE SPEC MIL-C-18191 Cancelled
ET-336	Radar Set AN/APG-56	Cancelled
ET-337-1	Navigation Set, Radar AN/APN-122(V), Bench, Preflight & Flight Test	BASE SPEC MIL-R-21268 Cancelled
ET-338	Radar Set AN/APN-117, Bench Preflight & Flgith Test Instructions	Cancelled
ET-340	Compass, Directional Reference System, Magnetic Slaved, Directional Gyro, Roll Stabilized, 3°/HR, Type MF-1	Cancelled
ET-346	Data Display Group AN/ASA-25	Cancelled
ET-350A-1	Radar Set AN/APQ-83A	Cancelled
C ET-357	Countermeasures Set AN/ALQ-32A and AN/ALQ-32B, Bench, Preflight and Flight Test	BASE SPEC MIL-C-21148 Cancelled
ET-363	Automatic Navigation System for Fixed Wing Type Aircraft	Cancelled
C ET-366	Countermeasures Set AN/ALQ-35, Bench Preflight and Flight Test	BASE SPEC MIL-C-22510 Cancelled
ET-375	Indicator Group, AN/AQA 4(V)	Cancelled
C ET-384	Countermeasures Set AN/ALQ-23, Bench, Preflight and Flight Test	BASE SPEC MIL-C-22213 Cancelled
ET-391A-1	Indicator Group, AN/AQA-5(U)	Cancelled
ET-397	Radio Set AN/ARC-88 Bench, Preflight and Flight Test	BASE SPEC MIL-R-22930 Cancelled
ET-400	Transmitting Set, Countermeasures AN/ALT-19(V)	Cancelled
C ET-402	Detecting Set Infrared AN/AAS-15, Bench, Preflight & Flight Test	BASE SPEC MIL-D-22897 Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
C ET-411	Detecting-Ranging Set, Sonar AN/AQS-10, Bench, Preflight & Flight Test	BASE SPEC MIL-D-21490 Cancelled
C ET-426	Digital Data Communications Set AN/ASW-21, Flight Test Instruction	BASE SPEC MIL-D-23456 Cancelled
ET-435	Transmitting Set, Radio AN/URW-14A Bench, Preflight & Flight Test Instructions	Cancelled
ET-441A	Navigational Computer Set AN/AYK-2; Bench, Preflight & Flight Test Instructions	Cancelled
ET-538	Converter, Air Data CV-2255/ASQ-105 Bench, Preflight and Flight Test Instructions	Cancelled
ET-539	Navigation Set, Electronic AN/APN-172; Bench, Preflight & Flight Test Instructions	Cancelled
ET-540	Converter, Synchro to Digital CV-2253/ASQ-104; Bench, Preflight and Flight Test Instructions	Cancelled
ET-541	Converter, Digital to Synchro CV-2254/ASQ-104; Bench, Preflight and Flight Test Instructions	Cancelled
ET-543	Controller, Bearing Distance Heading Indicator C-7165/ASQ-104; Bench, Peflight and Flight Test Instructions	Cancelled
ET-544	Plotter, Map Display PT-500A/ASQ-104; Bench, Preflight & Test Instructions	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
ANA-104e	Varnish, Spar, Gylercyl Phthalate	Cancelled
ANA-BUL-107A	Inspection Standards For Standard Dissection Tested Self-Sealing Fuel And Oil Cells	Cancelled, Use MIL-STD-801
ANA-112B	Acceptance Standards For Self-Sealing Fuel and Oil Cells	Cancelled
ANA-125b	Procedure for Obtaining Qualification Test Approval of Protective Coating Materials for Aircraft	Cancelled
ANA-143C	Specifications and Standards; Use of	Cancelled Superseded by MIL-STD-143
ANA-146	Transformers; Series Multiple (Subway-With Detachable Couplings)	Cancelled
ANA-147af	Specifications and Standards of Non-Government Organizations Released for Flight Vehicle Construction	Superseded by Military Bulletin 147
ANA-148b	Enamel; Aircraft Gloss	Superseded by QPL-7729
ANA-151	Grease, High Temperatire Lubricating	Superseded by QPL-3545-3
ANA-Bulletin 152	Serial, Aircraft, Engine Instructions Numbers; for Assignment	Superseded by MIL-STD-1559
ANA-157e	Colors, List of Standard Aircraft Camouflage	Cancelled Use FED-STD-595
ANA-159	Nuts; Self Locking 250°F	Cancelled
ANA-164	Lubricants, Hydraulic Fluids and Corrosion Inibitors for Aircraft, Qualifying Procedure for	Cancelled
ANA-165	Light Assemblies, Electrically Retractable Landing	Superseded by QPL-8346-1
ANA-166e	Colors, List of Standard Aircraft Glossary	Cancelled Use FED-STD-595
ANA-167	Grease, Low Temperature, Electrically Retractable Landing	Superseded by QPL-8346-1
ANA-168	Bolts, An Aeronautical Standard Drawing for	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
ANA-171	Luminescent Material, Fluorescent	Superseded by QPL-25142-1
ANA-BUL-172	Identification: Nylon Cord Manufacturer's Color Code	Cancelled, Use MIL-BUL-172
ANA-173	Dehydraring Agent (Activated)	Superseded by QPL-3464-6 and QPL-3716-2
ANA-177a	Pumps, 200GPH Power Driven Fuel	Cancelled
ANA-178a	Pumps, 400GPH Power Driven Fuel	Cancelled
ANA-179g	Pumps, 700GPH Power Driven Fuel	Cancelled
ANA-182C	Material Changes and Substitutions; Aircraft Engine Parts (Production Contracts)	Cancelled
ANA-185	Batteries, Shielded Storage	Cancelled
ANA-186	Valves, Oil Dilution and Separated Mounted Priming Solenoid	Cancelled
ANA-190	Indicators, Oxygen Flow	Cancelled
ANA-192p	Coding, Parachute, Hardware Manufacturers	Cancelled Use MIL-H-7195
ANA-195f	Coding: Nylon Parachute Cloth Manufacturer's Color	Cancelled Superseded by MIL-STD-851(ASG)
ANA-197a	Switches, Shielded Ignition	Superseded by QPL-6746-1
ANA-199k	Compound; Soft-Film-Corrosion Preventative	Superseded by QPL-11796 and QPL-16173
ANA-200	Searling; Sheep	Cancelled
ANA-201b	Voltmeters; 0-150 Volt 400 Cycle Alternating Current	Superseded by QPL-6753-1
ANA-202d	Valves; Low Pressure Oxygen Check	Superseded by QPL-7908-1
ANA-207b	Pumps; 2 G.P.H. Fluids Metering	Superseded by QPL-5453
ANA-211	Gage Units; Engine (With Capiliary Thermometer)	Cancelled
ANA-212b	Gage Units; Engine (With Electric Thermometer)	Cancelled
ANA-214	Pumps, Air Position Indicator	Cancelled
ANA-216c	Cabinet and Relay Assembly: Runway Selector	Superseded by QPL-7177-1

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
ANA-217	Panelboard; Eight Circuit Distribution	Cancelled
ANA-218	Truck, Four Floodlight Field Lighting	Cancelled
ANA-220c	Regulator Assembly, Brightness Control	Cancelled
ANA-228	Lamp Assembly; Four Unit Mobile Floodlight	Cancelled
ANA-229	Tubes; Power Venturi	Cancelled
ANA-230	Truck, Field Lighting, Six Floodlight	Cancelled
ANA-231	Indicator, Engine Synchroscope	Cancelled
ANA-234	Transmitters; Gyro Flux Gate Compass	Cancelled
ANA-235	Amplifiers; Gyro Flux Gate Compass	Cancelled
ANA-236	Motors; Caging (For Gyro Flux Gate Compass)	Cancelled
ANA-237	Switch Boxes; Caging (For Gyro Flux Gate Compass)	Cancelled
ANA-238	Indicator; Gyro Flux Gate Compass Master	Cancelled
ANA-239	Controllers; Air Position Indicators	Cancelled
ANA-240	Amplifiers; Air Position Indicators	Cancelled
ANA-241	Computers; Air Position Indicators	Cancelled
ANA-244a	Valves; Air Vacuum Regulating (Throttling)	Cancelled
ANA-245t	Certified X-Ray Laboratories	Cancelled
ANA-249b	Strainers; Fuel System	Cancelled
ANA-250a	Lamp Assembly; Runway Marker, (For Snow Areas)	Cancelled
ANA-252a	Film; Aerial Photographic	Cancelled
ANA-261a	Abbreviations and Contractions	Superseded by MIL-STD-783
ANA-262d-2	Code Symbols; Manufacturer's	Cancelled
ANA-268t	Fitting Assembly; Low Pressure, Detachable, Swivel Hose	Cancelled Use QPL-38726
ANA-269	Power Plant; Electric Direct Current 3 Kilowatt 110 Volts	Cancelled
ANA-270	Power Plant; Electric Direct Current 500 Watt 100 Volt Portable	Cancelled
ANA-273c	Coating; Permanent Resin (For Integral Engine Parts)	Superseded by QPL-3043-1
ANA-275f	Guide for Selection of Lubricants, Fluids and Compounds for use in Flight Vehicles and Components	Cancelled Superseded by MIL-HDBK-275(ASG)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
ANA-277c	Indicators; Electrical Resistance Type Thermometer	Cancelled
ANA-279	Filter Assembly; Fluid Metering Pump	Cancelled
ANA-283	Clocks; 1-7/8 Inch Dial	Cancelled
ANA-287a	Pump Assembly; 5 G.P.H. Fluid Metering Type B	Superseded by QPL-5454
ANA-288	Compasses; Remote Indicating Magnetic	Cancelled
ANA-290b	Gages; Manifold Pressure	Superseded by QPL-5678-1
ANA-293	Flux; Magnesium Alloy Welding	Cancelled
ANA-294b	Indicator, Thermocouple Thermometer	Superseded by QPL-7884-1
ANA-298c	Code Symbols for Hose Manufacturers	Cancelled
ANA-299	Valves; Air Pump Suction Relief	Cancelled
ANA-300	Procedures for Qualification of Plastic Materials for Aircraft	Cancelled
ANA-302b	Preservation and Packaging Card, List for Aeronautical Spares, forms and Instructions	Cancelled use MIL-STD-834
ANA-304g	Jumper, Bonding and Current Return	Cancelled
ANA-306m	Engines, Aircraft Turbine and Jet Designation of	Cancelled use MIL-STD-879
ANA-310b	Compound; Insulating and Sealing Electrical Connections	Superseded by QPL-8660
ANA-317	Tape; Adhesive Sealing (Rubber and Cork Composition)	Cancelled
ANA-318	Compound; Sprayable, Protective Plastic, Stripping	Cancelled
ANA-320a	Valves, Low Pressure Oxygen Filler	Superseded by QPL-7891-1
ANA-321b	Valves, Oxygen Cylinder	Superseded by QPL-9439-1
ANA-325i	Nuts; Self Locking 250°F	Cancelled use MIL-N-25027
ANA-329a	Oil; Lubricating, Aircraft Engine	Superseded by QPL-6082-1
ANA-331b	Cable; Electric, Aluminum, Aircraft	Cancelled
ANA-334	Paint; Temporary Identification	Cancelled
ANA-337b	Status Notes for Air Force-Navy Aeronautical "AN" and Limited Coordination Military "MS" "ASG" "MS (USAF" and MS(Aer) Standards	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
ANA-338a	Gaskets and Sheet Gasket Material; Synthetic Rubber and Cork Composition	Superseded by QPL-6183-1
ANA-343u	Specifications and Standards Applicable to Aircraft Engines and Propellers, Use of	Superseded by MIL-BULL-343
ANA-349e	Shunt; 50 Millivolt, External Ammeter	Cancelled
ANA-352a-1	Engines, Rocket, Liquid Propellant Designation of	Cancelled Use MIL-STD-815
ANA-358a	Cylinders; Nonshatterable CO2 and Oxygen	Superseded by QPL7905-1
ANA-359b	Polish; Aluminum	Superseded by QPL-6888-1
ANA-360a	Hose End Fittings and Hose Assemblies	Cancelled
ANA-369b	Cable; Electric, Sheilded, Low-Tension Aircraft	Cancelled
ANA-370a	Pumps, Power Driven Hydraulic (3000PSI)	Superseded by QPL-7858
ANA-376	Jack-Tip Voltmeter Test	Superseded by QPL-6751
ANA-380	Nipple; Electrical Terminal	Cancelled
ANA-382	Indicators; Airspeed, Pilot Static	Cancelled
ANA-383	Switch; Rotary Selector	Superseded by QPL-6807-1
ANA-385	Integration of AN Aeronautical Specifications into the Military Series	Cancelled
ANA-388i	Inverter; Rotary	Cancelled Superseded by MIL-I-8032
ANA-389	Air Force Navy Aeronautical Bulletin List of Standardized and Approved Ordnance and Chemical and Armament Items	Cancelled
ANA-390a-1	Changes; Engineering to Aircraft	Superseded by ANA-445
ANA-391a-1	Changes; Engineering to Aircraft Engines, Propellers and Equipment in Production and Service	Superseded by ANA-445

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
ANA-394a	Discharge; Static (AN/ASA-3)	Cancelled
ANA-395b	Engines, Aircraft Reciprocating Designation of	Superseded by MIL-STD-1557
ANA-396	Joints; Oxygen Swivel	Superseded by QPL-7773-1
ANA-397c	Gage; Fuel Quantity, Capacitor Type	Cancelled
ANA-400X	Airborne Electronic and Associated Equipment Applicable Documents	Superseded by MIL-BULL-400
ANA-402	Covers; Light Transmitting (For Aeronautical Lights)	Superseded by QPL-7989-1
ANA-BULL-403D	AN and MS Utility Parts Standards For Engine and Propellers; Explanatory Information on	Cancelled
ANA-407	Engines, Aircraft, Turbojet Design and Installation Criteria for	Cancelled
ANA-408	Thickness - Sheet and Strip Metal	Superseded by MIL-STD-204
ANA-410a	Age-Controls for Aeronautical Fuel System Synthetic Rubber	Superseded by ANA-438
ANA-411a	Drawings, Titles, Aeronautical and Related Equipment, Approved Methods for Assignment of	Superseded by MIL-STD-28
ANA-412a	Indicators; Temperature, Electrical Resistance, minus 50° plus 300°C	Superseded by QPL-8505-1
ANA-413	Valves; High Pressure Oxygen Line	Superseded by QPL-8612-1
ANA-414	Receptacle, Plug and Cable Assembly; External Power, 115/200 Volt 3 Phase	Cancelled
ANA-416-2	Parts I and II - Outline of Form and Instructions for the Preparation of Military Aeronautical Documents	Cancelled DSM MS
ANA-419a	"O" Ring Type Packagings, Gaskets, and Seals, Identification of	Cancelled
ANA-421	Atmospheric Properties - Extreme	Cancelled Superseded by MIL-STD-210

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
ANA-422a	Procedures for Standardized Procurement and Utilization of Aeronautical Engine Containers	Cancelled Use MIL-STD-644, MIL-STD-1367 and MIL-P-9024
ANA-423a	Engines; Aircraft, Vendor Substantiation Tests for	Cancelled Future Procurement Under MIL-STD-1529
ANA-424	Designation; Radio and Radar Equipment Interconnecting Cable	Cancelled Future Procurement Under MIL-W-5088
ANA-425	MS Fittings, Classification of Defects of	Superseded by MIL-STD-1655
ANA-427	Age-Controls for Synthetic Rubber Parts	Superseded by ANA-438
ANA-428	Engines, Rocket, Liquid Propellant Design and Installation Criteria for	Cancelled
ANA-430d	Electronic Equipment; Guided Missiles Applicable Documents	Superseded by ANA-400
ANA-432	Atmospheric Properties - Polar and Tropical Atmospheres; Standard for Aeronautical Design	Cancelled Superseded by MIL-STD-210
ANA-433	Overcoating of Standard Drawings	Cancelled
ANA-436	Quality Standards for Aircraft Casings and Tubes	Superseded by MIL-STD-698
ANA-BUL-435a	Inspection Standards For Stand and Dissection Tested Non-Self-Sealing Type Cells	Cancelled, Use MIL-STD-801
ANA-437	Procedure for Airframe Contractors Purchase of Supply Items Requiring Qualification Tests	Cancelled

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

NUMERICAL INDEX OF SPECIFICATIONS

DRAWING NUMBER	TITLE	REMARKS
ANA-440	Type Designation System for Aeronautical and Aeronautical Support Equipment	Cancelled Superseded by MIL-STD-875(ASG)
ANA-444	Electronic Equipment, Piloted Aircraft Design Criteria For	Cancelled
ANA-445	Supplement 1 to ANA Bulletin 445	Cancelled Use MIL-STD-480 and MIL-STD-481
MIL-BUL-543A	List of Standard Drawings Used by Naval Air Systems Command	Cancelled, Use MIL-BUL-544

Preparing Activity NAVY (AS)
MIL-BUL-544F
(Project No. GDRQ-NO5302)

☆U.S. GOVERNMENT PRINTING OFFICE: 1988 - 604-033/92788

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY
Commanding Officer
Naval Air Engineering Center
Systems Engineering Standardization Department
(SESD), Code 93
Lakehurst, NJ 08733

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12503 WASHINGTON D. C.

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

Commanding Officer
Naval Air Engineering Center
Systems Engineering Standardization Department
(SESD). Code 93
Lakehurst, NJ 08733

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-BUL-544F Part III	Federal/Military/Industry Specs & STDS, and NAVAIR Series Documents Approved by the Naval Air Systems Command

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*: _____
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T14:03Z
Check the source to verify that this is the current version before use.